

# ledger plus

INTRODUCTION . . . . .	66
METAL CABINET OVERVIEW . . . . .	71
METAL CABINET DATUM HEIGHTS . . . . .	72
METAL CABINET DRAWER HEIGHTS . . . . .	73
LATERAL FILE DRAWER STORAGE CAPACITIES . . . . .	74
METAL DRAWER CABINET BASICS . . . . .	76
METAL STORAGE CABINET BASICS . . . . .	77
METAL COMBO CABINET BASICS . . . . .	78
LOCKER TOWER BASICS . . . . .	79
LOCKER TOWER DOOR AND OPENING HEIGHTS . . . . .	81
METAL AND WOOD ADD-ON STORAGE BASICS . . . . .	84
PLANNING WITH ADD-ON STORAGE . . . . .	85
STORAGE TOP BASICS . . . . .	86
PLANNING WITH STORAGE TOPS . . . . .	87
WORKSURFACE BASICS . . . . .	88
PLANNING WITH WORKSURFACES . . . . .	89
CANTILEVERED WORKSURFACE BASICS . . . . .	90
WOOD GRAIN DIRECTION . . . . .	91

## introduction

**Ledger Plus is a select group of storage elements that can be planned as single units or together in a variety of configurations. They bring further utility to what is typically used for filing and personal belongings. It does more with less in common areas and in between spaces.**

- Ledger Plus Cabinets are planned in five heights, **Lounge, Underworksurface, Worksurface, Counter-Height and Bar-Height**
- **Locker Towers** are available up to 72" high
- Ledger Plus is based on a 1.6" filing module and can accommodate worksurfaces and cushions


The following chart outlines the heights of Ledger Plus Drawer Cabinets.

Height	Actual			Nominal		
	Without Worksurface	With Worksurface	With Cushion	Without Worksurface	With Worksurface	With Cushion
Lounge	17.6"	18.6"	19.1"	18"	19"	19.5"
Undersurface	20.8"	21.8"	22.3"	21"	22"	22.5"
Worksurface	27.2"	28.2"	n/a	27"	28"	n/a
Counter	35.2"	36.2"	n/a	35"	36"	n/a
Bar	40"	41"	n/a	40"	41"	n/a
Tall	48"	49"	n/a	48"	49"	n/a

The following layouts demonstrate a variety of applications that can be achieved with Ledger Plus including seating, stand up meeting places and casual sit-down meeting places. Ledger Plus provides the ability to create a “residential” look and feel through the blending of metal, wood and fabric cushions.

### low linear runs


17.6" high Lounge height storage placed back to back is ideal for providing additional seating. Cushions or wood toppers can be added individually or combined to create unique layouts.



## introduction (continued)


### low linear runs with metal or wood add-on storage

Stackers are available in various heights in wood and metal configurations to allow for additional storage. When used with the 17.6" high Lounge height low storage 40" and 48" high datum heights are achieved. The wood and metal options share similar depths and heights so can be combined in the same configuration.




### seating and stand up meetings

17.6" high Lounge height storage cabinets with cushions, and 40" high (Bar) height cabinets or lockers can be combined to provide both seating and standing height meeting spaces.



### workspace clusters


Storage tops can be added to low runs or standing height cabinets to provide alternative heights for working.



## introduction (continued)

### locker clusters

A variety of locker sizes and combinations are available and can be combined with low linear seating, or storage tops. Heights are available from 35.2" to 72" high.




### cantilevered worksurfaces

Cantilevered worksurfaces extend on one or both sides of storage cabinets, or cabinets with wood add-ons to provide additional meeting spaces.



### semi-supported worksurfaces


Semi-supported worksurfaces are available in a variety of shapes and leg styles and are used with single storage or back to back storage units to provide casual meeting spaces at 28.2", 36.2" and 41" high.




# introduction (continued)

## semi-supported worksurfaces with wood add-on storage



Wood Add-On storage and semi-supported worksurfaces can achieve a datum height of 40" and 48". They can be planned with single or back to back storage units.



Add-Ons facing inwards






Add-Ons facing outwards



## introduction (continued)

### mixed configurations


Matching depths and heights between Ledger Plus units allows for an infinite number of storage and worksurface combinations.



# metal cabinet overview


Ledger Plus provides storage solutions for managing information and resources and includes metal drawer, storage and combo cabinets, locker towers and add-on cabinets.

- All door fronts are an overlay style and are available in metal, Source Laminate and Flintwood
- Locks are available keyed random or keyed alike




Combination of Storage Cabinets, Locker Towers and Combo Towers shown

Two base styles are available on all cabinets, **Standard** and **Elevated**



### Standard


- With levelers
- +1" leveling range




### Elevated

- With Interpret foot
- The leg is 3.2" high so the case height will be 3.2" less
- 7/8" up and 3/4" down leveling range

Two handle styles are available, **District** and **Interpret**.




### Horizontal




### Vertical

### District

- Can be used on the Standard Cabinet only
- Available in Storm White, Platinum and Very White
- Available on wood or metal fronts



### Horizontal



### Vertical


### Interpret

- Can be used on the Standard and Elevated Cabinet
- The Two-Tone color option is available in Foundation, Mica and Accent finish
- Available on wood or metal fronts


## metal cabinet datum heights

The bottom drawer on Drawer Cabinets and Combo Cabinets align to maintain consistent datum lines. File drawers are available large (L) or Extra Large (XL), and vary in height depending on whether the cabinet is Standard or Elevated. The following outlines the datum lines that are achieved.

### standard\_F (file)








### standard\_Q (XL file)



# metal cabinet drawer heights

The chart below aids in selecting the appropriate drawer for specific applications.

module code		interior height	product illustration	applications
drawer type	exterior height			
F	112 11.2"	10.8"		<ul style="list-style-type: none"> <li>• Drawer extends for easy access from any position</li> <li>• Fits hanging files in letter and A4 sizes, books and magazines</li> <li>• Accommodates front-to-back and side-to-side filing</li> </ul>
L	128 12.8"	12.4"		<ul style="list-style-type: none"> <li>• Drawer extends for easy access from any position</li> <li>• Fits binders and hanging files in letter and A4 sizes, books and magazines</li> <li>• Does not accommodate metric-size binders</li> </ul>
Q	144 14.4"	14"		<ul style="list-style-type: none"> <li>• Drawer extends for easy access from any position</li> <li>• Fits binders and hanging files in letter and A4 sizes, books and magazines</li> <li>• Accommodates metric-size binders</li> </ul>
B	64 6.4"	6"		<ul style="list-style-type: none"> <li>• Drawer extends for easy access from any position</li> <li>• Fits writing equipment office supplies, CDs, DVDs, personal items</li> </ul>
B*	96 9.6"	9.2"		<ul style="list-style-type: none"> <li>• Drawer extends for easy access from any position</li> <li>• Fits writing equipment office supplies, CDs, DVDs, personal items</li> </ul>


# lateral file drawer storage capacities

Lateral File drawer storage capacities arrangements are shown below.

All measurements are in linear inches and centimeters

## side-to-side


letter, legal, A4 binders



<b>18" and 20" Deep</b>	One-High	20-5/8"/52 cm	26-5/8"/68 cm	32-5/8"/83 cm	38-5/8"/98 cm
	Two-High	41-1/4"/105 cm	53-1/4"/135 cm	65-1/4"/166 cm	77-1/4"/196 cm
	Three-High	61-7/8"/157 cm	79-13/16"/203 cm	97-13/16"/249 cm	115-13/16"/294 cm
	Four-High	82-1/2"/210 cm	106-1/2"/271 cm	130-1/2"/331 cm	154-1/2"/392 cm

## front-to-back

letter binders




<b>18" Deep</b>	One-High	15-1/4"/39 cm +6-1/2"/17 cm side space	30-1/2"/77 cm	30-1/2"/77 cm +6-1/2"/17 cm side space	45-3/4"/116 cm
	Two-High	30-1/2"/77 cm +13"/33 cm side space	61"/155 cm	61" 155 cm +13"/33 cm side space	45-3/4"/116 cm
	Three-High	45-3/4"/116 cm +19-1/2"/50 cm side space	91-1/2"/232 cm	91-1/2"/232 cm +19-1/2"/50 cm side space	137-1/4"/349 cm
	Four-High	61"/155 cm +26"/66 cm side space	122"/310 cm	122"/310 cm +26"/66 cm side space	183"/465 cm


<b>20" Deep</b>	One-High	16-5/8"/42 cm +6-1/2"/17 cm side space	33-1/4"/84 cm	33-1/4"/84 cm +6-1/2"/17 cm side space	49-7/8"/127 cm
	Two-High	33-1/4"/84 cm +13" 33 cm side space	66-1/2"/169 cm	66-1/2"/169 cm +13"/33cm side space	99-3/4"/254 cm
	Three-High	49-7/8"/127 cm +19 1/2"/50 cm side space	99-3/4"/253 cm	99-3/4"/253 cm +19-1/2"/50 cm side space	149-5/8"/380 cm
	Four-High	66-1/2"/169 cm side space +26"/66 cm side space	133"/338 cm	132"/338 cm +26"/66 cm side space	199-1/2"/507 cm

# lateral file drawer storage capacities (continued)


legal binders  
front-to-back




24" Wide



30" Wide



36" Wide



42" Wide

18" Deep

One-High	15-1/4"/39 cm +4"/10 cm side space	15-1/4"/39 cm + 10"/25 cm side space	30-1/2"/77 cm	30-1/2"/77 cm + 6-1/2"/17 cm side space
Two-High	30-1/2"/77 cm +8"/20 cm side space	30-1/2"/77 cm +20"/51 cm side space	61"/155 cm	61"/155 cm +13"/33 cm side space
Three-High	45-3/4"/116 cm +12"/30 cm side space	45-3/4"/116 cm +30"/76 cm side space	91-1/2"/232 cm	91-1/2"/252 cm +19-1/2"/51 cm side space
Four-High	61"/155 cm +16"/41 cm side space	61"/155 cm +46"/102 cm side space	122"/310 cm	122"/310 cm +26"/66 cm side space

20" Deep

One-High	16-5/8"/42 cm +4"/10 cm side space	16-5/8"/42 cm +10"/125 cm side space	33-1/4"/84 cm	33-1/4"/84 cm +6-1/2"/17 cm side space
Two-High	33-1/4"/84 cm +8"/20 cm side space	33-1/4"/84 cm +20"/51 cm side space	66-1/2"/169 cm	66-1/2"/169 cm+ +13"/33 cm side space
Three-High	49-7/8"/127 cm +12"/30 cm side space	49-7/8"/127 cm +30"/76 cm side space	99-3/4"/253 cm	99-3/4"/253 cm +19-1/2"/50 cm side space
Four-High	66-1/2"/155 cm +16"/41 cm side space	66-1/2"/155 cm +40"/102 cm side space	133"/338 cm	133"/338 cm +26"/66 cm side space

## metal drawer cabinet basics

Ledger Plus metal Drawer cabinets are offered in six pre-configured arrangements.

- All drawer heights are based on a 1.6' module allowing the drawer configurations to be changed or retrofitted at any time


### Standard Profile



All cabinets are available 18" and 20" deep\* and 24", 30", 36" and 42" wide.

\*Drawer Cabinets (PLDLS) in depth 20" have interior drawer depth of 18"

### lounge height (17.6")




#### Lounge Height Drawer Cabinet - Standard (PLDLS)

Extra Large File (Q)

When freestanding application and 18" depth is specified, 42" is not available.


### under worksurface height (20.8")



#### Under Worksurface Drawer Cabinet - Standard (PLDUS)

Box/File (BF)

### worksurface height (27.2")



#### Worksurface Height Drawer Cabinet - Standard (PLDWS)

Box/Extra Large File (BQ)

Box/Box/File (BBF)

Large File/File (LF)

### counter height (35.2")




#### Counter Height Drawer Cabinet - Standard (PLDCS)

Box/File/File (BFF)

Box/File/Extra Large File (BFQ)

### bar height (40")




#### Bar Height Drawer Cabinet - Standard (PLDBS)

File/File/Extra Large File (FFQ)

Large File/Large File/File (LLF)

### tall height (48")




#### Tall Drawer Cabinet - Standard (PLDTS)

Box/File/Large File/Extra Large File (BFLQ)

File/File/File/File (FFFF)

# metal storage cabinet basics



Ledger Plus Metal Storage Cabinets are offered in three pre-configured arrangements.




Standard profile shown with work surface top

All cabinets are available 18" and 20" deep and 24", 30", 36" and 42" wide.

Interior shelves are included and are adjustable in 1.6" increments




SA2 shown



**Additional Shelves (SA1)** and **Slotted Shelves (SA2)** can be specified. The Slotted Shelf is pierced with openings that accept Divider Plates (LFA10, 24, 32)

The Max Store Unit includes 12 **Max Storage Trays (SA6)**, creating 15 cubbyholes






**Max Storage Trays (SA6)** create additional cubbyholes to a maximum of 24 trays per unit, creating 27 cubbyholes

two-high (27.2")

three-high (40")

four-high (48")




Storage Cabinets- Standard (PLSS)

# metal combo cabinet basics

Ledger Plus Metal Combo Cabinets are offered in two pre-configured arrangements and provide a combination of drawers and closed storage.

- All drawer heights are based on a 1.6" module
- Counterweights are required on all four-high cabinets and three-high cabinets in Extra Large File configuration




All cabinets are available 18" and 20" deep and 24", 30", 36" and 42" wide.

One interior shelf is included with each Combination Cabinet and is adjustable in 1.6" increments




- **Additional Shelves (SA1) and Slotted Shelves (SA2)** can be specified. The Slotted Shelf is pierced with openings that accept Divider Plates (LFA10, 24, 32)

## three-high (40")



File (F)  
Extra Large File (Q)

## four-high (48")



File, File (FF) - Shown  
Large File, Extra Large File (LQ)

Combo Cabinets - Standard (PLCS)

# locker tower basics


Ledger Plus Locker Towers provide a variety of locker options for both personal and coat storage and are available one, two, three or four cubbies high, and one, two or three units wide in Standard and Elevated profiles.

- All overall heights are based on a 1.6" module, so not all interior heights are equal
- All locks are individual
- Lockers are handed

## Standard profile




## Elevated profile



All cabinets are available 18" and 20" deep and 24", 30", 36" and 42" wide.


## single lockers



### Single Locker Tower (PLTSS)

## double lockers


(Standard shown)



### Dual Locker Tower (PLTDS / PLTDE)



# locker tower basics (continued)

## double lockers (continued)




Dual Locker Tower (PLTDS / PLTDE)

## triple lockers



(Standard shown)



Triple Locker Tower (PLTTS / PLTTE)


# locker tower door and opening heights

The following outlines the door heights, shelf heights, and hook locations for all Locker Towers. The handle heights vary depending on the number of doors on the unit. It is recommended when planning that the same heights and configurations be planned side by side.


## standard

### 35" high


Available with 1 or 2 doors



Exterior door dimensions



Interior compartment dimensions




1 door with  
1 fixed shelf


2 doors with  
no shelf

### 40" high


Available with 1 or 2 doors



Exterior door dimensions



Interior compartment dimensions




1 door available  
1 coat hook


2 doors with  
no shelf

### 48" high


Available with 1, 2 or 3 doors



Exterior door dimensions



Interior compartment dimensions



1 door available with  
1 adjustable shelf  
that can be mounted  
in three positions;  
1 coat hook

2 doors with  
1 fixed shelf  
per cubby


3 doors with  
no shelf

# locker tower door and opening heights (continued)


## 66" high

Available with 1, 2 or 3 doors

Exterior door dimensions



Interior compartment dimensions




1 door available with 2 adjustable shelves that can be mounted in four positions; 1 coat hook  
 2 doors available with 1 shelf per cubby  
 3 doors with no shelf


## 72" high

Available with 2, 3 or 4 doors

Exterior door dimensions



Interior compartment dimensions




2 doors available with 1 shelf per cubby  
 3 doors available with 1 shelf per cubby  
 4 doors with no shelf

# locker tower door and opening heights (continued)


elevated

35" high


Available with 1 or 2 doors



Exterior door dimensions



Interior compartment dimensions




1 door  
available with  
1 fixed shelf


2 door with no shelf

40" high


Available with 1 or 2 doors



Exterior door dimensions



Interior compartment dimensions




1 door available  
with 1 adjustable  
shelf that can be  
mounted in three  
positions

2 doors with  
no shelf

# metal and wood add-on storage basics


Ledger Plus Metal Add-On Storage provides enclosed storage that is mounted on top of Ledger Cabinets. The wood add-on provides open storage that is mounted to the top of Ledger one-high cabinets, worksurfaces or between worksurfaces and metal storage.

## Metal Add-On



Wood Add-On


## metal add-on storage



Add-On Storage Cabinet (PLACM)

Height: 18", 22", 30"  
 Depth: 18" and 20"  
 Width: 24", 30", 36", 42"


When positioned next to each other, the wood add-on top thickness and metal add-on top thickness are not the same due to variance in material thickness so they will not align.



SA2 shown


- One interior shelf is included with each Add-On Cabinet except for 18" high and is adjustable in 1.6" increments
- **Additional Shelves (SA1)** and **Slotted Shelves (SA2)** can be specified. The Slotted Shelf is pierced with openings that accept Divider Plates (LFA10, 24, 32)

## wood add-on storage



Add-On Storage Cabinet (PLACW)


Height:  
 above worksurface: 7", 12", 20"  
 below worksurface: 8", 10", 13", 14", 18", 19", 22"  
 on storage: 8", 13", 19", 21", 22", 27", 30"  
 Depth: 18" and 20"  
 Width: 24", 30", 36", 42"



# planning with add-on storage


Add-on storage units in metal or wood have been sized to achieve a specific datum height of Lounge, Worksurface, Counter or Bar height when combined with metal storage units below.

## above worksurface




Height	Actual Datum Height	Nominal Datum Height	Actual Height Supporting Cabinet	Nominal Height Supporting Cabinet	Actual Height Add-On
	48	48	27.2	27	19.8
	48	48	35.2	35	11.8
	40	40	27.2	27	11.8

## below worksurface



Height	Actual Datum Height	Nominal Datum Height	Actual Height Supporting Cabinet	Nominal Height Supporting Cabinet	Actual Height Add-On
	40	40	17.6	18	22.4
	40	40	20.8	21	19.2
	40	40	27.2	27	12.8
	35.2	35	17.6	18	17.6
	35.2	35	20.8	21	14.4
	35.2	35	27.2	27	8
	27.2	27	17.6	18	9.6

## stack storage




Height	Actual Datum Height	Nominal Datum Height	Actual Height Supporting Cabinet	Nominal Height Supporting Cabinet	Actual Height Add-On
	48	48	17.6	18	30.4
	48	48	20.8	21	27.2
	48	48	27.2	27	20.8
	48	48	35.2	35	12.8
	48	48	40	40	8
	40	40	17.6	18	22.4
	40	40	20.8	21	19.2
40	40	27.2	27	12.8	

## storage top basics

Ledger Plus Storage tops add extra functionality to the top of drawer cabinets. They have been sized precisely to fit on top of predetermined storage clusters and, therefore, provide the most ideal fit.



### Storage Top for Clusters Without End Units



### Storage Top for Clusters without End Units (PLSTN)

Storage Depth: 18" and 20"  
Storage Width: 24", 30", 36", 42"


- Used on drawer cabinets, storage cabinets, combo cabinets and lockers when no end units are used
- Mechanical fastening to the storage unit



### Storage Top for Clusters with End Units (PLSTY)

Storage Depth: 18" and 20"  
Storage Width: 24", 30", 36", 42"


- Used on drawer cabinets, storage cabinets, combo cabinets and lockers when end units are used
- Mechanical fastening to the storage unit




# planning with storage tops

The following should be considered when planning with Ledger Plus Storage tops.

Ledger Plus storage tops are available in pre-configured sizes to accommodate common configurations. The following chart outlines the available standard configurations.



Application	Configuration	Depth A	Depth B	Width A	Width B	Depth of Top	Width of Top
(S) Single-Sided	(A) 2 units side by side	18, 20	n/a	24, 30, 36, 42	n/a	18, 20	48, 60, 72, 84
	(B) 3 units side by side	18, 20	n/a	24, 30	n/a	18, 20	72, 90
(D) Double-Sided	(C) 2 back to back units	18, 20	n/a	24, 30, 36, 42	n/a	36, 40	24, 30, 36, 42
	(D) back to back cluster of 4 units	18, 20	n/a	24, 30, 36, 42	n/a	36, 40	48, 60, 72, 84
	(E) back to back cluster of 6 units	18, 20	n/a	24, 30	n/a	36, 40	72, 90
	(F) 2 back to back units with 2 end units	18, 20	18 20	24, 30, 36, 42 24, 30, 36, 42	36, 42	36, 42	60, 66, 72, 78 64, 70, 76, 82
		(G) cluster of 4 back to back units with 2 end units	18, 20	18 20	24, 30 24	36, 42	36, 42
	(J) 2 back to back units with 1 end unit	18	18 20	24, 30, 36, 42 24, 30, 36, 42	36	36	42, 48, 54, 60 44, 50, 56, 62
		(H) cluster of 4 back to back units with 1 end unit	18	18 20	24, 30, 36 24, 30, 38	36	36





Note that top sizes are nominal, the actual size is intended to slightly overlap the filing. It is recommended that only one top be used on each filing configuration. For non standard configurations, contact the *Teknion Specials department* to request a single top.

When planning with 42" wide storage ends on both sides it is possible to create an internal gap in the center to allow for power access.

## worksurface basics

Ledger Plus Semi-supported Worksurfaces with legs used in combination with Ledger Plus Storage provides casual areas for collaboration.

- Ledger Plus worksurfaces are used on drawer cabinets, storage cabinets, combo cabinets and lockers
- Two shapes are available, Rectangular and Bullet
- The surfaces are mechanically fastened to the storage unit
- Reinforcement channels are ordered separately



**Semi-supported with Legs (PLSW)**


Depth: 24", 30", 36" 40", 42"  
Width: 60", 66", 72", 78", 84", 90", 96"



**Worksurface Reinforcement Channel (PLRC)**

Width: 42", 48", 54" 60", 66", 72"

Three leg styles are available to support Ledger Plus worksurfaces.




**District Leg (PLSD)**

Height: 27.2", 35.2", 40"  
Depth: 24", 30", 36" 40", 42"

Available in Foundation, Mica, Accent and Clear Anodized finish.

- Cluster Leveling range of +1




**Loop Leg (PLSL)**

Height: 27.2", 35.2", 40"  
Depth: 24", 30", 36" 40", 42"

Available in Foundation, Mica, Accent and Clear Anodized finish.

- Cluster Leveling range of +1



**Pedestal Leg (PLSP)**



Height: 27.2", 35.2", 40"  
Depth: 24", 30", 36" 40", 42"

Available in Foundation, Mica and Accent finish.

- Only available for surfaces over 36" deep
- Cluster Leveling range of +1




# planning with worksurfaces

The following should be considered when planning with Worksurfaces.



### Pedestal Legs

- If the unsupported span to the center of the pedestal leg is  $\geq 54"$  and the depth of the surface is  $\leq 36"$ , then one reinforcement channel is required and must be mounted in the center of the surface
- The channel should be ordered at least 6" shorter than the unsupported span
- If the unsupported span to the center of the pedestal leg is  $\geq 48"$  and the depth of the surface is  $\geq 40"$ , then two reinforcement channels are required and must be mounted on either side of the pedestal leg
- The channel should be ordered the same length as the unsupported span to The Center of The Pedestal Leg





### District and Loop Legs



- If the unsupported span to the end of the worksurface is between 52" and 70" and the depth is  $\leq 36"$ , then one reinforcement channel is required and must be mounted in the center of the surface
- The channel should be ordered no more than 6" shorter than the unsupported span
- If the unsupported span to the end of the worksurface is  $\geq 70"$  and the depth is between 30" and 36", then two reinforcement channels are required and must be mounted equally from both sides
- The channel should be ordered no more than 6" shorter than the unsupported span
- If the unsupported span to the end of the worksurface is  $\geq 52"$  and the depth is more than 40" then two reinforcement channels are required and must be mounted on equally from both sides
- The channel should be ordered no more than 6" shorter than the unsupported span

## seating clearances for worksurface legs.





### District Leg (PLSD)



### Loop Leg (PLSL)



### Pedestal Leg (PLSP)



## cantilevered worksurface basics

**Ledger Plus Cantilevered Worksurfaces used with storage provide Counter and Bar height casual seating and perching areas.**


- Ledger Plus cantilevered worksurfaces are used on drawer cabinets, storage cabinets, combo cabinets and lockers
- The surfaces are mechanically fastened to the storage unit
- Surfaces are available in Foundation Laminate and Flintwood

Two styles of worksurface are available, Single Sided Overhang and Dual Sided Overhang.

**Single Sided Overhang**





**Dual Sided Overhang**



**Cantilevered with Storage (PLCW)**

Depth: 36", 40"  
Width: 24", 30", 36", 42"


Worksurface finish options: Foundation Laminate, Flintwood



# wood grain direction


The following outlines the wood grain direction for all Ledger Plus storage units with wood or laminate fronts.

## metal drawer cabinets



Flintwood


## metal storage cabinets



Flintwood

Laminate


## metal combo cabinets



Flintwood

Laminate


## metal add-on storage



Flintwood


Laminate

## wood add-on storage




Note: Back is Vertical Grain

## storage top grain direction




## storage top clusters




# wood grain direction (continued)


## lockers




Single Locker Tower  
(PLTSS / PLTSE)




Single Locker Tower  
(PLTSS / PLTSE)




Single Locker Tower  
(PLTSS)




Single Locker Tower  
(PLTSS)




Triple Locker Tower  
(PLTTS / PLLTTE)




Triple Locker Tower  
(PLTTS / PLLTTE)




Triple Locker Tower  
(PLTTS / PLLTTE)




Triple Locker Tower  
(PLTTS / PLLTTE)




Dual Locker Tower  
(PLTDS / PLTDE)



Dual Locker Tower  
(PLTDS / PLTDE)



Dual Locker Tower  
(PLTDS / PLTDE)



Dual Locker Tower  
(PLTDS / PLTDE)

## worksurface

