

mounted storage & accessories

MOUNTED STORAGE BASICS122

MOUNTED ACCESSORY BASICS123

PLANNING WITH MOUNTED STORAGE124

mounted storage basics

T/O/S offers a variety of panel-mounted on-module storage units that provide open storage within the workstation.

- On-Module Hooks are available and must be specified if required
- Cabinets are available with locks keyed alike to match other storage components or keyed randomly for a dedicated lock
- The Universal Light (TU200) and Utility Light (TY) can be mounted to the underside of cabinets and shelves

Flipper Door Unit (S)

- Must be hung on-module when hung on Power Panels (PE)
- Door retracts inside if case is metal
- 30" - 48" has one door, 54" & 60" has two doors

Shelves (Double Wall/Open Storage) (S)

- Must be hung on-module when hung on Power Panels (PE)
- Accept Wire Book Organizers (BK60)

Overhead Cabinet (DSF)



- Must be hung on-module when hung on Power Panels (PE)
- Door retracts outside/over the cabinet
- Requires a 2" door clearance above the lower cabinet when stacked
- Accepts Shelf Dividers (BK61)
- Fabric (D4) fronts and all 54" wide cabinets cannot be specified with a motion control mechanism

- When applying the Utility Light to an Overhead Cabinet (DSF) or a Shelf (DSO) specify width one size smaller than the width of the Cabinet or Shelf, (e.g., 24" shelf specify an 18" Utility Light, 42" Cabinet, specify a 36" Utility Light

or


A4 Overhead Cabinet (DSFM)

- A metric-height panel-mounted, on- or off-module lockable storage on it for A4 files
- Cannot be applied on a 30" high element
- 30" - 48" has one door, 54", 60" has two doors




On-Module Hooks (SFOM)

- Can be attached to the back of the Overhead Cabinet (DSF) or A4 Overhead Cabinet (DSFM) to enable on-module mounting to any straight T/O/S Panel
- Incorporates an integral safety hook, which prevents the overhead cabinet from being dislodged from the panel when struck from the bottom




Shelf (DSO)

- Bracket (of the DSO, the Single Wall and the EDP shelf) incorporates an integral safety hook which prevents the shelf from being dislodged from the Panel when struck from the bottom
- Accepts Shelf Dividers (BK61)
- When applying the Utility Light to an Overhead Cabinet (DSF) or a Shelf (DSO) specify width one size smaller than the width of the Cabinet or Shelf, (e.g., 24" shelf specify an 18" Utility Light, 42" Cabinet, specify a 36" Utility Light




Shelves (Single Wall/EDP) (S)

- Can be hung on-module only




EDP Shelf



Single Wall Shelf

Wall Adapters (Horizontal, Single/Double Component) (FC)

- Allow overhead storage and accessories to mount to walls
- Are intended to be wall mounted. It is the customer's responsibility to ensure that it is securely installed and that the wall is appropriately prepared
- Width of the horizontal component wall adapter should match the width of the cabinet
- Are for use with Overhead Cabinets (DSF, DSFM), Double Wall Shelf (SS), Open Storage Shelf (SO) and Flipper Door Units (SF/SFC)



Finishes


- Cabinet cases and shelves are available in Foundation and Mica colors
- Metal door fronts will match case finish
- Fabric door fronts can be upholstered in fabrics from Teknion's standard fabric program
- Handles are finished in Foundation colors

mounted accessory basics

T/O/S offers a variety of accessories that can be hung inside or outside a workstation to facilitate organization of the workstation.


Shelf Divider (BK61)

- Separates books, paper, binders and other items on the Shelf (DSO) and in the Overhead Cabinet (DSF) only
- Inserts into the rail at the back of the Overhead Cabinet (DSF) or Shelf (DSO) and can be positioned anywhere along its length



Accessory Rail (PAR)


- Is designed to support Personal Organizers (PAX)
- Can only be attached into the hingeway on a Fabric Covered Element (PAA, PTA)
- Fits all panels
- Two rails are required on-module to provide adequate support for Binder Bins (PAX95). Up to three rails can be attached over a single 15" element



- Cannot be attached at the same level when coming together in a corner situation
- Lighting wire management clips cannot be attached in the same hingeway


Tackboard (AT)

Mounts on- or off-module over existing elements to provide a tackable surface



Shelf Divider and Paper Organizer (BK)

- Organizes paper and books on a Single Wall Shelf (SB) or EDP Shelf (SE)
- Sits vertically on a shelf(s) on an angle



Wire Book Organizer (BK60)

- Facilitates the organization of books and binders in a Double Wall Shelf (SS), Open Storage Shelf (SO), or Flipper Door Unit (SF/SFC)
- Mount into the channels at the front and back shelf bottom anywhere along the length of the shelf




Finishes

- Accessories are available in Foundation, Mica or Accent colors, unless otherwise specified
- Tackboard is available in Panel Fabric selections

planning with mounted storage

The following illustrates how Mounted Storage and Accessories can be applied to the inside or outside of a workstation.



- Applications of T/O/S mounted storage are not limited to the interior of the workstation
- The exterior of the panels can accept mounted storage to facilitate the organization of items shared by a group
- The Workstation Signage (ACWS), Vertical Organizer (PAX100), Tray;Legal (PAX93) and Media Organizer (PAX96) must be ordered through Complements: *Teknion's Ergonomics & Accessories Program*
- Two levels of storage can be hung to a maximum height of 66" provided there is a return panel at least 30" wide