

navigate
world wide

reference guide

01.27.2025



teknion

what is navigate world wide

Navigate World Wide is our newest addition to our growing height-adjustable offering. Expanding on the benefits of an everyday sit/stand workstation, Navigate creates multiple ways of working wherever you are. Highlighted by a signature display switch with sit/stand GPS, Navigate creates a responsive and impactful work area to get you where you need to go.

Navigate World Wide Freestanding Height-Adjustable Desking is experience driven, integrates responsive innovation, and creates everyday impact. Highlighted by the same leg geometry, modern design, soft edges, new materials and signature toggle display switch with sit/stand GPS, Navigate and Navigate World Wide share a responsiveness and impact that focuses on you.

In partnership with LINAK, the world leader in linear actuators, we are able to offer Navigate World Wide with common regionally sourced components, geo-specific electrical accommodations and favorable lead times. Navigate World Wide offers an additional extended height-adjustment range - not included in the standard Navigate offering of 24-1/2" to 50-1/2" or 622mm to 1282mm.




what is navigate world wide

PRODUCT FEATURES

- Navigate World Wide has a refined aesthetic with no visible fasteners
- Tables can be easily adjusted to fit the individual and support multiple workplace styles
- Consists of two components specified separately:
 - Worksurface
 - Bases, 2 styles available:
 - C-Leg
 - T-leg
- To specify:
 - Select the desired worksurface
 - Select the base to match the selected worksurface
- Electrical switches are Geo-Specific
- Four switch options are available:
 - Standard Up/Down
 - Display with Up/Down Memory
 - Toggle Up/Down
 - Display Toggle with Memory and Navigate GPS and four wire management options are available:
 - Felt Cover Cable Organizer
 - Plastic Tray Cable Management
 - Vertical Wire Carrier
 - Steel Cable Tray
- Worksurface Dimensions:
 - Depth: 23", 29"
 - Widths: 40", 46", 52", 58", 64", 70"
- Base Dimensions:
 - Depths: 23", 29"
 - Widths: 40", 46", 52", 58", 64", 70"
- All dimensions are actual
- Height-Adjustment Range:
 - 24-1/2" - 50-1/2" (622mm - 1282mm)
- Collision detection is included with every base
- Available in a large variety of finishes and edge trim styles


PRODUCT COMPONENTS

- 1 Worksurface
 - The finish options and cut out locations vary depending on region
- Base:
 - The base is made up of the following components
- 2 Foot
- 3 World Wide Leg Column
- 4 Switch
 - The electrical switch options are specified with the table base




what is navigate world wide

SWITCHES




Standard Up/Down (S)

- Basic Up/Down Function




Display with Up/Down Memory (D)

- Basic Up/Down Function
- Display
- Four programmable memory settings
- Error Code Read-Out



Toggle Up/Down (T)


- Basic Up/Down Function
- Soft touch material
- Contoured shape for ease of use



Display Toggle with Memory and Navigate GPS (X)


- Large Display
- Four Programmable Memory Setting
- Navigate GPS: Teknion's Sit/Stand Guidance and Reminders Aid
- Teknion Sit/Stand Reminders
- Soft touch material
- Can be reprogrammed using Teknion Switch Configuration software
- Error Code Read-Out with QR Code

CABLE MANAGEMENT




Felt Cover Cable Organizer

- Felt provides a unique and residential solution for cable management under the worksurface
- Three velcro straps are included for wire management
- Finishes:
 - Organizer: Grey Felt
 - Mounting Brackets: Anthracite




Plastic Tray Cable Management

- Provides cable management below the worksurface
- Two options are available:
 - 1 Dual Plastic Tray
 - 1 Dual Plastic Trays with Powerbar
- Tray size is 10"w x 4 3/4" d x 1-1/2"h




Vertical Wire Carrier

- Provides vertical wire management from the table to the floor
- Finishes:
 - Ebony Coordinate
 - Platinum Coordinate
 - Very White Coordinate



Steel Cable Tray


- Available for European applications



Power bars for Navigate Height-Adjustable Table cannot be daisy chained.

what is navigate world wide

TABLE DIMENSIONS



- Worksurfaces sizes are actual dimensions
- Tables should always have a clearance of 1" on all sides for safety

COLLISION DETECTION


Collision Detection is a standard feature on all Navigate Height-Adjustable Bases and Tables.

The Collision Detection system detects when the table collides with an object in the up or down direction that substantially impedes the movement of the table. Once a detection is made, the table will stop, reverse direction by 1", display an error code on the control panel, and lock out all adjustment for a minimum of 3 seconds.

The detection works by continually comparing the overall power draw of the table when making height-adjustments; in the event of an inconsistent power draw between the table legs, the Collision Detection's features activate.

REGIONAL OPTIONS

- Navigate electrics options provide the opportunity to add style to your table with the following features:
 - Four electric switches highlighted by the new Toggle Style Display Switch with Memory
 - A Geo-Specific Cross Channel Power Bar (shown below)
 - This provides pass through power to the table while maintaining the requirement of only plugging in one plug to power both the table and the power bar
 - Horizontal Cable Management options that support technology demands and table geometry
 - Vertical Wire Carrier





Cross Channel Integrated Power Bar

navigate world wide north america

North American worksurfaces are available with specific cut outs and grommets.

CUT OUTS

- Cut Out Options:
 - Left and right
 - Center and left
 - Center and right
 - Center, left and right
- Cut out locations are:
 - None
 - Round:
 - 3-1/4" on center from the non-user side
 - 3-1/4" on center from side edge for right and left applications
 - Rectangular:
 - 3-1/4" on center from the non-user side
 - 5-1/2" on center from side edge for right and left applications
- Cut Out Styles:
 - Round (2-3/4" diameter)
 - Rectangular (diamond shaped)




GROMMETS

Grommets (YEDG, YEEG) must be ordered separately from the Complements: *Teknion's Ergonomics & Accessories Program*.


- A cut out cap can also be found in Complements.

Diecast Grommet (YEDG):

- To be ordered with Round Cut Out Selection (G)




round



square

Rectangular Grommet (YEEG):

- To be ordered with Rectangular Cut Out Selection (R)




rectangular

navigate world wide north america


INTEGRATED POWER BAR

An optional Cross Channel Integrated Power Bar is available if specified.




EDGE TRIMS

Source Laminate




Straight Trim


Foundation Laminate



Straight Trim



Flat Trim




Bullnose Trim



Full Knife Trim

Flintwood



Flat Trim



Full Knife Trim

Natural Veneer



Flat Edge



Full Knife Edge

navigate world wide north america


WORKSURFACE FINISHES

Worksurfaces are available in the following finishes:

- Source Laminate
- Foundation Laminate
- Flintwood
- Natural Veneer

BASE FINISHES


Bases are available in the following finishes:



SWITCH FINISHES


Switches are available in the following finishes:

- Standard Up/Down (S) and Display with Up/Down (D) Memory
 - Ebony Coordinate
- Toggle Up/Down (T) and Display Toggle with Memory & Navigate GPS (X)
 - Anthracite
 - Platinum
 - Crisp Grey



VERTICAL WIRE CARRIER FINISHES

Vertical Wire Carriers are available in the following finishes:



navigate world wide north america

rectangular height-adjustable worksurface for navigate world wide (WY1)



PRODUCT OPTIONS

Leg Application	Base Mechanism	Depth	Width	Cut-Out Style
TTT T-Leg CCC C-Leg	9W Extended Electric–World Wide (24.5"-50.5")	23, 29	40, 46, 52, 58, 64, 70	N None G Round (2.75" Diameter) R Rectangular (Diamond Shaped (Cutout))

Cut-Out Location	Surface Finish	Edge Trim Styles	Edge Trim Finish
N None C Center L Left R Right B Left & Right A Center & Left D Center & Right E Center, Left & Right	Source Laminate Foundation Laminate Flintwood Natural Veneer	6 Straight Trim 8/9 Flat Trim 2 Bullnose Trim H Full Knife Trim	Edge Trim Colours

PRICING

None (N) Cut Style & No (N) Cut Out Location										
		Source Laminate	Foundation Laminate				Flintwood		Veneer	
Depth	Width	Straight Trim	Flat Trim	Straight Trim	Bullnose Trim	Full Knife Edge Trim	Flat Trim	Full Knife Edge Trim	Flat Trim	Full Knife Edge Trim
23"	40"	424	487	495	567	620	1101	1267	1155	1329
23"	46"	445	496	506	583	639	1150	1317	1204	1381
23"	52"	534	654	664	748	846	1276	1467	1338	1538
23"	58"	613	664	675	767	861	1358	1556	1422	1630
23"	64"	624	673	686	785	879	1463	1674	1531	1755
23"	70"	636	685	699	803	894	1544	1762	1619	1846
29"	40"	504	529	541	618	677	1257	1451	1317	1521
29"	46"	517	543	552	639	696	1312	1510	1376	1581
29"	52"	553	672	684	776	872	1426	1641	1494	1720
29"	58"	650	685	698	796	889	1517	1738	1590	1823
29"	64"	664	699	709	815	910	1607	1839	1684	1926
29"	70"	675	709	725	834	925	1746	1998	1828	2095
Round (G) or Rectangular (R) Cut Style & Center (C), Left (L) or Right (R) Cut Out Location										
23"	40"	467	528	540	610	665	1145	1311	1198	1373
23"	46"	488	541	550	628	681	1192	1361	1249	1424
23"	52"	579	698	707	792	889	1318	1510	1381	1580
23"	58"	657	707	717	810	906	1402	1599	1467	1674
23"	64"	668	716	730	828	921	1506	1719	1575	1799
23"	70"	678	729	740	846	937	1589	1806	1660	1890
29"	40"	549	575	582	663	722	1302	1496	1361	1566
29"	46"	558	585	595	681	738	1356	1552	1418	1626
29"	52"	597	715	728	820	916	1469	1682	1538	1762
29"	58"	696	729	739	838	934	1561	1783	1632	1866
29"	64"	707	740	753	858	951	1651	1883	1727	1969
29"	70"	717	753	767	879	969	1787	2042	1870	2138

navigate world wide north america

PRICING

		Round (G) or Rectangular (R) Cut Style & Center & Left (A), Left & Right (B) or Center & Right (D) Cut Out Location								
		Source Laminate	Foundation Laminate				Flintwood		Veneer	
Depth	Width	Straight Trim	Flat Trim	Straight Trim	Bullnose Trim	Full Knife Edge Trim	Flat Trim	Full Knife Edge Trim	Flat Trim	Full Knife Edge Trim
23"	40"	511	574	581	654	708	1189	1355	1242	1416
23"	46"	529	582	593	671	726	1235	1406	1289	1468
23"	52"	620	739	751	834	934	1363	1552	1424	1624
23"	58"	701	751	762	854	949	1445	1643	1510	1719
23"	64"	710	761	771	871	965	1549	1761	1620	1841
23"	70"	724	770	785	889	980	1630	1848	1704	1935
29"	40"	590	617	625	705	764	1343	1539	1406	1607
29"	46"	604	630	639	726	782	1398	1597	1463	1670
29"	52"	640	760	769	861	959	1513	1726	1580	1806
29"	58"	738	770	783	883	977	1603	1826	1675	1909
29"	64"	751	785	796	901	995	1695	1925	1771	2013
29"	70"	762	796	810	921	1012	1832	2086	1914	2182
		Round (G) or Rectangular (R) Cut Style & Center, Left & Right (E) Cut Out Location								
23"	40"	553	615	624	698	752	1232	1396	1285	1460
23"	46"	575	625	636	713	768	1280	1447	1334	1512
23"	52"	665	783	793	879	977	1407	1597	1468	1667
23"	58"	743	793	805	897	992	1489	1685	1552	1761
23"	64"	755	803	817	914	1008	1592	1805	1662	1885
23"	70"	766	815	828	934	1023	1674	1891	1749	1976
29"	40"	635	661	670	748	807	1387	1581	1447	1651
29"	46"	646	672	681	768	824	1441	1641	1506	1711
29"	52"	684	801	814	906	1003	1556	1768	1624	1848
29"	58"	782	815	827	925	1019	1648	1869	1720	1951
29"	64"	793	828	838	944	1039	1737	1968	1814	2056
29"	70"	805	838	854	965	1055	1875	2129	1957	2224

navigate world wide north america

navigate world wide height-adjustable freestanding table base only (YW1)



PRODUCT OPTIONS

Leg Application	Base Mechanism	Depth	Width	Foot Style
TTT T-Leg CCC C-Leg	9W Extended Electric–World Wide (24.5"-50.5")	23, 29	40, 46, 52, 58, 64, 70	1 Standard

Base Finish	Switch Style	Switch Finish	Integrated Powerbar	Undersurface Cable Manager	Vertical Wire Carrier
52 Ebony 60 Platinum 83 Very White	S Standard Up/Down D Display with Up/Down Memory T Toggle Up/Down X Display Toggle with Memory and Navigate GPS	E Ebony Coordinate X Antracite 7 Platinum 6 Crisp Grey	N None I Cross Channel Integrated	N None 1 Cable Organizer with Felt Cover 3 Dual Plastic Trays + Powerbar 4 Dual Plastic Trays	N None

PRICING

Depth	Width	Standard Up/Down (S)	Display with Up/Down Memory (D)	Toggle Up/Down (T)	Display Toggle with Memory and Navigate GPS(X)
23, 29"	40"	3579	3764	3579	3764
23, 29"	46"	3579	3764	3579	3764
23, 29"	52"	3579	3764	3579	3764
23, 29"	58"	3579	3764	3579	3764
23, 29"	64"	3593	3777	3593	3777
23, 29"	70"	3593	3777	3593	3777

For Cross Channel, add 247
For Cable Organizer with Felt Cover, add 292
For Dual Plastic Trays and Powerbar, add 285
For Dual Plastic Trays, add 59
For Vertical Wire Carrier, add 334

teknion

www.teknion.com

CAN/US/INT 01-27

©Teknion 2025

®, ™ trade marks of Teknion Corporation
and/or its subsidiaries or licensed to it.
Patents may be pending.

Some products may not be available in
all markets. Contact your local Teknion
Representative for availability.

JAN25-WWNAV