


J N W D S E

Double-Sided Rectangular Worksurface – Exposed Beam



This worksurface provides a primary or secondary surface for two users in multiple applications. The width is adapted to expose the beam laterally.

WHAT'S INCLUDED

1 worksurface, 4 wire management clips, grommets or access doors (if specified) and cable trays (not included with None (NN) option).

WHAT'S EXCLUDED

Structural Beam, Chicago Structural Beam, Supports, Worksurface Reinforcement Channel, Cable Tray for Access Door and Square Grommet Cover.

NOTES

Power and Data Access options are not all available for every dimensions. Refer to specification software for available options.

When Power and Data Access option (GB, GC, SA, SL, SO or SR) is specified, the Access Door Finish (NA) must be specified.

When Power and Data Access option (AA, AC, AL, AO or AR) is specified, the Grommet Finish (NA) must be specified.

When Power and Data Access option (NN) is specified, the Access Door (NA) and Grommet (NA) Finishes must be specified.

104

PRODUCT OPTIONS

Lateral Beam Configuration	Depth	Width	Power and Data Access
D Double-Sided Beam	36, 48, 60	24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72, 75, 78, 81, 84, 90, 96	AC Access Door – Center AL Access Door – Offset Left AR Access Door – Offset Right AO Access Door – Justified – Opposite AA Access Door – Justified – Adjacent BL Access Door – Offset Left/Grommet – Center BR Access Door – Offset Right/Grommet – Center BO Access Door – Justified – Opposite/Grommet – Center BA Access Door – Justified – Adjacent/Grommet – Center ER End Access Door/Grommet – Center GB Grommets – Both GC Grommet – Center SL Square Cut-Out – Offset Left/Grommet – Center SR Square Cut-Out – Offset Right/Grommet – Center SO Square Cut-Out – Justified – Opposite/Grommet – Center SA Square Cut-Out – Justified – Adjacent/Grommet – Center NN None (Shown)
S Single-Sided Beam			

SAMPLE ORDER CODE

JNWDSE D	48	60	BL
-----------------	-----------	-----------	-----------

PRODUCT OPTIONS CONTINUED

Screen Mounting Holes	Worksurface Finish	User Edge Trim Style	Edge Trim Finish	Access Door Finish	Grommet Finish
W With Mounting Holes	Foundation Laminate	6 3 mm Straight Trim 8 1.5 mm Flat Trim	Edge Trim Colors	Foundation	26 Soft Gris
N No Mounting Holes				Mica	60 Platinum
				Accent	68 Anthracite
				NA Not Applicable	74 Storm White
					83 Very White
					NA Not Applicable

SAMPLE ORDER CODE

N	LW	6	ST	60	60
----------	-----------	----------	-----------	-----------	-----------

See Pricing on the following page.

J N W D S E
Double-Sided Rectangular
Worksurface – Exposed Beam (Continued)

DIMENSIONS
INCHES / MM

D	W
36 / 914	24 / 610
36 / 914	27 / 686
36 / 914	30 / 762
36 / 914	36 / 838
36 / 914	36 / 914
36 / 914	39 / 991
36 / 914	42 / 1067
36 / 914	45 / 1143
36 / 914	48 / 1219
36 / 914	51 / 1295
36 / 914	54 / 1372
36 / 914	57 / 1448
36 / 914	60 / 1524
36 / 914	63 / 1600
36 / 914	66 / 1676
36 / 914	69 / 1753
36 / 914	72 / 1829
36 / 914	75 / 1905
36 / 914	78 / 1981
36 / 914	81 / 2057
36 / 914	84 / 2134
36 / 914	90 / 2286
36 / 914	96 / 2438
48 / 1219	24 / 610
48 / 1219	27 / 686
48 / 1219	30 / 762
48 / 1219	36 / 838
48 / 1219	36 / 914
48 / 1219	39 / 991
48 / 1219	42 / 1067
48 / 1219	45 / 1143
48 / 1219	48 / 1219
48 / 1219	51 / 1295
48 / 1219	54 / 1372
48 / 1219	57 / 1448
48 / 1219	60 / 1524
48 / 1219	63 / 1600
48 / 1219	66 / 1676
48 / 1219	69 / 1753
48 / 1219	72 / 1829
48 / 1219	75 / 1905
48 / 1219	78 / 1981
48 / 1219	81 / 2057
48 / 1219	84 / 2134
48 / 1219	90 / 2286
48 / 1219	96 / 2438

PRICING

GROMMETS – BOTH (GB)	GROMMET – CENTER (GC)	NONE (NN)	SQUARE CUT-OUT – JUSTIF – ADJAC. OR OPP/GROMM. – CENTER (SA or SO) SQUARE CUT-OUT – OFF. LEFT OR RIGHT/GROMM. – CENTER (SL or SR)
n/a	218	218	n/a
n/a	233	233	n/a
n/a	247	247	n/a
n/a	262	262	n/a
n/a	276	276	n/a
n/a	291	291	n/a
n/a	306	306	n/a
n/a	321	321	n/a
335	335	335	335
350	350	350	350
364	364	364	364
380	380	380	380
394	394	394	394
409	409	409	409
423	423	423	423
438	438	438	438
452	452	452	452
467	467	467	467
480	480	480	480
495	495	495	495
509	509	509	509
538	n/a	538	n/a
567	n/a	567	n/a
n/a	259	259	n/a
n/a	277	277	n/a
n/a	296	296	n/a
n/a	316	316	n/a
n/a	335	335	n/a
n/a	354	354	n/a
n/a	374	374	n/a
n/a	392	392	n/a
412	412	412	412
431	431	431	431
449	449	449	449
469	469	469	469
487	487	487	487
506	506	506	506
525	525	525	525
543	543	543	543
562	562	562	562
581	581	581	581
600	600	600	600
619	619	619	619
638	638	638	638
675	n/a	675	n/a
712	n/a	712	n/a

Pricing is continued on the following page.

J N W D S E

**Double-Sided Rectangular
Worksurface – Exposed Beam (Continued)**

**DIMENSIONS
INCHES / MM**

D	W
60 / 1524	24 / 610
60 / 1524	27 / 686
60 / 1524	30 / 762
60 / 1524	36 / 838
60 / 1524	36 / 914
60 / 1524	39 / 991
60 / 1524	42 / 1067
60 / 1524	45 / 1143
60 / 1524	48 / 1219
60 / 1524	51 / 1295
60 / 1524	54 / 1372
60 / 1524	57 / 1448
60 / 1524	60 / 1524
60 / 1524	63 / 1600
60 / 1524	66 / 1676
60 / 1524	69 / 1753
60 / 1524	72 / 1829
60 / 1524	75 / 1905
60 / 1524	78 / 1981
60 / 1524	81 / 2057
60 / 1524	84 / 2134
60 / 1524	90 / 2286
60 / 1524	96 / 2438

PRICING

GROMMETS – BOTH (GB)	GROMMET – CENTER (GC)	NONE (NN)	SQUARE CUT-OUT – JUSTIFIED – ADJAC. OR OPP./GROMM. – CENTER (SA or SO) SQUARE CUT-OUT – OFF LEFT OR RIGHT/GROMM. – CENTER (SL or SR)
n/a	299	299	n/a
n/a	323	323	n/a
n/a	347	347	n/a
n/a	371	371	n/a
n/a	394	394	n/a
n/a	417	417	n/a
n/a	441	441	n/a
n/a	464	464	n/a
487	487	487	487
510	510	510	510
533	533	533	533
557	557	557	557
580	580	580	580
603	603	603	603
626	626	626	626
649	649	649	649
673	673	673	673
696	696	696	696
719	719	719	719
742	742	742	742
765	765	765	765
811	n/a	811	n/a
858	n/a	858	n/a

ACCESS DOOR – CENTER (AC)	ACCESS DOOR – JUSTIFIED – ADJACENT OR OPPOSITE (AA or AO)	ACCESS DOOR – OFFSET LEFT OR RIGHT (AL or AR)		
48 / 1219	30 / 762	472	n/a	n/a
48 / 1219	36 / 838	n/a	492	n/a
48 / 1219	36 / 914	511	511	n/a
48 / 1219	39 / 991	n/a	530	n/a
48 / 1219	42 / 1067	550	550	n/a
48 / 1219	45 / 1143	n/a	568	n/a
48 / 1219	48 / 1219	n/a	588	n/a
48 / 1219	51 / 1295	n/a	607	n/a
48 / 1219	54 / 1372	n/a	625	n/a
48 / 1219	57 / 1448	n/a	645	n/a
48 / 1219	60 / 1524	n/a	663	663
48 / 1219	63 / 1600	n/a	682	682
48 / 1219	66 / 1676	701	701	701
48 / 1219	69 / 1753	n/a	719	719
48 / 1219	72 / 1829	738	738	738
48 / 1219	75 / 1905	n/a	757	757
48 / 1219	78 / 1981	776	776	776
48 / 1219	81 / 2057	n/a	795	795
48 / 1219	84 / 2134	814	814	814
48 / 1219	90 / 2286	n/a	851	851
48 / 1219	96 / 2438	n/a	888	888

Pricing is continued on the following page.

J N W D S E
**Double-Sided Rectangular
 Worksurface – Exposed Beam (Continued)**

**DIMENSIONS
 INCHES / MM**

D	W
60 / 1524	30 / 762
60 / 1524	36 / 838
60 / 1524	36 / 914
60 / 1524	39 / 991
60 / 1524	42 / 1067
60 / 1524	45 / 1143
60 / 1524	48 / 1219
60 / 1524	51 / 1295
60 / 1524	54 / 1372
60 / 1524	57 / 1448
60 / 1524	60 / 1524
60 / 1524	63 / 1600
60 / 1524	66 / 1676
60 / 1524	69 / 1753
60 / 1524	72 / 1829
60 / 1524	75 / 1905
60 / 1524	78 / 1981
60 / 1524	81 / 2057
60 / 1524	84 / 2134
60 / 1524	90 / 2286
60 / 1524	96 / 2438

PRICING

ACCESS DOOR – CENTER (AC) (CONTINUED)	ACCESS DOOR – JUSTIFIED – ADJACENT OR OPPOSITE (AA or AO) (CON'T)	ACCESS DOOR – OFFSET LEFT OR RIGHT (AL or AR) (CON'T)
523	n/a	n/a
n/a	546	n/a
570	570	n/a
n/a	593	n/a
617	617	n/a
n/a	640	n/a
n/a	663	n/a
n/a	686	n/a
n/a	709	n/a
n/a	733	n/a
n/a	756	756
n/a	779	779
802	802	802
n/a	825	825
849	849	849
n/a	871	871
895	895	895
n/a	918	918
941	941	941
n/a	987	987
n/a	1034	1034

48 / 1219	30 / 762
48 / 1219	36 / 838
48 / 1219	36 / 914
48 / 1219	39 / 991
48 / 1219	42 / 1067
48 / 1219	45 / 1143
48 / 1219	48 / 1219
48 / 1219	51 / 1295
48 / 1219	54 / 1372
48 / 1219	57 / 1448
48 / 1219	60 / 1524
48 / 1219	63 / 1600
48 / 1219	66 / 1676
48 / 1219	69 / 1753
48 / 1219	72 / 1829
48 / 1219	75 / 1905
48 / 1219	78 / 1981
48 / 1219	81 / 2057
48 / 1219	84 / 2134
48 / 1219	90 / 2286
48 / 1219	96 / 2438

ACCESS DOOR – JUSTIF – OR OPP/GROMM. – CENTER (BA or BO) OR END ACCESS DOOR/GROMMET – CENTER (ER)	ACCESS DOOR – OFFSET LEFT OR RIGHT/GROMMET – CENTER (BL or BR)
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
588	n/a
607	n/a
625	n/a
645	n/a
663	663
682	682
701	701
719	719
738	738
757	757
776	776
795	795
814	814
n/a	n/a
n/a	n/a

Pricing is continued on the following page.

J N W D S E

**Double-Sided Rectangular
Worksurface – Exposed Beam (Continued)**

**DIMENSIONS
INCHES / MM**

D	W
60 / 1524	30 / 762
60 / 1524	36 / 838
60 / 1524	36 / 914
60 / 1524	39 / 991
60 / 1524	42 / 1067
60 / 1524	45 / 1143
60 / 1524	48 / 1219
60 / 1524	51 / 1295
60 / 1524	54 / 1372
60 / 1524	57 / 1448
60 / 1524	60 / 1524
60 / 1524	63 / 1600
60 / 1524	66 / 1676
60 / 1524	69 / 1753
60 / 1524	72 / 1829
60 / 1524	75 / 1905
60 / 1524	78 / 1981
60 / 1524	81 / 2057
60 / 1524	84 / 2134
60 / 1524	90 / 2286
60 / 1524	96 / 2438

PRICING

ACCESS DOOR – JUSTIF. – OR OPP./GROMM. – CENTER (BA or BO) OR END ACCESS DOOR/GROMMET – CENTER (ER) (CON’T)	ACCESS DOOR – OFFSET LEFT OR RIGHT/GROMMET – CENTER (BL or BR) (CON’T)
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
663	n/a
686	n/a
709	n/a
733	n/a
756	756
779	779
802	802
825	825
849	849
871	871
895	895
918	918
941	941
n/a	n/a
n/a	n/a

108