


## J N W D S E

### Double-Sided Rectangular Worksurface – Exposed Beam



This worksurface provides a primary or secondary surface for two users in multiple applications. The width is adapted to expose the beam laterally.

#### WHAT'S INCLUDED

1 worksurface, 4 wire management clips, grommets or access doors (if specified) and cable trays (not included with None (NN) option).

#### WHAT'S EXCLUDED

Structural Beam, Supports, Worksurface Reinforcement Channel, Cable Tray for Access Door and Square Grommet Cover.

#### NOTES

Power and Data Access options are not all available for every dimensions. Refer to specification software for available options.

When Power and Data Access option (GB, GC, SA, SL, SO or SR) is specified, the Access Door Finish (NA) must be specified.

When Power and Data Access option (AA, AC, AL, AO or AR) is specified, the Grommet Finish (NA) must be specified.

When Power and Data Access option (NN) is specified, the Access Door (NA) and Grommet (NA) Finishes must be specified.

102

#### PRODUCT OPTIONS

Lateral Beam Configuration	Depth	Width	Power and Data Access
<b>D</b> Double-Sided Beam	36, 48, 60	24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72, 75, 78, 81, 84, 90, 96	<b>AC</b> Access Door – Center <b>AL</b> Access Door – Offset Left <b>AR</b> Access Door – Offset Right <b>AO</b> Access Door – Justified – Opposite <b>AA</b> Access Door – Justified – Adjacent <b>BL</b> Access Door – Offset Left/Grommet – Center <b>BR</b> Access Door – Offset Right/Grommet – Center <b>BO</b> Access Door – Justified – Opposite/Grommet – Center <b>BA</b> Access Door – Justified – Adjacent/Grommet – Center <b>ER</b> End Access Door/Grommet – Center <b>GB</b> Grommets – Both <b>GC</b> Grommet – Center <b>SL</b> Square Cut-Out – Offset Left/Grommet – Center <b>SR</b> Square Cut-Out – Offset Right/Grommet – Center <b>SO</b> Square Cut-Out – Justified – Opposite/Grommet – Center <b>SA</b> Square Cut-Out – Justified – Adjacent/Grommet – Center <b>NN</b> None (Shown)
<b>S</b> Single-Sided Beam			

#### SAMPLE ORDER CODE

<b>JNWDSE D</b>	<b>48</b>	<b>60</b>	<b>BL</b>
-----------------	-----------	-----------	-----------

#### PRODUCT OPTIONS CONTINUED

Screen Mounting Holes	Worksurface Finish	User Edge Trim Style	Edge Trim Finish	Access Door Finish	Grommet Finish
<b>W</b> With Mounting Holes	Foundation Laminate	<b>6</b> 3 mm Straight Trim <b>8</b> 1.5 mm Flat Trim	Edge Trim Colors	Foundation Mica Accent <b>NA</b> Not Applicable	<b>26</b> Soft Gris
<b>N</b> No Mounting Holes					<b>60</b> Platinum
					<b>68</b> Anthracite
					<b>74</b> Storm White
					<b>83</b> Very White
					<b>NA</b> Not Applicable

#### SAMPLE ORDER CODE

<b>N</b>	<b>LW</b>	<b>6</b>	<b>ST</b>	<b>60</b>	<b>60</b>
----------	-----------	----------	-----------	-----------	-----------

See Pricing on the following page.

**J N W D S E**  
**Double-Sided Rectangular**  
**Worksurface – Exposed Beam (Continued)**

**DIMENSIONS**  
INCHES / MM

D	W
36 / 914	24 / 610
36 / 914	27 / 686
36 / 914	30 / 762
36 / 914	33 / 838
36 / 914	36 / 914
36 / 914	39 / 991
36 / 914	42 / 1067
36 / 914	45 / 1143
36 / 914	48 / 1219
36 / 914	51 / 1295
36 / 914	54 / 1372
36 / 914	57 / 1448
36 / 914	60 / 1524
36 / 914	63 / 1600
36 / 914	66 / 1676
36 / 914	69 / 1753
36 / 914	72 / 1829
36 / 914	75 / 1905
36 / 914	78 / 1981
36 / 914	81 / 2057
36 / 914	84 / 2134
36 / 914	90 / 2286
36 / 914	96 / 2438
48 / 1219	24 / 610
48 / 1219	27 / 686
48 / 1219	30 / 762
48 / 1219	33 / 838
48 / 1219	36 / 914
48 / 1219	39 / 991
48 / 1219	42 / 1067
48 / 1219	45 / 1143
48 / 1219	48 / 1219
48 / 1219	51 / 1295
48 / 1219	54 / 1372
48 / 1219	57 / 1448
48 / 1219	60 / 1524
48 / 1219	63 / 1600
48 / 1219	66 / 1676
48 / 1219	69 / 1753
48 / 1219	72 / 1829
48 / 1219	75 / 1905
48 / 1219	78 / 1981
48 / 1219	81 / 2057
48 / 1219	84 / 2134
48 / 1219	90 / 2286
48 / 1219	96 / 2438

**PRICING**

GROMMETS – BOTH (GB)	GROMMET – CENTER (GC)	NONE (NN)	SQUARE CUT-OUT – JUSTIF – ADJAC. OR OPP/GROMM. – CENTER (SA or SO) SQUARE CUT-OUT – OFF. LEFT OR RIGHT/GROMM. – CENTER (SL or SR)
n/a	211	211	n/a
n/a	225	225	n/a
n/a	239	239	n/a
n/a	253	253	n/a
n/a	267	267	n/a
n/a	281	281	n/a
n/a	296	296	n/a
n/a	310	310	n/a
324	324	324	324
338	338	338	338
352	352	352	352
367	367	367	367
381	381	381	381
395	395	395	395
409	409	409	409
423	423	423	423
437	437	437	437
451	451	451	451
464	464	464	464
478	478	478	478
492	492	492	492
520	n/a	520	n/a
548	n/a	548	n/a
n/a	250	250	n/a
n/a	268	268	n/a
n/a	286	286	n/a
n/a	305	305	n/a
n/a	324	324	n/a
n/a	342	342	n/a
n/a	361	361	n/a
n/a	379	379	n/a
398	398	398	398
416	416	416	416
434	434	434	434
453	453	453	453
471	471	471	471
489	489	489	489
507	507	507	507
525	525	525	525
543	543	543	543
561	561	561	561
580	580	580	580
598	598	598	598
616	616	616	616
652	n/a	652	n/a
688	n/a	688	n/a

Pricing is continued on the following page.

## J N W D S E

### Double-Sided Rectangular Worksurface – Exposed Beam (Continued)

#### DIMENSIONS INCHES / MM

D	W
60 / 1524	24 / 610
60 / 1524	27 / 686
60 / 1524	30 / 762
60 / 1524	33 / 838
60 / 1524	36 / 914
60 / 1524	39 / 991
60 / 1524	42 / 1067
60 / 1524	45 / 1143
60 / 1524	48 / 1219
60 / 1524	51 / 1295
60 / 1524	54 / 1372
60 / 1524	57 / 1448
60 / 1524	60 / 1524
60 / 1524	63 / 1600
60 / 1524	66 / 1676
60 / 1524	69 / 1753
60 / 1524	72 / 1829
60 / 1524	75 / 1905
60 / 1524	78 / 1981
60 / 1524	81 / 2057
60 / 1524	84 / 2134
60 / 1524	90 / 2286
60 / 1524	96 / 2438

#### PRICING

GROMMETS – BOTH (GB)	GROMMET – CENTER (GC)	NONE (NN)	SQUARE CUT-OUT – JUSTIFIED – ADJAC. OR OPP./GROMM. – CENTER (SA or SO) SQUARE CUT-OUT – OFF LEFT OR RIGHT/GROMM. – CENTER (SL or SR)
n/a	289	289	n/a
n/a	312	312	n/a
n/a	335	335	n/a
n/a	358	358	n/a
n/a	381	381	n/a
n/a	403	403	n/a
n/a	426	426	n/a
n/a	448	448	n/a
471	471	471	471
493	493	493	493
515	515	515	515
538	538	538	538
560	560	560	560
583	583	583	583
605	605	605	605
627	627	627	627
650	650	650	650
672	672	672	672
695	695	695	695
717	717	717	717
739	739	739	739
784	n/a	784	n/a
829	n/a	829	n/a

ACCESS DOOR – CENTER (AC)	ACCESS DOOR – JUSTIFIED – ADJACENT OR OPPOSITE (AA or AO)	ACCESS DOOR – OFFSET LEFT OR RIGHT (AL or AR)
48 / 1219	456	n/a
48 / 1219	n/a	475
48 / 1219	494	494
48 / 1219	n/a	512
48 / 1219	531	531
48 / 1219	n/a	549
48 / 1219	n/a	568
48 / 1219	n/a	586
48 / 1219	n/a	604
48 / 1219	n/a	623
48 / 1219	n/a	641
48 / 1219	n/a	659
48 / 1219	677	677
48 / 1219	n/a	695
48 / 1219	713	713
48 / 1219	n/a	731
48 / 1219	750	750
48 / 1219	n/a	768
48 / 1219	786	786
48 / 1219	n/a	822
48 / 1219	n/a	858

Pricing is continued on the following page.

J N W D S E  
**Double-Sided Rectangular  
 Worksurface – Exposed Beam (Continued)**

**DIMENSIONS  
 INCHES / MM**

D	W
60 / 1524	30 / 762
60 / 1524	33 / 838
60 / 1524	36 / 914
60 / 1524	39 / 991
60 / 1524	42 / 1067
60 / 1524	45 / 1143
60 / 1524	48 / 1219
60 / 1524	51 / 1295
60 / 1524	54 / 1372
60 / 1524	57 / 1448
60 / 1524	60 / 1524
60 / 1524	63 / 1600
60 / 1524	66 / 1676
60 / 1524	69 / 1753
60 / 1524	72 / 1829
60 / 1524	75 / 1905
60 / 1524	78 / 1981
60 / 1524	81 / 2057
60 / 1524	84 / 2134
60 / 1524	90 / 2286
60 / 1524	96 / 2438

**PRICING**

ACCESS DOOR – CENTER (AC) (CONTINUED)	ACCESS DOOR – JUSTIFIED – ADJACENT OR OPPOSITE (AA or AO) (CON’T)	ACCESS DOOR – OFFSET LEFT OR RIGHT (AL or AR) (CON’T)
505	n/a	n/a
n/a	528	n/a
551	551	n/a
n/a	573	n/a
596	596	n/a
n/a	618	n/a
n/a	641	n/a
n/a	663	n/a
n/a	685	n/a
n/a	708	n/a
n/a	730	730
n/a	753	753
775	775	775
n/a	797	797
820	820	820
n/a	842	842
865	865	865
n/a	887	887
909	909	909
n/a	954	954
n/a	999	999

48 / 1219	30 / 762
48 / 1219	33 / 838
48 / 1219	36 / 914
48 / 1219	39 / 991
48 / 1219	42 / 1067
48 / 1219	45 / 1143
48 / 1219	48 / 1219
48 / 1219	51 / 1295
48 / 1219	54 / 1372
48 / 1219	57 / 1448
48 / 1219	60 / 1524
48 / 1219	63 / 1600
48 / 1219	66 / 1676
48 / 1219	69 / 1753
48 / 1219	72 / 1829
48 / 1219	75 / 1905
48 / 1219	78 / 1981
48 / 1219	81 / 2057
48 / 1219	84 / 2134
48 / 1219	90 / 2286
48 / 1219	96 / 2438

ACCESS DOOR – JUSTIFIED – OR OPP./GROMMET – CENTER (BA or BO) OR END ACCESS DOOR/GROMMET – CENTER (ER)	ACCESS DOOR – OFFSET LEFT OR RIGHT/GROMMET – CENTER (BL or BR)
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
568	n/a
586	n/a
604	n/a
623	n/a
641	641
659	659
677	677
695	695
713	713
731	731
750	750
768	768
786	786
n/a	n/a
n/a	n/a

Pricing is continued on the following page.

**J N W D S E**

**Double-Sided Rectangular  
Worksurface – Exposed Beam (Continued)**

**DIMENSIONS  
INCHES / MM**

**PRICING**

DIMENSIONS INCHES / MM		ACCESS DOOR – JUSTIF. – OR OPP./GROMM. – CENTER (BA or BO) OR END ACCESS DOOR/GROMMET – CENTER (ER) (CON’T)	ACCESS DOOR – OFFSET LEFT OR RIGHT/GROMMET – CENTER (BL or BR) (CON’T)
D	W		
60 / 1524	30 / 762	n/a	n/a
60 / 1524	33 / 838	n/a	n/a
60 / 1524	36 / 914	n/a	n/a
60 / 1524	39 / 991	n/a	n/a
60 / 1524	42 / 1067	n/a	n/a
60 / 1524	45 / 1143	n/a	n/a
60 / 1524	48 / 1219	641	n/a
60 / 1524	51 / 1295	663	n/a
60 / 1524	54 / 1372	685	n/a
60 / 1524	57 / 1448	708	n/a
60 / 1524	60 / 1524	730	730
60 / 1524	63 / 1600	753	753
60 / 1524	66 / 1676	775	775
60 / 1524	69 / 1753	797	797
60 / 1524	72 / 1829	820	820
60 / 1524	75 / 1905	842	842
60 / 1524	78 / 1981	865	865
60 / 1524	81 / 2057	887	887
60 / 1524	84 / 2134	909	909
60 / 1524	90 / 2286	n/a	n/a
60 / 1524	96 / 2438	n/a	n/a