

# Weights & Volumes

Frame Structure & Screens	2
Worksurfaces & Connectors	21
Tables	41
Mounted Storage & Accessories	47
Freestanding Storage & Accessories	53
Lighting, Electrics & Communications	67
International Electrics	81

## Frame Structure & Screens

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Fully Segmented Post (JFQ)</b>				
JFQ23P	9.90	4.50	0.14	0.004
JFQ43P	15.40	7.00	0.25	0.007
JFQ51P	17.05	7.75	0.29	0.008
JFQ63P	20.90	9.50	0.36	0.010
JFQ83P	26.40	12.00	0.48	0.013
<b>Fully Segmented Post (JFN)</b>				
JFQ23N	8.80	4.00	0.14	0.004
JFQ43N	14.30	6.50	0.25	0.007
JFQ51N	15.95	7.25	0.29	0.008
JFQ63N	19.80	9.00	0.36	0.010
JFQ83N	25.30	11.50	0.48	0.013

## Frame Structure & Screens

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Semi-Segmented Post (JFH)</b>				
JFH63AP	19.80	9.00	0.36	0.010
JFH63AN	18.70	8.50	0.36	0.010
JFH83AP	23.65	10.75	0.48	0.013
JFH83AN	22.55	10.25	0.48	0.013
JFH83BP	25.30	11.50	0.48	0.013
JFH83BN	24.20	11.00	0.48	0.013
JFH83CP	25.30	11.50	0.48	0.013
JFH83CN	24.20	11.00	0.48	0.013

## Frame Structure &amp; Screens

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Non-Segmented Post (JFW)</b>				
JFW23	7.70	3.50	0.14	0.004
JFW43	12.10	5.50	0.25	0.007
JFW51	13.75	6.25	0.29	0.008
JFW63	15.95	7.25	0.36	0.010
JFW83	20.35	9.25	0.48	0.013

## Frame Structure & Screens

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Transition Post (JFX)</b>				
JFX51P	18.15	8.25	0.29	0.008
JFX63P	22.00	10.00	0.36	0.010
JFX83P	27.50	12.50	0.48	0.013
<b>Transition Post (JFN)</b>				
JFX51N	17.05	7.75	0.29	0.008
JFX63N	20.90	9.50	0.36	0.010
JFX83N	26.40	12.00	0.48	0.013

## Frame Structure & Screens

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Add-On Post (JFA)</b>				
JFA20	5.50	2.50	0.12	0.003
JFA28	7.15	3.25	0.17	0.005
JFA40	9.90	4.50	0.24	0.007
JFA60	14.30	6.50	0.35	0.010

## Frame Structure &amp; Screens

product code

	weight		volume	
	lb	kg	ft3	m3
<b>Beam (JFY)</b>				
JFY12	2.20	1.00	0.02	0.001
JFY18	2.75	1.25	0.04	0.001
JFY24	3.30	1.50	0.05	0.001
JFY30	3.85	1.75	0.07	0.002
JFY36	4.40	2.00	0.08	0.002
JFY42	4.95	2.25	0.10	0.003
JFY48	5.50	2.50	0.11	0.003
JFY54	6.05	2.75	0.13	0.004
JFY60	6.60	3.00	0.15	0.004
JFY66	7.15	3.25	0.16	0.005
JFY72	7.70	3.50	0.18	0.005
JFY78	8.80	4.00	0.19	0.005
JFY84	9.35	4.25	0.21	0.006
JFY90	9.90	4.50	0.22	0.006
JFY96	10.45	4.75	0.24	0.007
JFY102	11.00	5.00	0.25	0.007
JFY108	11.55	5.25	0.27	0.008
JFY114	12.10	5.50	0.28	0.008

## Frame Structure & Screens

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Service Beam (JFL)</b>				
JFL42P1	12.00	5.50	0.47	0.013
JFL48P1	13.50	6.00	0.54	0.015
JFL54P1	15.00	7.00	0.61	0.017
JFL60P1	16.50	7.50	0.69	0.019
JFL66P1	18.00	8.25	0.76	0.021
JFL72P1	19.50	8.75	0.83	0.023
JFL42P2	12.00	5.25	0.47	0.013
JFL48P2	13.00	6.00	0.54	0.015
JFL54P2	15.00	6.75	0.61	0.017
JFL60P2	16.50	7.50	0.69	0.019
JFL66P2	17.50	8.00	0.76	0.021
JFL72P2	19.00	8.75	0.83	0.023
JFL18NP	6.50	3.00	0.19	0.005
JFL24NP	8.00	3.75	0.26	0.007
JFL30NP	9.50	4.25	0.33	0.009
JFL36NP	10.50	5.00	0.40	0.011
JFL42NP	12.00	5.50	0.47	0.013
JFL48NP	13.50	6.25	0.54	0.015
JFL54NP	15.50	7.00	0.61	0.017
JFL60NP	16.50	7.50	0.69	0.019
JFL66NP	18.00	8.25	0.76	0.021
JFL72NP	19.50	8.75	0.83	0.023



## Frame Structure & Screens

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Service Beam Door (JFLD)</b>				
JFLD42P	2.00	1.00	0.07	0.002
JFLD48P	2.50	1.00	0.09	0.002
JFLD54P	3.00	1.25	0.10	0.003
JFLD60P	3.00	1.50	0.11	0.003
JFLD66P	3.50	1.50	0.12	0.004
JFLD72P	4.00	1.75	0.14	0.004
<hr/>				
JFLD18N	1.00	0.25	0.02	0.001
JFLD24N	1.00	0.50	0.03	0.001
JFLD30N	1.50	0.75	0.05	0.001
JFLD36N	2.00	0.75	0.06	0.002
JFLD42N	2.00	1.00	0.07	0.002
JFLD48N	2.50	1.25	0.09	0.002
JFLD54N	3.00	1.25	0.10	0.003
JFLD60N	3.50	1.50	0.11	0.003
JFLD66N	3.50	1.75	0.12	0.004
JFLD72N	4.00	1.75	0.14	0.004

## Frame Structure &amp; Screens

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Fabric Inset Screen (JCF)</b>				
JCF1418	2.75	1.25	0.11	0.003
JCF1424	3.30	1.50	0.15	0.004
JCF1430	4.40	2.00	0.20	0.006
JCF1436	4.95	2.25	0.24	0.007
JCF1442	6.05	2.75	0.28	0.008
JCF1448	6.60	3.00	0.33	0.009
JCF1454	7.70	3.50	0.37	0.010
JCF1460	8.25	3.75	0.41	0.012
JCF1466	8.80	4.00	0.46	0.013
JCF1472	9.90	4.50	0.50	0.014
JCF2018	3.85	1.75	0.17	0.005
JCF2024	4.95	2.25	0.23	0.007
JCF2030	6.05	2.75	0.30	0.008
JCF2036	7.15	3.25	0.37	0.010
JCF2042	8.25	3.75	0.43	0.012
JCF2048	9.35	4.25	0.50	0.014
JCF2054	10.45	4.75	0.57	0.016
JCF2060	11.55	5.25	0.63	0.018
JCF2066	12.65	5.75	0.70	0.020
JCF2072	13.75	6.25	0.77	0.022
JCF2818	4.95	2.25	0.24	0.007
JCF2824	6.60	3.00	0.34	0.010
JCF2830	8.25	3.75	0.44	0.013
JCF2836	9.90	4.50	0.54	0.015
JCF2842	11.00	5.00	0.64	0.018
JCF2848	12.65	5.75	0.74	0.021
JCF2854	14.30	6.50	0.84	0.024
JCF2860	15.95	7.25	0.93	0.026
JCF2866	17.60	8.00	1.03	0.029
JCF2872	18.70	8.50	1.13	0.032
JCF4018	7.15	3.25	0.36	0.010
JCF4024	9.35	4.25	0.51	0.014
JCF4030	11.55	5.25	0.66	0.019
JCF4036	13.75	6.25	0.80	0.023
JCF4042	15.95	7.25	0.95	0.027
JCF4048	18.15	8.25	1.09	0.031
JCF4054	20.35	9.25	1.24	0.035
JCF4060	22.55	10.25	1.39	0.039
JCF4066	24.75	11.25	1.53	0.043
JCF4072	26.95	12.25	1.68	0.047
JCF4818	8.25	3.75	0.44	0.012
JCF4824	11.00	5.00	0.62	0.018
JCF4830	13.75	6.25	0.80	0.023
JCF6018	10.45	4.75	0.56	0.016
JCF6024	13.75	6.25	0.78	0.022
JCF6030	17.05	7.75	1.01	0.029

## Frame Structure &amp; Screens

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Membrane Screen (JCS)</b>				
JCS2018	2.50	1.14	0.28	0.008
JCS2024	2.50	1.14	0.28	0.008
JCS2030	2.58	1.17	0.28	0.008
JCS2036	3.15	1.43	0.33	0.009
JCS2042	3.73	1.70	0.39	0.011
JCS2048	4.30	1.95	0.44	0.013
JCS2054	4.88	2.22	0.50	0.014
JCS2060	5.45	2.48	0.56	0.016
JCS2066	6.03	2.74	0.61	0.017
JCS2072	6.60	3.00	0.67	0.019
JCS2078	6.88	3.13	0.72	0.020
JCS2084	7.46	3.39	0.78	0.022
JCS2090	8.03	3.65	0.83	0.024
JCS2096	8.60	3.91	0.89	0.025
JCS20102	9.18	4.17	0.94	0.027
JCS20108	9.76	4.44	1.00	0.028
JCS20114	10.33	4.70	1.06	0.030
JCS2818	3.61	1.64	0.28	0.008
JCS2824	4.41	2.00	0.28	0.008
JCS2830	5.22	2.37	0.28	0.008
JCS2836	6.02	2.74	0.33	0.009
JCS2842	6.83	3.11	0.39	0.011
JCS2848	7.63	3.47	0.44	0.013
JCS2854	8.44	3.84	0.50	0.014
JCS2860	9.24	4.20	0.56	0.016
JCS2866	9.63	4.38	0.61	0.017
JCS2872	10.44	4.75	0.67	0.019
JCS2878	11.24	5.11	0.72	0.020
JCS2884	12.04	5.47	0.78	0.022
JCS2890	12.85	5.84	0.83	0.024
JCS2896	13.66	6.21	0.89	0.025
JCS28102	14.46	6.57	0.94	0.027
JCS28108	5.06	2.30	1.00	0.028
JCS28114	6.17	2.81	1.06	0.030
JCS4018	2.60	1.18	0.28	0.008
JCS4024	2.60	1.18	0.28	0.008
JCS4030	2.68	1.22	0.28	0.008
JCS4036	3.25	1.48	0.33	0.009
JCS4042	3.83	1.74	0.39	0.011
JCS4048	4.40	2.00	0.44	0.013
JCS4054	4.98	2.26	0.50	0.014
JCS4060	5.55	2.52	0.56	0.016
JCS4066	6.13	2.79	0.61	0.017
JCS4072	6.70	3.05	0.67	0.019
JCS4078	7.08	3.22	0.72	0.020
JCS4084	7.66	3.48	0.78	0.022
JCS4090	8.23	3.74	0.83	0.024
JCS4096	8.80	4.00	0.89	0.025
JCS40102	9.38	4.26	0.94	0.027
JCS40108	9.96	4.53	1.00	0.028
JCS40114	10.53	4.79	1.06	0.030

## Frame Structure &amp; Screens

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
JCS4818	3.20	1.45	0.28	0.008
JCS4824	3.20	1.45	0.28	0.008
JCS4830	3.22	1.46	0.28	0.008
JCS4836	3.90	1.77	0.33	0.009
JCS4842	4.60	2.09	0.39	0.011
JCS4848	5.28	2.40	0.44	0.013
JCS4854	5.98	2.72	0.50	0.014
JCS4860	6.66	3.03	0.56	0.016
JCS4866	7.36	3.34	0.61	0.017
JCS4872	8.04	3.65	0.67	0.019
JCS4878	8.50	3.86	0.72	0.020
JCS4884	9.19	4.18	0.78	0.022
JCS4890	9.88	4.49	0.83	0.024
JCS4896	10.56	4.80	0.89	0.025
JCS48102	11.26	5.12	0.94	0.027
JCS48108	11.95	5.43	1.00	0.028
JCS48114	12.64	5.74	1.06	0.030
JCS6018	2.70	1.23	0.28	0.008
JCS6024	2.70	1.23	0.28	0.008
JCS6030	2.78	1.26	0.28	0.008
JCS6036	3.35	1.52	0.33	0.009
JCS6042	3.93	1.79	0.39	0.011
JCS6048	4.50	2.05	0.44	0.013
JCS6054	5.08	2.31	0.50	0.014
JCS6060	5.65	2.57	0.56	0.016
JCS6066	6.23	2.83	0.61	0.017
JCS6072	6.80	3.09	0.67	0.019
JCS6078	7.28	3.31	0.72	0.020
JCS6084	7.86	3.57	0.78	0.022
JCS6090	8.43	3.83	0.83	0.024
JCS6096	9.00	4.09	0.89	0.025
JCS60102	9.58	4.35	0.94	0.027
JCS60108	10.16	4.62	1.00	0.028
JCS60114	10.73	4.88	1.06	0.030
JCS8018	2.80	1.27	0.28	0.008
JCS8024	2.80	1.27	0.28	0.008
JCS8030	2.88	1.31	0.28	0.008
JCS8036	3.45	1.57	0.33	0.009
JCS8042	4.03	1.83	0.39	0.011
JCS8048	4.60	2.09	0.44	0.013
JCS8054	5.18	2.35	0.50	0.014
JCS8060	5.75	2.61	0.56	0.016
JCS8066	6.33	2.88	0.61	0.017
JCS8072	6.90	3.14	0.67	0.019
JCS8078	7.48	3.40	0.72	0.020
JCS8084	8.06	3.66	0.78	0.022
JCS8090	8.63	3.92	0.83	0.024
JCS8096	9.20	4.18	0.89	0.025
JCS80102	9.78	4.45	0.94	0.027
JCS80108	10.36	4.71	1.00	0.028
JCS80114	10.93	4.97	1.06	0.030

## Frame Structure &amp; Screens

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Translucent Inset Screen (JCA)</b>				
JCA2018	2.20	1.00	0.17	0.005
JCA2024	3.30	1.50	0.21	0.006
JCA2030	3.85	1.75	0.25	0.007
JCA2036	4.95	2.25	0.29	0.008
JCA2042	6.05	2.75	0.33	0.009
JCA2048	6.60	3.00	0.37	0.011
JCA2054	7.70	3.50	0.41	0.012
JCA2060	8.80	4.00	0.45	0.013
JCA2066	9.35	4.25	0.49	0.014
JCA2072	10.45	4.75	0.53	0.015
JCA2078	11.00	5.00	0.57	0.016
JCA2084	12.10	5.50	0.61	0.017
JCA2090	13.20	6.00	0.66	0.019
JCA2096	13.75	6.25	0.70	0.020
JCA2818	3.30	1.50	0.18	0.005
JCA2824	4.40	2.00	0.23	0.006
JCA2830	6.05	2.75	0.27	0.008
JCA2836	7.15	3.25	0.32	0.009
JCA2842	8.80	4.00	0.36	0.010
JCA2848	9.90	4.50	0.41	0.012
JCA2854	11.00	5.00	0.45	0.013
JCA2860	12.65	5.75	0.50	0.014
JCA2866	13.75	6.25	0.54	0.015
JCA2872	14.85	6.75	0.59	0.017
JCA2878	16.50	7.50	0.63	0.018
JCA2884	17.60	8.00	0.68	0.019
JCA2890	19.25	8.75	0.72	0.020
JCA2896	20.35	9.25	0.77	0.022
JCA4018	4.95	2.25	0.20	0.006
JCA4024	6.60	3.00	0.25	0.007
JCA4030	8.80	4.00	0.30	0.009
JCA4036	10.45	4.75	0.36	0.010
JCA4042	12.65	5.75	0.41	0.012
JCA4048	14.30	6.50	0.46	0.013
JCA4054	16.50	7.50	0.51	0.015
JCA4060	18.15	8.25	0.57	0.016
JCA4066	20.35	9.25	0.62	0.017
JCA4072	22.00	10.00	0.67	0.019
JCA4078	24.20	11.00	0.72	0.020
JCA4084	26.40	12.00	0.77	0.022
JCA4090	28.05	12.75	0.83	0.023
JCA4096	30.25	13.75	0.88	0.025

## Frame Structure &amp; Screens

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
JCA4818	5.50	2.50	0.21	0.006
JCA4824	8.25	3.75	0.27	0.008
JCA4830	10.45	4.75	0.32	0.009
JCA4836	12.65	5.75	0.38	0.011
JCA4842	15.40	7.00	0.44	0.012
JCA4848	17.60	8.00	0.50	0.014
JCA4854	19.80	9.00	0.55	0.016
JCA4860	22.55	10.25	0.61	0.017
JCA4866	24.75	11.25	0.67	0.019
JCA4872	26.95	12.25	0.72	0.021
JCA4878	29.15	13.25	0.78	0.022
JCA4884	31.90	14.50	0.84	0.024
JCA4890	34.10	15.50	0.90	0.025
JCA4896	36.30	16.50	0.95	0.027
JCA6018	7.15	3.25	0.23	0.006
JCA6024	10.45	4.75	0.29	0.008
JCA6030	13.20	6.00	0.35	0.010
JCA6036	15.95	7.25	0.42	0.012
JCA6042	19.25	8.75	0.48	0.014
JCA6048	22.00	10.00	0.55	0.016
JCA8018	9.35	4.25	0.25	0.007
JCA8024	13.75	6.25	0.33	0.009
JCA8030	17.60	8.00	0.41	0.011
JCA8036	22.00	10.00	0.48	0.014
JCA8042	25.85	11.75	0.56	0.016
JCA8048	29.70	13.50	0.64	0.018

## Frame Structure & Screens

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Metal Inset Screen (JCM)</b>				
JCM1418	5.50	2.50	0.11	0.003
JCM1424	7.70	3.50	0.15	0.004
JCM1430	8.80	4.00	0.20	0.006
JCM1436	11.00	5.00	0.24	0.007
JCM1442	13.20	6.00	0.28	0.008
JCM1448	15.40	7.00	0.33	0.009
JCM1454	17.60	8.00	0.37	0.010
JCM1460	18.70	8.50	0.41	0.012
JCM1466	20.90	9.50	0.46	0.013
JCM1472	23.10	10.50	0.50	0.014
JCM2018	7.70	3.50	0.17	0.005
JCM2024	11.00	5.00	0.23	0.007
JCM2030	13.20	6.00	0.30	0.008
JCM2036	16.50	7.50	0.37	0.010
JCM2042	19.80	9.00	0.43	0.012
JCM2048	22.00	10.00	0.50	0.014
JCM2054	25.30	11.50	0.57	0.016
JCM2060	28.60	13.00	0.63	0.018
JCM2066	30.80	14.00	0.70	0.020
JCM2072	34.10	15.50	0.77	0.022

### Frame Structure & Screens

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Whiteboard Inset Screen (JCR)</b>				
JCRWW2018	8.80	4.00	0.17	0.005
JCRWW2024	11.00	5.00	0.23	0.007
JCRWW2030	13.20	6.00	0.30	0.008
JCRWW2036	15.40	7.00	0.37	0.010
JCRWW2042	17.60	8.00	0.43	0.012
JCRWW2048	19.80	9.00	0.50	0.014
JCRWW2054	22.00	10.00	0.57	0.016
JCRWW2060	25.30	11.50	0.63	0.018
JCRWW2066	27.50	12.50	0.70	0.020
JCRWW2072	29.70	13.50	0.77	0.022
JCRWW2818	11.00	5.00	0.24	0.007
JCRWW2824	14.30	6.50	0.34	0.010
JCRWW2830	17.60	8.00	0.44	0.013
JCRWW2836	20.90	9.50	0.54	0.015
JCRWW2842	24.20	11.00	0.64	0.018
JCRWW2848	27.50	12.50	0.74	0.021
JCRWW2854	30.80	14.00	0.84	0.024
JCRWW2860	34.10	15.50	0.93	0.026
JCRWW2866	37.40	17.00	1.03	0.029
JCRWW2872	40.70	18.50	1.13	0.032
JCRWW4018	15.40	7.00	0.36	0.010
JCRWW4024	19.80	9.00	0.51	0.014
JCRWW4030	25.30	11.50	0.66	0.019
JCRWW4036	29.70	13.50	0.80	0.023
JCRWW4042	34.10	15.50	0.95	0.027
JCRWW4048	38.50	17.50	1.09	0.031
JCRWW4054	44.00	20.00	1.24	0.035
JCRWW4060	48.40	22.00	1.39	0.039
JCRWW4066	52.80	24.00	1.53	0.043
JCRWW4072	57.20	26.00	1.68	0.047
JCRWF2018	8.80	4.00	0.17	0.005
JCRWF2024	11.00	5.00	0.23	0.007
JCRWF2030	13.20	6.00	0.30	0.008
JCRWF2036	15.40	7.00	0.37	0.010
JCRWF2042	17.60	8.00	0.43	0.012
JCRWF2048	19.80	9.00	0.50	0.014
JCRWF2054	22.00	10.00	0.57	0.016
JCRWF2060	25.30	11.50	0.63	0.018
JCRWF2066	27.50	12.50	0.70	0.020
JCRWF2072	29.70	13.50	0.77	0.022
JCRWF2818	11.00	5.00	0.24	0.007
JCRWF2824	14.30	6.50	0.34	0.010
JCRWF2830	17.60	8.00	0.44	0.013
JCRWF2836	20.90	9.50	0.54	0.015
JCRWF2842	24.20	11.00	0.64	0.018
JCRWF2848	27.50	12.50	0.74	0.021
JCRWF2854	30.80	14.00	0.84	0.024
JCRWF2860	34.10	15.50	0.93	0.026
JCRWF2866	37.40	17.00	1.03	0.029
JCRWF2872	40.70	18.50	1.13	0.032

### Frame Structure & Screens

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
JCRWF4018	15.40	7.00	0.36	0.010
JCRWF4024	19.80	9.00	0.51	0.014
JCRWF4030	25.30	11.50	0.66	0.019
JCRWF4036	29.70	13.50	0.80	0.023
JCRWF4042	34.10	15.50	0.95	0.027
JCRWF4048	38.50	17.50	1.09	0.031
JCRWF4054	44.00	20.00	1.24	0.035
JCRWF4060	48.40	22.00	1.39	0.039
JCRWF4066	52.80	24.00	1.53	0.043
JCRWF4072	57.20	26.00	1.68	0.047

## Frame Structure &amp; Screens

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Accessory Inset Screen (JCQ)</b>				
JCQAA2018	8.25	3.75	0.14	0.004
JCQAA2024	10.45	4.75	0.20	0.006
JCQAA2030	12.65	5.75	0.26	0.007
JCQAA2036	15.40	7.00	0.31	0.009
JCQAA2042	17.60	8.00	0.37	0.011
JCQAA2048	20.90	9.50	0.43	0.012
JCQAA2054	23.65	10.75	0.49	0.014
JCQAA2060	25.85	11.75	0.54	0.015
JCQAA2066	28.60	13.00	0.60	0.017
JCQAA2072	30.80	14.00	0.66	0.019
JCQAA2818	11.55	5.25	0.21	0.006
JCQAA2824	15.40	7.00	0.29	0.008
JCQAA2830	18.70	8.50	0.38	0.011
JCQAA2836	22.55	10.25	0.46	0.013
JCQAA2842	26.40	12.00	0.55	0.016
JCQAA2848	30.80	14.00	0.63	0.018
JCQAA2854	34.65	15.75	0.72	0.020
JCQAA2860	37.95	17.25	0.80	0.023
JCQAA2866	41.80	19.00	0.89	0.025
JCQAA2872	45.65	20.75	0.97	0.027
JCQAF2018	8.25	3.75	0.14	0.004
JCQAF2024	10.45	4.75	0.20	0.006
JCQAF2030	12.65	5.75	0.26	0.007
JCQAF2036	15.40	7.00	0.31	0.009
JCQAF2042	17.60	8.00	0.37	0.011
JCQAF2048	20.90	9.50	0.43	0.012
JCQAF2054	23.65	10.75	0.49	0.014
JCQAF2060	25.85	11.75	0.54	0.015
JCQAF2066	28.60	13.00	0.60	0.017
JCQAF2072	30.80	14.00	0.66	0.019
JCQAF2818	11.55	5.25	0.21	0.006
JCQAF2824	15.40	7.00	0.29	0.008
JCQAF2830	18.70	8.50	0.38	0.011
JCQAF2836	22.55	10.25	0.46	0.013
JCQAF2842	26.40	12.00	0.55	0.016
JCQAF2848	30.80	14.00	0.63	0.018
JCQAF2854	34.65	15.75	0.72	0.020
JCQAF2860	37.95	17.25	0.80	0.023
JCQAF2866	41.80	19.00	0.89	0.025
JCQAF2872	45.65	20.75	0.97	0.027

## Frame Structure & Screens

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Clamp-On Translucent Screen (JCT)</b>				
JCT11218	3.44	1.56	0.03	0.001
JCT11224	4.03	1.83	0.03	0.001
JCT11230	4.62	2.10	0.04	0.001
JCT11236	5.21	2.37	0.04	0.001
JCT11242	5.80	2.64	0.05	0.001
JCT11248	6.39	2.90	0.07	0.002
JCT11254	7.98	3.63	0.07	0.002
JCT11260	8.57	3.90	0.08	0.002
JCT11266	9.16	4.16	0.09	0.003
JCT11272	9.75	4.43	0.09	0.003
JCT12018	4.55	2.07	0.05	0.001
JCT12024	5.59	2.54	0.06	0.002
JCT12030	6.63	3.01	0.07	0.002
JCT12036	7.67	3.49	0.08	0.002
JCT12042	8.71	3.96	0.10	0.003
JCT12048	9.75	4.43	0.11	0.003
JCT12054	10.79	4.91	0.12	0.004
JCT12060	11.83	5.38	0.13	0.004
JCT12066	12.87	5.85	0.15	0.004
JCT12072	13.91	6.32	0.16	0.005



## Frame Structure & Screens

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Desk-Mounted Screen (JCD)</b>				
JCD11430	6.50	2.95	0.05	0.002
JCD11436	7.21	3.28	0.06	0.002
JCD11442	7.93	3.60	0.07	0.002
JCD11448	8.64	3.93	0.08	0.002
JCD11454	10.86	4.93	0.09	0.003
JCD11460	11.57	5.26	0.10	0.003
JCD11466	12.28	5.58	0.10	0.003
JCD11472	13.00	5.91	0.11	0.003
<hr/>				
JCD21430	10.50	4.77	0.24	0.007
JCD21436	12.06	5.48	0.29	0.008
JCD21442	13.62	6.19	0.33	0.009
JCD21448	15.17	6.90	0.38	0.011
JCD21454	13.73	6.24	0.42	0.012
JCD21460	18.29	8.31	0.47	0.013
JCD21466	19.85	9.02	0.52	0.015
JCD21472	21.40	9.73	0.56	0.016

## Frame Structure &amp; Screens

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Desk-Mounted Edge Screen (JCE)				
JCE1418	4.06	1.84	0.03	0.001
JCE1424	4.78	2.17	0.04	0.001
JCE1430	5.50	2.50	0.05	0.002
JCE1436	6.21	2.82	0.06	0.002

## Frame Structure & Screens

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Divisional Screen (JCH)</b>				
JCH1424	7.47	3.39	0.20	0.001
JCH1430	8.58	3.90	0.25	0.002
JCH1436	9.70	4.41	0.29	0.002

## Frame Structure &amp; Screens

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Privacy Screen (JAD)				
JAD8336	59.00	26.81	5.73	0.160
JAD8342	67.00	26.81	6.89	0.200

## Worksurfaces & Connectors

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Rectangular Worksurface (JWR)</b>				
JWRC1830	16.50	7.50	0.38	0.011
JWRC1836	19.80	9.00	0.45	0.013
JWRC1842	23.10	10.50	0.53	0.015
JWRC1848	26.95	12.25	0.60	0.017
JWRC1854	30.25	13.75	0.68	0.019
JWRC1860	33.55	15.25	0.76	0.021
JWRC1866	36.85	16.75	0.83	0.024
JWRC1872	40.15	18.25	0.91	0.026
JWRC2430	21.28	9.67	0.47	0.013
JWRC2436	25.67	11.67	0.57	0.016
JWRC2442	30.05	13.66	0.67	0.019
JWRC2448	34.44	15.65	0.77	0.021
JWRC2454	38.82	17.65	0.86	0.024
JWRC2460	43.21	19.64	0.96	0.027
JWRC2466	47.59	21.63	1.06	0.030
JWRC2472	51.98	23.63	1.16	0.033
JWRC3030	26.76	12.17	0.60	0.017
JWRC3036	32.25	14.66	0.72	0.020
JWRC3042	37.73	17.15	0.84	0.024
JWRC3048	43.21	19.64	0.96	0.027
JWRC3054	43.21	19.64	0.96	0.027
JWRC3060	48.69	22.13	1.08	0.031
JWRC3066	59.65	27.11	1.33	0.038
JWRC3072	65.13	29.61	1.45	0.041
JWRS1830	16.50	7.50	0.38	0.011
JWRS1836	19.80	9.00	0.45	0.013
JWRS1842	23.10	10.50	0.53	0.015
JWRS1848	26.95	12.25	0.60	0.017
JWRS1854	30.25	13.75	0.68	0.019
JWRS1860	33.55	15.25	0.76	0.021
JWRS1866	36.85	16.75	0.83	0.024
JWRS1872	40.15	18.25	0.91	0.026
JWRS2430	21.28	9.67	0.47	0.013
JWRS2436	25.67	11.67	0.57	0.016
JWRS2442	30.05	13.66	0.67	0.019
JWRS2448	34.44	15.65	0.77	0.021
JWRS2454	38.82	17.65	0.86	0.024
JWRS2460	43.21	19.64	0.96	0.027
JWRS2466	47.59	21.63	1.06	0.030
JWRS2472	51.98	23.63	1.16	0.033
JWRS3030	26.76	12.17	0.60	0.017
JWRS3036	32.25	14.66	0.72	0.020
JWRS3042	37.73	17.15	0.84	0.024
JWRS3048	43.21	19.64	0.96	0.027
JWRS3054	43.21	19.64	0.96	0.027
JWRS3060	48.69	22.13	1.08	0.031
JWRS3066	59.65	27.11	1.33	0.038
JWRS3072	65.13	29.61	1.45	0.041

## Worksurfaces & Connectors

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>120° Corner Worksurface (JWD)</b>				
JWD_181842	41.25	18.75	1.82	0.052
JWD_181848	48.40	22.00	2.34	0.066
JWD_181854	55.00	25.00	2.92	0.083
JWD_181860	61.60	28.00	3.56	0.101
JWD_182442	46.75	21.25	1.93	0.055
JWD_182448	55.00	25.00	2.47	0.070
JWD_182454	62.70	28.50	3.06	0.087
JWD_182460	70.40	32.00	3.73	0.105
JWD_183042	49.50	22.50	2.06	0.058
JWD_183048	57.75	26.25	2.61	0.074
JWD_183054	66.55	30.25	3.23	0.091
JWD_183060	75.35	34.25	3.90	0.111
JWD_241842	46.75	21.25	1.82	0.052
JWD_241848	55.00	25.00	2.34	0.066
JWD_241854	62.70	28.50	2.92	0.083
JWD_241860	70.40	32.00	3.56	0.101
JWD_242442	51.15	23.25	1.93	0.055
JWD_242448	59.95	27.25	2.47	0.070
JWD_242454	68.75	31.25	3.06	0.087
JWD_242460	77.55	35.25	3.73	0.105
JWD_243042	56.10	25.50	2.06	0.058
JWD_243048	66.00	30.00	2.61	0.074
JWD_243054	75.90	34.50	3.23	0.091
JWD_243060	85.80	39.00	3.91	0.111
JWD_301842	48.95	22.25	1.82	0.052
JWD_301848	57.75	26.25	2.34	0.066
JWD_301854	66.55	30.25	2.92	0.083
JWD_301860	74.80	34.00	3.56	0.101
JWD_302442	56.10	25.50	1.93	0.055
JWD_302448	66.00	30.00	2.47	0.070
JWD_302454	75.90	34.50	3.06	0.087
JWD_302460	85.80	39.00	3.73	0.105
JWD_303042	60.50	27.50	2.06	0.058
JWD_303048	71.50	32.50	2.61	0.074
JWD_303054	82.50	37.50	3.23	0.091
JWD_303060	93.50	42.50	3.91	0.111

## Worksurfaces & Connectors

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>120° Corner Worksurface with Keyboard Surface (JWB)</b>				
JWBC242448	63.52	28.87	2.32	0.066
JWBC242454	72.29	32.86	2.52	0.071
JWBC242460	81.06	36.84	2.71	0.077
JWBC303048	75.36	34.25	2.59	0.073
JWBC303054	86.32	39.24	2.83	0.080
JWBC303060	97.28	44.22	3.07	0.087
JWBS242448	63.52	28.87	2.32	0.066
JWBS242454	72.29	32.86	2.52	0.071
JWBS242460	81.06	36.84	2.71	0.077
JWBS303048	75.36	34.25	2.59	0.073
JWBS303054	86.32	39.24	2.83	0.080
JWBS303060	97.28	44.22	3.07	0.087

### Worksurfaces & Connectors

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>90° Offset Corner Worksurface (JWF)</b>				
JWFC18243654	45.10	20.50	1.26	0.036
JWFC18243660	49.50	22.50	1.40	0.040
JWFC18243666	53.90	24.50	1.54	0.044
JWFC18243672	58.30	26.50	1.69	0.048
JWFC18244254	48.95	22.25	1.47	0.042
JWFC18244260	53.35	24.25	1.64	0.046
JWFC18244266	57.75	26.25	1.81	0.051
JWFC18244272	62.15	28.25	1.98	0.056
JWFC18244854	51.15	23.25	1.69	0.048
JWFC18244860	55.55	25.25	1.88	0.053
JWFC18244866	59.95	27.25	2.07	0.059
JWFC18244872	64.35	29.25	2.27	0.064
JWFC18245460	58.85	26.75	2.12	0.060
JWFC18245466	63.25	28.75	2.34	0.066
JWFC18245472	67.65	30.75	2.55	0.072
JWFC18303654	50.60	23.00	1.26	0.036
JWFC18303660	56.10	25.50	1.40	0.040
JWFC18303666	61.60	28.00	1.54	0.044
JWFC18303672	67.10	30.50	1.69	0.048
JWFC18304254	55.00	25.00	1.47	0.042
JWFC18304260	60.50	27.50	1.64	0.046
JWFC18304266	66.00	30.00	1.81	0.051
JWFC18304272	71.50	32.50	1.98	0.056
JWFC18304854	55.00	25.00	1.69	0.048
JWFC18304860	60.50	27.50	1.88	0.053
JWFC18304866	66.00	30.00	2.07	0.059
JWFC18304872	71.50	32.50	2.27	0.064
JWFC18305460	63.80	29.00	2.12	0.060
JWFC18305466	69.30	31.50	2.34	0.066
JWFC18305472	74.80	34.00	2.55	0.072
JWFC24183654	42.35	19.25	1.26	0.036
JWFC24183660	45.65	20.75	1.40	0.040
JWFC24183666	49.50	22.50	1.54	0.044
JWFC24183672	52.80	24.00	1.69	0.048
JWFC24184254	46.75	21.25	1.47	0.042
JWFC24184260	50.05	22.75	1.64	0.046
JWFC24184266	53.90	24.50	1.81	0.051
JWFC24184272	57.20	26.00	1.98	0.056
JWFC24184854	50.05	22.75	1.69	0.048
JWFC24184860	53.35	24.25	1.88	0.053
JWFC24184866	56.65	25.75	2.07	0.059
JWFC24184872	59.95	27.25	2.27	0.064
JWFC24185460	57.75	26.25	2.12	0.060
JWFC24185466	61.05	27.75	2.34	0.066
JWFC24185472	64.90	29.50	2.55	0.072
JWFC24243654	46.65	21.21	1.04	0.029
JWFC24243660	51.04	23.20	1.13	0.032
JWFC24243666	55.42	25.19	1.23	0.035
JWFC24243672	59.81	27.19	1.33	0.038
JWFC24244254	51.72	23.51	1.15	0.033
JWFC24244260	56.10	25.50	1.25	0.035
JWFC24244266	60.49	27.49	1.34	0.038
JWFC24244272	64.87	29.49	1.44	0.041
JWFC24244854	56.10	25.50	1.25	0.035
JWFC24244860	60.49	27.49	1.34	0.038
JWFC24244866	64.87	29.49	1.44	0.041
JWFC24244872	69.26	31.48	1.54	0.044

### Worksurfaces & Connectors

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
JWFC24245460	64.87	29.49	1.44	0.041
JWFC24245466	69.26	31.48	1.54	0.044
JWFC24245472	73.64	33.47	1.64	0.046
JWFC24304254	56.03	25.47	1.25	0.035
JWFC24304260	61.51	27.96	1.37	0.039
JWFC24304266	66.99	30.45	1.49	0.042
JWFC24304272	72.47	32.94	1.61	0.046
JWFC24304854	61.38	27.90	1.36	0.039
JWFC24304860	66.86	30.39	1.49	0.042
JWFC24304866	72.34	32.88	1.61	0.046
JWFC24304872	77.82	35.37	1.73	0.049
JWFC24305460	71.25	32.38	1.58	0.045
JWFC24305466	76.73	34.88	1.71	0.048
JWFC24305472	82.21	37.37	1.83	0.052
JWFC30184254	51.15	23.25	1.47	0.042
JWFC30184260	54.45	24.75	1.64	0.046
JWFC30184266	57.75	26.25	1.81	0.051
JWFC30184272	61.05	27.75	1.98	0.056
JWFC30184854	54.45	24.75	1.69	0.048
JWFC30184860	57.75	26.25	1.88	0.053
JWFC30184866	61.05	27.75	2.07	0.059
JWFC30184872	64.35	29.25	2.27	0.064
JWFC30185460	63.25	28.75	2.12	0.060
JWFC30185466	66.55	30.25	2.34	0.066
JWFC30185472	70.40	32.00	2.55	0.072
JWFC30243654	49.09	22.31	1.09	0.031
JWFC30243660	53.47	24.30	1.19	0.034
JWFC30243666	57.86	26.30	1.29	0.036
JWFC30243672	62.24	28.29	1.38	0.039
JWFC30244254	54.80	24.91	1.22	0.035
JWFC30244260	59.19	26.90	1.32	0.037
JWFC30244266	63.57	28.90	1.41	0.040
JWFC30244272	67.96	30.89	1.51	0.043
JWFC30244854	60.28	27.40	1.34	0.038
JWFC30244860	64.67	29.39	1.44	0.041
JWFC30244866	69.05	31.39	1.54	0.044
JWFC30244872	73.44	33.38	1.63	0.046
JWFC30245460	70.15	31.89	1.56	0.044
JWFC30245466	74.53	33.88	1.66	0.047
JWFC30245472	78.92	35.87	1.75	0.050
JWFC30304254	58.31	26.50	1.30	0.037
JWFC30304260	63.79	28.99	1.42	0.040
JWFC30304266	69.27	31.49	1.54	0.044
JWFC30304272	74.75	33.98	1.66	0.047
JWFC30304854	64.47	29.30	1.43	0.041
JWFC30304860	69.95	31.79	1.55	0.044
JWFC30304866	75.43	34.29	1.68	0.048
JWFC30304872	80.91	36.78	1.80	0.051
JWFC30305460	75.43	34.29	1.68	0.048
JWFC30305466	80.91	36.78	1.80	0.051
JWFC30305472	86.39	39.27	1.92	0.054
JWFS18243654	45.10	20.50	1.26	0.036
JWFS18243660	49.50	22.50	1.40	0.040
JWFS18243666	53.90	24.50	1.54	0.044
JWFS18243672	58.30	26.50	1.69	0.048
JWFS18244254	48.95	22.25	1.47	0.042
JWFS18244260	53.35	24.25	1.64	0.046



## Worksurfaces &amp; Connectors

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
JWFS18244266	57.75	26.25	1.81	0.051
JWFS18244272	62.15	28.25	1.98	0.056
JWFS18244854	51.15	23.25	1.69	0.048
JWFS18244860	55.55	25.25	1.88	0.053
JWFS18244866	59.95	27.25	2.07	0.059
JWFS18244872	64.35	29.25	2.27	0.064
JWFS18245460	58.85	26.75	2.12	0.060
JWFS18245466	63.25	28.75	2.34	0.066
JWFS18245472	67.65	30.75	2.55	0.072
JWFS18303654	50.60	23.00	1.26	0.036
JWFS18303660	56.10	25.50	1.40	0.040
JWFS18303666	61.60	28.00	1.54	0.044
JWFS18303672	67.10	30.50	1.69	0.048
JWFS18304254	55.00	25.00	1.47	0.042
JWFS18304260	60.50	27.50	1.64	0.046
JWFS18304266	66.00	30.00	1.81	0.051
JWFS18304272	71.50	32.50	1.98	0.056
JWFS18304854	55.00	25.00	1.69	0.048
JWFS18304860	60.50	27.50	1.88	0.053
JWFS18304866	66.00	30.00	2.07	0.059
JWFS18304872	71.50	32.50	2.27	0.064
JWFS18305460	63.80	29.00	2.12	0.060
JWFS18305466	69.30	31.50	2.34	0.066
JWFS18305472	74.80	34.00	2.55	0.072
JWFS24183654	42.35	19.25	1.26	0.036
JWFS24183660	45.65	20.75	1.40	0.040
JWFS24183666	49.50	22.50	1.54	0.044
JWFS24183672	52.80	24.00	1.69	0.048
JWFS24184254	46.75	21.25	1.47	0.042
JWFS24184260	50.05	22.75	1.64	0.046
JWFS24184266	53.90	24.50	1.81	0.051
JWFS24184272	57.20	26.00	1.98	0.056
JWFS24184854	50.05	22.75	1.69	0.048
JWFS24184860	53.35	24.25	1.88	0.053
JWFS24184866	56.65	25.75	2.07	0.059
JWFS24184872	59.95	27.25	2.27	0.064
JWFS24185460	57.75	26.25	2.12	0.060
JWFS24185466	61.05	27.75	2.34	0.066
JWFS24185472	64.90	29.50	2.55	0.072
JWFS24243654	46.65	21.21	1.04	0.029
JWFS24243660	51.04	23.20	1.13	0.032
JWFS24243666	55.42	25.19	1.23	0.035
JWFS24243672	59.81	27.19	1.33	0.038
JWFS24244254	51.72	23.51	1.15	0.033
JWFS24244260	56.10	25.50	1.25	0.035
JWFS24244266	60.49	27.49	1.34	0.038
JWFS24244272	64.87	29.49	1.44	0.041
JWFS24244854	56.10	25.50	1.25	0.035
JWFS24244860	60.49	27.49	1.34	0.038
JWFS24244866	64.87	29.49	1.44	0.041
JWFS24244872	69.26	31.48	1.54	0.044
JWFS24245460	64.87	29.49	1.44	0.041
JWFS24245466	69.26	31.48	1.54	0.044
JWFS24245472	73.64	33.47	1.64	0.046
JWFS24304254	56.03	25.47	1.25	0.035
JWFS24304260	61.51	27.96	1.37	0.039
JWFS24304266	66.99	30.45	1.49	0.042

## Worksurfaces &amp; Connectors

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
JWFS24304272	72.47	32.94	1.61	0.046
JWFS24304854	61.38	27.90	1.36	0.039
JWFS24304860	66.86	30.39	1.49	0.042
JWFS24304866	72.34	32.88	1.61	0.046
JWFS24304872	77.82	35.37	1.73	0.049
JWFS24305460	71.25	32.38	1.58	0.045
JWFS24305466	76.73	34.88	1.71	0.048
JWFS24305472	82.21	37.37	1.83	0.052
JWFS30184254	51.15	23.25	1.47	0.042
JWFS30184260	54.45	24.75	1.64	0.046
JWFS30184266	57.75	26.25	1.81	0.051
JWFS30184272	61.05	27.75	1.98	0.056
JWFS30184854	54.45	24.75	1.69	0.048
JWFS30184860	57.75	26.25	1.88	0.053
JWFS30184866	61.05	27.75	2.07	0.059
JWFS30184872	64.35	29.25	2.27	0.064
JWFS30184854	54.45	24.75	1.69	0.048
JWFS30184860	57.75	26.25	1.88	0.053
JWFS30184866	61.05	27.75	2.07	0.059
JWFS30184872	64.35	29.25	2.27	0.064
JWFS30185460	63.25	28.75	2.12	0.060
JWFS30185466	66.55	30.25	2.34	0.066
JWFS30185472	70.40	32.00	2.55	0.072
JWFS30243654	49.09	22.31	1.09	0.031
JWFS30243660	53.47	24.30	1.19	0.034
JWFS30243666	57.86	26.30	1.29	0.036
JWFS30243672	62.24	28.29	1.38	0.039
JWFS30244254	54.80	24.91	1.22	0.035
JWFS30244260	59.19	26.90	1.32	0.037
JWFS30244266	63.57	28.90	1.41	0.040
JWFS30244272	67.96	30.89	1.51	0.043
JWFS30244854	60.28	27.40	1.34	0.038
JWFS30244860	64.67	29.39	1.44	0.041
JWFS30244866	69.05	31.39	1.54	0.044
JWFS30244872	73.44	33.38	1.63	0.046
JWFS30245460	70.15	31.89	1.56	0.044
JWFS30245466	74.53	33.88	1.66	0.047
JWFS30245472	78.92	35.87	1.75	0.050
JWFS30304254	58.31	26.50	1.30	0.037
JWFS30304260	63.79	28.99	1.42	0.040
JWFS30304266	69.27	31.49	1.54	0.044
JWFS30304272	74.75	33.98	1.66	0.047
JWFS30304854	64.47	29.30	1.43	0.041
JWFS30304860	69.95	31.79	1.55	0.044
JWFS30304866	75.43	34.29	1.68	0.048
JWFS30304872	80.91	36.78	1.80	0.051
JWFS30305460	75.43	34.29	1.68	0.048
JWFS30305466	80.91	36.78	1.80	0.051
JWFS30305472	86.39	39.27	1.92	0.054

## Worksurfaces &amp; Connectors

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>90° Offset Corner Worksurface with Keyboard (JWY)</b>				
JWYC24244854	61.96	28.16	2.29	0.065
JWYC24244860	66.34	30.16	2.39	0.068
JWYC24244866	70.73	32.15	2.48	0.070
JWYC24244872	75.11	34.14	2.58	0.073
JWYC24245460	70.70	32.13	2.48	0.070
JWYC24245466	75.08	34.13	2.58	0.073
JWYC24245472	79.47	36.12	2.68	0.076
JWYC24305460	77.16	35.07	2.63	0.074
JWYC24305466	82.64	37.56	2.75	0.078
JWYC24305472	88.12	40.06	2.87	0.081
JWYC30244854	66.14	30.06	2.38	0.067
JWYC30244860	70.58	32.08	2.48	0.070
JWYC30244866	74.97	34.08	2.58	0.073
JWYC30244872	79.35	36.07	2.68	0.076
JWYC30245460	76.09	34.59	2.60	0.074
JWYC30245466	80.48	36.58	2.61	0.076
JWYC30245472	84.86	38.57	2.80	0.079
JWYC30305460	81.28	36.95	2.72	0.077
JWYC30305466	86.77	39.44	2.84	0.080
JWYC30305472	92.25	41.93	2.96	0.084
<hr/>				
JWYS24244854	61.96	28.16	2.29	0.065
JWYS24244860	66.34	30.16	2.39	0.068
JWYS24244866	70.73	32.15	2.48	0.070
JWYS24244872	75.11	34.14	2.58	0.073
JWYS24245460	70.70	32.13	2.48	0.070
JWYS24245466	75.08	34.13	2.58	0.073
JWYS24245472	79.47	36.12	2.68	0.076
JWYS24305460	77.16	35.07	2.63	0.074
JWYS24305466	82.64	37.56	2.75	0.078
JWYS24305472	88.12	40.06	2.87	0.081
JWYS30244854	66.14	30.06	2.38	0.067
JWYS30244860	70.58	32.08	2.48	0.070
JWYS30244866	74.97	34.08	2.58	0.073
JWYS30244872	79.35	36.07	2.68	0.076
JWYS30245460	76.09	34.59	2.60	0.074
JWYS30245466	80.48	36.58	2.61	0.076
JWYS30245472	84.86	38.57	2.80	0.079
JWYS30305460	81.28	36.95	2.72	0.077
JWYS30305466	86.77	39.44	2.84	0.080
JWYS30305472	92.25	41.93	2.96	0.084

## Worksurfaces & Connectors

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>90° Corner Worksurface (JWC)</b>				
JWC_182448	46.75	21.25	1.50	0.042
JWC_182454	54.45	24.75	1.91	0.054
JWC_182460	62.15	28.25	2.36	0.067
JWC_183048	48.40	22.00	1.50	0.042
JWC_183054	56.65	25.75	1.91	0.054
JWC_183060	64.90	29.50	2.36	0.067
JWC_241848	46.75	21.25	1.50	0.042
JWC_241854	54.45	24.75	1.91	0.054
JWC_241860	62.15	28.25	2.36	0.067
JWC_242448	52.25	23.75	1.50	0.042
JWC_242454	61.05	27.75	1.91	0.054
JWC_242460	69.85	31.75	2.36	0.067
JWC_243048	54.45	24.75	1.50	0.042
JWC_243054	64.35	29.25	1.91	0.054
JWC_243060	74.25	33.75	2.36	0.067
JWC_301848	48.40	22.00	1.50	0.042
JWC_301854	56.65	25.75	1.91	0.054
JWC_301860	64.90	29.50	2.36	0.067
JWC_302448	54.45	24.75	1.50	0.042
JWC_302454	64.35	29.25	1.91	0.054
JWC_302460	74.25	33.75	2.36	0.067
JWC_303048	58.85	26.75	1.50	0.042
JWC_303054	68.75	31.25	1.91	0.054
JWC_303060	78.65	35.75	2.36	0.067

## Worksurfaces & Connectors

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Arched Extension Worksurface (JWA)</b>				
JWAC48	12.12	5.51	0.27	0.008
JWAC60	15.22	6.92	0.34	0.010

## Worksurfaces & Connectors

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Rectangular Extension Worksurface (JWX)</b>				
JWXC48	44.57	20.26	2.66	0.075
JWXC60	64.03	29.10	3.10	0.088
JWXS48	44.57	20.26	2.66	0.075
JWXS60	64.03	29.10	3.10	0.088

## Worksurfaces & Connectors

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Semi-Circular Extension Worksurface (JWM)</b>				
<b>JWMC48</b>	32.83	14.92	1.57	0.044
<b>JWMC60</b>	48.60	22.09	1.92	0.054

## Worksurfaces & Connectors

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Bench Worksurface (JWJ)</b>				
JWJS2460	51.20	23.27	1.05	0.030
JWJS2472	57.36	26.07	1.19	0.034
JWJS2484	66.38	30.17	1.40	0.040
JWJS2496	75.40	34.27	1.60	0.045
JWJS24108	86.40	39.27	1.85	0.052
JWJS24120	95.20	43.27	2.05	0.058
JWJS3060	59.78	27.17	1.25	0.035
JWJS3072	70.78	32.17	1.50	0.042
JWJS3084	81.78	37.17	1.75	0.049
JWJS3096	92.78	42.17	2.00	0.056
JWJS30108	103.34	46.97	2.24	0.063
JWJS30120	114.56	52.07	2.49	0.071
JWJS3660	70.78	32.17	1.50	0.042
JWJS3672	83.76	38.07	1.79	0.051
JWJS3684	96.96	44.07	2.09	0.059
JWJS3696	109.94	49.97	2.39	0.068
JWJS36108	123.14	55.97	2.69	0.076
JWJS36120	136.34	61.97	2.99	0.085

## Worksurfaces &amp; Connectors

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Countertop (JWN)</b>				
JWNEC1436	16.50	7.50	0.38	0.011
JWNEC1442	19.25	8.75	0.44	0.012
JWNEC1448	22.00	10.00	0.49	0.014
JWNEC1454	24.20	11.00	0.55	0.016
JWNEC1460	26.95	12.25	0.61	0.017
JWNEC1466	29.70	13.50	0.66	0.019
JWNEC1472	31.90	14.50	0.72	0.020
JWNES1436	16.50	7.50	0.38	0.011
JWNES1442	19.25	8.75	0.44	0.012
JWNES1448	22.00	10.00	0.49	0.014
JWNES1454	24.20	11.00	0.55	0.016
JWNES1460	26.95	12.25	0.61	0.017
JWNES1466	29.70	13.50	0.66	0.019
JWNES1472	31.90	14.50	0.72	0.020
JWNBC1436	14.30	6.50	0.31	0.009
JWNBC1442	16.50	7.50	0.37	0.010
JWNBC1448	19.25	8.75	0.43	0.012
JWNBC1454	22.00	10.00	0.48	0.014
JWNBC1460	24.20	11.00	0.54	0.015
JWNBC1466	26.95	12.25	0.60	0.017
JWNBC1472	29.70	13.50	0.65	0.019
JWNBS1436	14.30	6.50	0.31	0.009
JWNBS1442	16.50	7.50	0.37	0.010
JWNBS1448	19.25	8.75	0.43	0.012
JWNBS1454	22.00	10.00	0.48	0.014
JWNBS1460	24.20	11.00	0.54	0.015
JWNBS1466	26.95	12.25	0.60	0.017
JWNBS1472	29.70	13.50	0.65	0.019
JWNOC1436	19.25	8.75	0.45	0.013
JWNOC1442	22.00	10.00	0.50	0.014
JWNOC1448	24.75	11.25	0.56	0.016
JWNOC1454	26.95	12.25	0.62	0.017
JWNOC1460	29.70	13.50	0.68	0.019
JWNOC1466	32.45	14.75	0.73	0.021
JWNOC1472	34.65	15.75	0.79	0.022
JWNOS1436	19.25	8.75	0.45	0.013
JWNOS1442	22.00	10.00	0.50	0.014
JWNOS1448	24.75	11.25	0.56	0.016
JWNOS1454	26.95	12.25	0.62	0.017
JWNOS1460	29.70	13.50	0.68	0.019
JWNOS1466	32.45	14.75	0.73	0.021
JWNOS1472	34.65	15.75	0.79	0.022



## Worksurfaces & Connectors

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Table Bracket (JFJ)				
J F J	3.85	1.75	0.52	0.015

## Worksurfaces &amp; Connectors

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Table Leg (JFT)</b>				
JFTCS	7.20	3.27	1.36	0.038
JFTCW	6.10	2.77	1.36	0.038
<hr/>				
JFTLS	7.20	3.27	1.36	0.038
JFTLW	6.10	2.77	1.36	0.038

## Worksurfaces & Connectors

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Cantilever Bracket (JFK)				
JFK	5.50	2.50	0.14	0.004

## Worksurfaces &amp; Connectors

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Cantilever Foot (JFF)</b>				
JFF24	3.84	1.75	0.14	0.005
JFF30	4.64	2.11	0.18	0.005

## Worksurfaces & Connectors

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Beam Mounted Worksurface Support (JFM)</b>				
JFM	1.65	0.75	0.08	0.002

## Worksurfaces &amp; Connectors

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Pedestal Supporting Bracket Kit (JFZ)</b>				
JFZ18	3.40	1.54	0.25	0.007
JFZ22	4.20	1.93	0.30	0.008
JFZ28	5.70	2.61	0.38	0.011

## Worksurfaces & Connectors

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Table Connectors (JFN)</b>				
JFNSP	3.06	1.39	0.03	0.001
JFNST	0.80	0.36	0.15	0.004





## Tables

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Rectangular Table (JTR)</b>				
JTR3048	47.41	21.55	4.73	0.134
JTR3054	52.89	24.04	4.85	0.137
JTR3060	58.37	26.53	4.97	0.141
JTR3066	63.85	29.02	5.10	0.144
JTR3072	69.33	31.52	5.22	0.148
JTR3648	56.18	25.54	4.93	0.140
JTR3654	62.76	28.53	5.07	0.144
JTR3660	69.33	31.52	5.22	0.148
JTR3666	75.91	34.51	5.36	0.152
JTR3672	82.49	37.49	5.51	0.156

## Tables

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Triangular Table (JTT)</b>				
JTT42	31.01	14.10	3.20	0.091
JTT48	36.02	16.37	3.31	0.094

## Tables

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Oval Table (JTV)				
JTV3660	70.21	31.92	4.91	0.139

## Tables

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Semi-Circular Table (JTC)</b>				
JTC48	41.06	18.66	3.42	0.097
JTC60	56.55	25.71	3.77	0.107
JTC72	75.49	34.31	4.19	0.119

## Tables

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Round Table (JTN)</b>				
JTN36	49.56	22.53	4.45	0.120
JTN42	60.75	27.61	4.70	0.133
JTN48	73.66	33.48	4.99	0.141

## Tables

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Round Mobile Side Table (JTM)</b>				
JTM24	24.65	11.21	0.57	0.016
JTM30	34.07	15.49	0.78	0.022
JTM36	45.34	20.61	1.03	0.029

## Mounted Storage & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Shelf (JSS)</b>				
JSSS2024	8.78	3.99	0.42	0.012
JSSS2030	9.84	4.47	0.52	0.015
JSSS2036	11.08	5.04	0.63	0.018
JSSU2024	12.62	5.74	0.11	0.003
JSSU2030	15.62	7.10	0.15	0.004
JSSU2036	18.62	8.46	0.19	0.005
JSSU2824	12.80	5.82	0.11	0.003
JSSU2830	15.80	7.18	0.15	0.004
JSSU2836	18.80	8.54	0.19	0.005

## Mounted Storage & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Shelf Divider (JAS)				
JAS	1.70	0.77	0.44	0.013



## Mounted Storage & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Modesty Panel (JAM)</b>				
JAM30530	9.69	4.40	0.96	0.027
JAM30536	11.63	5.29	1.15	0.032
JAM30542	13.57	6.17	1.34	0.038
JAM30548	15.50	7.05	1.53	0.043
JAM30554	17.44	7.93	1.72	0.049
JAM30560	19.38	8.81	1.91	0.054
JAM30566	21.32	9.69	2.10	0.060
JAM30572	23.26	10.57	2.29	0.065

## Mounted Storage &amp; Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Elliptical Baffle (JABE)				
JABE	5.93	2.70	4.00	0.090

## Mounted Storage & Accessories

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Linear Baffle (JABL)</b>				
JABLS24	3.10	1.40	2.94	0.080
JABLS30	3.47	1.58	3.83	0.110
JABLS36	3.84	1.75	4.71	0.140
JABLS42	4.21	1.91	5.56	0.170
JABLS42	4.58	2.08	6.48	0.200
<hr/>				
JABLD24	6.20	2.82	5.88	0.016
JABLD30	6.94	3.15	7.66	0.220
JABLD36	7.68	3.49	9.42	0.280
JABLD42	8.42	3.83	11.12	0.340
JABLD42	9.16	4.16	12.96	0.400

## Mounted Storage & Accessories

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Accessories (PAX)</b>				
PAX90	1.50	0.68	0.20	0.010
PAX91	1.80	0.82	0.26	0.010
PAX92	2.10	0.95	0.14	0.004
PAX93	2.50	1.14	0.17	0.005
PAX94	0.60	0.27	0.04	0.001
PAX95	2.50	1.14	0.18	0.005
PAX96	0.20	0.09	0.07	0.002
PAX97	2.50	1.14	0.25	0.010
PAX98	3.00	1.36	0.36	0.010
PAX99	3.00	1.36	0.11	0.003
PAX100	3.50	1.59	0.11	0.003

## Freestanding Storage & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Mobile Pedestal (JSLM)</b>				
JSLMBBF18	92.10	41.86	4.73	0.134
JSLMBBF22	98.80	44.91	5.76	0.163
JSLMBBF28	109.30	49.68	7.35	0.208
JSLMBF18	73.50	33.41	3.71	0.105
JSLMBF22	79.10	35.95	4.56	0.129
JSLMBF28	87.70	39.86	5.79	0.164
JSLMLF18	80.60	36.64	4.73	0.134
JSLMLF22	86.50	39.32	5.76	0.163
JSLMLF28	95.70	43.50	7.35	0.208
JSLMPSF18	81.60	37.09	3.96	0.112
JSLMPSF22	88.00	40.00	4.84	0.137
JSLMPSF28	97.90	44.50	6.18	0.175

## Freestanding Storage & Accessories

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Tall Mobile Pedestal (JSLM)</b>				
JSLMFFFF18	124.60	56.64	7.95	0.225
JSLMFFFF22	133.60	60.73	9.75	0.276
JSLMFFFF28	148.00	67.27	12.40	0.351
JSLMSBFFF18	129.70	58.95	7.95	0.225
JSLMSBFFF22	139.50	63.41	9.75	0.276
JSLMSBFFF28	155.20	70.55	12.40	0.351

## Freestanding Storage & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Freestanding Pedestal (JSLP)</b>				
JSLPBBF18	67.00	30.45	4.73	0.134
JSLPBBF22	74.50	33.86	5.79	0.164
JSLPBBF28	86.30	39.23	7.38	0.209
JSLPBF18	52.40	23.82	3.50	0.099
JSLPBF22	58.80	26.73	4.27	0.121
JSLPBF28	68.70	31.23	5.44	0.154
JSLPLF18	55.60	25.27	5.30	0.149
JSLPLF22	61.50	27.95	6.40	0.182
JSLPLF28	70.70	32.14	8.20	0.231
JSLPPBF18	57.20	26.00	3.99	0.113
JSLPPBF22	63.70	28.95	4.87	0.138
JSLPPBF28	73.80	33.55	6.22	0.176

## Freestanding Storage &amp; Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Pedestal Top (JSTP)</b>				
JSTP24	13.36	6.07	0.30	0.009
JSTP30	16.70	7.59	0.37	0.011



## Freestanding Storage & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Stretch Pedestal (JSL)</b>				
JSLSBBF30	141.40	64.27	9.50	0.269
JSLSBBF36	162.10	73.68	11.40	0.323
JSLSBBF42	183.70	83.50	13.30	0.377
<b>Stretch Pedestal (JSLF)</b>				
JSLSLF30	95.90	43.59	10.50	0.297
JSLSLF36	111.10	50.50	12.60	0.357
JSLSLF42	125.70	57.14	14.70	0.416

## Freestanding Storage &amp; Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Stretch Pedestal Top (JSLT)</b>				
JSLT1830	16.70	7.59	0.37	0.011
JSLT1836	20.04	9.11	0.45	0.013
JSLT1842	23.38	10.63	0.53	0.015

## Freestanding Storage & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Mobile Pedestal with Seat (JSLK)				
JSLKBF22	82.06	37.30	4.91	0.139

## Freestanding Storage &amp; Accessories

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Kiosk (JSAS)</b>				
JSAS03	150.00	68.18	12.62	0.357
JSAS04	150.00	68.18	12.62	0.357
JSAS11	121.90	55.41	10.15	0.287

## Freestanding Storage & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Kiosk Top (JSAT)				
JSAT	13.36	6.06	0.30	0.009

## Freestanding Storage &amp; Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Kiosk Accessories (ASKA)</b>				
ASKA01	8.90	4.05	0.48	0.014
ASKA02	5.50	2.50	0.48	0.014
ASKA03	6.20	2.82	0.48	0.014
ASKA04	0.20	0.09	0.01	0.000

## Freestanding Storage & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Pedestal Accessories (DA)</b>				
DAB	0.60	0.27	0.06	0.000
DAD	0.90	0.41	0.03	0.000
DAI	7.40	3.36	0.35	0.010
DAT	0.30	0.14	0.11	0.000

## Freestanding Storage & Accessories

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Stretch Pedestal Accessories (FA)</b>				
FA01	2.50	1.14	0.02	0.000
FA02	3.00	1.36	0.02	0.000
FA03	3.50	1.59	0.02	0.000
FA07	0.40	0.18	0.71	0.020
FA08	48.53	22.06	0.71	0.020
FA10	3.70	1.68	0.06	0.000
FA11	0.90	0.41	0.02	0.000
FA12	1.00	0.45	0.02	0.000
FA13	1.20	0.54	0.02	0.000
FA20	0.90	0.41	0.01	0.000
FA24	1.80	0.84	0.03	0.000



## Freestanding Storage & Accessories

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Locks &amp; Keys (K)</b>				
KC	0.20	0.01	n/a	n/a
KK	0.20	0.01	n/a	n/a
KM	0.20	0.01	n/a	n/a
KR	0.20	0.01	n/a	n/a

## Freestanding Storage &amp; Accessories

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Casters and Counterweight (W)</b>				
W1	24.64	11.20	0.71	0.020
W2	24.20	11.00	0.71	0.020
W3	0.44	0.20	0.25	0.007

## Lighting, Electrics & Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Universal Light (TUI)</b>				
TUI220	2.90	1.30	0.33	0.009
TUI222	3.70	1.70	0.33	0.009

## Lighting, Electrics &amp; Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Utility Light (TYI)</b>				
TYI180S	6.80	3.09	0.67	0.019
TYI182S	6.80	3.09	0.67	0.019
TYI240S	9.20	4.18	0.89	0.025
TYI242S	9.20	4.18	0.89	0.025
TYI240E	9.20	4.18	0.89	0.025
TYI242E	9.20	4.18	0.89	0.025

## Lighting, Electrics & Communications

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Cord Manager (JECM)</b>				
JECMP06	0.18	0.08	0.00	0.000
JECMP50	1.50	0.54	0.00	0.001
JECMS20	0.66	0.30	0.01	0.000
JECMS60	2.16	0.98	0.02	0.001
JECMS61	18.00	8.16	0.20	0.005

## Lighting, Electrics &amp; Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Service Beam Power Bar (JEJF)				
JEJFA	2.00	0.75	0.07	0.002
JEJFB	2.50	1.00	0.08	0.002

## Lighting, Electrics &amp; Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Connecting Power Harness (JEBT)</b>				
JEBT4B42	2.50	1.00	0.50	0.014
JEBT4B45	2.50	1.25	0.50	0.014
JEBT4B48	2.50	1.25	0.50	0.014
JEBT4B51	3.00	1.25	0.50	0.014
JEBT4B54	3.00	1.25	0.50	0.014
JEBT4B57	3.00	1.25	0.50	0.014
JEBT4B60	3.00	1.25	0.50	0.014
JEBT4B63	3.00	1.50	0.50	0.014
JEBT4B66	3.00	1.50	0.50	0.014
JEBT4B69	3.50	1.50	0.50	0.014
JEBT4B72	3.50	1.50	0.50	0.014
JEBT4B75	3.50	1.75	0.50	0.014
JEBT4B78	3.50	1.75	0.50	0.014
JEBT4B81	4.00	1.75	0.50	0.014
JEBT4B84	4.00	1.75	0.50	0.014
JEBT4B87	4.00	1.75	0.50	0.014
JEBT4B90	4.00	1.75	0.50	0.014
JEBT4B93	4.00	2.00	0.50	0.014
JEBT4B96	4.00	2.00	0.50	0.014
JEBT4B99	4.50	2.00	0.50	0.014
JEBT4B102	4.50	2.00	0.50	0.014
JEBT4B105	4.50	2.00	0.50	0.014
JEBT4B108	4.50	2.00	0.50	0.014
JEBT4B111	5.00	2.25	0.50	0.014
JEBT4B114	5.00	2.25	0.50	0.014
JEBT4B117	5.00	2.25	0.50	0.014
JEBT4B120	5.00	2.25	0.50	0.014
JEBT4B123	5.50	2.50	0.50	0.014
JEBT4B126	5.50	2.50	0.50	0.014
JEBT4B129	5.50	2.50	0.50	0.014
JEBT4B132	5.50	2.50	0.50	0.014
JEBT4B135	5.50	2.50	0.50	0.014
JEBT4B138	5.50	2.50	0.50	0.014
JEBT4B141	6.00	2.75	0.50	0.014
JEBT4B144	6.00	2.75	0.50	0.014
JEBT5D42	2.50	1.00	0.50	0.014
JEBT5D45	2.50	1.25	0.50	0.014
JEBT5D48	2.50	1.25	0.50	0.014
JEBT5D51	3.00	1.25	0.50	0.014
JEBT5D54	3.00	1.25	0.50	0.014
JEBT5D57	3.00	1.25	0.50	0.014
JEBT5D60	3.00	1.25	0.50	0.014
JEBT5D63	3.00	1.50	0.50	0.014
JEBT5D66	3.00	1.50	0.50	0.014
JEBT5D69	3.50	1.50	0.50	0.014
JEBT5D72	3.50	1.50	0.50	0.014
JEBT5D75	3.50	1.75	0.50	0.014
JEBT5D78	3.50	1.75	0.50	0.014
JEBT5D81	4.00	1.75	0.50	0.014
JEBT5D84	4.00	1.75	0.50	0.014
JEBT5D87	4.00	1.75	0.50	0.014
JEBT5D90	4.00	1.75	0.50	0.014
JEBT5D93	4.00	2.00	0.50	0.014
JEBT5D96	4.00	2.00	0.50	0.014
JEBT5D99	4.50	2.00	0.50	0.014

## Lighting, Electrics &amp; Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
JEBT5D102	4.50	2.00	0.50	0.014
JEBT5D105	4.50	2.00	0.50	0.014
JEBT5D108	4.50	2.00	0.50	0.014
JEBT5D111	5.00	2.25	0.50	0.014
JEBT5D114	5.00	2.25	0.50	0.014
JEBT5D117	5.00	2.25	0.50	0.014
JEBT5D120	5.00	2.25	0.50	0.014
JEBT5D123	5.50	2.50	0.50	0.014
JEBT5D126	5.50	2.50	0.50	0.014
JEBT5D129	5.50	2.50	0.50	0.014
JEBT5D132	5.50	2.50	0.50	0.014
JEBT5D135	5.50	2.50	0.50	0.014
JEBT5D138	5.50	2.50	0.50	0.014
JEBT5D141	6.00	2.75	0.50	0.014
JEBT5D144	6.00	2.75	0.50	0.014
JEBT7G42	2.50	1.00	0.50	0.014
JEBT7G45	2.50	1.25	0.50	0.014
JEBT7G48	2.50	1.25	0.50	0.014
JEBT7G51	3.00	1.25	0.50	0.014
JEBT7G54	3.00	1.25	0.50	0.014
JEBT7G57	3.00	1.25	0.50	0.014
JEBT7G60	3.00	1.25	0.50	0.014
JEBT7G63	3.00	1.50	0.50	0.014
JEBT7G66	3.00	1.50	0.50	0.014
JEBT7G69	3.50	1.50	0.50	0.014
JEBT7G72	3.50	1.50	0.50	0.014
JEBT7G75	3.50	1.75	0.50	0.014
JEBT7G78	3.50	1.75	0.50	0.014
JEBT7G81	4.00	1.75	0.50	0.014
JEBT7G84	4.00	1.75	0.50	0.014
JEBT7G87	4.00	1.75	0.50	0.014
JEBT7G90	4.00	1.75	0.50	0.014
JEBT7G93	4.00	2.00	0.50	0.014
JEBT7G96	4.00	2.00	0.50	0.014
JEBT7G99	4.50	2.00	0.50	0.014
JEBT7G102	4.50	2.00	0.50	0.014
JEBT7G105	4.50	2.00	0.50	0.014
JEBT7G108	4.50	2.00	0.50	0.014
JEBT7G111	5.00	2.25	0.50	0.014
JEBT7G114	5.00	2.25	0.50	0.014
JEBT7G117	5.00	2.25	0.50	0.014
JEBT7G120	5.00	2.25	0.50	0.014
JEBT7G123	5.50	2.50	0.50	0.014
JEBT7G126	5.50	2.50	0.50	0.014
JEBT7G129	5.50	2.50	0.50	0.014
JEBT7G132	5.50	2.50	0.50	0.014
JEBT7G135	5.50	2.50	0.50	0.014
JEBT7G138	5.50	2.50	0.50	0.014
JEBT7G141	6.00	2.75	0.50	0.014
JEBT7G144	6.00	2.75	0.50	0.014
JEBT8T42	2.50	1.00	0.50	0.014
JEBT8T45	2.50	1.25	0.50	0.014
JEBT8T48	2.50	1.25	0.50	0.014
JEBT8T51	3.00	1.25	0.50	0.014
JEBT8T54	3.00	1.25	0.50	0.014

## Lighting, Electrics &amp; Communications

PRODUCT CODE

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
JEBT8T57	3.00	1.25	0.50	0.014
JEBT8T60	3.00	1.25	0.50	0.014
JEBT8T63	3.00	1.50	0.50	0.014
JEBT8T66	3.00	1.50	0.50	0.014
JEBT8T69	3.50	1.50	0.50	0.014
JEBT8T72	3.50	1.50	0.50	0.014
JEBT8T75	3.50	1.75	0.50	0.014
JEBT8T78	3.50	1.75	0.50	0.014
JEBT8T81	4.00	1.75	0.50	0.014
JEBT8T84	4.00	1.75	0.50	0.014
JEBT8T87	4.00	1.75	0.50	0.014
JEBT8T90	4.00	1.75	0.50	0.014
JEBT8T93	4.00	2.00	0.50	0.014
JEBT8T96	4.00	2.00	0.50	0.014
JEBT8T99	4.50	2.00	0.50	0.014
JEBT8T102	4.50	2.00	0.50	0.014
JEBT8T105	4.50	2.00	0.50	0.014
JEBT8T108	4.50	2.00	0.50	0.014
JEBT8T111	5.00	2.25	0.50	0.014
JEBT8T114	5.00	2.25	0.50	0.014
JEBT8T117	5.00	2.25	0.50	0.014
JEBT8T120	5.00	2.25	0.50	0.014
JEBT8T123	5.50	2.50	0.50	0.014
JEBT8T126	5.50	2.50	0.50	0.014
JEBT8T129	5.50	2.50	0.50	0.014
JEBT8T132	5.50	2.50	0.50	0.014
JEBT8T135	5.50	2.50	0.50	0.014
JEBT8T138	5.50	2.50	0.50	0.014
JEBT8T141	6.00	2.75	0.50	0.014
JEBT8T144	6.00	2.75	0.50	0.014
JEBT8N42	2.50	1.00	0.50	0.014
JEBT8N45	2.50	1.25	0.50	0.014
JEBT8N48	2.50	1.25	0.50	0.014
JEBT8N51	3.00	1.25	0.50	0.014
JEBT8N54	3.00	1.25	0.50	0.014
JEBT8N57	3.00	1.25	0.50	0.014
JEBT8N60	3.00	1.25	0.50	0.014
JEBT8N63	3.00	1.50	0.50	0.014
JEBT8N66	3.00	1.50	0.50	0.014
JEBT8N69	3.50	1.50	0.50	0.014
JEBT8N72	3.50	1.50	0.50	0.014
JEBT8N75	3.50	1.75	0.50	0.014
JEBT8N78	3.50	1.75	0.50	0.014
JEBT8N81	4.00	1.75	0.50	0.014
JEBT8N84	4.00	1.75	0.50	0.014
JEBT8N87	4.00	1.75	0.50	0.014
JEBT8N90	4.00	1.75	0.50	0.014
JEBT8N93	4.00	2.00	0.50	0.014
JEBT8N96	4.00	2.00	0.50	0.014
JEBT8N99	4.50	2.00	0.50	0.014
JEBT8N102	4.50	2.00	0.50	0.014
JEBT8N105	4.50	2.00	0.50	0.014
JEBT8N108	4.50	2.00	0.50	0.014
JEBT8N111	5.00	2.25	0.50	0.014
JEBT8N114	5.00	2.25	0.50	0.014
JEBT8N117	5.00	2.25	0.50	0.014

## Lighting, Electrics &amp; Communications

PRODUCT CODE

PRODUCT CODE	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
JEBT8N120	5.00	2.25	0.50	0.014
JEBT8N123	5.50	2.50	0.50	0.014
JEBT8N126	5.50	2.50	0.50	0.014
JEBT8N129	5.50	2.50	0.50	0.014
JEBT8N132	5.50	2.50	0.50	0.014
JEBT8N135	5.50	2.50	0.50	0.014
JEBT8N138	5.50	2.50	0.50	0.014
JEBT8N141	6.00	2.75	0.50	0.014
JEBT8N144	6.00	2.75	0.50	0.014
JEBT8K42	2.50	1.00	0.50	0.014
JEBT8K45	2.50	1.25	0.50	0.014
JEBT8K48	2.50	1.25	0.50	0.014
JEBT8K51	3.00	1.25	0.50	0.014
JEBT8K54	3.00	1.25	0.50	0.014
JEBT8K57	3.00	1.25	0.50	0.014
JEBT8K60	3.00	1.25	0.50	0.014
JEBT8K63	3.00	1.50	0.50	0.014
JEBT8K66	3.00	1.50	0.50	0.014
JEBT8K69	3.50	1.50	0.50	0.014
JEBT8K72	3.50	1.50	0.50	0.014
JEBT8K75	3.50	1.75	0.50	0.014
JEBT8K78	3.50	1.75	0.50	0.014
JEBT8K81	4.00	1.75	0.50	0.014
JEBT8K84	4.00	1.75	0.50	0.014
JEBT8K87	4.00	1.75	0.50	0.014
JEBT8K90	4.00	1.75	0.50	0.014
JEBT8K93	4.00	2.00	0.50	0.014
JEBT8K96	4.00	2.00	0.50	0.014
JEBT8K99	4.50	2.00	0.50	0.014
JEBT8K102	4.50	2.00	0.50	0.014
JEBT8K105	4.50	2.00	0.50	0.014
JEBT8K108	4.50	2.00	0.50	0.014
JEBT8K111	5.00	2.25	0.50	0.014
JEBT8K114	5.00	2.25	0.50	0.014
JEBT8K117	5.00	2.25	0.50	0.014
JEBT8K120	5.00	2.25	0.50	0.014
JEBT8K123	5.50	2.50	0.50	0.014
JEBT8K126	5.50	2.50	0.50	0.014
JEBT8K129	5.50	2.50	0.50	0.014
JEBT8K132	5.50	2.50	0.50	0.014
JEBT8K135	5.50	2.50	0.50	0.014
JEBT8K138	5.50	2.50	0.50	0.014
JEBT8K141	6.00	2.75	0.50	0.014
JEBT8K144	6.00	2.75	0.50	0.014



## Lighting, Electrics &amp; Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Ceiling Feed (JECF)</b>				
JECF4B0830	4.50	2.00	0.50	0.014
JECF4B0836	4.50	2.00	0.50	0.014
JECF4B0842	4.50	2.00	0.50	0.014
JECF4B0848	4.50	2.00	0.50	0.014
JECF4B0854	4.50	2.00	0.50	0.014
JECF4B0860	4.50	2.00	0.50	0.014
JECF4B0866	4.50	2.00	0.50	0.014
JECF4B0872	4.50	2.00	0.50	0.014
JECF4B1030	5.50	2.50	0.50	0.014
JECF4B1036	5.50	2.50	0.50	0.014
JECF4B1042	5.50	2.50	0.50	0.014
JECF4B1048	5.50	2.50	0.50	0.014
JECF4B1054	5.50	2.50	0.50	0.014
JECF4B1060	5.50	2.50	0.50	0.014
JECF4B1066	5.50	2.50	0.50	0.014
JECF4B1072	5.50	2.50	0.50	0.014
JECF5D0830	4.50	2.00	0.50	0.014
JECF5D0836	4.50	2.00	0.50	0.014
JECF5D0842	4.50	2.00	0.50	0.014
JECF5D0848	4.50	2.00	0.50	0.014
JECF5D0854	4.50	2.00	0.50	0.014
JECF5D0860	4.50	2.00	0.50	0.014
JECF5D0866	4.50	2.00	0.50	0.014
JECF5D0872	4.50	2.00	0.50	0.014
JECF5D1030	5.50	2.50	0.50	0.014
JECF5D1036	5.50	2.50	0.50	0.014
JECF5D1042	5.50	2.50	0.50	0.014
JECF5D1048	5.50	2.50	0.50	0.014
JECF5D1054	5.50	2.50	0.50	0.014
JECF5D1060	5.50	2.50	0.50	0.014
JECF5D1066	5.50	2.50	0.50	0.014
JECF5D1072	5.50	2.50	0.50	0.014
JECF7G0830	4.50	2.00	0.50	0.014
JECF7G0836	4.50	2.00	0.50	0.014
JECF7G0842	4.50	2.00	0.50	0.014
JECF7G0848	4.50	2.00	0.50	0.014
JECF7G0854	4.50	2.00	0.50	0.014
JECF7G0860	4.50	2.00	0.50	0.014
JECF7G0866	4.50	2.00	0.50	0.014
JECF7G0872	4.50	2.00	0.50	0.014
JECF7G1030	5.50	2.50	0.50	0.014
JECF7G1036	5.50	2.50	0.50	0.014
JECF7G1042	5.50	2.50	0.50	0.014
JECF7G1048	5.50	2.50	0.50	0.014
JECF7G1054	5.50	2.50	0.50	0.014
JECF7G1060	5.50	2.50	0.50	0.014
JECF7G1066	5.50	2.50	0.50	0.014
JECF7G1072	5.50	2.50	0.50	0.014

## Lighting, Electrics &amp; Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
JECF8K0830	4.50	2.00	0.50	0.014
JECF8K0836	4.50	2.00	0.50	0.014
JECF8K0842	4.50	2.00	0.50	0.014
JECF8K0848	4.50	2.00	0.50	0.014
JECF8K0854	4.50	2.00	0.50	0.014
JECF8K0860	4.50	2.00	0.50	0.014
JECF8K0866	4.50	2.00	0.50	0.014
JECF8K0872	4.50	2.00	0.50	0.014
JECF8K1030	5.50	2.50	0.50	0.014
JECF8K1036	5.50	2.50	0.50	0.014
JECF8K1042	5.50	2.50	0.50	0.014
JECF8K1048	5.50	2.50	0.50	0.014
JECF8K1054	5.50	2.50	0.50	0.014
JECF8K1060	5.50	2.50	0.50	0.014
JECF8K1066	5.50	2.50	0.50	0.014
JECF8K1072	5.50	2.50	0.50	0.014
JECF8N0830	4.50	2.00	0.50	0.014
JECF8N0836	4.50	2.00	0.50	0.014
JECF8N0842	4.50	2.00	0.50	0.014
JECF8N0848	4.50	2.00	0.50	0.014
JECF8N0854	4.50	2.00	0.50	0.014
JECF8N0860	4.50	2.00	0.50	0.014
JECF8N0866	4.50	2.00	0.50	0.014
JECF8N0872	4.50	2.00	0.50	0.014
JECF8N1030	5.50	2.50	0.50	0.014
JECF8N1036	5.50	2.50	0.50	0.014
JECF8N1042	5.50	2.50	0.50	0.014
JECF8N1054	5.50	2.50	0.50	0.014
JECF8N1060	5.50	2.50	0.50	0.014
JECF8N1066	5.50	2.50	0.50	0.014
JECF8N1072	5.50	2.50	0.50	0.014
JECF8T0836	4.50	2.00	0.50	0.014
JECF8T0842	4.50	2.00	0.50	0.014
JECF8T0854	4.50	2.00	0.50	0.014
JECF8T0860	4.50	2.00	0.50	0.014
JECF8T0866	4.50	2.00	0.50	0.014
JECF8T0872	4.50	2.00	0.50	0.014
JECF8T1030	5.50	2.50	0.50	0.014
JECF8T1036	5.50	2.50	0.50	0.014
JECF8T1042	5.50	2.50	0.50	0.014
JECF8T1054	5.50	2.50	0.50	0.014
JECF8T1060	5.50	2.50	0.50	0.014
JECF8T1066	5.50	2.50	0.50	0.014
JECF8T1072	5.50	2.50	0.50	0.014

## Lighting, Electrics &amp; Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Base Feed (JEBA)</b>				
JEBA4B30	1.50	0.75	0.50	0.014
JEBA4B36	2.00	1.00	0.50	0.014
JEBA4B42	2.50	1.00	0.50	0.014
JEBA4B48	2.50	1.25	0.50	0.014
JEBA4B54	3.00	1.25	0.50	0.014
JEBA4B60	3.00	1.50	0.50	0.014
JEBA4B66	3.50	1.50	0.50	0.014
JEBA4B72	3.50	1.75	0.50	0.014
JEBA5D30	1.50	0.75	0.50	0.014
JEBA5D36	2.00	1.00	0.50	0.014
JEBA5D42	2.50	1.00	0.50	0.014
JEBA5D48	2.50	1.25	0.50	0.014
JEBA5D54	3.00	1.25	0.50	0.014
JEBA5D60	3.00	1.50	0.50	0.014
JEBA5D66	3.50	1.50	0.50	0.014
JEBA5D72	3.50	1.75	0.50	0.014
JEBA7G30	1.50	0.75	0.50	0.014
JEBA7G36	2.00	1.00	0.50	0.014
JEBA7G42	2.50	1.00	0.50	0.014
JEBA7G48	2.50	1.25	0.50	0.014
JEBA7G54	3.00	1.25	0.50	0.014
JEBA7G60	3.00	1.50	0.50	0.014
JEBA7G66	3.50	1.50	0.50	0.014
JEBA7G72	3.50	1.75	0.50	0.014
JEBA8K30	1.50	0.75	0.50	0.014
JEBA8K36	2.00	1.00	0.50	0.014
JEBA8K42	2.50	1.00	0.50	0.014
JEBA8K48	2.50	1.25	0.50	0.014
JEBA8K54	3.00	1.25	0.50	0.014
JEBA8K60	3.00	1.50	0.50	0.014
JEBA8K66	3.50	1.50	0.50	0.014
JEBA8K72	3.50	1.75	0.50	0.014
JEBA8N30	1.50	0.75	0.50	0.014
JEBA8N36	2.00	1.00	0.50	0.014
JEBA8N42	2.50	1.00	0.50	0.014
JEBA8N48	2.50	1.25	0.50	0.014
JEBA8N54	3.00	1.25	0.50	0.014
JEBA8N60	3.00	1.50	0.50	0.014
JEBA8N66	3.50	1.50	0.50	0.014
JEBA8N72	3.50	1.75	0.50	0.014
JEBA8T30	1.50	0.75	0.50	0.014
JEBA8T36	2.00	1.00	0.50	0.014
JEBA8T42	2.50	1.00	0.50	0.014
JEBA8T48	2.50	1.25	0.50	0.014
JEBA8T54	3.00	1.25	0.50	0.014
JEBA8T60	3.00	1.50	0.50	0.014
JEBA8T66	3.50	1.50	0.50	0.014
JEBA8T72	3.50	1.75	0.50	0.014

## Lighting, Electrics &amp; Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Starting Power Harness (JEST)</b>				
JEST4B36	2.50	1.00	0.50	0.014
JEST4B39	2.50	1.00	0.50	0.014
JEST4B42	2.50	1.00	0.50	0.014
JEST4B45	2.50	1.25	0.50	0.014
JEST4B48	2.50	1.25	0.50	0.014
JEST4B51	3.00	1.25	0.50	0.014
JEST4B54	3.00	1.25	0.50	0.014
JEST4B57	3.00	1.25	0.50	0.014
JEST4B60	3.00	1.25	0.50	0.014
JEST4B63	3.00	1.50	0.50	0.014
JEST4B66	3.00	1.50	0.50	0.014
JEST4B69	3.50	1.50	0.50	0.014
JEST4B72	3.50	1.50	0.50	0.014
JEST4B75	3.50	1.75	0.50	0.014
JEST4B78	3.50	1.75	0.50	0.014
JEST4B81	4.00	1.75	0.50	0.014
JEST4B84	4.00	1.75	0.50	0.014
JEST4B87	4.00	1.75	0.50	0.014
JEST4B90	4.00	1.75	0.50	0.014
JEST4B93	4.00	2.00	0.50	0.014
JEST4B96	4.00	2.00	0.50	0.014
JEST4B99	4.50	2.00	0.50	0.014
JEST4B102	4.50	2.00	0.50	0.014
JEST4B105	4.50	2.00	0.50	0.014
JEST4B108	4.50	2.00	0.50	0.014
JEST4B111	5.00	2.25	0.50	0.014
JEST4B114	5.00	2.25	0.50	0.014
JEST4B117	5.00	2.25	0.50	0.014
JEST4B120	5.00	2.25	0.50	0.014
JEST4B123	5.50	2.50	0.50	0.014
JEST4B126	5.50	2.50	0.50	0.014
JEST4B129	5.50	2.50	0.50	0.014
JEST4B132	5.50	2.50	0.50	0.014
JEST4B135	5.50	2.50	0.50	0.014
JEST4B138	5.50	2.50	0.50	0.014
JEST4B141	6.00	2.75	0.50	0.014
JEST4B144	6.00	2.75	0.50	0.014
JEST5D36	2.50	1.00	0.50	0.014
JEST5D39	2.50	1.00	0.50	0.014
JEST5D42	2.50	1.00	0.50	0.014
JEST5D45	2.50	1.25	0.50	0.014
JEST5D48	2.50	1.25	0.50	0.014
JEST5D51	3.00	1.25	0.50	0.014
JEST5D54	3.00	1.25	0.50	0.014
JEST5D57	3.00	1.25	0.50	0.014
JEST5D60	3.00	1.25	0.50	0.014
JEST5D63	3.00	1.50	0.50	0.014
JEST5D66	3.00	1.50	0.50	0.014
JEST5D69	3.50	1.50	0.50	0.014
JEST5D72	3.50	1.50	0.50	0.014
JEST5D75	3.50	1.75	0.50	0.014
JEST5D78	3.50	1.75	0.50	0.014
JEST5D81	4.00	1.75	0.50	0.014
JEST5D84	4.00	1.75	0.50	0.014
JEST5D87	4.00	1.75	0.50	0.014

## Lighting, Electrics &amp; Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
JEST5D90	4.00	1.75	0.50	0.014
JEST5D93	4.00	2.00	0.50	0.014
JEST5D96	4.00	2.00	0.50	0.014
JEST5D99	4.50	2.00	0.50	0.014
JEST5D102	4.50	2.00	0.50	0.014
JEST5D105	4.50	2.00	0.50	0.014
JEST5D108	4.50	2.00	0.50	0.014
JEST5D111	5.00	2.25	0.50	0.014
JEST5D114	5.00	2.25	0.50	0.014
JEST5D117	5.00	2.25	0.50	0.014
JEST5D120	5.00	2.25	0.50	0.014
JEST5D123	5.50	2.50	0.50	0.014
JEST5D126	5.50	2.50	0.50	0.014
JEST5D129	5.50	2.50	0.50	0.014
JEST5D132	5.50	2.50	0.50	0.014
JEST5D135	5.50	2.50	0.50	0.014
JEST5D138	5.50	2.50	0.50	0.014
JEST5D141	6.00	2.75	0.50	0.014
JEST5D144	6.00	2.75	0.50	0.014
JEST7G36	2.50	1.00	0.50	0.014
JEST7G39	2.50	1.00	0.50	0.014
JEST7G42	2.50	1.00	0.50	0.014
JEST7G45	2.50	1.25	0.50	0.014
JEST7G48	2.50	1.25	0.50	0.014
JEST7G51	3.00	1.25	0.50	0.014
JEST7G54	3.00	1.25	0.50	0.014
JEST7G57	3.00	1.25	0.50	0.014
JEST7G60	3.00	1.25	0.50	0.014
JEST7G63	3.00	1.50	0.50	0.014
JEST7G66	3.00	1.50	0.50	0.014
JEST7G69	3.50	1.50	0.50	0.014
JEST7G72	3.50	1.50	0.50	0.014
JEST7G75	3.50	1.75	0.50	0.014
JEST7G78	3.50	1.75	0.50	0.014
JEST7G81	4.00	1.75	0.50	0.014
JEST7G84	4.00	1.75	0.50	0.014
JEST7G87	4.00	1.75	0.50	0.014
JEST7G90	4.00	1.75	0.50	0.014
JEST7G93	4.00	2.00	0.50	0.014
JEST7G96	4.00	2.00	0.50	0.014
JEST7G99	4.50	2.00	0.50	0.014
JEST7G102	4.50	2.00	0.50	0.014
JEST7G105	4.50	2.00	0.50	0.014
JEST7G108	4.50	2.00	0.50	0.014
JEST7G111	5.00	2.25	0.50	0.014
JEST7G114	5.00	2.25	0.50	0.014
JEST7G117	5.00	2.25	0.50	0.014
JEST7G120	5.00	2.25	0.50	0.014
JEST7G123	5.50	2.50	0.50	0.014
JEST7G126	5.50	2.50	0.50	0.014
JEST7G129	5.50	2.50	0.50	0.014
JEST7G132	5.50	2.50	0.50	0.014
JEST7G135	5.50	2.50	0.50	0.014
JEST7G138	5.50	2.50	0.50	0.014
JEST7G141	6.00	2.75	0.50	0.014
JEST7G144	6.00	2.75	0.50	0.014

## Lighting, Electrics &amp; Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
JEST8T36	2.50	1.00	0.50	0.014
JEST8T39	2.50	1.00	0.50	0.014
JEST8T42	2.50	1.00	0.50	0.014
JEST8T45	2.50	1.25	0.50	0.014
JEST8T48	2.50	1.25	0.50	0.014
JEST8T51	3.00	1.25	0.50	0.014
JEST8T54	3.00	1.25	0.50	0.014
JEST8T57	3.00	1.25	0.50	0.014
JEST8T60	3.00	1.25	0.50	0.014
JEST8T63	3.00	1.50	0.50	0.014
JEST8T66	3.00	1.50	0.50	0.014
JEST8T69	3.50	1.50	0.50	0.014
JEST8T72	3.50	1.50	0.50	0.014
JEST8T75	3.50	1.75	0.50	0.014
JEST8T78	3.50	1.75	0.50	0.014
JEST8T81	4.00	1.75	0.50	0.014
JEST8T84	4.00	1.75	0.50	0.014
JEST8T87	4.00	1.75	0.50	0.014
JEST8T90	4.00	1.75	0.50	0.014
JEST8T93	4.00	2.00	0.50	0.014
JEST8T96	4.00	2.00	0.50	0.014
JEST8T99	4.50	2.00	0.50	0.014
JEST8T102	4.50	2.00	0.50	0.014
JEST8T105	4.50	2.00	0.50	0.014
JEST8T108	4.50	2.00	0.50	0.014
JEST8T111	5.00	2.25	0.50	0.014
JEST8T114	5.00	2.25	0.50	0.014
JEST8T117	5.00	2.25	0.50	0.014
JEST8T120	5.00	2.25	0.50	0.014
JEST8T123	5.50	2.50	0.50	0.014
JEST8T126	5.50	2.50	0.50	0.014
JEST8T129	5.50	2.50	0.50	0.014
JEST8T132	5.50	2.50	0.50	0.014
JEST8T135	5.50	2.50	0.50	0.014
JEST8T138	5.50	2.50	0.50	0.014
JEST8T141	6.00	2.75	0.50	0.014
JEST8T144	6.00	2.75	0.50	0.014
JEST8N36	2.50	1.00	0.50	0.014
JEST8N39	2.50	1.00	0.50	0.014
JEST8N42	2.50	1.00	0.50	0.014
JEST8N45	2.50	1.25	0.50	0.014
JEST8N48	2.50	1.25	0.50	0.014
JEST8N51	3.00	1.25	0.50	0.014
JEST8N54	3.00	1.25	0.50	0.014
JEST8N57	3.00	1.25	0.50	0.014
JEST8N60	3.00	1.25	0.50	0.014
JEST8N63	3.00	1.50	0.50	0.014
JEST8N66	3.00	1.50	0.50	0.014
JEST8N69	3.50	1.50	0.50	0.014
JEST8N72	3.50	1.50	0.50	0.014
JEST8N75	3.50	1.75	0.50	0.014
JEST8N78	3.50	1.75	0.50	0.014
JEST8N81	4.00	1.75	0.50	0.014
JEST8N84	4.00	1.75	0.50	0.014
JEST8N87	4.00	1.75	0.50	0.014
JEST8N90	4.00	1.75	0.50	0.014

## Lighting, Electrics &amp; Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
JEST8N93	4.00	2.00	0.50	0.014
JEST8N96	4.00	2.00	0.50	0.014
JEST8N99	4.50	2.00	0.50	0.014
JEST8N102	4.50	2.00	0.50	0.014
JEST8N105	4.50	2.00	0.50	0.014
JEST8N108	4.50	2.00	0.50	0.014
JEST8N111	5.00	2.25	0.50	0.014
JEST8N114	5.00	2.25	0.50	0.014
JEST8N117	5.00	2.25	0.50	0.014
JEST8N120	5.00	2.25	0.50	0.014
JEST8N123	5.50	2.50	0.50	0.014
JEST8N126	5.50	2.50	0.50	0.014
JEST8N129	5.50	2.50	0.50	0.014
JEST8N132	5.50	2.50	0.50	0.014
JEST8N135	5.50	2.50	0.50	0.014
JEST8N138	5.50	2.50	0.50	0.014
JEST8N141	6.00	2.75	0.50	0.014
JEST8N144	6.00	2.75	0.50	0.014
JEST8K36	2.50	1.00	0.50	0.014
JEST8K39	2.50	1.00	0.50	0.014
JEST8K42	2.50	1.00	0.50	0.014
JEST8K45	2.50	1.25	0.50	0.014
JEST8K48	2.50	1.25	0.50	0.014
JEST8K51	3.00	1.25	0.50	0.014
JEST8K54	3.00	1.25	0.50	0.014
JEST8K57	3.00	1.25	0.50	0.014
JEST8K60	3.00	1.25	0.50	0.014
JEST8K63	3.00	1.50	0.50	0.014
JEST8K66	3.00	1.50	0.50	0.014
JEST8K69	3.50	1.50	0.50	0.014
JEST8K72	3.50	1.50	0.50	0.014
JEST8K75	3.50	1.75	0.50	0.014
JEST8K78	3.50	1.75	0.50	0.014
JEST8K81	4.00	1.75	0.50	0.014
JEST8K84	4.00	1.75	0.50	0.014
JEST8K87	4.00	1.75	0.50	0.014
JEST8K90	4.00	1.75	0.50	0.014
JEST8K93	4.00	2.00	0.50	0.014
JEST8K96	4.00	2.00	0.50	0.014
JEST8K99	4.50	2.00	0.50	0.014
JEST8K102	4.50	2.00	0.50	0.014
JEST8K105	4.50	2.00	0.50	0.014
JEST8K108	4.50	2.00	0.50	0.014
JEST8K111	5.00	2.25	0.50	0.014
JEST8K114	5.00	2.25	0.50	0.014
JEST8K117	5.00	2.25	0.50	0.014
JEST8K120	5.00	2.25	0.50	0.014
JEST8K123	5.50	2.50	0.50	0.014
JEST8K126	5.50	2.50	0.50	0.014
JEST8K129	5.50	2.50	0.50	0.014
JEST8K132	5.50	2.50	0.50	0.014
JEST8K135	5.50	2.50	0.50	0.014
JEST8K138	5.50	2.50	0.50	0.014
JEST8K141	6.00	2.75	0.50	0.014
JEST8K144	6.00	2.75	0.50	0.014

## Lighting, Electrics & Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Power Pole (JEPL)</b>				
JEPL02	2.75	1.25	0.14	0.004
JEPL08	11.55	5.25	0.53	0.015
JEPL10	14.30	6.50	0.67	0.019

## Lighting, Electrics &amp; Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Desk-Mounted Power &amp; Data Box (JEPD)</b>				
JEPD4B	1.85	0.84	0.50	0.014
JEPD5D	1.85	0.84	0.50	0.014
JEPD7G	1.85	0.84	0.50	0.014
JEPD8T	1.85	0.84	0.50	0.014
JEPD8N	1.85	0.84	0.50	0.014
JEPD8K	1.85	0.84	0.50	0.014

## Lighting, Electrics & Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Distribution Box (JEBO)</b>				
JEB04B	1.55	0.70	0.38	0.011
JEB05D	1.55	0.70	0.38	0.011
JEB07G	1.55	0.70	0.38	0.011
JEB08T	1.55	0.70	0.38	0.011
JEB08N	1.55	0.70	0.38	0.011
JEB08K	1.55	0.70	0.38	0.011

## Lighting, Electrics &amp; Communications

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Plug-In Power Box (JEPM)</b>				
<b>JEPM1</b>	3.50	1.60	0.15	0.004
<b>JEPM8</b>	3.00	1.35	0.11	0.003



## International Electrics

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Outlet Box (VED)</b>				
VED20DB2	2.00	0.91	0.05	0.001
VED20DF2	2.00	0.91	0.05	0.001
VED20DN2	2.00	0.91	0.05	0.001
VED20DT2	2.00	0.91	0.05	0.001
VED20PB2	2.00	0.91	0.05	0.001
VED20PF2	2.00	0.91	0.05	0.001
VED20PN2	2.00	0.91	0.05	0.001
VED20PT2	2.00	0.91	0.05	0.001
VED23DF2	2.00	0.91	0.05	0.001
VED23DN2	2.00	0.91	0.05	0.001
VED23DT2	2.00	0.91	0.05	0.001
VED23PF2	2.00	0.91	0.05	0.001
VED23PN2	2.00	0.91	0.05	0.001
VED23PT2	2.00	0.91	0.05	0.001

## International Electrics

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Interconnecting Power Cable (VCC)</b>				
VCC10	1.00	0.45	0.10	0.003
VCC20	1.50	0.68	0.20	0.006
VCC30	2.00	0.91	0.30	0.008

## International Electrics

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Input Power Cable (VEP)</b>				
VEP10H	1.00	0.45	0.10	0.003
VEP20H	1.50	0.68	0.20	0.006
VEP30H	1.50	0.68	0.20	0.006

## International Electrics

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
Voice & Data Box (VVD)				
VVDBBBB	1.17	0.53	0.08	0.021
VVDSSSS	1.17	0.53	0.05	0.014

## International Electrics

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Voice &amp; Data Outlets (VDO)</b>				
VDOV	0.85	0.39	0.03	0.008
VDOD	0.85	0.39	0.03	0.008

## International Electrics

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>Electric Accessories (VAC)</b>				
VACB	0.01	0.01	0.02	0.004
VACEC	0.01	0.01	0.02	0.004
VACB6	0.02	0.01	0.02	0.004

## International Electrics

PRODUCT CODE

	WEIGHT		VOLUME	
	LB	KG	FT <sup>3</sup>	M <sup>3</sup>
<b>T/O/S / Transit Outlet Box Panel Mount Brackets (VMBP)</b>				
<b>VMBP</b>	0.07	0.03	0.00	0.000