


CJOY

Open Storage, Integral Top, 1.5 High



WHAT'S INCLUDED

1 cabinet with back (as specified), 1 height-adjustable shelf, top surface grommet, module notch (if specified), lock and keys (if specified). Wall mount back option (if specified), wall cleat and hardware is included

NOTES

No additional top is required for this unit.

Base is ordered separately for "Elevated by Base" option.

42" and 48" widths have a center gable.

Wall mount back option is only available for 20" depths.

Wall Rail (CJXW) can be specified separately to offer a span of single support for multiple wall mounted configurable units.

Left/Right electrical options are only for 24" widths and greater.

For Wood Grain Direction, please see the Finishes page located in the Introduction section of this Guide.

I48

PRODUCT OPTIONS

Base & Back Style	Depth	Width	Case Finish
S Standard (Levelers), Unfinished Back	20, 24	16, 24, 30, 32, 36, 42, 48	Flintwood Veneer
F Standard (Levelers), Finished Back			
A Standard (Levelers), Electrical Access Back			
W Elevated, Wall Mount			
M Elevated, Wall Mount Electrical Access Back			
U Elevated by Base, Unfinished Back			
B Elevated by Base, Finished Back			
E Elevated by Base, Electrical Access Back			

SAMPLE ORDER CODE

CJOY W	20	30	FX
---------------	-----------	-----------	-----------

PRODUCT OPTIONS (CONTINUED)

Electrical	Grommet Finish	Wire Management Notch	Wall Mount (only for Base & Back Style: W and M)
N None	7 Platinum	N None	N None
G Left Grommet	V Very White	L Left	L Left
H Center Grommet	E Ebony	R Right	R Right
I Right Grommet	X Anthracite	B Both	B Both
U Center Notch			
O Left Module White			
P Left Module Black			
Q Center Module White			
R Center Module Black			
S Right Module White			
T Right Module Black			

SAMPLE ORDER CODE (CONTINUED)

N	7	L	B
----------	----------	----------	----------

See Pricing on the following page.

CJOY

**Open Storage, Integral Top,
1.5 High (Continued)**

**DIMENSIONS
INCHES / MM**

D	W
20 / 508	16 / 406
20 / 508	24 / 610
20 / 508	30 / 762
20 / 508	32 / 813
20 / 508	36 / 914
20 / 508	42 / 1067
20 / 508	48 / 1219
24 / 610	16 / 406
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	32 / 813
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219

20 / 508	16 / 406
20 / 508	24 / 610
20 / 508	30 / 762
20 / 508	32 / 813
20 / 508	36 / 914
20 / 508	42 / 1067
20 / 508	48 / 1219
24 / 610	16 / 406
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	32 / 813
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219

20 / 508	16 / 406
20 / 508	24 / 610
20 / 508	30 / 762
20 / 508	32 / 813
20 / 508	36 / 914
20 / 508	42 / 1067
20 / 508	48 / 1219
24 / 610	16 / 406
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	32 / 813
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219

PRICING

STANDARD, UNFINISHED BACK (S) & ELEVATED BY BASE, UNFINISHED BACK (U)

Flintwood	Veneer
1088	1144
1135	1192
1213	1274
1239	1301
1291	1357
1371	1440
1450	1523
1125	1182
1170	1230
1249	1312
1274	1339
1327	1395
1406	1477
1485	1559

STANDARD, FINISHED BACK (F) & ELEVATED BY BASE, FINISHED BACK (B)

Flintwood	Veneer
1123	1179
1169	1228
1247	1310
1273	1338
1325	1392
1404	1476
1484	1558
1159	1217
1205	1266
1283	1347
1309	1375
1362	1429
1441	1514
1520	1597

STANDARD, ELECTRICAL ACCESS BACK (A) & ELEVATED BY BASE, ELECTRICAL ACCESS BACK (F)

Flintwood	Veneer
1149	1207
1195	1256
1273	1338
1299	1365
1370	1439
1475	1549
1580	1659
1185	1244
1232	1293
1309	1375
1335	1402
1404	1476
1509	1585
1614	1695

Pricing is continued on the following page.

CJOY

Open Storage, Integral Top, 1.5 High (Continued)

DIMENSIONS INCHES / MM

D	W
20 / 508	16 / 406
20 / 508	24 / 610
20 / 508	30 / 762
20 / 508	32 / 813
20 / 508	36 / 914
20 / 508	42 / 1067
20 / 508	48 / 1219

PRICING

ELEVATED WALL MOUNT (W)

Flintwood	Veneer
1161	1220
1201	1261
1271	1335
1295	1361
1343	1411
1415	1485
1485	1560

ELEVATED WALL MOUNT, ELECTRICAL ACCESS BACK (M)

Flintwood	Veneer
1179	1238
1229	1291
1309	1375
1336	1403
1411	1481
1522	1598
1633	1715

If Grommet is specified, add 22

If Module Black is specified, add 150

If Module White is specified, add 209

If Notch is specified, add 10

If Lock is specified, add 52