


THLD

Library Table – Double-Sided



This table is recommended for library and is available with or without divisions.

WHAT'S INCLUDED

worksurface pieces, intermediate rectangular bases with levelers, cantilevers, wire management clips, double-sided metal cable trays, linking plates, grommets or power/data center (if specified) and mounting hardware.

WHAT'S EXCLUDED

Square Post Legs, Solid End Gable and Rectangular Base.

NOTES

For the number of users, worksurfaces, supports, refer to the Worksurface & Support Configurations Chart.

The Accessory Finish option is applicable with Grommet/Accessory Styles (GD and GS) only.

When Flintwood worksurface finish is specified, only Flintwood Flat Trim (9) is available.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the Application Guide for details.

Not all finishes are available in Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width per User	Grommet/Accessory Style	Worksurface Finish	Edge Trim Style	Base Infill Finish	Accessory Finish (If Applicable)
M 1 3/16"	48, 60	30, 36, 42	GD Grommets – Shared per Two Users	Foundation Laminate	6 Straight Trim	Source Laminate	Foundation
X 1 9/16"			GS Grommets – One per User (Shown)	Flintwood	9 Flintwood Flat Trim	Flintwood	Mica
Division Functionality	User Quantity	Height	PD Power/Data Centers – Shared per Two Users		Edge Trim Finish	Support Finish	Accent
W With Division (Shown)	04, 06, 08, 10, 12, 14, 16, 18, 20, 22	29	PS Power/Data Centers – One per User		Edge Trim Colors (for trim style 6)	AC Clear Anodized	Power/Data Center Finish (If Applicable)
N None			NA None	Mica	B Soft Gris		
							E Ebony

SAMPLE ORDER CODE

THLDM	N	48	16	36	29	PD	VZ	9	VZ	7	E
-------	---	----	----	----	----	----	----	---	----	---	---

DIMENSIONS
INCHES / MM

D	W	H
48 / 1219	30 / 762	29 / 737
48 / 1219	36 / 914	29 / 737
48 / 1219	42 / 1067	29 / 737
60 / 1524	30 / 762	29 / 737
60 / 1524	36 / 914	29 / 737
60 / 1524	42 / 1067	29 / 737
48 / 1219	30 / 762	29 / 737
48 / 1219	36 / 914	29 / 737
48 / 1219	42 / 1067	29 / 737
60 / 1524	30 / 762	29 / 737
60 / 1524	36 / 914	29 / 737
60 / 1524	42 / 1067	29 / 737
48 / 1219	30 / 762	29 / 737
48 / 1219	36 / 914	29 / 737
48 / 1219	42 / 1067	29 / 737

GROMMET/ACCESSORY STYLE

Grommets/None (GD/GS/NA)		Power/Data Centers – Shared per Two Users (PD)		Power/Data Centers – One per Users (PS)	
Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
1 3/16" (M)					
4 USERS (04)					
1680	2897	2127	3344	2575	3792
1837	3297	2284	3744	2734	4192
1995	3699	2442	4145	2890	4592
6 USERS (06)					
1963	n/a	2411	n/a	2860	n/a
2156	n/a	2604	n/a	3052	n/a
2349	n/a	2799	n/a	3246	n/a
8 USERS (08)					
2132	3957	3029	4853	3475	5301
2367	4558	3264	5454	3711	5903
2604	5159	3499	6056	3948	6503
2506	n/a	3401	n/a	3849	n/a
2798	n/a	3691	n/a	4141	n/a
3087	n/a	3983	n/a	4431	n/a
UPCHARGE FLINTWOOD BASE INFILL					
782					
782					
782					
981					
981					
981					
782					
782					
782					
981					
981					
981					
782					
782					
782					

T H L D
Library Table – Double-Sided
(Continued)

DIMENSIONS
INCHES / MM

GROMMET/ACCESSORY STYLE

UPCHARGE
FLINTWOOD
BASE INFILL

DIMENSIONS INCHES / MM			GROMMET/ACCESSORY STYLE						UPCHARGE FLINTWOOD BASE INFILL
			Grommets/None (GD/GS/NA)		Power/Data Centers – Shared per Two Users (PD)		Power/Data Centers – One per Users (PS)		
1 3/16" (M)			Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	
8 USERS (08) (CONTINUED)									
D	W	H	2990	n/a	3886	n/a	4781	n/a	981
60 / 1524	30 / 762	29 / 737	3378	n/a	4274	n/a	5170	n/a	981
60 / 1524	36 / 914	29 / 737	3766	n/a	4660	n/a	5557	n/a	981
60 / 1524	42 / 1067	29 / 737							
10 USERS (10)									
48 / 1219	30 / 762	29 / 737	2977	6020	4322	7364	5218	8261	782
48 / 1219	36 / 914	29 / 737	4109	7758	5453	9103	6350	9998	1564
48 / 1219	42 / 1067	29 / 737	4502	8761	5846	10105	6743	11002	1564
60 / 1524	30 / 762	29 / 737	3533	n/a	4877	n/a	5774	n/a	981
60 / 1524	36 / 914	29 / 737	4856	n/a	6201	n/a	7096	n/a	1967
60 / 1524	42 / 1067	29 / 737	5340	n/a	6684	n/a	7581	n/a	1967
12 USERS (12)									
48 / 1219	30 / 762	29 / 737	4109	7758	5453	9103	6795	10448	1564
48 / 1219	36 / 914	29 / 737	4581	8961	5924	10304	7268	11649	1564
48 / 1219	42 / 1067	29 / 737	5052	10164	6396	11507	7742	12852	1564
60 / 1524	30 / 762	29 / 737	4856	n/a	6201	n/a	7545	n/a	1967
60 / 1524	36 / 914	29 / 737	5437	n/a	6782	n/a	8126	n/a	1967
60 / 1524	42 / 1067	29 / 737	6019	n/a	7363	n/a	8708	n/a	1967
14 USERS (14)									
48 / 1219	30 / 762	29 / 737	4562	8821	6354	10613	7697	11956	1564
48 / 1219	36 / 914	29 / 737	5113	10224	6905	12013	8247	13358	1564
48 / 1219	42 / 1067	29 / 737	6401	12362	8193	14155	9536	15499	2346
60 / 1524	30 / 762	29 / 737	5401	n/a	7193	n/a	8536	n/a	1967
60 / 1524	36 / 914	29 / 737	6079	n/a	7871	n/a	9213	n/a	1967
60 / 1524	42 / 1067	29 / 737	7595	n/a	9387	n/a	10730	n/a	2949
16 USERS (16)									
48 / 1219	30 / 762	29 / 737	5079	9947	6871	11736	8662	13529	1564
48 / 1219	36 / 914	29 / 737	6323	12163	8114	13953	9904	15746	2346
48 / 1219	42 / 1067	29 / 737	6951	13765	8744	15558	10535	17348	2346
60 / 1524	30 / 762	29 / 737	6009	n/a	7801	n/a	9591	n/a	1967
60 / 1524	36 / 914	29 / 737	7498	n/a	9291	n/a	11082	n/a	2949
60 / 1524	42 / 1067	29 / 737	8273	n/a	10066	n/a	11857	n/a	2949
18 USERS (18)									
48 / 1219	30 / 762	29 / 737	6145	11622	8385	13861	10177	15653	2346
48 / 1219	36 / 914	29 / 737	6853	13424	9093	15664	10885	17456	2346
60 / 1524	30 / 762	29 / 737	7267	n/a	9507	n/a	11299	n/a	2949
60 / 1524	36 / 914	29 / 737	8139	n/a	10379	n/a	12170	n/a	2949
20 USERS (20)									
48 / 1219	30 / 762	29 / 737	6540	12623	8779	14862	11018	17102	2346
60 / 1524	30 / 762	29 / 737	7751	n/a	9991	n/a	12232	n/a	2949
22 USERS (22)									
48 / 1219	30 / 762	29 / 737	7238	13931	9925	16618	12166	18857	2346
60 / 1524	30 / 762	29 / 737	8543	n/a	11230	n/a	13469	n/a	2949

THLD

Library Table – Double-Sided (Continued)

**DIMENSIONS
INCHES / MM**

GROMMET/ACCESSORY STYLE

**UPCHARGE
FLINTWOOD
BASE INFILL**

D			Grommets/None (GD/GS/NA)			Power/Data Centers – Shared per Two Users (PD)		Power/Data Centers – One per Users (PS)		UPCHARGE FLINTWOOD BASE INFILL
			Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood		
1 9/16" (X)										
4 USERS (04)										
48 / 1219	30 / 762	29 / 737	1959	3139	2406	3586	2852	4034	782	
48 / 1219	36 / 914	29 / 737	2171	3587	2619	4035	3067	4484	782	
48 / 1219	42 / 1067	29 / 737	2383	4036	2833	4485	3280	4933	782	
60 / 1524	30 / 762	29 / 737	2307	n/a	2755	n/a	3204	n/a	981	
60 / 1524	36 / 914	29 / 737	2570	n/a	3017	n/a	3466	n/a	981	
60 / 1524	42 / 1067	29 / 737	2834	n/a	3281	n/a	3730	n/a	981	
6 USERS (06)										
48 / 1219	30 / 762	29 / 737	2550	4320	3446	5217	3895	5665	782	
48 / 1219	36 / 914	29 / 737	2870	4993	3766	5889	4213	6337	782	
48 / 1219	42 / 1067	29 / 737	3188	5670	4084	6563	4532	7013	782	
60 / 1524	30 / 762	29 / 737	3024	n/a	3919	n/a	4368	n/a	981	
60 / 1524	36 / 914	29 / 737	3418	n/a	4314	n/a	4761	n/a	981	
60 / 1524	42 / 1067	29 / 737	3812	n/a	4708	n/a	5156	n/a	981	
8 USERS (08)										
48 / 1219	30 / 762	29 / 737	3082	5443	3978	6338	4874	7234	782	
48 / 1219	36 / 914	29 / 737	3508	6341	4404	7237	5300	8133	782	
48 / 1219	42 / 1067	29 / 737	3935	7239	4832	8135	5727	9031	782	
60 / 1524	30 / 762	29 / 737	3680	n/a	4577	n/a	5471	n/a	981	
60 / 1524	36 / 914	29 / 737	4206	n/a	5102	n/a	5997	n/a	981	
60 / 1524	42 / 1067	29 / 737	4733	n/a	5626	n/a	6523	n/a	981	
10 USERS (10)										
48 / 1219	30 / 762	29 / 737	3675	6625	5018	7968	5914	8865	782	
48 / 1219	36 / 914	29 / 737	4944	8485	6289	9828	7183	10725	1564	
48 / 1219	42 / 1067	29 / 737	5478	9610	6821	10953	7716	11850	1564	
60 / 1524	30 / 762	29 / 737	4397	n/a	5741	n/a	6638	n/a	981	
60 / 1524	36 / 914	29 / 737	5891	n/a	7236	n/a	8132	n/a	1967	
60 / 1524	42 / 1067	29 / 737	6549	n/a	7892	n/a	8789	n/a	1967	
12 USERS (12)										
48 / 1219	30 / 762	29 / 737	4944	8485	6289	9828	7632	11172	1564	
48 / 1219	36 / 914	29 / 737	5583	9833	6927	11176	8270	12521	1564	
48 / 1219	42 / 1067	29 / 737	6222	11180	7566	12524	8912	13868	1564	
60 / 1524	30 / 762	29 / 737	5891	n/a	7236	n/a	8580	n/a	1967	
60 / 1524	36 / 914	29 / 737	6680	n/a	8024	n/a	9367	n/a	1967	
60 / 1524	42 / 1067	29 / 737	7467	n/a	8812	n/a	10158	n/a	1967	
14 USERS (14)										
48 / 1219	30 / 762	29 / 737	5536	9668	7328	11459	8672	12803	1564	
48 / 1219	36 / 914	29 / 737	6283	11239	8074	13032	9418	14375	1564	
48 / 1219	42 / 1067	29 / 737	7764	13549	9556	15342	10900	16685	2346	
60 / 1524	30 / 762	29 / 737	6610	n/a	8400	n/a	9745	n/a	1967	
60 / 1524	36 / 914	29 / 737	7527	n/a	9320	n/a	10663	n/a	1967	
60 / 1524	42 / 1067	29 / 737	9287	n/a	11078	n/a	12423	n/a	2949	

T H L D
Library Table – Double-Sided
(Continued)

DIMENSIONS
INCHES / MM

GROMMET/ACCESSORY STYLE

UPCHARGE
FLINTWOOD
BASE INFILL

			Grommets/None (GD/GS/NA)		Power/Data Centers – Shared per Two Users (PD)		Power/Data Centers – One per Users (PS)		
			Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	
1 9/16" (X)									
16 USERS (16)									
48 / 1219	30 / 762	29 / 737	6192	10915	7984	12704	9777	14498	1564
48 / 1219	36 / 914	29 / 737	7657	13325	9451	15116	11241	16908	2346
48 / 1219	42 / 1067	29 / 737	8512	15120	10302	16913	12096	18705	2346
60 / 1524	30 / 762	29 / 737	7389	n/a	9180	n/a	10972	n/a	1967
60 / 1524	36 / 914	29 / 737	9155	n/a	10947	n/a	12737	n/a	2949
60 / 1524	42 / 1067	29 / 737	10205	n/a	11999	n/a	13790	n/a	2949
18 USERS (18)									
48 / 1219	30 / 762	29 / 737	7398	12710	9637	14949	11429	16742	2346
48 / 1219	36 / 914	29 / 737	8358	14731	10596	16972	12389	18761	2346
60 / 1524	30 / 762	29 / 737	8821	n/a	11062	n/a	12853	n/a	2949
60 / 1524	36 / 914	29 / 737	10002	n/a	12241	n/a	14035	n/a	2949
20 USERS (20)									
48 / 1219	30 / 762	29 / 737	7930	13832	10170	16073	12410	18312	2346
60 / 1524	30 / 762	29 / 737	9478	n/a	11718	n/a	13956	n/a	2949
22 USERS (22)									
48 / 1219	30 / 762	29 / 737	8770	15263	11457	17950	13697	20190	2346
60 / 1524	30 / 762	29 / 737	10440	n/a	13129	n/a	15368	n/a	2949