


study tables

Xpress

THLS

Library Table – Single-Sided



This table is recommended for library and is available with or without divisions. It also is recommended to be used against a building wall for aesthetic.

WHAT'S INCLUDED

worksurface pieces, intermediate rectangular bases with levelers, cantilevers, single-sided metal cable trays, linking plates, grommets or power/data centers (if specified), and mounting hardware.

WHAT'S EXCLUDED

Square Post Legs, Solid End Gable and Rectangular Base.

NOTES

For the number of users, worksurfaces, supports, refer to the Worksurface & Support Configurations Chart.

The Accessory Finish option is applicable with Grommet/Accessory Styles (GD and GS) only.

When Flintwood worksurface finish is specified, only Flintwood Flat Trim (9) is available.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the Application Guide for details.

Not all finishes are available in Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

Worksurface Thickness	Depth	Width per User	Grommet/Accessory Style	Worksurface Finish	Edge Trim Style	Base Infill Finish	Accessory Finish (If Applicable)
M 1 3/16"	24, 30	30, 36, 42	GD Grommets – Shared per Two Users	Foundation Laminate	6 Straight Trim	Source Laminate Flintwood	Foundation
X 1 9/16"			GS Grommets – One per User (Shown)	Flintwood	9 Flintwood Flat Trim		Mica Accent
Division Functionality	User Quantity	Height	PD Power/Data Centers – Shared per Two Users		Edge Trim Finish	Support Finish	Power/Data Center Finish (If Applicable)
W With Division (Shown)	02, 03, 04, 05, 06, 07, 08, 09, 10, 11	29	PS Power/Data Centers – One per User		Edge Trim Colors (for trim style 6)	AC Clear Anodized	B Soft Gris
N None			NA None			Foundation Mica	E Ebony

SAMPLE ORDER CODE

THLS X	W	30	08	36	29	PD	VZ	9	VZ	7	E
--------	---	----	----	----	----	----	----	---	----	---	---

DIMENSIONS INCHES / MM

D	W	H
24 / 610	30 / 762	29 / 737
24 / 610	36 / 914	29 / 737
24 / 610	42 / 1067	29 / 737

30 / 762	30 / 762	29 / 737
30 / 762	36 / 914	29 / 737
30 / 762	42 / 1067	29 / 737

24 / 610	30 / 762	29 / 737
24 / 610	36 / 914	29 / 737
24 / 610	42 / 1067	29 / 737

30 / 762	30 / 762	29 / 737
30 / 762	36 / 914	29 / 737
30 / 762	42 / 1067	29 / 737

24 / 610	30 / 762	29 / 737
24 / 610	36 / 914	29 / 737
24 / 610	42 / 1067	29 / 737

GROMMET/ACCESSORY STYLE

Grommets/None (GD/GS/NA)		Power/Data Centers – Shared per Two Users (PD)		Power/Data Centers – One per Users (PS)	
Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
1 3/16" (M)					
2 USERS (02)					
1158	2151	1382	2376	1606	2600
1242	2433	1465	2658	1690	2880
1325	2716	1550	2939	1773	3163
1343	2347	1567	2571	1790	2797
1453	2659	1676	2881	1901	3107
1562	2970	1786	3193	2010	3418
3 USERS (03)					
1335	2822	1782	3272	2006	3495
1459	3246	1906	3694	2131	3917
1585	3670	2033	4118	2257	4341
1585	3092	2033	3540	2257	3765
1749	3557	2198	4006	2421	4231
1914	4025	2363	4473	2587	4698
4 USERS (04)					
1604	3589	2052	4037	2499	4486
1771	4154	2219	4603	2668	5049
1938	4717	2385	5166	2835	5614

UPCHARGE FLINTWOOD BASE INFILL

602
602
602
763
763
763
602
602
602
763
763
763
602
602
602

THLS
Library Table – Single-Sided
(Continued)

DIMENSIONS
INCHES / MM

GROMMET/ACCESSORY STYLE

UPCHARGE
FLINTWOOD
BASE INFILL

DIMENSIONS INCHES / MM			GROMMET/ACCESSORY STYLE						UPCHARGE FLINTWOOD BASE INFILL
			Grommets/None (GD/GS/NA)		Power/Data Centers – Shared per Two Users (PD)		Power/Data Centers – One per Users (PS)		
D	W	H	1 3/16" (M)						
			Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	
			4 USERS (04) (CONTINUED)						
30 / 762	30 / 762	29 / 737	1923	3932	2368	4379	2816	4827	763
30 / 762	36 / 914	29 / 737	2142	4553	2589	5002	3037	5450	763
30 / 762	42 / 1067	29 / 737	2362	5176	2809	5623	3257	6073	763
			5 USERS (05)						
24 / 610	30 / 762	29 / 737	2437	4919	3110	5592	3557	6041	1206
24 / 610	36 / 914	29 / 737	2647	5624	3318	6296	3767	6745	1206
24 / 610	42 / 1067	29 / 737	2856	6330	3528	7002	3975	7450	1206
30 / 762	30 / 762	29 / 737	2873	5386	3545	6057	3992	6504	1526
30 / 762	36 / 914	29 / 737	3147	6162	3818	6835	4267	7283	1526
30 / 762	42 / 1067	29 / 737	3423	6941	4096	7613	4544	8060	1526
			6 USERS (06)						
24 / 610	30 / 762	29 / 737	2708	5685	3380	6358	4051	7029	1206
24 / 610	36 / 914	29 / 737	2960	6532	3630	7205	4302	7877	1206
24 / 610	42 / 1067	29 / 737	3209	7380	3880	8051	4553	8723	1206
30 / 762	30 / 762	29 / 737	3209	6225	3880	6895	4553	7568	1526
30 / 762	36 / 914	29 / 737	3540	7157	4212	7828	4884	8500	1526
30 / 762	42 / 1067	29 / 737	3871	8091	4543	8762	5214	9434	1526
			7 USERS (07)						
24 / 610	30 / 762	29 / 737	3543	7017	4437	7914	5110	8585	1808
24 / 610	36 / 914	29 / 737	3835	8003	4732	8899	5402	9571	1808
24 / 610	42 / 1067	29 / 737	4126	8991	5023	9887	5695	10558	1808
30 / 762	30 / 762	29 / 737	4160	7678	5057	8575	5729	9245	2287
30 / 762	36 / 914	29 / 737	4546	8765	5442	9662	6114	10334	2287
30 / 762	42 / 1067	29 / 737	4933	9856	5827	10753	6499	11424	2287
			8 USERS (08)						
24 / 610	30 / 762	29 / 737	3812	7783	4708	8679	5605	9576	1808
24 / 610	36 / 914	29 / 737	4146	8913	5043	9807	5939	10702	1808
24 / 610	42 / 1067	29 / 737	4482	10039	5375	10936	6272	11831	1808
30 / 762	30 / 762	29 / 737	4497	8517	5393	9414	6290	10307	2287
30 / 762	36 / 914	29 / 737	4938	9761	5835	10658	6730	11553	2287
30 / 762	42 / 1067	29 / 737	5379	11006	6274	11903	7171	12797	2287
			9 USERS (09)						
24 / 610	30 / 762	29 / 737	4646	9113	5768	10234	6662	11130	2412
24 / 610	36 / 914	29 / 737	5022	10383	6142	11503	7038	12397	2412
30 / 762	30 / 762	29 / 737	5450	9971	6569	11090	7464	11987	3050
30 / 762	36 / 914	29 / 737	5945	11370	7063	12490	7960	13387	3050
			10 USERS (10)						
24 / 610	30 / 762	29 / 737	4916	9881	6038	11000	7156	12119	2412
30 / 762	30 / 762	29 / 737	5785	10811	6906	11929	8025	13048	3050
			11 USERS (11)						
24 / 610	30 / 762	29 / 737	5750	11209	7094	12555	8213	13673	3014
30 / 762	30 / 762	29 / 737	6738	12264	8081	13606	9201	14728	3813

THLS

Library Table – Single-Sided (Continued)

**DIMENSIONS
INCHES / MM**

GROMMET/ACCESSORY STYLE

**UPCHARGE
FLINTWOOD
BASE INFILL**

D			Grommets/None (GD/GS/NA)			Power/Data Centers – Shared per Two Users (PD)		Power/Data Centers – One per Users (PS)		UPCHARGE FLINTWOOD BASE INFILL
			Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood		
1 9/16" (X)										
2 USERS (02)										
24 / 610	30 / 762	29 / 737	1310	2272	1533	2496	1758	2720	602	
24 / 610	36 / 914	29 / 737	1424	2579	1648	2803	1872	3028	602	
24 / 610	42 / 1067	29 / 737	1537	2883	1762	3109	1984	3333	602	
30 / 762	30 / 762	29 / 737	1481	2493	1706	2717	1931	2940	763	
30 / 762	36 / 914	29 / 737	1619	2834	1843	3056	2068	3281	763	
30 / 762	42 / 1067	29 / 737	1758	3173	1980	3397	2206	3621	763	
3 USERS (03)										
24 / 610	30 / 762	29 / 737	1560	3005	2008	3453	2233	3677	602	
24 / 610	36 / 914	29 / 737	1732	3464	2179	3911	2402	4137	602	
24 / 610	42 / 1067	29 / 737	1902	3922	2349	4371	2573	4596	602	
30 / 762	30 / 762	29 / 737	1795	3311	2241	3757	2464	3982	763	
30 / 762	36 / 914	29 / 737	2000	3818	2448	4267	2672	4491	763	
30 / 762	42 / 1067	29 / 737	2207	4331	2654	4778	2878	5003	763	
4 USERS (04)										
24 / 610	30 / 762	29 / 737	1906	3833	2354	4280	2803	4727	602	
24 / 610	36 / 914	29 / 737	2134	4444	2583	4891	3031	5339	602	
24 / 610	42 / 1067	29 / 737	2362	5057	2809	5504	3257	5952	602	
30 / 762	30 / 762	29 / 737	2201	4221	2648	4670	3095	5117	763	
30 / 762	36 / 914	29 / 737	2476	4903	2926	5351	3371	5798	763	
30 / 762	42 / 1067	29 / 737	2751	5582	3201	6029	3647	6479	763	
5 USERS (05)										
24 / 610	30 / 762	29 / 737	2815	5222	3488	5894	3936	6342	1206	
24 / 610	36 / 914	29 / 737	3101	5987	3773	6659	4220	7108	1206	
24 / 610	42 / 1067	29 / 737	3385	6753	4056	7426	4505	7875	1206	
30 / 762	30 / 762	29 / 737	3220	5748	3893	6421	4339	6869	1526	
30 / 762	36 / 914	29 / 737	3565	6597	4238	7270	4684	7717	1526	
30 / 762	42 / 1067	29 / 737	3910	7449	4582	8121	5030	8569	1526	
6 USERS (06)										
24 / 610	30 / 762	29 / 737	3162	6049	3835	6720	4506	7393	1206	
24 / 610	36 / 914	29 / 737	3504	6967	4176	7641	4847	8311	1206	
24 / 610	42 / 1067	29 / 737	3844	7887	4518	8558	5188	9231	1206	
30 / 762	30 / 762	29 / 737	3627	6659	4299	7331	4971	8003	1526	
30 / 762	36 / 914	29 / 737	4042	7680	4713	8352	5386	9023	1526	
30 / 762	42 / 1067	29 / 737	4455	8701	5126	9372	5800	10045	1526	
7 USERS (07)										
24 / 610	30 / 762	29 / 737	4072	7440	4968	8336	5640	9009	1808	
24 / 610	36 / 914	29 / 737	4469	8513	5366	9408	6039	10079	1808	
24 / 610	42 / 1067	29 / 737	4869	9585	5765	10481	6436	11151	1808	
30 / 762	30 / 762	29 / 737	4647	8187	5544	9082	6216	9755	2287	
30 / 762	36 / 914	29 / 737	5130	9377	6026	10271	6698	10944	2287	
30 / 762	42 / 1067	29 / 737	5614	10568	6510	11463	7181	12136	2287	

THLS
Library Table – Single-Sided
(Continued)

DIMENSIONS
INCHES / MM

GROMMET/ACCESSORY STYLE

UPCHARGE
FLINTWOOD
BASE INFILL

			Grommets/None (GD/GS/NA)		Power/Data Centers – Shared per Two Users (PD)		Power/Data Centers – One per Users (PS)		
			Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood	
1 9/16" (X)									
8 USERS (08)									
D	W	H	4418	8267	5314	9164	6210	10059	1808
24 / 610	30 / 762	29 / 737	4873	9492	5770	10389	6664	11284	1808
24 / 610	36 / 914	29 / 737	5328	10719	6225	11614	7120	12509	1808
30 / 762	30 / 762	29 / 737	5055	9098	5950	9994	6846	10890	2287
30 / 762	36 / 914	29 / 737	5607	10458	6502	11355	7398	12251	2287
30 / 762	42 / 1067	29 / 737	6158	11820	7054	12716	7950	13612	2287
9 USERS (09)									
24 / 610	30 / 762	29 / 737	5327	9659	6447	10780	7342	11675	2412
24 / 610	36 / 914	29 / 737	5839	11036	6958	12156	7854	13051	2412
30 / 762	30 / 762	29 / 737	6076	10625	7195	11744	8091	12639	3050
30 / 762	36 / 914	29 / 737	6696	12155	7816	13274	8712	14171	3050
10 USERS (10)									
24 / 610	30 / 762	29 / 737	5674	10486	6792	11605	7914	12725	2412
30 / 762	30 / 762	29 / 737	6482	11536	7601	12657	8722	13776	3050
11 USERS (11)									
24 / 610	30 / 762	29 / 737	6582	11876	7925	13220	9047	14341	3014
30 / 762	30 / 762	29 / 737	7501	13064	8847	14407	9966	15527	3813