


study tables

Xpress

THLS

Library Table – Single-Sided



This table is recommended for library and is available with or without divisions. It also is recommended to be used against a building wall for aesthetic.

WHAT'S INCLUDED

worksurface pieces, intermediate rectangular bases with levelers, cantilevers, single-sided metal cable trays, linking plates, grommets or power/data centers (if specified), and mounting hardware.

WHAT'S EXCLUDED

Square Post Legs, Solid End Gable and Rectangular Base.

NOTES

For the number of users, worksurfaces, supports, refer to the Worksurface & Support Configurations Chart.

The Accessory Finish option is applicable with Grommet/Accessory Styles (GD and GS) only.

When Flintwood worksurface finish is specified, only Flintwood Flat Trim (9) is available.

The 1 9/16" (X) thickness is not available in all Foundation Laminate and Edge Trim colors. Refer to the Application Guide for details.

Not all finishes are available in Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

| Worksurface Thickness | Depth | Width per User | Grommet/Accessory Style | Worksurface Finish | Edge Trim Style | Base Infill Finish | Accessory Finish (If Applicable) |
|-------------------------|--|----------------|--|---------------------|-------------------------------------|------------------------------|--|
| M 1 3/16" | 24, 30 | 30, 36, 42 | GD Grommets – Shared per Two Users | Foundation Laminate | 6 Straight Trim | Source Laminate Flintwood | Foundation |
| X 1 9/16" | | | GS Grommets – One per User (Shown) | Flintwood | 9 Flintwood Flat Trim | | Mica Accent |
| Division Functionality | User Quantity | Height | PD Power/Data Centers – Shared per Two Users | | Edge Trim Finish | Support Finish | Power/Data Center Finish (If Applicable) |
| W With Division (Shown) | 02, 03, 04, 05, 06, 07, 08, 09, 10, 11 | 29 | PS Power/Data Centers – One per User | | Edge Trim Colors (for trim style 6) | AC Clear Anodized | B Soft Gris |
| N None | | | NA None | | | Foundation Mica | E Ebony |

SAMPLE ORDER CODE

| | | | | | | | | | | | |
|--------|---|----|----|----|----|----|----|---|----|---|---|
| THLS X | W | 30 | 08 | 36 | 29 | PD | VZ | 9 | VZ | 7 | E |
|--------|---|----|----|----|----|----|----|---|----|---|---|

DIMENSIONS INCHES / MM

| D | W | H |
|----------|-----------|----------|
| 24 / 610 | 30 / 762 | 29 / 737 |
| 24 / 610 | 36 / 914 | 29 / 737 |
| 24 / 610 | 42 / 1067 | 29 / 737 |

| | | |
|----------|-----------|----------|
| 30 / 762 | 30 / 762 | 29 / 737 |
| 30 / 762 | 36 / 914 | 29 / 737 |
| 30 / 762 | 42 / 1067 | 29 / 737 |

| | | |
|----------|-----------|----------|
| 24 / 610 | 30 / 762 | 29 / 737 |
| 24 / 610 | 36 / 914 | 29 / 737 |
| 24 / 610 | 42 / 1067 | 29 / 737 |

| | | |
|----------|-----------|----------|
| 30 / 762 | 30 / 762 | 29 / 737 |
| 30 / 762 | 36 / 914 | 29 / 737 |
| 30 / 762 | 42 / 1067 | 29 / 737 |

| | | |
|----------|-----------|----------|
| 24 / 610 | 30 / 762 | 29 / 737 |
| 24 / 610 | 36 / 914 | 29 / 737 |
| 24 / 610 | 42 / 1067 | 29 / 737 |

GROMMET/ACCESSORY STYLE

| Grommets/None (GD/GS/NA) | | Power/Data Centers – Shared per Two Users (PD) | | Power/Data Centers – One per Users (PS) | |
|--------------------------|-----------|--|-----------|---|-----------|
| Foundation Laminate | Flintwood | Foundation Laminate | Flintwood | Foundation Laminate | Flintwood |
| 1 3/16" (M) | | | | | |
| | | | | | |
| 2 USERS (02) | | | | | |
| | | | | | |
| 3 USERS (03) | | | | | |
| | | | | | |
| 4 USERS (04) | | | | | |
| | | | | | |

UPCHARGE FLINTWOOD BASE INFILL

| |
|-----|
| 602 |
| 602 |
| 602 |
| 763 |
| 763 |
| 763 |
| 602 |
| 602 |
| 602 |
| 763 |
| 763 |
| 763 |
| 602 |
| 602 |
| 602 |

THLS
Library Table – Single-Sided
(Continued)

DIMENSIONS
INCHES / MM

GROMMET/ACCESSORY STYLE

UPCHARGE
FLINTWOOD
BASE INFILL

| DIMENSIONS INCHES / MM | | | GROMMET/ACCESSORY STYLE | | | | | | UPCHARGE FLINTWOOD BASE INFILL |
|---------------------------|-----------|----------|---------------------------------|-----------|---|-----------|--|-----------|--------------------------------------|
| | | | Grommets/None (GD/GS/NA) | | Power/Data Centers – Shared per Two Users (PD) | | Power/Data Centers – One per Users (PS) | | |
| D | W | H | 1 3/16" (M) | | | | | | |
| | | | Foundation Laminate | Flintwood | Foundation Laminate | Flintwood | Foundation Laminate | Flintwood | |
| | | | 4 USERS (04) (CONTINUED) | | | | | | |
| 30 / 762 | 30 / 762 | 29 / 737 | 1923 | 3932 | 2368 | 4379 | 2816 | 4827 | 763 |
| 30 / 762 | 36 / 914 | 29 / 737 | 2142 | 4553 | 2589 | 5002 | 3037 | 5450 | 763 |
| 30 / 762 | 42 / 1067 | 29 / 737 | 2362 | 5176 | 2809 | 5623 | 3257 | 6073 | 763 |
| | | | 5 USERS (05) | | | | | | |
| 24 / 610 | 30 / 762 | 29 / 737 | 2437 | 4919 | 3110 | 5592 | 3557 | 6041 | 1206 |
| 24 / 610 | 36 / 914 | 29 / 737 | 2647 | 5624 | 3318 | 6296 | 3767 | 6745 | 1206 |
| 24 / 610 | 42 / 1067 | 29 / 737 | 2856 | 6330 | 3528 | 7002 | 3975 | 7450 | 1206 |
| 30 / 762 | 30 / 762 | 29 / 737 | 2873 | 5386 | 3545 | 6057 | 3992 | 6504 | 1526 |
| 30 / 762 | 36 / 914 | 29 / 737 | 3147 | 6162 | 3818 | 6835 | 4267 | 7283 | 1526 |
| 30 / 762 | 42 / 1067 | 29 / 737 | 3423 | 6941 | 4096 | 7613 | 4544 | 8060 | 1526 |
| | | | 6 USERS (06) | | | | | | |
| 24 / 610 | 30 / 762 | 29 / 737 | 2708 | 5685 | 3380 | 6358 | 4051 | 7029 | 1206 |
| 24 / 610 | 36 / 914 | 29 / 737 | 2960 | 6532 | 3630 | 7205 | 4302 | 7877 | 1206 |
| 24 / 610 | 42 / 1067 | 29 / 737 | 3209 | 7380 | 3880 | 8051 | 4553 | 8723 | 1206 |
| 30 / 762 | 30 / 762 | 29 / 737 | 3209 | 6225 | 3880 | 6895 | 4553 | 7568 | 1526 |
| 30 / 762 | 36 / 914 | 29 / 737 | 3540 | 7157 | 4212 | 7828 | 4884 | 8500 | 1526 |
| 30 / 762 | 42 / 1067 | 29 / 737 | 3871 | 8091 | 4543 | 8762 | 5214 | 9434 | 1526 |
| | | | 7 USERS (07) | | | | | | |
| 24 / 610 | 30 / 762 | 29 / 737 | 3543 | 7017 | 4437 | 7914 | 5110 | 8585 | 1808 |
| 24 / 610 | 36 / 914 | 29 / 737 | 3835 | 8003 | 4732 | 8899 | 5402 | 9571 | 1808 |
| 24 / 610 | 42 / 1067 | 29 / 737 | 4126 | 8991 | 5023 | 9887 | 5695 | 10558 | 1808 |
| 30 / 762 | 30 / 762 | 29 / 737 | 4160 | 7678 | 5057 | 8575 | 5729 | 9245 | 2287 |
| 30 / 762 | 36 / 914 | 29 / 737 | 4546 | 8765 | 5442 | 9662 | 6114 | 10334 | 2287 |
| 30 / 762 | 42 / 1067 | 29 / 737 | 4933 | 9856 | 5827 | 10753 | 6499 | 11424 | 2287 |
| | | | 8 USERS (08) | | | | | | |
| 24 / 610 | 30 / 762 | 29 / 737 | 3812 | 7783 | 4708 | 8679 | 5605 | 9576 | 1808 |
| 24 / 610 | 36 / 914 | 29 / 737 | 4146 | 8913 | 5043 | 9807 | 5939 | 10702 | 1808 |
| 24 / 610 | 42 / 1067 | 29 / 737 | 4482 | 10039 | 5375 | 10936 | 6272 | 11831 | 1808 |
| 30 / 762 | 30 / 762 | 29 / 737 | 4497 | 8517 | 5393 | 9414 | 6290 | 10307 | 2287 |
| 30 / 762 | 36 / 914 | 29 / 737 | 4938 | 9761 | 5835 | 10658 | 6730 | 11553 | 2287 |
| 30 / 762 | 42 / 1067 | 29 / 737 | 5379 | 11006 | 6274 | 11903 | 7171 | 12797 | 2287 |
| | | | 9 USERS (09) | | | | | | |
| 24 / 610 | 30 / 762 | 29 / 737 | 4646 | 9113 | 5768 | 10234 | 6662 | 11130 | 2412 |
| 24 / 610 | 36 / 914 | 29 / 737 | 5022 | 10383 | 6142 | 11503 | 7038 | 12397 | 2412 |
| 30 / 762 | 30 / 762 | 29 / 737 | 5450 | 9971 | 6569 | 11090 | 7464 | 11987 | 3050 |
| 30 / 762 | 36 / 914 | 29 / 737 | 5945 | 11370 | 7063 | 12490 | 7960 | 13387 | 3050 |
| | | | 10 USERS (10) | | | | | | |
| 24 / 610 | 30 / 762 | 29 / 737 | 4916 | 9881 | 6038 | 11000 | 7156 | 12119 | 2412 |
| 30 / 762 | 30 / 762 | 29 / 737 | 5785 | 10811 | 6906 | 11929 | 8025 | 13048 | 3050 |
| | | | 11 USERS (11) | | | | | | |
| 24 / 610 | 30 / 762 | 29 / 737 | 5750 | 11209 | 7094 | 12555 | 8213 | 13673 | 3014 |
| 30 / 762 | 30 / 762 | 29 / 737 | 6738 | 12264 | 8081 | 13606 | 9201 | 14728 | 3813 |

THLS

Library Table – Single-Sided (Continued)

**DIMENSIONS
INCHES / MM**

GROMMET/ACCESSORY STYLE

**UPCHARGE
FLINTWOOD
BASE INFILL**

| D W H | | | Grommets/None (GD/GS/NA) | | Power/Data Centers – Shared per Two Users (PD) | | Power/Data Centers – One per Users (PS) | | UPCHARGE FLINTWOOD BASE INFILL |
|---------------------|-----------|----------|--------------------------|-----------|--|-----------|---|-----------|--------------------------------------|
| | | | Foundation Laminate | Flintwood | Foundation Laminate | Flintwood | Foundation Laminate | Flintwood | |
| 1 9/16" (X) | | | | | | | | | |
| 2 USERS (02) | | | | | | | | | |
| 24 / 610 | 30 / 762 | 29 / 737 | 1310 | 2272 | 1533 | 2496 | 1758 | 2720 | 602 |
| 24 / 610 | 36 / 914 | 29 / 737 | 1424 | 2579 | 1648 | 2803 | 1872 | 3028 | 602 |
| 24 / 610 | 42 / 1067 | 29 / 737 | 1537 | 2883 | 1762 | 3109 | 1984 | 3333 | 602 |
| 30 / 762 | 30 / 762 | 29 / 737 | 1481 | 2493 | 1706 | 2717 | 1931 | 2940 | 763 |
| 30 / 762 | 36 / 914 | 29 / 737 | 1619 | 2834 | 1843 | 3056 | 2068 | 3281 | 763 |
| 30 / 762 | 42 / 1067 | 29 / 737 | 1758 | 3173 | 1980 | 3397 | 2206 | 3621 | 763 |
| 3 USERS (03) | | | | | | | | | |
| 24 / 610 | 30 / 762 | 29 / 737 | 1560 | 3005 | 2008 | 3453 | 2233 | 3677 | 602 |
| 24 / 610 | 36 / 914 | 29 / 737 | 1732 | 3464 | 2179 | 3911 | 2402 | 4137 | 602 |
| 24 / 610 | 42 / 1067 | 29 / 737 | 1902 | 3922 | 2349 | 4371 | 2573 | 4596 | 602 |
| 30 / 762 | 30 / 762 | 29 / 737 | 1795 | 3311 | 2241 | 3757 | 2464 | 3982 | 763 |
| 30 / 762 | 36 / 914 | 29 / 737 | 2000 | 3818 | 2448 | 4267 | 2672 | 4491 | 763 |
| 30 / 762 | 42 / 1067 | 29 / 737 | 2207 | 4331 | 2654 | 4778 | 2878 | 5003 | 763 |
| 4 USERS (04) | | | | | | | | | |
| 24 / 610 | 30 / 762 | 29 / 737 | 1906 | 3833 | 2354 | 4280 | 2803 | 4727 | 602 |
| 24 / 610 | 36 / 914 | 29 / 737 | 2134 | 4444 | 2583 | 4891 | 3031 | 5339 | 602 |
| 24 / 610 | 42 / 1067 | 29 / 737 | 2362 | 5057 | 2809 | 5504 | 3257 | 5952 | 602 |
| 30 / 762 | 30 / 762 | 29 / 737 | 2201 | 4221 | 2648 | 4670 | 3095 | 5117 | 763 |
| 30 / 762 | 36 / 914 | 29 / 737 | 2476 | 4903 | 2926 | 5351 | 3371 | 5798 | 763 |
| 30 / 762 | 42 / 1067 | 29 / 737 | 2751 | 5582 | 3201 | 6029 | 3647 | 6479 | 763 |
| 5 USERS (05) | | | | | | | | | |
| 24 / 610 | 30 / 762 | 29 / 737 | 2815 | 5222 | 3488 | 5894 | 3936 | 6342 | 1206 |
| 24 / 610 | 36 / 914 | 29 / 737 | 3101 | 5987 | 3773 | 6659 | 4220 | 7108 | 1206 |
| 24 / 610 | 42 / 1067 | 29 / 737 | 3385 | 6753 | 4056 | 7426 | 4505 | 7875 | 1206 |
| 30 / 762 | 30 / 762 | 29 / 737 | 3220 | 5748 | 3893 | 6421 | 4339 | 6869 | 1526 |
| 30 / 762 | 36 / 914 | 29 / 737 | 3565 | 6597 | 4238 | 7270 | 4684 | 7717 | 1526 |
| 30 / 762 | 42 / 1067 | 29 / 737 | 3910 | 7449 | 4582 | 8121 | 5030 | 8569 | 1526 |
| 6 USERS (06) | | | | | | | | | |
| 24 / 610 | 30 / 762 | 29 / 737 | 3162 | 6049 | 3835 | 6720 | 4506 | 7393 | 1206 |
| 24 / 610 | 36 / 914 | 29 / 737 | 3504 | 6967 | 4176 | 7641 | 4847 | 8311 | 1206 |
| 24 / 610 | 42 / 1067 | 29 / 737 | 3844 | 7887 | 4518 | 8558 | 5188 | 9231 | 1206 |
| 30 / 762 | 30 / 762 | 29 / 737 | 3627 | 6659 | 4299 | 7331 | 4971 | 8003 | 1526 |
| 30 / 762 | 36 / 914 | 29 / 737 | 4042 | 7680 | 4713 | 8352 | 5386 | 9023 | 1526 |
| 30 / 762 | 42 / 1067 | 29 / 737 | 4455 | 8701 | 5126 | 9372 | 5800 | 10045 | 1526 |
| 7 USERS (07) | | | | | | | | | |
| 24 / 610 | 30 / 762 | 29 / 737 | 4072 | 7440 | 4968 | 8336 | 5640 | 9009 | 1808 |
| 24 / 610 | 36 / 914 | 29 / 737 | 4469 | 8513 | 5366 | 9408 | 6039 | 10079 | 1808 |
| 24 / 610 | 42 / 1067 | 29 / 737 | 4869 | 9585 | 5765 | 10481 | 6436 | 11151 | 1808 |
| 30 / 762 | 30 / 762 | 29 / 737 | 4647 | 8187 | 5544 | 9082 | 6216 | 9755 | 2287 |
| 30 / 762 | 36 / 914 | 29 / 737 | 5130 | 9377 | 6026 | 10271 | 6698 | 10944 | 2287 |
| 30 / 762 | 42 / 1067 | 29 / 737 | 5614 | 10568 | 6510 | 11463 | 7181 | 12136 | 2287 |

THLS
Library Table – Single-Sided
(Continued)

DIMENSIONS
INCHES / MM

GROMMET/ACCESSORY STYLE

UPCHARGE
FLINTWOOD
BASE INFILL

| | | | Grommets/None (GD/GS/NA) | | Power/Data Centers – Shared per Two Users (PD) | | Power/Data Centers – One per Users (PS) | | |
|----------------------|-----------|----------|-----------------------------|-----------|---|-----------|--|-----------|------|
| | | | Foundation Laminate | Flintwood | Foundation Laminate | Flintwood | Foundation Laminate | Flintwood | |
| 1 9/16" (X) | | | | | | | | | |
| 8 USERS (08) | | | | | | | | | |
| D | W | H | 4418 | 8267 | 5314 | 9164 | 6210 | 10059 | 1808 |
| 24 / 610 | 30 / 762 | 29 / 737 | 4873 | 9492 | 5770 | 10389 | 6664 | 11284 | 1808 |
| 24 / 610 | 36 / 914 | 29 / 737 | 5328 | 10719 | 6225 | 11614 | 7120 | 12509 | 1808 |
| 30 / 762 | 30 / 762 | 29 / 737 | 5055 | 9098 | 5950 | 9994 | 6846 | 10890 | 2287 |
| 30 / 762 | 36 / 914 | 29 / 737 | 5607 | 10458 | 6502 | 11355 | 7398 | 12251 | 2287 |
| 30 / 762 | 42 / 1067 | 29 / 737 | 6158 | 11820 | 7054 | 12716 | 7950 | 13612 | 2287 |
| 9 USERS (09) | | | | | | | | | |
| 24 / 610 | 30 / 762 | 29 / 737 | 5327 | 9659 | 6447 | 10780 | 7342 | 11675 | 2412 |
| 24 / 610 | 36 / 914 | 29 / 737 | 5839 | 11036 | 6958 | 12156 | 7854 | 13051 | 2412 |
| 30 / 762 | 30 / 762 | 29 / 737 | 6076 | 10625 | 7195 | 11744 | 8091 | 12639 | 3050 |
| 30 / 762 | 36 / 914 | 29 / 737 | 6696 | 12155 | 7816 | 13274 | 8712 | 14171 | 3050 |
| 10 USERS (10) | | | | | | | | | |
| 24 / 610 | 30 / 762 | 29 / 737 | 5674 | 10486 | 6792 | 11605 | 7914 | 12725 | 2412 |
| 30 / 762 | 30 / 762 | 29 / 737 | 6482 | 11536 | 7601 | 12657 | 8722 | 13776 | 3050 |
| 11 USERS (11) | | | | | | | | | |
| 24 / 610 | 30 / 762 | 29 / 737 | 6582 | 11876 | 7925 | 13220 | 9047 | 14341 | 3014 |
| 30 / 762 | 30 / 762 | 29 / 737 | 7501 | 13064 | 8847 | 14407 | 9966 | 15527 | 3813 |