


BOULEVARD, BOULEVARD SYSTEM 3 AND DIET ERGONOMIC SOLUTIONS

Helping Office Inhabitants be Healthy and Efficient

- Ergonomic Computer Accessories
- Energy Efficient Lighting and Power Accessories
- Paper Management Accessories
- Workstation Enhancement Accessories


For use with Boulevard, Boulevard System 3 & Diet (unless otherwise specified).

GAKSM01 • Keyboard Support Mechanism



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GAKSM01	296	4.3	9	23.8	9.2	0.533

Height Range 6" (+1.0"/-5.5")
Soft Touch Knob tilt adjustable range +15°/-15°
360° base swivel





- Soft Touch Knob for simultaneous height & tilt adjustment.
- Spring-assist mechanism helps counter balance weight of keyboard & tray.
- Low-profile design for maximum leg room.
- Includes 21.75" under worksurface Glide Track
- Optional Glide Tracks available at no upcharge:
 - 12" Glide Track add suffix "12" (EXAMPLE GAKSM0112)
 - 18" Glide Track add suffix "18" (EXAMPLE GAKSM0118)
- Available in black only
- To be used with keyboard trays, sold separately.

GAKSML • Slim-Fit Keyboard Support Mechanism




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GAKSML	389	4.75	9.5	24	9	0.627
GAKSMLW	389	4.75	9.5	24	9	0.627




- Height Range 8.88" (+2.38" / - 6.5")
- Tilt Range (+10° / -20°)
- 360° Swivel.
- Meets ANSI/HFES, 100-2007 conformance requirement for height clearance.
- Super slim mechanism design increases clearance under the worksurface.
- Height & depth indicator incorporated together in an intelligently designed dashboard.
- Patented Lift-N-Lock™ height adjustment without knobs or levers automatically locks into position with release of tray for better AODA/Barrier Free compliance.
- Easy access to tilt control knob.
- Designed for disassembly and fully recyclable.
- Includes 21.75" undersurface Glide Track.
- Optional Glide Tracks available:
 - - 12" Glide Track add suffix "12" (EXAMPLE GAKSML12)
 - - 18" Glide Track add suffix "18" (EXAMPLE GAKSML18)
- "W" Indicated white finish.

GAKSM02 • Lift-N-Lock Keyboard Support Mechanism




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GAKSM02	389	4.3	9	23.8	9.7	0.533

Height Range 8.38" (+2.25"/-6.13")
Dial-Tilt Gauge shows precise tilt angles from +10°/-15° positions.
360° base swivel



- Patent Pending Height Indicator Gauge allows for precise height setting when used by multiple users, or for returning to optimal height setting after storage.
- Exceeds BIFMA performance standards.
- Includes 21.75" under worksurface Glide Track
- Optional Glide Tracks available at no upcharge:
 - 12" Glide Track add suffix "12" (EXAMPLE GAKSM0212)
 - 18" Glide Track add suffix "18" (EXAMPLE GAKSM0218)
- Available in Black Only
- To be used with keyboard trays, sold separately.
- NOTE: Positive Tilt Lockout available. Contact your Customer Service Representative.
- Patented Lift-N-Lock™ height adjustment without knobs or levers automatically locks into position with release of tray for greater. Meets CSA B651 Barrier Free Design & AODA (Accessibility for Ontarians with Disabilities Act).

GAKSM03 • Lift-N-Lock Keyboard Support Mechanism




- Patent Pending Height Indicator Gauge allows for precise height setting when used by multiple users, or for returning to optimal height setting after storage.
- Curved neck allows user to be closer to the desk when in standing position.
- Exceeds BIFMA performance standards.
- Includes 21.75" under worksurface Glide Track
- Optional Glide Tracks available at no upcharge:
 - 12" Glide Track add suffix "12" (EXAMPLE GAKSM0312)
 - 18" Glide Track add suffix "18" (EXAMPLE GAKSM0318)
- Available in black only
- To be used with keyboard trays, sold separately.


- NOTE: Positive Tilt Lockout available. Contact your Customer Service Representative.
- Maximizes ergonomic support for both seated and standing positions.
- Patented Lift-N-Lock™ height adjustment without knobs or levelers automatically locks into position with release of tray for greater. Meets CSA B651 Barrier Free Design & AODA (Accessibility for Ontarians with Disabilities Act).

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GAKSM03	626	5.8	9	23.8	11.3	0.719

Height Range 14.13" (+8.25"/-5.88")
Dial-Tilt Gauge shows precise tilt angles from +10°/-15° positions.
360° base swivel




GAKSM05 • Fixed-Mount Trackless Keyboard Arm



- Features:**
- Direct Mount, no track required.
 - Ideal solution for FreeFit Tables.
 - Total height adjustment of 5.73" (-1.25" to -6.98" under the desk surface).
 - Enhanced patented Lift-N-Lock™ braking mechanism. Soft Touch Knob Dial Tilt with +10° to -15° tilt angles.
 - Low profile tray head. Separate height and tilt gauges.
 - 360° of swivel.
 - Optional factory or field installable tilt lockout available.


- Benefits:**
- Full storage in 9 3/8" undersurface space.
 - Exceeds HFES & BIFMA 5" percentile seated keyboarding heights (HFES 22" BIFMA 22.6").
 - Easy height adjustment, providing superior lock up and stability with infinite adjustment.
 - ADA Compliant tilt adjustment with easily accessible tilt knob.
 - Greater knee clearance under desk surface.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GAKSM05	411	5	13	9	6	0.317
GAKSM05W	411	5	13	9	6	0.317



- Allows accurate, repeatable tray placement.
- Allows side to side arm movement.
- Locks out positive tilt for specific ergonomic applications or users preference.
- Provides increased storage where space permits.
- "W" indicated white finish.


GATM01 • Tray With Sliding Mouse Support



- **MDF Tray:**
 - Formed MDF with Textured Finish.
 - Foam Anti-skid mat.
 - Sliding Retractable Mouse Support:
- **ABS tray**
 - Sliding Retractable Mouse Support slides below the tray for left or right mouse positioning.
 - Extends 9.91" beyond the end of the Keyboard Tray.
 - 33% recycled content by weight content) and |
 - 92.64% recyclable.
- Available in black only

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GATM01	299	2	21.3	10.5	7	0.259


GATM02 • 27" HDPE Tray With Two Mousing Surfaces



- **HDPE Tray:**
 - 1/2" thick High Density Polyethylene with textured finish.
 - Includes removable plug-in, gel free foam palm rest.
 - Anti-skid strips.
- **Mousing Surface:**
 - Keyboard and Mouse can be set up left or right.
 - Includes Mouse Fence with Cable Manager.
 - 92.64% recyclable.
- Available in black only

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GATM02	384	1	27	11	6	0.179

GATM03 • Phenolic Tray With Height-Adjustable Mouse Support




- **Height-Adjustable Mouse Support:**
- Ergonomic adjustment of tilt, swivel & height adjustment.
- Can be mounted either left or right.
- Includes mouse fence with cable manager.
- Available in black or white.
- "W" indicates white finish.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GATM03	435	2.8	20.5	11	5.8	0.429
GATM03W	435	2.8	20.5	11	5.8	0.429

- **Phenolic Tray:**
- Solid low profile keyboard tray.
- Graphite finish helps hide fingerprints and smudges.
- Includes removable plug-in, gel-free foam palm rest.
- Includes foam Anti-skid strips.

GATM04 • HDPE Tray With Height-Adjustable Mouse Support




- **HDPE Tray:**
- 1/2" thick High Density Polyethylene with textured finish.
- Includes removable plug-in, gel free foam palm rest.
- 45% recycled content by weight (45%Post Industrial content) and 99.97% recyclable.
- Includes foam anti-skid strips.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GATM04	464	3.2	20.5	11	6	0.5

- **Height-Adjustable Mouse Support:**
- Ergonomic adjustment of tilt, swivel & height adjustment.
- Can be mounted either left or right.
- Includes mouse fence with cable manager.
 - 92.64% recyclable.
- Available in black only.

GAGTA01 • Glide Tray Adapter (Set of 2)



- Attaches to Glide Tracks of all Keyboard Mechanisms and Sliding CPU Holders found within this price list.
- Mounting hardware included.
- Available in black only.
- Not required for use with GAKSM05.



PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GAGTA01	123	2.5	9	2	0.5	0.025

- Accommodates the placement of sliding keyboard mechanisms and CPU holders below the cross beam of a table.


KEYBOARD COMBINATION CHART • PACKAGE CODES AND PRICING

"W" at the end of the code designates white keyboard.
 "W" before 2 numbers designates white mechanism.
 "W" in both places in code designates white keyboard and mechanism.



 GAKSM01	GAKSP0101 \$594	GAKSP0102 \$680	GAKSP0103 / GAKSP103W \$730	GAKSP0104 \$757
 GAKSML/GAKSMLW	GAKSPML01 / GAKSPMLW01 \$689	GAKSPML02 / GAKSPMLW02 \$775	GAKSPML03 / GAKSPML03W / GAKSPMLW03 / GAKSPMLW03W \$825	GAKSPML04 / GAKSPMLW04 \$853
 GAKSM02	GAKSP0201 \$689	GAKSP0202 \$775	GAKSP0203 / GAKSP0203W \$825	GAKSP0204 \$853
 GAKSM03	GAKSP0301 \$924	GAKSP0302 \$1010	GAKSP0303 / GAKSP0303W \$1060	GAKSP0304 \$1089
 GAKSM05/GAKSM05W	GAKSP0501 / GAKSP0501W \$709	GAKSP0502 / GAKSP0502W \$795	GAKSP0503 / GAKSP0503W / GAKSP0503W \$826	GAKSP0504 / GAKSP0504W \$874


GACPU01 • Fixed-Mount CPU Holder



- Fully adjustable clamping mechanism to accept tower CPU's with a wide range of 3.5" to 9.3" and a height range of 12.5" to 22.5".
- Soft Touch knob for side clamp adjustment and bayonet lance for vertical height adjustment.
- Directly mounts to underside of desk surface.
- CPU Holder can also be mounted directly to an upright desk leg surface or wall, via side mounting holes.
- Manufactured from Steel and Engineered Resin, providing rugged durability and support.
- Available in Black Only

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GACPU01	245	18.5	11.7	9.2	9	1.152


GACPU02 • CPU Holder on Glide Track



- Accepts tower CPU's with a width range of 3.5" to 9.3" and a height range of 12.5" to 22.5".
- Soft Touch knob for side clamp adjustment and bayonet lance for vertical height adjustment.
- 12" Glide Track mounted and 360° swivel for easy access for rear of CPU
- Manufactured from Steel and Engineered Resin, providing rugged durability and support.
- Available in Black Only

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GACPU02	352	18.5	11.7	9.2	12.6	1.152


GACPUH • Woolf CPU Holder



- Provides convenience access to front and back of CPU.
- Expandable width accommodates various sizes of CPU's. Adjusts from 7" to 10".
- Includes 4 locking casters and 4 protective "O" rings.
- Available in Tungsten Only

PRODUCT CODE	PRICE	SIZE/ INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GACPUH	188	11	16	7-10	5	1.0


GAAKS1818 • CRT Corner Plate



- Converts two abutting worksurfaces in a 90° corner into a 45° angle keyboard worksurface.
- Keyboard mechanism not included.
- Fits worksurfaces 1" to 1.25" thick.
- Available in Panel Frame Finish

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GAAKS1818	136	1.25	18	18	3.7	0.454

GAMA1 • Single Clamp-Mount Monitor Arm




NEW!

- Finger touch dynamic height adjustment, 12" height range. 4.4 to 19.8 lbs. per monitor loading capacity; accepts screen size 17" - 30".
- Maximum of 22" extension from rear of desk to back of monitor, folds to 5.5".
- Tilt, pan and landscape to portrait rotation; quick release VESA plate, 180 degree lock out.
- Clamp mount and grommet mount options included, accommodates 0.5" to 1.9" thick tops.
- Accepts mini slide arm GAMS.
- Available in SIL - Silver only.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GAMA1	690	21		5.5	6.6	0.4

GAMA2 • Double Clamp-Mount Monitor Arm




NEW!

- Finger touch dynamic height adjustment, 12" height range. 4.4 to 19.8 lbs. per monitor loading capacity; accepts screen size 17"-30".
- Maximum of 22" extension from rear of desk to back of monitor, folds to 5.5".
- Tilt, pan and landscape to portrait rotation; quick release VESA plate, 180 degree lock out.
- Clamp mount and grommet mount options included, accommodates 0.67" to 2.3" thick tops.
- Accepts mini slide arm GAMS.
- Available in SIL - Silver only.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GAMA2	1211	21		5.5	12.8	1

GAMS • Mini Slide Monitor Arm



NEW!


- Works with GAMA1 and GAMA2 monitor arms.
- 11.8" slide, loading capacity 13.2lbs.
- Quick release VESA plate.
- Available in SIL - Silver only.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GAMS	240	4.5	11	6	3.3	0.3

MONITOR ARM SPECS

- VESA Mounting plate contains 75 mm & 100 mm mounting configuration
- VESA Plate head is fully adjustable with 180° of tilt, 180° of swivel and 360° of rotation for portrait to landscape viewing
- Keyhole slots in VESA Plate for quick mounting of Display Screen
- Counterbalance spring mechanism does not contain gas cylinders (that are prone to leakage)
- Cable Management provided on arm swivel joints
- Arm components manufactured from 100% recyclable aluminum die cast material, providing stability and durability
- 13" Arm height adjustment on 11" Stainless Steel Pole.
- Pole Support Ring doubles as cable manager.
- 360° of arm swivel around pole.
- Desk Clamp and Grommet mounting options standard on pole applications.
- Monitor arms available in Silver (SIL), Black (BLK), or White (WHT).

GAMCSSDE • Double Extension Monitor Arm for Single Screen




- Monitor Arm Single Screen Dual Arm Extension.
- 9 1/2" reach from center of pole to front of VESA Plate
- Display Viewing - 180° of tilt, 180° of swivel and 360° of rotation.
- Quick Mount Versa Plate.
- 12" Pole Adjustment.
- 9" Chrome pole adjustment.

Available in Silver (SIL), Black (BLK) or White (WHT).
 • Post is chromed.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GAMCSSDE	617	29.3	6.8	9.5	7.5	1.095


GAMCSSDEH • Double Extension With Height-Adjustable Monitor Arm for Single Screen



- Double extension with height-adjustable monitor arm for single screen frees up worksurface space and supports a sit/stand working posture.
- Attaches to the edge of the worksurface or through a grommet.
- Monitor arm adjusts from 3" to 12" from the worksurface.
- Counterbalanced arm provides an additional 13" of height adjustment.
- Monitor connecting bracket swivels 360 degrees and tilts +/- 90 degrees (180 degrees).
- Double extension has 19" of back and forth movement to allow for different focal depths of viewing comfort.
- Built-in cable clips on underside of extension arms and pole base allows organized cable management.
- Available in Silver (SIL), Black (BLK) or White (WHT).
- Post is chromed.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GAMCSSDEH	741	29.3	6.8	9.5	8.2	1.095


GAMCDSDE • Monitor Arms for Dual Screens



- Double extension monitor arms for dual screens frees up worksurface space.
- Used for side-by-side or back-to-back applications.
- Attaches to the edge of the worksurface or through a grommet.
- Monitor arm adjusts from 3" to 12" from the worksurface.
- Monitor connecting extension has 19" of back and forth movement to allow for different focal depths of viewing comfort.
- Max 32" screen width.
- Built-in cable clips on underside of extension arms and pole base allows organized cable management.
- Available in Silver (SIL), Black (BLK) or White (WHT).
- Post is chromed.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GAMCDSDE	1090	29.3	6.8	9.5	10.7	1.095


GAMCDSDEH • Double Extension With Height-Adjustable Monitor Arms for Dual Screens



- Double extension with height-adjustable monitor arms for dual screens frees up the worksurface space and supports a sit/stand working posture.
- Used for side-by-side or back-to-back applications.
- Attaches to the edge of the worksurface or through a grommet.
- Monitor arm adjusts from 3" to 12" from the worksurface.
- Counterbalanced arm provides an additional 13" of height adjustment.
- Monitor connecting bracket swivels 360 degrees and tilts +/- 90 degrees (180 degrees).
- Double extension has 19" of back and forth movement to allow for different focal depths of viewing comfort.
- Built-in cable clips on underside of extension arms and pole base allows organized cable management.
- Max 35" screen width.
- Available in Silver (SIL), Black (BLK) or White (WHT).
- Post is chromed.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GAMCDSDEH	1350	29.3	6.8	9.5	12.2	1.095


GAMLDM20 • Single-Screen Monitor Arm for 5 to 20lbs



- Comes with clamp and grommet mount, ideal for all desk mounting configurations, minimizing SKU's.
- Adjustable counterbalance cylinder provides smooth 14 ½" of height adjustment with fingertip control. - counterbalances monitors from 5 lbs. to 20 lbs.
- Double extension arms provide a maximum of 26 ¾" extension from the rear edge of the mounting surface to the VESA Plate for greater monitor adjustment on deep or corner workstations.
- Arms fold back to a minimum dimension of 4 1/2" to provide maximum desk utilization.
- Monitor mounting bracket, with Quick Connect adaptor, contains both 75mm & 100mm hole patterns to match most screen types and compliant with VESA mounting standards.
- Weight gauge provided to allow for quick and easy counterbalance adjustment of the arm prior to installing the screen. Saves time and guesswork especially for multiple arm installations.
- VESA Plate rotates for portrait or landscape viewing with 180° side to side rotation and -90° to +45° tilt for optimal viewing adjustment.
- Die cast aluminum construction provides greater stability and contains high recycled material content with full recyclability.
- Adjustable rotation limiter to restrict arm rotation to 180°, preventing arms from hitting walls.
- Comes with all tools and mounting hardware for quick and easy installation (Tool-free).
- Available in Silver (SIL), Black (BLK) or White (WHT).

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GAMLDM20	644	38	6	8.5	10.23	1.122


GAMLDM30 • Single-Screen Monitor Arm for 10 to 30lbs



- Comes with clamp and grommet mount, ideal for all desk mounting configurations, minimizing multiple SKU's
- Adjustable counterbalance cylinder provides smooth 14 1/2" of height adjustment with fingertip control - counterbalances monitors from 10 lbs. to 30 lbs.
- Double extension arms provides a maximum of 26.7" extension from the rear edge of the mounting surface to the VESA Plate for greater monitor adjustment on deep or corner workstations
- Arms fold back to a minimum dimension of 4 1/2" to provide maximum desk utilization
- Monitor mounting bracket with Quick Connect adaptor, contains both 75mm & 100mm hole patterns to match most screen types and compliant with VESA mounting standards
- Weight gauge provided to allow for quick and easy counterbalance adjustment of the arm prior to installing the screen.
- Saves time and guesswork especially for multiple arm installations VESA Plate rotates for portrait and landscape viewing with 180° side to side rotation and -90° to +45° tilt for optimal viewing adjustment
- Die cast aluminum construction provides greater stability and contains high recycled material content with full recyclability
- Adjustable rotation limiter to restrict arm rotation to 180°, preventing arms from contacting walls
- Comes with all tools and mounting hardware for quick and easy installation (Tool-free)
- Available in Silver (SIL), Black (BLK) or White (WHT).

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GAMLDM30	691	38	6	8.5	10.23	1.122

GAMLDM40 • Dual-Screen Monitor Arm for 6 to 28lbs



- Comes with clamp and grommet mount, ideal for all desk mounting configurations, minimizing multiple SKU's
- Adjustable counterbalance cylinder provides smooth 14 1/2" of height adjustment with fingertip control and a counterbalance range from 6 lbs. to 28 lbs combined.
- Double extension arms provide a maximum of 30 ¾" extension from the rear edge of the mounting surface to the VESA Plate for greater monitor adjustment on deep or corner workstations
- Arms fold back to a minimum dimension of 8 3/8" to provide maximum desk utilization
- Monitor mounting bracket with Quick Connect Adaptor, contains both 75mm & 100mm hole patterns to match most screen types and is compliant with VESA mounting standards
- Weight gauge provided to allow for quick and easy counterbalance adjustment of the arm prior to installing the screen.
- Saves time and guesswork especially for multiple arm installations.
- VESA Plate rotates for portrait and landscape viewing with 180° side to side rotation and -90° to +45° tilt for optimal viewing adjustment
- Die cast aluminum construction provides greater stability and contains high recycled material content with full recyclability
- Adjustable rotation limiter to restrict arm rotation to 180°, preventing arms from contacting walls
- Comes with all tools and mounting hardware for quick and easy installation (Tool-free)
- Available in Silver (SIL), Black (BLK) or White (WHT).

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GAMLDM40	830	38	6.25	8.5	12.75	1.168


BLVELEDVS • LED Single-Arm Lamp



- 7 System watts, 18-fractional LEDs.
- 3500K 250 lumens, 84 CRI.
- Soft touch - instant on, fade to off.
- Infinite dimming 100% down to 15%, last state memory.
- Standard 10 hours turn off (ATO).
- 50,000 hour life LEDs.
- 15 watt, 24 volt wall transformer, 6' cord.
- White (WHT) Silver (SIL) or Black (BLK) - Must specify color choice.
- UL, CUL and CSA compliant, ETL Listed.
- Base not included.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BLVELEDVS	616	8	7	33	7.3	0.98
With Occupancy Sensor						
BLVELEDVSO	920	10	9	35	8.3	1.51

BLVELEDVD • LED Double-Arm Lamp



- 7 System watts, 18-fractional LEDs.
- 3500K 250 lumens, 84 CRI.
- Double arm articulation with 20" base to head reaches.
- Soft touch - instant on, fade to off.
- Infinite dimming 100% down to 15%, last state memory.
- Standard 10 hours turn off (ATO).
- 50,000 hour life LEDs.
- 15 watt, 24 volt wall transformer, 6' cord.
- White (WHT) Silver (SIL) or Black (BLK) - Must specify color choice.
- UL, CUL and CSA compliant, ETL Listed.
- Base not included.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BLVELEDVD	646	8	7	33	7.6	1.02
With Occupancy Sensor						
BLVELEDVDO	931	10	9	35	8.6	1.57

BLVELEDRS • LED Single-Arm Lamp



- 7 System watts, 18-fractional LEDs.
- 3500K 250 lumens, 84 CRI.
- Soft touch - instant on, fade to off.
- Infinite dimming 100% down to 15%, last state memory.
- Standard 10 hours turn off (ATO).
- 50,000 hour life LEDs.
- 15 watt, 24 volt wall transformer, 6' cord.
- White (WHT) Silver (SIL) or Black (BLK) - Must specify color choice.
- UL, CUL and CSA compliant, ETL Listed.
- Base not included.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BLVELEDRS	616	8	7	33	7.3	0.98
With Occupancy Sensor						
BLVELEDRSO	920	10	9	35	8.3	1.51

BLVELEDRD • LED Double-Arm Lamp



- 7 System watts, 18-fractional LEDs.
- 3500K 250 lumens, 84 CRI.
- Double arm articulation with 20" base to head reaches.
- Soft touch - instant on, fade to off.
- Infinite dimming 100% down to 15%, last state memory.
- Standard 10 hours turn off (ATO).
- 50,000 hour life LEDs.
- 15 watt, 24 volt wall transformer, 6' cord.
- White (WHT) Silver (SIL) or Black (BLK) - Must specify color choice.
- UL, CUL and CSA compliant, ETL Listed.
- Base not included.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BLVELEDRD	633	8	7	33	7.6	1.02
With Occupancy Sensor						
BLVELEDRDO	931	10	9	35	8.6	1.57

Lamp Mounting Options



White (WHT) Silver (SIL) or Black (BLK) - Must specify color choice.

Grommet Mount

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BLVELEDASM	155	3	6	6	3	0.06



Worksurface Clamp Mount

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BLVELEDASCM	155	3	6	6	2	0.04



Slat Wall Mount

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BLVELEDASW	155	3	6	6	3	0.06



Panel Mount


PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BLVELEDAPM	155	3	6	6	3	0.06



Freestanding Base

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BLVELEDAFS	173	4	12	12	6	0.50


GCLEDESxx • Undercabinet LED Task Light



- **Linear LED Light.**
- Includes light fixture with lens and ON/OFF switch.
- Magnet mounted with optional adhesive metal plates.
- Plug-in power supply with 72" cord length plus 78" DC cord.
- Technical information:
- 4100 K Color Temperature
- 90 Color Rendering Index
- 30,000 hrs rated Lifespan
- Total power input per light, 9.0 for 24", 13.5 per 36" and 18.0 for 48"

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GCLEDES24	227	1	22.9	1	2.5	0.135
GCLEDES36	261	1	33.5	1	2.8	0.161
GCLEDES48	291	1	45.5	1	3.2	0.213


GCLEDESxxDCS • Undercabinet Daisychain LED Light



- **Undercabinet LED light, 48 inches nominal size , daisychain unit with 1 meter (39 inches) linking cable but no power supply.**
- Daisychain units can only be linked up to a total of 48 Watts for all lights on one power supply. This equates to a maximum of 10 feet total nominal length of lights per power supply.
- Technical information:
- 4100 K Color Temperature
- 90 Color Rendering Index
- 30,000 hrs rated Lifespan
- Total power input per light, 9.0 for 24", 13.5 per 36" and 18.0 for 48"

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GCLEDES24DSC	185	1	24	1	2.5	0.135
GCLEDES36DSC	220	1	36	1	2.8	0.161
GCLEDES48DSC	249	1	48	1	3.2	0.213

GCLEDESOS • Occupancy Sensor and Dimmer



- **Inline add-on controller for dimming & occupancy sensor.**
- Included, from right to left, a rotary dimmer control, an occupancy sensor and a sensor bypass switch.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
GCLEDESOS	91	6	2.5	2	0.4	0.500

BEMAE • Mini-Adapt Power Module



- Accessory Data/Power House.
- Attaches to scoop at the back of a worksurface.
- BEMAE1 includes 2 simplex outlets, 6' power cord.
- Available in Black Only

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BEMAE1	255	2	3.625	3	2.5	0.149

BRED50 • Duo Module



- The duo power module is completely integrated with a mounting clamp to attach to the edge of a worksurface.
- Provides two outlets and two 2.1 amp USB ports.
- White face plate, outlets and bracket; 72" long three-prong cord.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BRED50	841	1.8	5.5	3.2	2.50	0.14

BRED50AC • Duo Module With A+C



- The duo power module is completely integrated with a mounting clamp to attach to the edge of a worksurface.
- Provides two outlets and two 2.1 amp USB ports.
- White face plate, outlets and bracket; 72" long three-prong cord.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BRED50ACW	695	3	5.5	3.2	3	0.2
BRED50ACB	695	3	5.5	3.2	3	0.2

BREDU51 • Duo Under Module



- The duo under power module comes with a thin flush mounting bracket to attach to the underside of a work surface or above work surface shelves.
- Provides two outlets and two 2.1 amp USB ports.
- White face plate, outlets and brackets; 72" long three-prong cord.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BREDU51	736	1.8	5.5	2.8	2.5	0.14


BREDU51 • Duo Under Module



- The duo under power module comes with a thin flush mounting bracket to attach to the underside of a work surface or above work surface shelves.
- Provides two outlets and two 2.1 amp USB ports.
- White face plate, outlets and brackets; 72" long three-prong cord.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BREDU51ACW	695	1.8	5.5	2.8	3	0.2
BREDU51ACB	695	1.8	5.5	2.8	3	0.2


BREDB52 • Duo Bezel Module



- The duo bezel power module is embedded and flush-mounted in a piece of furniture or a work surface.
- Provides two outlets and two 2.1 amp USB ports.
- White face plate, outlets and bezel; 72" long three-prong cord.
- Contact your Customer Service Representative for surface applications.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BREDB52	789	4	6.5	3.2	2.5	0.14

BRETP53 • Trio Plus Module



- The trio plus power module is completely integrated with a mounting clamp to attach to the edge of a work surface or above work surface shelves.
- Provides three outlets and two 2.1 amp USB ports and an adapter kit containing blank cover, HDMI, RJ45 or VGA adapter brackets. Note: HDMI, RJ45 and VGA connectors are not included.
- White face plate, outlets, adapters and brackets; 72" long three-prong cord.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BRETP53	949	1.8	8	3.2	2.5	0.14

BRETPB55 • Trio Plus Bezel Module



- The trio plus bezel power module is embedded and flush-mounted in a piece of furniture or a work surface.
- Provides three outlets and two 2.1 amp USB ports and an adapter kit containing blank cover, HDMI, RJ45 or VGA adapter brackets. Note: HDMI, RJ45 and VGA connectors are not included.
- White face plate, outlets, adapters and bezel; 72" long three-prong cord.
- Contact your Customer Service Representative for surface applications.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BRETPB55	905	4	9	3.2	2.5	0.14

D ACCESSORIES

Telecom Plates

- Note: To be used in conjunction with BPGDPS21 and BPGDPS41.




PRODUCT CODE	PRICE
Black telcom plate with 2 RJ45 cat 6 data ABLBB	336

Black telcom plate with 3 RJ45 cat 6 data ABLBBB	493
--	-----

Black telcom plate with 4 RJ45 cat 6 data ABLBBBB	652
---	-----

DABAR • Power Bar



- Power bar with 5 + 1 receptacles (one spaced wide for adapter use), built-in transient voltage surge suppressor and power switch.
- Standard with 10' cord.
- Integrated key hole mounting in the back.
- Rating 15A, 125V, AC 60Hz, 1875W.
- Suppressed voltage rating: 330V peak.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DABAR	85			12	2	0.02

BABC • Wire Manager



- Attaches to the underside of the worksurface with a peel and stick adhesive that is located on the top of the wire manager. Comes 10 per package.
- Black only

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BABC04	124	2	4	2	2	0.14

BRACS • Cable Snake






- Flexible cable management trough.
- Two pathways within the snake, one for data/communication and one for routing power cables.
- Clear (CLR) available only.


PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BRACS	153	30	8		3	0.19
BRACSH	285	49	8		5	0.27

MODPOWER POWER SOLUTION

- Power solutions for flexible spaces. Connect up to four units (in Canada)/six units in the USA from a single infeed with NEMA plug and deliver power and charging ports to the table top. In-surface modules and clamp on modules available.
- Easy to install; code compliant that allows users to optimize any space providing convenient power access. Perfect for training areas, meeting rooms, in-office workstations and more. Units feature tamper-resistant receptacles as well as both USB-A and USB-C charging ports.
- Easy to use connectors that are touch-safe with added latch to prevent unintended separation. Easy push together to connect, and simple press down on latch to disconnect.
- Maximum overall length not to exceed 48.5 feet per infeed. UL listed to UL962A SD, the standard for furniture power distribution units for portable/moveable work space tables.
- Certified to CSA standard C22.2 No. 203-16.
- Will work with Licence and Terina Products.
- Surface mounted module ships with a clamp mount that will accommodate any material 1/2" to 1-1/2" thick; additional brackets are also included for screw in mounting options that can accommodate vertical or horizontal positions.




GMDSF10 • ModPower in Surface Starter Unit



- ModPower starter unit includes one 10' cord with a NEMA plug and one 3' connector cord.
- Unit equipped with three 15A tamper resistant receptacles, one USB-A and one USB-C charging ports and a circuit breaker.
- 4 cable management cord clips included.
- MG at the end of the code indicates a magnesium finish, while WH is a white finish.

PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
GMDSF10MG	1145	2.63	7.63	2.63	3.44	1.0
GMDSF10WH	1145	2.63	7.63	2.63	3.44	1.0


GMDCF3 • ModPower in Surface Middle Unit



- ModPower middle unit includes two 3' connector cords.
- Unit equipped with three 15A rated 12A tamper resistant receptacles, one USB-A and one USB-C charging ports and a circuit breaker.
- 4 cable management cord clips included.
- MG at the end of the code indicates a magnesium finish, while WH is a white finish.

PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
GMDCF3MG	1079	2.63	7.63	2.63	2.44	1.0
GMDCF3WH	1079	2.63	7.63	2.63	2.44	1.0


GMDEF3 • ModPower in Surface End Unit



- ModPower end unit includes one 3' connector cord.
- Unit equipped with three 15A rated 12A tamper resistant receptacles, one USB-A and one USB-C charging ports and a circuit breaker.
- 2 cable management cord clips included.
- MG at the end of the code indicates a magnesium finish, while WH is a white finish.

PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
GMDEF3MG	947	2.63	7.63	2.63	1.85	1.0
GMDEF3WH	947	2.63	7.63	2.63	1.85	1.0


GMDSA10 • ModPower Starter-Mounted Unit



- ModPower starter unit includes one 10' cord with a NEMA plug and one 3' connector cord.
- Unit equipped with three 15A tamper resistant receptacles, one USB-A and one USB-C charging ports and a circuit breaker.
- Includes edge clamp and 3 other mounting methods; and 4 cable management cord clips.
- MG at the end of the code indicates a magnesium finish, while WH is a white finish.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT		VOL FT ³
		H	W	D	LBS		
GMDSA10MG	1209	2.5	6.13	1.75	4.33	1.0	
GMDSA10WH	1209	2.5	6.13	1.75	4.33	1.0	


GMDCA3 • ModPower Middle-Mounted Unit



- ModPower middle unit includes two 3' connector cords.
- Unit equipped with three 15A rated 12A tamper resistant receptacles, one USB-A and one USB-C charging ports and a circuit breaker.
- Includes edge clamp and 3 other mounting methods; and 4 cable management cord clips.
- MG at the end of the code indicates a magnesium finish, while WH is a white finish.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT		VOL FT ³
		H	W	D	LBS		
GMDCA3MG	1145	2.5	6.13	1.75	3.33	1.0	
GMDCA3WH	1145	2.5	6.13	1.75	3.33	1.0	


GMDEA3 • ModPower End-Mounted Unit



- ModPower end unit includes one 3' connector cord.
- Unit equipped with three 15A rated 12A tamper resistant receptacles, one USB-A and one USB-C charging ports and a circuit breaker.
- Includes edge clamp and 3 other mounting methods; and 2 cable management cord clips.
- MG at the end of the code indicates a magnesium finish, while WH is a white finish.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT		VOL FT ³
		H	W	D	LBS		
GMDEA3MG	1013	2.5	6.13	1.75	2.75	1.0	
GMDEA3WH	1013	2.5	6.13	1.75	2.75	1.0	


GMDCLIPS • ModPower Management Clips



- Includes 10 clips.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT		VOL FT ³
		H	W	D	LBS		
GMDCLIPS	196	0.6	2.6	2.5	0.3	0.2	


GMDJ36BK • ModPower Interconnecting Jumper



- ModPower interconnecting jumper cord to add an additional 3 feet of cord length between ModPower units.
- Package of 2, each 3 feet with male & female connector.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT		VOL FT ³
		H	W	D	LBS		
GMDJ36BK	634		36		1.38	0.9	

GMDPC22W • Slim Desktop Power Module, 2 Duplex




NEW!

- Desktop power center with two 15A tamper resistant power receptacles, one USB-A and one USB-C (provides 3.1A); 10' power cord.
- Includes three mounting options (i) a screw-in mounting plate for forward facing outlets; or (ii) an under surface mount bracket; or (iii) a clamp mounting kit for 0.5-1.5" thick surfaces.
- Gloss white body with grey face.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT		VOL FT ³
		H	W	D	LBS		
GMDPC22W	741	2.25	4.88	2.25	2.5	0.5	

GMDPC32W • Slim Desktop Power Module, 3 Duplex



NEW!

- Desktop power center with three 15A tamper resistant power receptacles, one USB-A and one USB-C (provides 3.1A); 10' power cord.
- Includes three mounting options (i) a screw-in mounting plate for forward facing outlets; or (ii) an under surface mount bracket; or (iii) a clamp mounting kit for 0.5-1.5" thick surfaces.
- Gloss white body with grey face.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT		VOL FT ³
		H	W	D	LBS		
GMDPC32W	968	2.25	6.00	2.25	2.6	0.5	


BAVC • Vertical Wire Channel



- PVC extrusion attaches to panel vertical to provide enclosure for a power or light cord.
- Available in 16" and 32" lengths, six per package.
- Can be cut to required lengths on site.
- Panel frame finish

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BAVC016	53		16		0.5	0.018
BAVC032	108		32		1.0	0.036

BAR • Panel-Mounted Slotted Accessory Rail for Boulevard




- Includes 10 horizontal slats for hanging capacity.
- Includes mounting hardware.
- Panel frame finish

Hangs on standard Boulevard panels and accepts standard accessories.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BAR18	135	10.6	18	0.5	3	0.12
BAR24	150	10.6	24	0.5	4	0.17
BAR30	164	10.6	30	0.5	5	0.22
BAR36	178	10.6	36	0.5	6	0.26
BAR42	194	10.6	42	0.5	7	0.31
BAR48	209	10.6	48	0.5	8	0.35
BAR54	221	10.6	54	0.5	9	0.43
BAR60	237	10.6	60	0.5	10	0.49


BALB • Panel-Mounted Load Bar for Boulevard



- Can be panel-mounted or wall mounted on rail
- (BHV01 or BHV02).
- Includes mounting brackets and end caps.
- Panel frame finish

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BALB18	108	3.5	18	0.75	2	0.031
BALB24	118	3.5	24	0.75	2	0.038
BALB30	130	3.5	30	0.75	3	0.048
BALB36	145	3.5	36	0.75	3	0.057
BALB42	166	3.5	42	0.75	4	0.067
BALB48	190	3.5	48	0.75	4	0.076
BALB54	209	3.5	54	0.75	5	0.086
BALB60	220	3.5	60	0.75	5	0.096

BADLB • Panel-Mounted Accessory Rail for Boulevard




Enables accessory items to be hung from a panel.
Includes end caps and mounting brackets.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BADLB18	204	4.23	18	1.53	2.34	0.07
BADLB24	215	4.23	24	1.53	2.88	0.09
BADLB30	227	4.23	30	1.53	3.42	0.11
BADLB36	241	4.23	36	1.53	3.97	0.13
BADLB42	253	4.23	42	1.53	4.51	0.16
BADLB48	266	4.23	48	1.53	5.05	0.18
BADLB54	279	4.23	54	1.53	5.59	0.20
BADLB60	288	4.23	60	1.53	6.13	0.22

D ACCESSORIES


BABB01 • Binder Bin



- Load bar/accessory rail mounted metal binder bin.
- Panel frame finish

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BABB01	93	9	5.75	9.25	1.85	0.21


BAFS01 • Flip Sorter



- Load bar/accessory rail mounted metal flip sorter. Comes with chrome wire.
- Panel frame finish

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BAFS01	88	9	3	9	0.6	0.14

BASS01 • Slant Sorter




Right Shown

- • Load bar/accessory rail mounted metal slant sorter.
- • Panel frame finish

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BASS01R	59	9.25	2.75	9	1	0.28
BASS01L	59	9.25	2.75	9	1	0.28


BALT • Letter Tray/Legal Tray



- Load bar/accessory rail mounted metal letter or legal tray.
- Panel frame finish

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BALT01	68	1.75	12	8.75	0.5	0.15
BALT01LGL	108	1.75	14.7	8.75	0.5	0.15


BAMB01 • Media Bin



- Load bar/accessory rail mounted metal media bin.
- Panel frame finish

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BAMB01	82	3	5.75	5.25	0.8	0.05


BAUT01 • Utility Tray



- Load bar/accessory rail mounted metal utility tray.
- Panel frame finish

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BAUT01	59	1	7.5	4	0.5	0.02


BAPP01 • Mail Box



- Freestanding unit or load bar/accessory rail mounted.
- Panel frame finish

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BAPP01	90	7	12	1.75	2	0.25


BATH01 • Telephone Holder



- Load bar/rail mounted telephone holder.
- Panel frame finish

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BATH01	131	2	8	10	2	0.26

BAPD • Pencil Drawer



- Provides accommodation for writing instruments and small items at the workspace.
- Attaches to the underside of worksurface with drawer slides.
- Available in Black ABS Only

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BAPD2015	118	1.5	22.5	17.75	2	0.300

BAHO • Coat Hook



- Over the panel-mounted coat hook for Boulevard 1 panels only. Priced six per package.
- Panel Frame Finish

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BAHO3080	55	3	1	3	0.2	0.001


BAHB3CH • Coat Hook for System 3



- Over the panel-mounted coat hook for Boulevard, System 3 panels or Boulevard 1 panels with top trim. Priced six per package.
- Panel Frame Finish

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BAHB3CH	103	3	1	3	0.2	0.001


DAHOCH • Coat Hook for Diet



- Panel-mounted coat hook Diet Panels.
- Panel Frame Finish

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DAHOCH	28	3	0.75	3	0.2	0.001


BPNP • Boulevard Name Plate



- Name plate attaches to 1" increment slots of Boulevard. It can be set either as a single-sided (parallel to panel surface) or double-sided (perpendicular to panel surface - for aisle applications, displaying name on both sides).
- Injection molded frame and die-cast base with black rubberized finish. Steel bracket and fasteners included
- Includes two slide-in name cards.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BPNP01	112	3.3	5.3	1.25	0.3	0.013


DPN01 • Diet Name Plate



- Name plate can be set either as a single-sided (parallel to panel surface) or double-sided (perpendicular to panel surface - for aisle applications, displaying name on both sides).
- Injection molded frame and die-cast base with black rubberized finish. Steel bracket and fasteners included.
- Includes two slide-in name cards.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DPNP01	112	3.3	5.3	1.25	0.3	0.013

BHTPO1 • Bracket to Connect Licence Towers to Boulevard Panels




- Panel Frame Finish

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BHTPO1	71	2	2.5	1	2	0.05

D ACCESSORIES


BATB • Fabric Tackboard for Boulevard



- To provide a tackable surface for notes and memos in a work area. Panel-mounted.
- Includes mounting brackets.
- Class "A" Fire Rated Fabric.

PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT VOL	
	GR1	GR2	H	W	D	LBS	FT ³
BATB2430	252	263	24	30		3	0.416
BATB2436	287	299	24	36		4	0.500
BATB2442	328	339	24	42		4	0.583
BATB2448	367	393	24	48		5	0.666
BATB2454	406	432	24	54		5	0.750
BATB2460	444	473	24	60		6	0.833
BATB2472	540	592	24	72		6	0.999


BAWB • Write Board for Boulevard



- To provide a writing surface in a work area. Panel-mounted.
- Includes mounting brackets.
- Black Trim Only

PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BAWB2436	408	24	36		13	0.500
BAWB2442	470	24	42		15	0.583
BAWB2448	539	24	48		18	0.666

BAMT12 • Marker Tray



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BAMT12	91		12		0.5	0.01

BATP • Touch-Up Paint Kit



- Paint to match panel frame colors for easy touch ups. 1/2oz. (15ml) bottle

PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BATP91	49				0.41	0.1