

DIET PANEL SYSTEM

Diet represents an innovative tool for creating an economical, efficient work space, accommodating various tasks. From 42" high panels which provide an open office feel to 50" and 54" high panels, for seated privacy and 66" high panels for standing privacy, Diet effectively supports the creation of various work environments. Diet is simple, easy to comprehend, easy to specify and install, with a minimum of add-on and dedicated/handed components to maximize reconfiguration flexibility. All Diet panels ship with a set of self-leveling connectors that accommodate any angle, but also straight, 90°, three-way T and 120° configurations, as well as four-way "X". Truly universal connectors support the above panel configurations regardless of panel heights. Such a configuration and height independent connecting method eliminates the need to order additional components during future office reconfigurations. Diet is an economical, "soft wire" system with simple means of optional power and data/communication cable management trough that snaps to the

bottom of the panel. With the exception of panels with open area below the mid rail, all Diet panels are built with 6" clearance opening between the floor and the bottom rail. This feature not only serves as a simple passage for cables between back-to-back stations and an interface for a snap on cable trough, but it mainly provides ultimate flexibility of panel station placement even if one panel needs to be located right above a floor monument. Diet's slim appearance, sophisticated industrial design, detailing and advanced engineering communicate high perceived value, exceeding expectations usually related to budget products. Diet can be specified on its own, with integrated worksurface, storage and accessory support, privacy and space organization in free standing office environments. Whether combined with Boulevard system, or raised floors, Diet, as a tool, bridges mobile or stationary freestanding furniture with power/data delivery solutions, that are hard wired to a building power supply.

TECHNICAL INFORMATION

Panels

- Panels are 1.3" thick.
- Width ranges from 24" to 60" at 6" increments.
- Heights include 42", 50", 54" and 66" (nominal).
- Extruded aluminum frame surrounds a fabric wrapped interior with a 7/8" particle board frame, sandwiched between 2 pieces of 1/8" masonite.
- Panel frame finish is durable epoxy powder coated.
- Finished panel includes top, corner and end caps.
- For glazing - Smoke development index 500.
- For tempered glass, add "TG" to the end of the product code and add 20% to the price regardless of fabric grade.
- Top rail accepts Teknion accessories, monitor arm supports, off-module shelves, and task light brackets.
- Top rail on Glazed Top Panels is not intended for use with panel-mounted shelves and panel-mounted overhead.
- Middle rail accepts bracket for off-module worksurface support, Teknion accessories, off-module shelves and power bar.
- Bottom rail accepts brackets for off-module worksurface support, Teknion accessories, off-module shelves and optional cable manager and power bar.
- Optional PVC cable manager friction fits into bottom rail.

- Two leveler are included with a 1.75" leveling range.
- Vertical frame members have integrated grooves for additional components.
- Charcoal covers are provided at front of vertical members where connectors attach.
- Panels include 3 sets of hinge connectors, 1 set of spacers and 6 pins.
- Connecting method is simple, accommodating typical configuration, as well as connection of panels at any angle, regardless of height.

Panel Options

- Laminate or whiteboard may be substituted for fabric on panels only, see "OPT" column.
- Tackboard panels available, please add 25% upcharge. Steel facing available, contact your customer service representative.

Note:

- 42"-High Diet panels do not match Boulevard 42"
- 50"-High Diet panels match Boulevard 50"
- 54"-High Diet panels do not match standard Boulevard 54"
- 66"-High Diet panels matches Boulevard 66"
- To order 42" and 54" high Diet panels to match Boulevard, please order "BDPFF" and "BDPOF".

HOW DIET CAN REDUCE YOUR COSTS

Finished Panel:

- No inventory costs for connectors, top caps, kick plates and clips.
- Less time required to install, or to disassemble, move and re-install.
- Open bottom panels can reduce cost and improve circulation within the office.

Fewer Parts:

- Only 1 universal cantilever and 3 brackets are needed to build most workstations.
- Easy to attach and remove components from panels.

Simplified Specifications:

- Fewer parts and components make specifying, ordering, and verifying less work.
- Product fits a 6" planning module.

Communications Channel:


- Base communication channel reduces time to install and change cables.
- Warranty:
- Limited Lifetime Warranty on materials and workmanship.

DIET PANELS - GUIDELINES FOR ORDERING PRODUCT

Codes

The product guide uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

Example of Panel: **DPFRF6636 CHR**




How to Specify

Specify Diet Panel type and size by code.
Specify panel frame finish - ie. CHR (Charcoal).
Specify all six panel fabric options if necessary.

AN50	Inside Lower Fabric
AN50	Inside Middle Fabric
AN50	Inside Upper Fabric
BE21	Outside Lower Fabric
BE21	Outside Middle Fabric
BE21	Outside Upper Fabric


DPFF • Fabric Bottom and Fabric Top Panel



- Fabric above and below the middle rail provides visual privacy.
- Full panel with top, middle and bottom rail.
- OPT* = Laminate or Whiteboard.
- DPFF Panels do not match standard Boulevard heights of 42" and 54".
- DPFF Panels of 50" and 66" height will match standard Boulevard panel heights.

PRODUCT CODE	PRICE		GROUP OPT*	SIZE/INCHES			WEIGHT VOL	
	1	2		H	W	D	LBS	FT ³
DPFF4224	362	404	447	42	24	1.3	16	1.32
DPFF4230	382	423	469	42	30	1.3	19	1.62
DPFF4236	405	480	561	42	36	1.3	23	1.94
DPFF4242	426	504	587	42	42	1.3	27	2.24
DPFF4248	447	523	603	42	48	1.3	31	2.55
DPFF4254	471	546	626	42	54	1.3	35	2.85
DPFF4260	490	566	646	42	60	1.3	39	3.16
DPFF5024	452	495	540	50	24	1.3	16	1.62
DPFF5030	476	518	562	50	30	1.3	21	2.08
DPFF5036	498	600	707	50	36	1.3	25	2.47
DPFF5042	524	651	757	50	42	1.3	30	2.85
DPFF5048	550	800	757	50	48	1.3	35	3.25
DPFF5054	574	676	783	50	54	1.3	40	3.63
DPFF5060	599	701	808	50	60	1.3	45	4.02
DPFF5424	452	495	540	54	24	1.3	18	1.62
DPFF5430	476	518	562	54	30	1.3	23	2.08
DPFF5436	498	600	707	54	36	1.3	27	2.47
DPFF5442	524	626	734	54	42	1.3	32	2.85
DPFF5448	550	654	761	54	48	1.3	37	3.25
DPFF5454	574	676	783	54	54	1.3	42	3.63
DPFF5460	599	701	808	54	60	1.3	47	4.02
DPFF6624	492	561	632	66	24	1.3	23	2.04
DPFF6630	520	588	659	66	30	1.3	29	2.52
DPFF6636	549	648	756	66	36	1.3	35	3.00
DPFF6642	576	678	784	66	42	1.3	41	3.46
DPFF6648	601	703	811	66	48	1.3	47	3.93
DPFF6654	628	732	838	66	54	1.3	53	4.40
DPFF6660	657	757	868	66	60	1.3	59	4.90


BDPFF • Fabric Bottom and Fabric Top Panel to Match Boulevard Panels



- Fabric above and below the middle rail provides visual privacy.
- Full panel with top, middle and bottom rail.
- OPT* = Laminate or Whiteboard
- Panels will match corresponding Boulevard Panel heights.

PRODUCT CODE	PRICE		GROUP OPT*	SIZE/INCHES			WEIGHT VOL	
	1	2		H	W	D	LBS	FT ³
BDPFF4224	362	404	448	42	24	1.3	16	1.32
BDPFF4230	382	423	469	42	30	1.3	19	1.62
BDPFF4236	405	480	561	42	36	1.3	23	1.94
BDPFF4242	426	502	582	42	42	1.3	27	2.24
BDPFF4248	447	523	603	42	48	1.3	31	2.55
BDPFF4254	471	547	627	42	54	1.3	35	2.85
BDPFF4260	490	566	646	42	60	1.3	39	3.16
BDPFF5424	452	493	539	54	24	1.3	18	1.62
BDPFF5430	476	518	563	54	30	1.3	23	2.08
BDPFF5436	498	600	707	54	36	1.3	27	2.47
BDPFF5442	524	626	733	54	42	1.3	32	2.85
BDPFF5448	550	651	757	54	48	1.3	37	3.25
BDPFF5454	574	676	783	54	54	1.3	42	3.63
BDPFF5460	599	701	808	54	60	1.3	47	4.02


DPOF • Open Bottom and Fabric Top Panel



- Fabric above the middle rail provides visual privacy.
- Panel with top and middle rail only.
- Open bottom reduces cost and improves air circulation within the office.
- OPT* = Laminate or Whiteboard.
- DPOF Panels do not match standard Boulevard heights of 42" and 54".
- DPOF Panels of 50" and 66" height will match standard Boulevard panel heights.

PRODUCT CODE	PRICE		GROUP	OPT*	SIZE/INCHES			WEIGHT VOL	
	1	2			H	W	D	LBS	FT ³
DPOF4224	238	252	266	42	24	1.3	9	1.32	
DPOF4230	253	264	280	42	30	1.3	12	1.62	
DPOF4236	291	318	342	42	36	1.3	15	1.94	
DPOF4242	308	333	361	42	42	1.3	17	2.24	
DPOF4248	322	345	373	42	48	1.3	19	2.55	
DPOF4254	336	362	387	42	54	1.3	22	2.85	
DPOF4260	350	374	403	42	60	1.3	24	3.16	
DPOF5024	299	323	350	50	24	1.3	10	1.62	
DPOF5030	318	341	368	50	30	1.3	13	2.08	
DPOF5036	378	428	481	50	36	1.3	16	2.47	
DPOF5042	398	449	503	50	42	1.3	19	2.85	
DPOF5048	417	468	520	50	48	1.3	21	3.25	
DPOF5054	435	486	539	50	54	1.3	25	3.63	
DPOF5060	452	503	556	50	60	1.3	28	4.02	
DPOF5424	299	323	350	54	24	1.3	12	1.62	
DPOF5430	318	341	368	54	30	1.3	15	2.08	
DPOF5436	378	428	481	54	36	1.3	18	2.47	
DPOF5442	398	449	503	54	42	1.3	21	2.85	
DPOF5448	417	468	520	54	48	1.3	24	3.25	
DPOF5454	435	486	539	54	54	1.3	27	3.63	
DPOF5460	452	503	556	54	60	1.3	30	4.02	
DPOF6624	365	416	469	66	24	1.3	17	2.04	
DPOF6630	385	438	492	66	30	1.3	21	2.52	
DPOF6636	457	506	558	66	36	1.3	25	3.00	
DPOF6642	497	549	601	66	42	1.3	29	3.46	
DPOF6648	522	572	626	66	48	1.3	33	3.93	
DPOF6654	545	595	647	66	54	1.3	37	4.40	
DPOF6660	566	619	670	66	60	1.3	41	4.90	


BDPOF • Open Bottom and Fabric Top Panel to Match Boulevard Panels



- Fabric above the middle rail provides visual privacy.
- Panel with top and middle rail only.
- Open bottom reduces cost and improves air circulation within the office.
- OPT* = Laminate or Whiteboard
- Panels will match corresponding Boulevard Panel heights.

PRODUCT CODE	PRICE		GROUP	OPT*	SIZE/INCHES			WEIGHT VOL	
	1	2			H	W	D	LBS	FT ³
BDPOF4224	238	252	265	42	24	1.3	9	1.32	
BDPOF4230	253	264	279	42	30	1.3	12	1.62	
BDPOF4236	291	317	342	42	36	1.3	15	1.94	
BDPOF4242	308	334	361	42	42	1.3	17	2.24	
BDPOF4248	322	347	374	42	48	1.3	19	2.55	
BDPOF4254	336	362	388	42	54	1.3	22	2.85	
BDPOF4260	350	376	403	42	60	1.3	24	3.16	
BDPOF5424	299	324	351	54	24	1.3	12	1.62	
BDPOF5430	318	342	371	54	30	1.3	15	2.08	
BDPOF5436	378	428	481	54	36	1.3	18	2.47	
BDPOF5442	398	449	503	54	42	1.3	21	2.85	
BDPOF5448	417	468	520	54	48	1.3	24	3.25	
BDPOF5454	435	486	539	54	54	1.3	27	3.63	
BDPOF5460	452	503	556	54	60	1.3	30	4.02	


DPFRF • Fabric Bottom, Middle and Top Panel



- Fabric above, below and between the middle rails provides visual privacy.
- Full panel with additional rail at 42" high.
- Upper middle rail accepts Teknion Accessories, Monitor Arm Support and Off-Module Shelves.
- OPT* = Laminate or Whiteboard

PRODUCT CODE	PRICE		GROUP	SIZE / INCHES			WEIGHT VOL	
	1	2		OPT*	H	W	D	LBS
DPFRF5024	475	517	562	50	24	1.3	16	1.62
DPFRF5030	498	529	558	50	30	1.3	21	2.08
DPFRF5036	525	577	631	50	36	1.3	25	2.47
DPFRF5042	552	617	679	50	42	1.3	30	2.85
DPFRF5048	579	655	740	50	48	1.3	35	3.25
DPFRF5054	601	682	757	50	54	1.3	40	3.63
DPFRF5060	628	717	811	50	60	1.3	45	4.02
DPFRF5424	475	517	561	54	24	1.3	18	1.62
DPFRF5430	498	529	558	54	30	1.3	23	2.08
DPFRF5436	525	577	631	54	36	1.3	27	2.47
DPFRF5442	552	612	679	54	42	1.3	32	2.85
DPFRF5448	581	652	735	54	48	1.3	37	3.25
DPFRF5454	601	679	757	54	54	1.3	42	3.63
DPFRF5460	628	705	786	54	60	1.3	47	4.02
DPFRF6624	518	563	610	66	24	1.3	23	2.04
DPFRF6630	547	593	641	66	30	1.3	29	2.52
DPFRF6636	576	651	732	66	36	1.3	35	3.00
DPFRF6642	604	690	783	66	42	1.3	41	3.46
DPFRF6648	635	719	811	66	48	1.3	47	3.93
DPFRF6654	660	751	849	66	54	1.3	53	4.40
DPFRF6660	689	814	950	66	60	1.3	59	4.90


DPORF • Open Bottom, Fabric Middle and Top Panel



- Fabric above the middle rail provides visual privacy.
- Open bottom panel with additional rail at 42" high.
- Upper middle rail accepts Teknion Accessories, Monitor Arm Support and Off-Module Shelves.
- Open bottom reduces cost and improves air circulation within the office.
- OPT* = Laminate or Whiteboard

PRODUCT CODE	PRICE		GROUP	SIZE / INCHES			WEIGHT VOL	
	1	2		OPT*	H	W	D	LBS
DPORF5024	312	339	372	50	24	1.3	10	1.62
DPORF5030	333	362	392	50	30	1.3	13	2.08
DPORF5036	398	426	459	50	36	1.3	16	2.47
DPORF5042	417	454	502	50	42	1.3	19	2.85
DPORF5048	437	475	523	50	48	1.3	21	3.25
DPORF5054	458	498	540	50	54	1.3	25	3.63
DPORF5060	475	518	566	50	60	1.3	28	4.02
DPORF5424	312	341	373	54	24	1.3	12	1.62
DPORF5430	333	357	392	54	30	1.3	15	2.08
DPORF5436	398	430	462	54	36	1.3	18	2.47
DPORF5442	417	458	498	54	42	1.3	21	2.85
DPORF5448	437	477	520	54	48	1.3	24	3.25
DPORF5454	458	501	550	54	54	1.3	27	3.63
DPORF5460	475	519	567	54	60	1.3	30	4.02
DPORF6624	382	422	466	66	24	1.3	17	2.04
DPORF6630	406	446	489	66	30	1.3	21	2.52
DPORF6636	477	544	612	66	36	1.3	25	3.00
DPORF6642	524	595	670	66	42	1.3	29	3.46
DPORF6648	549	616	684	66	48	1.3	33	3.93
DPORF6654	572	642	718	66	54	1.3	37	4.40
DPORF6660	597	662	733	66	60	1.3	41	4.90


DPFFG • Fabric Bottom, Fabric Middle and Glazed Top Panel



- Fabric below and between the middle rails provides visual privacy.
- Fabric bottom panel with additional rail at 28" high.
- Upper middle rail accepts Teknion Accessories, Monitor Arm Support and Off-Module Shelves.
- Extruded aluminum frame surrounds acrylic glazing at top.
- PVC Extrusion is only Charcoal.
- OPT* = Laminate or Whiteboard

PRODUCT CODE	PRICE		GROUP	OPT*	SIZE/INCHES			WEIGHT VOL	
	1	2			H	W	D	LBS	FT ³
DPFFG5024	479	509	539	50	24	1.3	12	1.62	
DPFFG5030	524	554	583	50	30	1.3	15	2.08	
DPFFG5036	571	628	698	50	36	1.3	18	2.47	
DPFFG5042	619	678	746	50	42	1.3	21	2.85	
DPFFG5048	662	722	790	50	48	1.3	24	3.25	
DPFFG5054	709	768	838	50	54	1.3	27	3.63	
DPFFG5060	768	829	897	50	60	1.3	30	4.02	
DPFFG5424	479	509	539	54	24	1.3	17	1.62	
DPFFG5430	524	555	587	54	30	1.3	21	2.08	
DPFFG5436	571	635	702	54	36	1.3	25	2.47	
DPFFG5442	619	680	748	54	42	1.3	29	2.85	
DPFFG5448	662	724	792	54	48	1.3	33	3.25	
DPFFG5454	709	775	842	54	54	1.3	37	3.63	
DPFFG5460	768	831	900	54	60	1.3	41	4.02	
DPFFG6624	567	620	671	66	24	1.3	20	2.04	
DPFFG6630	632	682	736	66	30	1.3	25	2.52	
DPFFG6636	693	757	829	66	36	1.3	30	3.00	
DPFFG6642	754	820	892	66	42	1.3	35	3.46	
DPFFG6648	819	885	955	66	48	1.3	40	3.93	
DPFFG6654	879	944	1014	66	54	1.3	45	4.40	
DPFFG6660	959	1035	1115	66	60	1.3	50	4.90	


DPOFG • Open Bottom, Fabric Middle and Glazed Top Panel



- Fabric between the middle rails.
- Open bottom panel with additional rail at 42" high.
- Upper middle rail accepts Teknion Accessories, Monitor Arm Support and Off-Module Shelves.
- Extruded aluminum frame surrounds acrylic glazing at top.
- PVC Extrusion is only Charcoal.
- OPT* = Laminate or Whiteboard

PRODUCT CODE	PRICE		GROUP	OPT*	SIZE/INCHES			WEIGHT VOL	
	1	2			H	W	D	LBS	FT ³
DPOFG5024	377	387	401	50	24	1.3	14	1.62	
DPOFG5030	411	425	437	50	30	1.3	17	2.08	
DPOFG5036	446	458	470	50	36	1.3	20	2.47	
DPOFG5042	482	493	508	50	42	1.3	24	2.85	
DPOFG5048	518	529	541	50	48	1.3	27	3.25	
DPOFG5054	554	578	604	50	54	1.3	30	3.63	
DPOFG5060	597	621	647	50	60	1.3	34	4.02	
DPOFG5424	377	387	401	54	24	1.3	14	1.62	
DPOFG5430	411	425	437	54	30	1.3	17	2.08	
DPOFG5436	446	458	470	54	36	1.3	20	2.47	
DPOFG5442	482	493	508	54	42	1.3	24	2.85	
DPOFG5448	518	529	541	54	48	1.3	27	3.25	
DPOFG5454	554	578	604	54	54	1.3	30	3.63	
DPOFG5460	597	621	647	54	60	1.3	34	4.02	
DPOFG6624	473	482	497	66	24	1.3	17	2.04	
DPOFG6630	522	534	549	66	30	1.3	21	2.52	
DPOFG6636	576	600	627	66	36	1.3	25	3.00	
DPOFG6642	619	642	669	66	42	1.3	29	3.46	
DPOFG6648	665	692	718	66	48	1.3	33	3.93	
DPOFG6654	722	748	775	66	54	1.3	37	4.40	
DPOFG6660	782	806	832	66	60	1.3	41	4.90	


DPFG • Fabric Bottom and Glazed Top Panel



- Fabric between the middle rails.
- Open bottom panel with additional rail at 42" high.
- Upper middle rail accepts Teknion Accessories, Monitor Arm Support and Off-Module Shelves.
- Open bottom reduces cost and improves air circulation within the office.
- Extruded aluminum frame surrounds acrylic glazing at top.
- PVC Extrusion is only Charcoal.
- OPT* = Laminate or Whiteboard

PRODUCT CODE	PRICE			SIZE/INCHES			WEIGHT VOL	
	1	2	OPT*	H	W	D	LBS	FT ³
DPFG4224	627	643	659	42	24	1.3	11	1.32
DPFG4230	679	693	709	42	30	1.3	14	1.62
DPFG4236	723	739	754	42	36	1.3	16	1.94
DPFG4242	771	822	875	42	42	1.3	18	2.24
DPFG4248	817	869	922	42	48	1.3	21	2.55
DPFG4254	865	916	968	42	54	1.3	23	2.85
DPFG4260	912	962	1015	42	60	1.3	26	3.16
DPFG5024	627	643	659	50	24	1.3	12	1.62
DPFG5030	679	693	709	50	30	1.3	15	2.08
DPFG5036	723	739	754	50	36	1.3	18	2.47
DPFG5042	771	822	875	50	42	1.3	21	2.85
DPFG5048	817	869	922	50	48	1.3	24	3.25
DPFG5054	865	916	968	50	54	1.3	27	3.63
DPFG5060	912	962	1015	50	60	1.3	29	4.02
DPFG5424	627	643	659	54	24	1.3	13	1.62
DPFG5430	679	693	709	54	30	1.3	16	2.08
DPFG5436	723	739	754	54	36	1.3	20	2.47
DPFG5442	771	822	875	54	42	1.3	23	2.85
DPFG5448	817	869	922	54	48	1.3	26	3.25
DPFG5454	865	916	968	54	54	1.3	29	3.63
DPFG5460	912	962	1015	54	60	1.3	32	4.02
DPFG6624	682	700	717	66	24	1.3	17	2.04
DPFG6630	734	749	767	66	30	1.3	21	2.52
DPFG6636	784	833	889	66	36	1.3	24	3.00
DPFG6642	832	884	939	66	42	1.3	28	3.46
DPFG6648	883	932	986	66	48	1.3	32	3.93
DPFG6654	935	983	1037	66	54	1.3	36	4.40
DPFG6660	988	1037	1091	66	60	1.3	40	4.90


DPFS • Fabric Bottom, Slat Top Panel



- Integrated 6" slat rail provides flexibility of use.
- Panel integrated slat rail accepts Teknion Accessories, Monitor Arm Support, Off-Module Shelves, Task Light Bracket and Power Bar.
- OPT* = Laminate or Whiteboard

PRODUCT CODE	PRICE			SIZE/INCHES			WEIGHT VOL	
	1	2	OPT*	H	W	D	LBS	FT ³
DPFS4224	371	393	419	42	24	1.3	19	1.32
DPFS4230	452	476	501	42	30	1.3	23	1.62
DPFS4236	504	566	636	42	36	1.3	28	1.94
DPFS4242	549	616	682	42	42	1.3	33	2.24
DPFS4248	594	657	724	42	48	1.3	37	2.55
DPFS4254	641	703	772	42	54	1.3	42	2.85
DPFS4260	685	748	816	42	60	1.3	47	3.16


DPFSF • Fabric Bottom, Slat Middle and Fabric Top Panel



- Integrated 6" slat rail between the middle rails provides flexibility of use. Fabric at the top provides visual privacy.
- Panel integrated slat rail accepts Teknion Accessories, Monitor Arm Support, Off-Module Shelves, Task Light Bracket and Power Bar.
- OPT* = Laminate or Whiteboard

PRODUCT CODE	PRICE			SIZE/INCHES			WEIGHT VOL	
	1	2	OPT*	H	W	D	LBS	FT ³
DPFSF5024	517	539	563	50	24	1.3	21	1.62
DPFSF5030	571	593	617	50	30	1.3	28	2.08
DPFSF5036	627	690	757	50	36	1.3	34	2.47
DPFSF5042	682	745	813	50	42	1.3	40	2.85
DPFSF5048	736	799	813	50	48	1.3	46	3.25
DPFSF5054	789	852	919	50	54	1.3	52	3.63
DPFSF5060	842	905	972	50	60	1.3	58	4.02
DPFSF5424	517	539	563	54	24	1.3	23	1.62
DPFSF5430	571	593	617	54	30	1.3	30	2.08
DPFSF5436	627	690	757	54	36	1.3	36	2.47
DPFSF5442	682	745	813	54	42	1.3	42	2.85
DPFSF5448	736	799	813	54	48	1.3	48	3.25
DPFSF5454	789	852	919	54	54	1.3	54	3.63
DPFSF5460	842	905	972	54	60	1.3	60	4.02
DPFSF6624	592	635	679	66	24	1.3	28	2.04
DPFSF6630	652	693	739	66	30	1.3	35	2.52
DPFSF6636	714	817	923	66	36	1.3	42	3.00
DPFSF6642	771	870	978	66	42	1.3	49	3.46
DPFSF6648	831	932	1038	66	48	1.3	56	3.93
DPFSF6654	889	989	1096	66	54	1.3	63	4.40
DPFSF6660	943	1045	1151	66	60	1.3	70	4.90


DPOSF • Open Bottom, Slat Middle Panel



- Integrated 6" slat rail between the middle rails provides flexibility of use.
- Panel integrated slat rail accepts Teknion Accessories, Monitor Arm Support, Off-Module Shelves, Task Light Bracket and Power Bar.
- OPT* = Laminate or Whiteboard

PRODUCT CODE	PRICE			SIZE/INCHES			WEIGHT VOL	
	1	2	OPT*	H	W	D	LBS	FT ³
DPOSF4224	334	340	345	42	24	1.3	12	1.32
DPOSF4230	372	378	383	42	30	1.3	17	1.62
DPOSF4236	410	422	437	42	36	1.3	24	1.94
DPOSF4242	447	460	475	42	42	1.3	28	2.24
DPOSF4248	489	501	517	42	48	1.3	36	2.55
DPOSF4254	525	540	554	42	54	1.3	40	2.85
DPOSF4260	563	576	590	42	60	1.3	44	3.16

DPOSF • Open Bottom, Slat Middle and Fabric Top Panel



- Integrated 6" slat rail between the middle rails provides flexibility of use. Fabric above middle rail provides privacy.
- Panel integrated slat rail accepts Teknion Accessories, Monitor Arm Support, Off-Module Shelves, Task Light Bracket and Power Bar.
- Open bottom reduces cost and improves air circulation within the office.
- OPT* = Laminate or Whiteboard

PRODUCT CODE	PRICE			SIZE/INCHES			WEIGHT VOL	
	1	2	OPT*	H	W	D	LBS	FT ³
DPOSF5024	441	459	479	50	24	1.3	13	1.62
DPOSF5030	490	512	529	50	30	1.3	14	2.08
DPOSF5036	536	574	610	50	36	1.3	21	2.47
DPOSF5042	583	621	658	50	42	1.3	25	2.85
DPOSF5048	628	665	703	50	48	1.3	29	3.25
DPOSF5054	679	714	752	50	54	1.3	31	3.63
DPOSF5060	723	759	797	50	60	1.3	35	4.02
DPOSF5424	441	459	479	54	24	1.3	15	1.62
DPOSF5430	490	512	529	54	30	1.3	19	2.08
DPOSF5436	536	574	610	54	36	1.3	23	2.47
DPOSF5442	583	621	658	54	42	1.3	27	2.85
DPOSF5448	628	665	703	54	48	1.3	31	3.25
DPOSF5454	679	714	752	54	54	1.3	34	3.63
DPOSF5460	723	759	797	54	60	1.3	38	4.02
DPOSF6624	520	552	587	66	24	1.3	18	2.04
DPOSF6630	572	603	638	66	30	1.3	23	2.52
DPOSF6636	622	684	751	66	36	1.3	28	3.00
DPOSF6642	671	735	804	66	42	1.3	33	3.46
DPOSF6648	724	802	884	66	48	1.3	38	3.93
DPOSF6654	775	851	929	66	54	1.3	43	4.40
DPOSF6660	824	900	979	66	60	1.3	47	4.90

DPOSG • Open Bottom, Slat Middle and Glazed Top Panel



- Integrated 6" slat rail between the middle rails provides flexibility of use.
- Panel integrated slat rail accepts Teknion Accessories, Monitor Arm Support, Off-Module Shelves, Task Light Bracket and Power Bar.
- Open bottom reduces cost and improves air circulation within the office.
- Extruded aluminum frame surrounds acrylic glazing at top.
- PVC Extrusion is only Charcoal.
- OPT* = Laminate or Whiteboard

PRODUCT CODE	PRICE			SIZE/INCHES			WEIGHT VOL	
	1	2	OPT*	H	W	D	LBS	FT ³
DPOSG5024	659	664	670	50	24	1.3	12	1.62
DPOSG5030	709	714	722	50	30	1.3	15	2.08
DPOSG5036	757	770	786	50	36	1.3	18	2.47
DPOSG5042	810	820	835	50	42	1.3	22	2.85
DPOSG5048	859	870	884	50	48	1.3	25	3.25
DPOSG5054	907	917	932	50	54	1.3	28	3.63
DPOSG5060	959	968	982	50	60	1.3	32	4.02
DPOSG5424	659	664	670	54	24	1.3	14	1.62
DPOSG5430	709	714	722	54	30	1.3	17	2.08
DPOSG5436	757	770	786	54	36	1.3	20	2.47
DPOSG5442	810	820	835	54	42	1.3	24	2.85
DPOSG5448	859	870	884	54	48	1.3	27	3.25
DPOSG5454	907	917	932	54	54	1.3	30	3.63
DPOSG5460	959	968	982	54	60	1.3	34	4.02
DPOSG6624	717	723	729	66	24	1.3	17	2.04
DPOSG6630	768	776	782	66	30	1.3	21	2.52
DPOSG6636	822	833	851	66	36	1.3	25	3.00
DPOSG6642	871	884	898	66	42	1.3	29	3.46
DPOSG6648	928	940	955	66	48	1.3	33	3.93
DPOSG6654	978	992	1005	66	54	1.3	37	4.40
DPOSG6660	1036	1049	1064	66	60	1.3	41	4.90


DPFSG • Fabric Bottom, Slat Middle and Glazed Top Panel



- Integrated 6" slat rail provides flexibility of use.
- Panel integrated slat rail accepts Teknion Accessories, Monitor Arm Support, Off-Module Shelves, Task Light Bracket and Power Bar.
- Extruded aluminum frame surrounds acrylic glazing at top.
- PVC Extrusion is only Charcoal.
- OPT* = Laminate or Whiteboard

PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE/INCHES			WEIGHT VOL	
				H	W	D	LBS	FT ³
DPFSG5024	723	744	765	50	24	1.3	15	1.62
DPFSG5030	781	800	829	50	30	1.3	19	2.08
DPFSG5036	832	895	960	50	36	1.3	23	2.47
DPFSG5042	889	949	1016	50	42	1.3	27	2.85
DPFSG5048	940	999	1068	50	48	1.3	31	3.25
DPFSG5054	995	1053	1123	50	54	1.3	35	3.63
DPFSG5060	1049	1108	1177	50	60	1.3	39	4.02
DPFSG5424	723	744	765	54	24	1.3	17	1.62
DPFSG5430	781	800	829	54	30	1.3	21	2.08
DPFSG5436	832	895	960	54	36	1.3	25	2.47
DPFSG5442	889	949	1016	54	42	1.3	29	2.85
DPFSG5448	940	999	1068	54	48	1.3	33	3.25
DPFSG5454	995	1053	1123	54	54	1.3	37	3.63
DPFSG5460	1049	1108	1177	54	60	1.3	41	4.02
DPFSG6624	786	808	832	66	24	1.3	20	2.04
DPFSG6630	842	863	891	66	30	1.3	25	2.52
DPFSG6636	900	962	1030	66	36	1.3	30	3.00
DPFSG6642	959	1021	1090	66	42	1.3	35	3.46
DPFSG6648	1015	1080	1149	66	48	1.3	40	3.93
DPFSG6654	1072	1135	1203	66	54	1.3	45	4.40
DPFSG6660	1133	1194	1264	66	60	1.3	50	4.90


DPOPF • Diet Over Panel



- Over Panels attach to regular Diet Panels to provide additional visual privacy.
- Over Panel is secured to regular Diet Panels with 4 brackets and set screws.
- Accessory loading capabilities only.
- Not for use with overhead storage.
- OPT* = Laminate or Whiteboard

PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE/INCHES			WEIGHT VOL	
				H	W	D	LBS	FT ³
DPOPF1224	196	207	221	12	24	1.3	5	0.30
DPOPF1230	221	233	249	12	30	1.3	7	0.60
DPOPF1236	252	276	303	12	36	1.3	8	0.75
DPOPF1242	275	302	331	12	42	1.3	9	0.88
DPOPF1248	303	329	356	12	48	1.3	11	1.00
DPOPF1254	333	360	384	12	54	1.3	12	1.13
DPOPF1260	352	378	405	12	60	1.3	13	1.25
DPOPF2424	272	299	326	24	24	1.3	10	1.00
DPOPF2430	295	319	345	24	30	1.3	14	1.25
DPOPF2436	314	352	393	24	36	1.3	16	1.45
DPOPF2442	336	374	416	24	42	1.3	18	1.75
DPOPF2448	357	394	436	24	48	1.3	22	2.00
DPOPF2454	378	416	458	24	54	1.3	24	2.25
DPOPF2460	403	438	480	24	60	1.3	26	2.50


DTMPP • Table-Mounted Diet Panels



- Creates privacy and flexibility at the end of worksurfaces.
- Side Panels for sides of worksurfaces available 24", and 36" widths (nominal width).
- Back Panels for sides of tables available 48", 54" and 60" widths.
- Attaches with similar clamp to other clamp on accessories.
- Non tackable, non load-bearing, no hang on capabilities and not for use with transaction tops.
- Not for use with Licence product due to interference of gables and flush modesties.
- OPT* = Laminate or Whiteboard

PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE/INCHES			WEIGHT VOL	
				H	W	D	LBS	FT ³
SIDE PANELS								
DTMPP24	214	226	242	16.5	21	1.3	7	0.75
DTMPP30	230	244	258	16.5	27	1.3	8	0.94
DTMPP36	249	272	301	16.5	33	1.3	10	1.13
BACK PANELS								
DTMPP48	275	301	328	16.5	48	1.3	15	1.53
DTMPP54	301	326	352	16.5	54	1.3	17	1.72
DTMPP60	324	350	377	16.5	60	1.3	18	1.91


DPCBM • Panel Cable Manager



- Provides wire management for the Diet Panels.
- Extruded, dual durometer "U" channel organizes cables below panels.
- Snaps into bottom rail and into mid rail on open bottom panels.
- One data partial knock-out (2.67" wide x 1.36" high) provided on either side of the Raceway Cover accommodates terminal plates from various vendors.
- Panel Cable Manager comes in charcoal only.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DPCBM24	11	4	18	1.3	1.3	0.07
DPCBM30	14	4	24	1.3	1.4	0.08
DPCBM36	25	4	30	1.3	1.5	0.10
DPCBM42	28	4	36	1.3	1.6	0.13
DPCBM48	31	4	42	1.3	1.7	0.15
DPCBM54	33	4	48	1.3	1.8	0.16
DPCBM60	36	4	54	1.3	1.9	0.19


DPOFM • Off-Module Panel Connector



- Connects two perpendicular Diet Panels Off-Module.
- Top and bottom brackets bolt to Diet Panel verticals and engage to top and bottom rails of adjacent, perpendicular panel of even or lower height.
- Connectors can also be used to connect a panel in the middle of perpendicular DPFRF, DPORF, DPFFG, DPFSG and DPFSF at their 42" height secondary middle rail.
- Top and bottom brackets fit in place of standard hinge connectors.
- All fasteners included.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DPOFM	42	4	3	2	1	0.08


DPPWA • Wall Adapter



- Connects Diet Panels to walls.
- Bolts to Diet Panel vertical in place of the standard hinge connectors.
- Keyhole openings in Diet adapter slide over fasteners pre-installed to the wall.
- All fasteners included, however, the mounting hardware to affix adapter to wall not included, they will be based on type of wall material.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DPPWA	42	40	2.5		1	0.08


DPCSTR • Casters



- Changes a freestanding Diet Panel to mobile.
- Must be used on two panels or more.
- Order 1 caster more than the number of panels. (Using only 1 caster where panels connect.) For example, 3 panels, 4 casters or 2 panels, 3 casters.
- Casters raise Diet Panels by a height of 1.1".

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DPCSTR	9	1.5	1.5	1.5	.25	1.02


DPLTSBKIT • Telescopic Sliding Kit



- Diet Telescopic Sliding Kit flexibly connects two standard parallel Diet panels and forms a length-adjustable partition.
- Kit consists of two top and two bottom sliding box assemblies and all the necessary connecting hardware.
- Made of black injection molded resin.
- The panels must be of the same height and equipped with top and bottom standard Diet extrusions.
- The kit can be installed as right or left on site, determining the direction of nesting/sliding.
- The kit offsets the parallel panel and the resulting gap is 12.5mm (½")
- Up to three standard Diet panels can be connected to form the length-adjustable partition.
- The kit is not intended to be used in place of a sliding door.
- The kit cannot be used with Diet overpanels or Diet Linking Panels.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DPLTSBKIT	106	0.75	3	0.5	0.04	0.15


DBSCB • Diet to Boulevard Slot Connector



- Connects a Diet Panel to a Boulevard Panel via slots eliminating the need for the Boulevard Post and reducing the overall length and cost of a panel run.
- Connector can be installed in left or right configuration.
- Comes as a pair (Upper and lower brackets).
- Worksurfaces should be ordered based on application keeping in mind that this connector will align to the left or right of the end of the Boulevard Panel.
- Application drawings and layout must be provided for specials.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DBSCB02	49	3	0.5	00.0	1	0.05

DAPPF • Diet Gap Filler



- Closes the gap between panels.
- Must be used on two or more panels.
- Order 1 DAPPF36 for a 42" high panel, 1 DAPPF36 and 1 DAPPF12 for a 54" high panel, or 1 DAPPF36 and 2 DAPPF12 for 66" high panel.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DAPPF12	7	11.5	00.0	00.0	000	000
DAPPF36	17	36.33	00.0	00.0	000	000


DHFFA • Single Flat Foot



- Used to create a freestanding panel
- Foot is flat to the floor with no adjustable glides
- No load capabilities on freestanding panel
- Only for use with Fabric Bottom panels
- Can be used to retrofit existing Diet panels on site
- Not for use with Diet Linking Panels
- Specify standard panel frame paint finishes

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DHFFA	133	6	20	2	3.48	0.15

DHFFA02 • Flat Foot Kit



- Used to create a freestanding panel
- Feet are flat to the floor with no adjustable glides
- No load capabilities on freestanding panel
- Cannot be used with open bottom panels or Linking Panels.
- Can be used to retrofit existing Diet panels on site
- Not for use with Diet Linking Panels
- Specify standard panel frame paint finishes

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DHFFA02	265	6	20	2	7	0.3


DHCFAN • Single Caster Foot



- Used to create a mobile panel
- Casters are locking
- No load capabilities on mobile panel
- Only for use with Fabric Bottom panels
- Can be used to retrofit existing Diet panels on site
- Not for use with Diet Linking Panels
- Specify standard panel frame paint finishes

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DHCFAN	176	6	20	2	3.87	0.15


DHCFAN02 • Caster Foot Kit



- Used to create a mobile panel
- Casters are locking
- No load capabilities on mobile panel
- Only for use with Fabric Bottom panels
- Can be used to retrofit existing Diet panels on site
- Not for use with Diet Linking Panels
- Specify standard panel frame paint finishes

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DHCFAN02	350	6	20	2	7.7	0.3

DHCFAL01 • Diet Caster Assembly Kit



- To be used on one side to create a mobile panel with DHCFAN on the other side.
- Caster is locking.
- No load capabilities on mobile panel
- Only for use with Fabric Bottom panels.
- Can be used to retrofit existing Diet panels on site.
- Not for use with Diet Linking Panels.
- Specify standard panel frame paint finishes.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DHCFAL01	72	6	1	4.8	1	0.02

DB-P-X • Diet to Boulevard Slim Connector in “X” Configuration



- Creates a perpendicular connection between Diet Panel and Boulevard Panel that eliminates the need for special sized worksurfaces.
- Note: For use with new BDPFFxxxx & BDPOFxxxx panels.

Diet to Boulevard 1 “X” Configuration

PRODUCT CODE	PRICE	B1 HEIGHT	DIET PANEL HEIGHT	SIZE/INCHES			WEIGHT VOL	
				H	W	D	LBS	FT ³
BDB1P4242X	123	42"	42"	42	1.3	2.6	4	0.207
BDB1P4250X	139	50"	42"	50	1.3	2.6	5	0.245
BDB1P4254X	153	54"	42"	54	1.3	2.6	5	0.264
BDB1P4258X	153	58"	42"	58	1.3	2.6	6	0.283
BDB1P4266X	166	66"	42"	66	1.3	2.6	7	0.322
BDB1P4274X	179	74"	42"	74	1.3	2.6	8	0.360
BDB1P4282X	196	82"	42"	82	1.3	2.6	9	0.399
BDB1P5050X	139	50"	50"	50	1.3	2.6	5	0.245
BDB1P5054X	153	54"	50"	54	1.3	2.6	5	0.264
BDB1P5058X	153	58"	50"	58	1.3	2.6	6	0.283
BDB1P5066X	166	66"	50"	66	1.3	2.6	7	0.322
BDB1P5074X	179	74"	50"	74	1.3	2.6	8	0.360
BDB1P5082X	196	82"	50"	82	1.3	2.6	9	0.399
BDB1P5454X	153	54"	54"	54	1.3	2.6	5	0.264
BDB1P5458X	153	58"	54"	58	1.3	2.6	6	0.283
BDB1P5466X	166	66"	54"	66	1.3	2.6	7	0.322
BDB1P5474X	179	74"	54"	74	1.3	2.6	8	0.360
BDB1P5482X	196	82"	54"	82	1.3	2.6	9	0.399
BDB1P6666X	166	66"	66"	66	1.3	2.6	7	0.322
BDB1P6674X	179	74"	66"	74	1.3	2.6	8	0.360
BDB1P6682X	196	82"	66"	82	1.3	2.6	9	0.399

Diet to System 3 “X” Configuration

PRODUCT CODE	PRICE	SYSTEM 3 HEIGHT	DIET PANEL HEIGHT	SIZE/INCHES			WEIGHT VOL	
				H	W	D	LBS	FT ³
BDB3P4242X	123	42"	42"	42	1.3	2.6	4	0.207
BDB3P4250X	139	50"	42"	50	1.3	2.6	5	0.245
BDB3P4254X	153	54"	42"	54	1.3	2.6	6	0.260
BDB3P4266X	166	66"	42"	66	1.3	2.6	7	0.322
BDB3P5050X	166	50"	50"	50	1.3	2.6	5	0.245
BDB3P5054X	153	54"	50"	54	1.3	2.6	6	0.260
BDB3P5066X	166	66"	50"	66	1.3	2.6	7	0.322
BDB3P5454X	153	54"	54"	54	1.3	2.6	6	0.260
BDB3P5466X	166	66"	54"	66	1.3	2.6	7	0.322
BDB3P6666X	166	66"	66"	66	1.3	2.6	7	0.322



* Please specify separate end trim (round or flat) to close end.

DBXP-T • Diet to Boulevard Slim Connector in “T” Configuration



- Creates a perpendicular connection between Diet Panel and Boulevard Panel that eliminates the need for special sized worksurfaces.
- Note: For use with new BDPFFxxxx & BDPOFxxxx panels.

Diet to Boulevard 1 “T” Configuration

PRODUCT CODE	PRICE	B1 HEIGHT	DIET PANEL HEIGHT	SIZE/INCHES			WEIGHT VOL	
				H	W	D	LBS	FT ³
BDB1P4242T	123	42"	42"	42	1.3	2.6	4	0.207
BDB1P4250T	139	50"	42"	50	1.3	2.6	5	0.245
BDB1P4254T	141	54"	42"	54	1.3	2.6	5	0.264
BDB1P4258T	153	58"	42"	58	1.3	2.6	6	0.283
BDB1P4266T	166	66"	42"	66	1.6	2.6	7	0.322
BDB1P4274T	179	74"	42"	74	1.3	2.6	8	0.36
BDB1P4282T	196	82"	42"	82	1.3	2.6	9	0.399
BDB1P5050T	139	50"	50"	50	1.3	2.6	5	0.245
BDB1P5054T	153	54"	50"	54	1.3	2.6	5	0.264
BDB1P5058T	153	58"	50"	58	1.3	2.6	6	0.283
BDB1P5066T	153	66"	50"	66	1.3	2.6	7	0.322
BDB1P5074T	179	74"	50"	74	1.3	2.6	8	0.360
BDB1P5082T	196	82"	50"	82	1.3	2.6	9	0.399
BDB1P5454T	153	54"	54"	54	1.3	2.6	6	0.245
BDB1P5458T	153	58"	54"	58	1.3	2.6	6	0.283
BDB1P5466T	166	66"	54"	66	1.3	2.6	7	0.322
BDB1P5474T	179	74"	54"	74	1.3	2.6	8	0.360
BDB1P5482T	196	82"	54"	82	1.3	2.6	9	0.399
BDB1P6666T	166	66"	66"	66	1.3	2.6	7	0.322
BDB1P6674T	179	74"	66"	74	1.3	2.6	8	0.360
BDB1P6682T	196	82"	66"	82	1.3	2.6	9	0.399

Diet to System 3 “T” Configuration

PRODUCT CODE	PRICE	SYSTEM 3 HEIGHT	DIET PANEL HEIGHT	SIZE/INCHES			WEIGHT VOL	
				H	W	D	LBS	FT ³
BDB3P4242T	123	42"	42"	42	1.3	2.6	4	0.207
BDB3P4250T	139	50"	42"	50	1.3	2.6	5	0.245
BDB3P4254T	153	54"	42"	54	1.3	2.6	6	0.245
BDB3P4266T	166	66"	42"	66	1.3	2.6	7	0.322
BDB3P5050T	166	50"	50"	50	1.3	2.6	5	0.245
BDB3P5054T	141	54"	50"	54	1.3	2.6	6	0.245
BDB3P5066T	162	66"	50"	66	1.3	2.6	7	0.322
BDB3P5454T	149	54"	54"	54	1.3	2.6	6	0.245
BDB3P5466T	166	66"	54"	66	1.3	2.6	7	0.322
BDB3P6666T	166	66"	66"	66	1.3	2.6	7	0.322



* Please specify separate end trim (round or flat) to close end.

DB-P-X • Diet to Boulevard Slim Connector in "X" Configuration

- Creates a perpendicular connection between Diet Panel and Boulevard Panel that eliminates the need for special sized worksurfaces.
- Note: For use with regular DPxxxx panels.

Diet to Boulevard 1 "X" Configuration



PRODUCT CODE	PRICE	B1 HEIGHT	DIET PANEL HEIGHT	SIZE/INCHES			WEIGHT VOL	
				H	W	D	LBS	FT ³
DB1P4242X	123	42"	42"	42	1.3	2.6	4	0.207
DB1P4250X	139	50"	42"	50	1.3	2.6	5	0.245
DB1P4254X	153	54"	42"	54	1.3	2.6	6	0.266
DB1P4266X	166	66"	42"	66	1.3	2.6	7	0.322
DB1P4274X	179	74"	42"	74	1.3	2.6	8	0.360
DB1P4282X	196	82"	42"	82	1.3	2.6	9	0.399
DB1P5050X	139	50"	50"	50	1.3	2.6	5	0.245
DB1P5054X	153	54"	50"	54	1.3	2.6	6	0.266
DB1P5058X	166	58"	50"	58	1.3	2.6	6	0.283
DB1P5066X	179	66"	50"	66	1.3	2.6	7	0.322
DB1P5074X	196	74"	50"	74	1.3	2.6	8	0.360
DB1P5082X	153	82"	50"	82	1.3	2.6	9	0.399
DB1P5458X	153	58"	54"	58	1.3	2.6	6	0.283
DB1P5466X	166	66"	54"	66	1.3	2.6	7	0.322
DB1P5474X	179	74"	54"	74	1.3	2.6	8	0.360
DB1P5482X	196	82"	54"	82	1.3	2.6	9	0.399
DB1P6666X	166	66"	66"	66	1.3	2.6	7	0.322
DB1P6674X	179	74"	66"	74	1.3	2.6	8	0.360
DB1P6682X	196	82"	66"	82	1.3	2.6	9	0.399

Diet to System 3 "X" Configuration

PRODUCT CODE	PRICE	SYSTEM 3 HEIGHT	DIET PANEL HEIGHT	SIZE/INCHES			WEIGHT VOL	
				H	W	D	LBS	FT ³
DB3P4242X	123	42"	42"	42	1.3	2.6	4	0.207
DB3P4250X	139	50"	42"	50	1.3	2.6	5	0.245
DB3P4266X	166	66"	42"	66	1.3	2.6	7	0.322
DB3P5050X	139	50"	50"	50	1.3	2.6	5	0.245
DB3P5066X	139	66"	50"	66	1.3	2.6	7	0.322
DB3P5466X	166	66"	54"	66	1.3	2.6	7	0.322
DB3P5454X	166	54"	54"	54	1.3	2.6	6	0.266
DB3P6666X	166	66"	66"	66	1.3	2.6	7	0.322

Diet to Boulevard 1 Overpanels

PRODUCT CODE	PRICE	OVER PANEL HEIGHT	SIZE/INCHES			WEIGHT VOL	
			H	W	D	LBS	FT ³
DB1OPPC08X	50	8"	8	1.3	2.6	0.8	0.043
DB1OPPC16X	55	16"	16	1.3	2.6	1.6	0.082
DB1OPPC24X	59	24"	24	1.3	2.6	2.5	0.120
DB1OPPC37X	69	37"	37	1.3	2.6	3.5	0.183
DB1OPPC42X	75	42"	42	1.3	2.6	4.0	0.207



DBXP-T • Diet to Boulevard Slim Connector in “T” Configuration

- Creates a perpendicular connection between Diet Panel and Boulevard Panel that eliminates the need for special sized worksurfaces.
- Note: For use with regular DPxxxx panels.

Diet to Boulevard 1 “T” Configuration



PRODUCT CODE	PRICE	B1 HEIGHT	DIET PANEL HEIGHT	SIZE/INCHES			WEIGHT VOL	
				H	W	D	LBS	FT ³
DB1P4242T	123	42"	42"	42	1.3	2.6	4	0.207
DB1P4250T	139	50"	42"	50	1.3	2.6	5	0.245
DB1P4258T	153	58"	42"	58	1.3	2.6	6	0.283
DB1P4266T	166	66"	42"	66	1.6	2.6	7	0.322
DB1P4274T	179	74"	42"	74	1.3	2.6	8	0.360
DB1P4282T	196	82"	42"	82	1.3	2.6	9	0.399
DB1P5050T	139	50"	50"	50	1.3	2.6	5	0.245
DB1P5058T	166	58"	50"	58	1.3	2.6	6	0.283
DB1P5066T	166	66"	50"	66	1.3	2.6	7	0.322
DB1P5074T	179	74"	50"	74	1.3	2.6	8	0.360
DB1P5082T	196	82"	50"	82	1.3	2.6	9	0.399
DB1P5458T	153	58"	54"	58	1.3	2.6	6	0.283
DB1P5466T	166	66"	54"	66	1.3	2.6	7	0.322
DB1P5474T	179	74"	54"	74	1.3	2.6	8	0.360
DB1P5482T	196	82"	54"	82	1.3	2.6	9	0.399
DB1P6666T	166	66"	66"	66	1.3	2.6	7	0.322
DB1P6674T	179	74"	66"	74	1.3	2.6	8	0.360
DB1P6682T	196	82"	66"	82	1.3	2.6	9	0.399

Diet to System 3 “T” Configuration

PRODUCT CODE	PRICE	SYSTEM 3 HEIGHT	DIET PANEL HEIGHT	SIZE/INCHES			WEIGHT VOL	
				H	W	D	LBS	FT ³
DB3P4242T	123	42"	42"	42	1.3	2.6	4	0.207
DB3P4250T	139	50"	42"	50	1.3	2.6	5	0.245
DB3P4266T	166	66"	42"	66	1.3	2.6	7	0.322
DB3P5050T	167	50"	50"	50	1.3	2.6	5	0.245
DP3P5066T	162	66"	50"	66	1.3	2.6	7	0.322
DB3P5466T	166	66"	54"	66	1.3	2.6	7	0.322
DB3P6666T	166	66"	66"	66	1.3	2.6	7	0.322

Diet to System 3 Overpanels

PRODUCT CODE	PRICE	OVER PANEL HEIGHT	SIZE/INCHES			WEIGHT VOL	
			H	W	D	LBS	FT ³
DB30PPC16	55	16"	16	1.3	2.6	1.6	0.082
DB30PPC32	69	32"	32	1.3	2.6	3.2	0.159



* Please specify separate end trim (round or flat) to close end.


DEK • Jumper Harness



- Kit includes all components to add power to Diet Panels.
- Typical kit includes: 2 Duplex Receptacle Blocks (either circuit #1 or circuit #2), the Jumper Harness between the Duplex Receptacle Blocks, the Jumper Harness to the next panel, the pre-punched Raceway Cover, the aluminum Raceway Junction Cover, 2 PVC Duplex Receptacle Block Spacers and the hardware to attach the components.
- The length of the Jumper Harness between two Duplex Receptacle Blocks is based on the panel width.
- Jumper Harness going into the next panel and the aluminum Raceway Junction Covers are standard size.
- Raceway Cover and Raceway Junction Cover are Charcoal (CHR) only.
- Each kit is identified as circuit #1 (ie. DEK240"1") or circuit #2 (ie. DEK240"2").
- 24" wide panels have a single Duplex Receptacle Block only.
- 30" wide panels have 2 Duplex Receptacle Blocks, however they must be facing the same direction.
- 24" and 30" wide panels are not pre-punched for data.
- 36" to 60" wide panels are pre-punched for Duplex Receptacle Blocks on either side and for data just off-center on both sides.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DEK2401	266	4	18	1.3	4.90	0.07
DEK3001	389	4	24	1.3	5.25	0.08
DEK3601	408	4	30	1.3	5.70	0.10
DEK4201	422	4	36	1.3	6.00	0.13
DEK4801	441	4	42	1.3	6.40	0.15
DEK5401	463	4	48	1.3	7.10	0.16
DEK6001	481	4	54	1.3	7.60	0.19
DEK2402	266	4	18	1.3	4.90	0.07
DEK3002	389	4	24	1.3	5.25	0.08
DEK3602	408	4	30	1.3	5.70	0.10
DEK4202	422	4	36	1.3	6.00	0.13
DEK4802	441	4	42	1.3	6.40	0.15
DEK5402	463	4	48	1.3	7.10	0.16
DEK6002	481	4	54	1.3	7.60	0.19


DEJH • Diet Pass-Thru Kit



- Kit allows electrical to pass through a Diet Panel.
- Kit includes: female-female jumper harness, Raceway Cover and Raceway Junction Cover.
- Pass-Thru harness connects to a Duplex Receptacle Block within one powered panel; passes through a non-powered panel, and the opposite end connects to another Receptacle Block within the second powered panel.
- Raceway Cover and Raceway Junction Cover are Charcoal (CHR) only.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	L	D	LBS	FT ³
DEJH24	182	2	42	1	1.81	0.025
DEJH30	207	2	48	1	2.07	0.028
DEJH36	226	2	54	1	2.12	0.032
DEJH42	245	2	60	1	2.60	0.035
DEJH48	263	2	66	1	2.86	0.038
DEJH54	284	2	72	1	3.13	0.041
DEJH60	301	2	78	1	3.39	0.044

DEBF • Diet Base Feed



- Provides single power entry from floor into raceway.
- Single Ceiling Feed has a 6' whip, liquid tight.
- Raceway connection replaces one Duplex Receptacle Block in a standard kit.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	L	D	LBS	FT ³
DEBF01	228	2	72	2	5.6	0.06

DECF • Diet Ceiling Feed



- Provides single power entry from ceiling through a post into raceway.
- Raceway connection replaces one Duplex Receptacle Block in a standard kit.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	L	D	LBS	FT ³
DECF01	371	2	144	2	5.6	0.06


DEPE • Diet Post Extension



- Lightweight aluminum pole manages power and data cables between ceiling and floor level raceway.
- Aluminum extrusion with PVC extruded cover secures to the outside of the panel and passes through the worksurface scoop.
- Includes all hardware and bezel.
- Intended for use on Diet panels with fabric bottoms.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DEPE116	255	116	4.5	1	7	0.82


DERJC • Raceway Junction Cover



- Provides an external cover for cables passing between adjacent, in-line panels and off-module "X" panel configurations. Also, capable of bridging two in-line panels in a "T" configuration (outside).
- Aluminum, powder coated finish.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DERJC	25	4.3	10	1	0.5	0.1


DPL • Linking Panel - Levelers on Both Legs



- Diet Linking Panel provides privacy.
- Aluminum extrusion comes in powder coated paint finish, DWT - Designer White or TUN - Tungsten.
- Laminate core available in DWTLTP - Designer White or ACJLP - Absolute Acajou.
- Edge banded to match laminate finish.
- Standard height of 54", 66", width in 6" increments from 24" to 60".
- Comes complete with hinge kits and levelers on both legs.

PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DPL5424	534	54	24	1.3	18	1.62
DPL5430	593	54	30	1.3	23	2.08
DPL5436	652	54	36	1.3	27	2.47
DPL5442	711	54	42	1.3	32	2.85
DPL5448	770	54	48	1.3	37	3.25
DPL5454	829	54	54	1.3	42	3.63
DPL5460	887	54	60	1.3	47	4.02
DPL6624	606	66	24	1.3	23	2.04
DPL6630	670	66	30	1.3	29	2.52
DPL6636	736	66	36	1.3	35	3.00
DPL6642	802	66	42	1.3	41	3.46
DPL6648	865	66	48	1.3	47	3.93
DPL6654	930	66	54	1.3	53	4.40
DPL6660	994	66	60	1.3	59	4.90


DPLSCH • Diet Laminate Panel - Single Caster on One Leg, Leveler on the Other



- Diet Linking Panel provides privacy.
- Aluminum extrusion comes in powder coated paint finish, DWT - Designer White or TUN - Tungsten.
- Laminate core available in DWTLTP - Designer White or ACJLP - Absolute Acajou.
- Edge banded to match laminate finish.
- Standard height of 54", 66", width in 6" increments from 24" to 60".
- Comes complete with hinge kits, caster on one leg and leveler on the other.

PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DPLSCH5424	641	54	24	1.3	18	1.62
DPLSCH5430	703	54	30	1.3	23	2.08
DPLSCH5436	765	54	36	1.3	27	2.47
DPLSCH5442	825	54	42	1.3	32	2.85
DPLSCH5448	887	54	48	1.3	37	3.25
DPLSCH5454	949	54	54	1.3	42	3.63
DPLSCH5460	1011	54	60	1.3	47	4.02
DPLSCH6624	714	66	24	1.3	23	2.04
DPLSCH6630	781	66	30	1.3	29	2.52
DPLSCH6636	849	66	36	1.3	35	3
DPLSCH6642	917	66	42	1.3	41	3.46
DPLSCH6648	983	66	48	1.3	47	3.93
DPLSCH6654	1078	66	54	1.3	53	4.4
DPLSCH6660	1119	66	60	1.3	59	4.9


DPLDF • Diet Linking Panel - Flat Foot on Both Legs



- Diet Linking Panel provides privacy.
- Aluminum extrusion comes in powder coated paint finish, DWT - Designer White or TUN - Tungsten.
- Laminate core available in DWTLTP - Designer White or ACJLP - Absolute Acajou.
- Edge banded to match laminate finish.
- Standard height of 54", 66", width in 6" increments from 24" to 60".
- Comes complete with hinge kits and flat foot on both legs.

PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DPLDF5424	733	54	24	1.3	40.2	1.6
DPLDF5430	784	54	30	1.3	47.6	2.1
DPLDF5436	835	54	36	1.3	54.9	2.5
DPLDF5442	886	54	42	1.3	62.3	2.9
DPLDF5448	938	54	48	1.3	69.6	3.3
DPLDF5454	989	54	54	1.3	77.0	3.6
DPLDF5460	1041	54	60	1.3	84.3	4.0
DPLDF6624	794	66	24	1.3	48.6	2.0
DPLDF6630	849	66	30	1.3	57.9	2.5
DPLDF6636	906	66	36	1.3	67.3	3.0
DPLDF6642	961	66	42	1.3	76.6	3.5
DPLDF6648	1019	66	48	1.3	85.9	3.9
DPLDF6654	1074	66	54	1.3	95.2	4.4
DPLDF6660	1130	66	60	1.3	104.5	4.9


DPLMN • Diet Linking Panel - Double Caster Base on Both Legs



- Diet Linking Panel provides privacy.
- Aluminum extrusion comes in powder coated paint finish, DWT - Designer White or TUN - Tungsten.
- Laminate core available in DWTL P - Designer White or ACJLP - Absolute Acajou.
- Edge banded to match laminate finish.
- Standard height of 54", 66", width in 6" increments from 24" to 60".
- Comes complete with hinge kits, and double caster foot on both legs.

PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DPLMN5424	777	54	24	1.3	41.8	1.6
DPLMN5430	846	54	30	1.3	49.1	2.1
DPLMN5436	913	54	36	1.3	56.5	2.5
DPLMN5442	979	54	42	1.3	63.8	2.9
DPLMN5448	1048	54	48	1.3	71.2	3.3
DPLMN5454	1116	54	54	1.3	78.5	3.6
DPLMN5460	1182	54	60	1.3	85.8	4.0
DPLMN6624	862	66	24	1.3	50.2	2.0
DPLMN6630	934	66	30	1.3	59.5	2.5
DPLMN6636	1009	66	36	1.3	68.8	3.0
DPLMN6642	1085	66	42	1.3	78.1	3.5
DPLMN6648	1159	66	48	1.3	87.4	3.9
DPLMN6654	1232	66	54	1.3	96.8	4.4
DPLMN6660	1307	66	60	1.3	106.1	4.9

DPLDCMN • Diet Linking Panel - Single Caster on One Leg and Double Caster Base on the Other



- Diet Linking Panel provides privacy.
- Aluminum extrusion comes in powder coated paint finish, DWT - Designer White or TUN - Tungsten.
- Laminate core available in DWTL P - Designer White or ACJLP - Absolute Acajou.
- Edge banded to match laminate finish.
- Standard height of 54", 66", width in 6" increments from 24" to 60".
- Comes complete with hinge kits, single caster on the one leg and double caster foot on the other.

PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DPLDCMN5424	732	54	24	1.3	37.6	1.6
DPLDCMN5430	798	54	30	1.3	45.0	2.1
DPLDCMN5436	860	54	36	1.3	52.3	2.5
DPLDCMN5442	927	54	42	1.3	59.7	2.9
DPLDCMN5448	991	54	48	1.3	67.0	3.3
DPLDCMN5454	1053	54	54	1.3	74.4	3.6
DPLDCMN5460	1119	54	60	1.3	81.7	4.0
DPLDCMN6624	809	66	24	1.3	46.0	2.0
DPLDCMN6630	880	66	30	1.3	55.3	2.5
DPLDCMN6636	950	66	36	1.3	64.7	3.0
DPLDCMN6642	1020	66	42	1.3	74.0	3.5
DPLDCMN6648	1092	66	48	1.3	83.3	3.9
DPLDCMN6654	1162	66	54	1.3	92.6	4.4
DPLDCMN6660	1234	66	60	1.3	101.9	4.9


DPLDCHN • Diet Linking Panel - Leveler on One Leg and Double Caster Base on the Other



- Diet Linking Panel provides privacy.
- Aluminum extrusion comes in powder coated paint finish, DWT - Designer White or TUN - Tungsten.
- Laminate core available in DWTL P - Designer White or ACJLP - Absolute Acajou.
- Edge banded to match laminate finish.
- Standard height of 54", 66", width in 6" increments from 24" to 60".
- Comes complete with hinge kits, leveler on one leg and double caster foot on the other.

PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DPLDCHN5424	689	54	24	1.3	37.1	1.6
DPLDCHN5430	750	54	30	1.3	44.5	2.1
DPLDCHN5436	817	54	36	1.3	51.8	2.5
DPLDCHN5442	883	54	42	1.3	59.2	2.9
DPLDCHN5448	945	54	48	1.3	66.5	3.3
DPLDCHN5454	1011	54	54	1.3	73.9	3.6
DPLDCHN5460	1075	54	60	1.3	81.2	4.0
DPLDCHN6624	765	66	24	1.3	45.5	2.0
DPLDCHN6630	836	66	30	1.3	54.9	2.5
DPLDCHN6636	906	66	36	1.3	64.2	3.0
DPLDCHN6642	976	66	42	1.3	73.5	3.5
DPLDCHN6648	1048	66	48	1.3	82.8	3.9
DPLDCHN6654	1119	66	54	1.3	92.1	4.4
DPLDCHN6660	1192	66	60	1.3	101.4	4.9


DPLWA • Wall Connection for Linking Panels



- Wall Connection connects Linking
- Panels to walls.
- Aluminum extrusion comes in powder coated paint finish, DWT - Designer White or TUN - Tungsten.
- Kit consists of Diet vertical extrusion, charcoal PVC cover and hinge kits.

PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DPLWA54	139	54	2	2	2.3	0.13
DPLWA66	157	66	2	2	3.5	0.15


DPLEKIT • Expanding Kit



- Expanding Kit connects two linking panels in a straight line.
- This kit will accommodate any special width by overlapping the panels.
- Aluminum extrusion comes in powder coated paint finish, DWT - Designer White or TUN - Tungsten.
- Kit consists of a top and bottom bracket and all the hardware needed.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DPLEKIT	242	3	2	2.0	1	0.05


DP • Door and Door Catch Kit for Linking Panels



- Door Catch Kit converts any Linking Panel into a door.
- Aluminum extrusion comes in powder coated paint finish, DWT - Designer White or TUN - Tungsten.
- Kit consists of striker plate, two hinge kits, single caster foot assembly and 1" Diet caster

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DPDC01	151	6	3	1.3	2	0.50


DP • Over Panel for Linking Panels



- Over Panel sits atop of Linking Panel and bridges the gap between the top of 66" high Linking Panel and the top of the Screening Booth.
- Kit contains aluminum extrusion and felt insert.
- Aluminum extrusion comes in powder coated paint finish, DWT - Designer White or TUN - Tungsten.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DPLOP24	124	16.8	24	1.05	1.74	0.39
DPLOP30	146	16.8	30	1.05	2.20	0.49
DPLOP36	172	16.8	36	1.05	2.67	0.59
DPLOP42	191	16.8	42	1.05	3.14	0.70
DPLOP48	286	16.8	48	1.05	3.60	0.80
DPLOP54	309	16.8	54	1.05	4.07	0.90
DPLOP60	335	16.8	60	1.05	4.35	1.01


DP • Booth to Linking Panel Connector



- Booth to Linking Panel Connector facilitates the connection of a Linking Panel to the back gable edge of the Screening Booth.
- Aluminum extrusion comes in powder coated paint finish, DWT - Designer White or TUN - Tungsten.
- Kit includes a Diet vertical extrusion, charcoal PVC cover and all hardware.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DEBPA	107	66	3	1.3	3.5	0.15


DPVAC • Diet VAC Laminate Panels



- Special panel construction designed specifically for clinical applications.
- Segmented panels offer a thermally fused laminate lower and high pressure upper pressed on a lightweight core.
- Minimal footprint for storage.
- Easy to connect.
- Easy to reconfigure.
- Easy to clean.
- Laminate core available in DWTL P/HP Designer White or ACJLP/ACJHP Absolute Acajou.
- Aluminum extrusion comes in powder coated paint finish. DWT Designer White or TUN Tungsten.
- Comes completed with hinge kits and levelers on both legs.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DPVAC6636	928	66	36	1.3	35	3.00
DPVAC6642	956	66	42	1.3	41	3.46
DPVAC6648	976	66	48	1.3	47	3.93
DPVAC6660	1469	66	60	1.3	59	4.90


DWS • Worksurface for Diet Panels



- Worksurfaces have scoops at back to allow wires and cables to pass to and from floor level.
- Includes support brackets (DHBRKT), 4 for worksurfaces up to 48", and 5 for any worksurface longer than 48".
- Please choose from DWT - Designer White, SIL - Silver or BLK - Black for scoop covers.

PRODUCT CODE	PRICE LP*	GROUP HP*	SIZE/INCHES			WEIGHT VOL	
			H	W	D	LBS	FT ³
DWS2424P	134	166	1	24	24	15	0.60
DWS2430P	141	176	1	30	24	19	0.72
DWS2436P	161	201	1	36	24	23	0.85
DWS2442P	210	261	1	42	24	27	0.98
DWS2448P	252	314	1	48	24	31	1.11
DWS2454P	295	368	1	54	24	35	1.23
DWS2460P	333	414	1	60	24	39	1.36
DWS2466P	345	433	1	66	24	43	1.49
DWS2472P	362	452	1	72	24	48	1.62
DWS3024P	155	194	1	24	30	19	0.74
DWS3030P	168	211	1	30	30	24	0.90
DWS3036P	198	248	1	36	30	29	1.06
DWS3042P	280	350	1	42	30	34	1.22
DWS3048P	295	368	1	48	30	39	1.38
DWS3054P	323	405	1	54	30	43	1.54
DWS3060P	345	433	1	60	30	48	1.69
DWS3066P	361	448	1	66	30	53	1.85
DWS3072P	381	476	1	72	30	58	2.01


BHC • Diet/Boulevard Worksurface 12" Cantilever Support



- An economical way to connect rear part of the side edge of a worksurface to the Boulevard Panel.
- Front part of the side edge of the worksurface must be supported by an off-module Diet Worksurface Bracket and locked into the adjacent Diet Panel.
- This cantilever is not a shared support

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BHC12L	41	6	2	12	2	0.03
BHC12R	41	6	2	12	2	0.03


DHLEG • Diet Gable Leg



- Universal leg, plate and side panel are non handed.
- Supports the worksurface at 29" and enhances the stability of connected panels.
- Side plate is secured to the side of the Diet panel and leg plate bolts to worksurface.
- Made of extruded aluminum and steel.
- Levelers have 1.75" height adjustment.
- Includes all mounting hardware to connect to panel and worksurface.
- Must attach to Diet Panel vertical.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DHLEG	185	28	23	6	12	2.02

DHBRKT • Diet Worksurface Bracket



- Extruded aluminum bracket that is bolted to the underside of the worksurface.
- Bracket supports worksurface at any location along the mid rail of panel.
- Includes mounting hardware.
- Brackets are included for all worksurfaces DWS, 4 for worksurfaces up to 48", and 5 for any worksurface longer than 48".

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DHBRKT	11	0.75	2.25	3.25	0.1	0.05

DHTBRKT • Diet Transaction Bracket



- Connects transaction tops to Diet Panels.
- Includes 1 set of two brackets and all hardware.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DHTBRKT	43	2.5	1.2	2.5	3	0.01

DWSCSB • Diet Support Bar



- Supports worksurface in 90 degree corner application and eliminates the need for a leg.
- Diagonally installed.
- If using a keyboard, spacers will be required.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DWSCSB46	108	1	46	1	7	0.116
DWSCSB80	153	1	80	1	12	0.189

For corner application where 24" deep or smaller adjoining worksurface:
 For corner application where adjoining worksurface is larger than 24":


DHOMC • Diet Off-Module Cantilever



- To be used with Diet Panels that have a fabric bottom.
- Installs on horizontal rails of panels to provide worksurface support.
- Frees up space under the worksurface.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DHOMC	108	21	3	12	4	0.42


DSOMSHLF • Diet Off-Module 24" Shelf



- Shelf hangs anywhere along Diet panel rails or Boulevard System 3 panel accessory tile.
- Can create a supplementary surface at worksurface level when suspended from a 42" high Diet panel.
- Shelves may be stacked, one hanging above the other from a higher rail.
- Shelf made of formed steel and includes suspended arms made of steel.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DSOMSHLF	196	11.5	24	12	4	1.00


DSOS • Diet Panel-Mounted Shelf



- Provides overhead storage capacity on top of 42" and 54" high Diet panels.
- Made of formed steel and includes steel mounting brackets.
- Support brackets lock to the top of Diet rail at the back and both sides of overhead.
- Must be installed on a "U" or "H" panel configuration.
- Due to structural issues, this product may not be used on top of glazed or partially glazed panels.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DSOS48	265	15	48	13.5	40	5.60
DSOS60	265	15	60	13.5	52	7.00


DOHLS • Diet Overhead Support



- To be used with Diet back panel and Diet wing panel either left or right. The support leg will support only one side and eliminate the need for a third panel.
- To be used and supported on worksurface installed at standard height. Ensure the worksurface that the leg sits on is properly supported.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DOHLS42	199	12	2	3.5	4	0.139
DOHLS54	199	24	2	3.5	6	0.278


DSADA • Easy-Up Diet Overhead



- Diet Panel-mounted metal overhead storage with opaque acrylic door. The Metal finish (page A.29). mechanism lifts the door up and stores it out of the way, above the storage unit.
- Meets CSA B651 Barrier Free Design & AODA (Accessibility for Ontarians with Disabilities Act).
- Meets CSA B651 Barrier Free Design & ADA (Americans with Disabilities Act).
- 16" high units accept standard and A4 binders.
- All shelves are reinforced for proper weight distribution.
- Inside dimensions: 14.375" high x 12" deep.
- Unit includes back, support cantilevers, attachment hardware, and lock.
- Shipped partially assembled.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DSADA30PM	963	16	30	14.4	33	5.3
DSADA36PM	999	16	36	14.4	38	6.3
DSADA42PM	1047	16	42	14.4	43	7.3
DSADA48PM	1097	16	48	14.4	48	8.3
DSADA54PM	1146	16	54	14.4	53	9.3
DSADA60PM	1208	16	60	14.4	59	10.3

DHPEDB • Pedestal Bracket Kit for Diet Panels



- Attaches to a metal Worksurface-Supporting Pedestal at the back and connects the pedestal to the Diet Panel vertical.

PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
DHPEDB	33	8	1	1	0.5	0.001