

understanding monitor arms

Complements monitor arms provide a variety of technology support options.



MAST Dynamic Arm (YMSTD) and Dynamic Arm Light (YMSTX)

- Exact/simple/fully adjustable by the user in four orientations:
 - Counter Balanced Height
 - Tilt
 - Swivel
 - Focal
- Variety of mounting options makes it an ideal single or dual monitor solution



MAST Manual Arm (YMSTM)

- Fully adjustable (continuous manual height, tilt, swivel, focal) to allow easy setup for a seated application
- Single, dual, triple and multi-monitor configurations
- Excellent all around solution for most applications



MAST Marketplace Single and Back-2-Back Solutions (YMSTM, YMSTA, YMSTS)

- MAST solutions with Marketplace Single (6) and Back-2-Back (7) mounting options allow MAST to attach directly to the Marketplace signature support
- Excellent for financial markets and monitor intensive situations
- Ordering additional MAST Quick Release Vesa Plate's (YMSTV) supports preconfigured on-the-fly monitor changes
- Marketplace Back-2-Back provides two tri-channel stanchions and twice the monitor arms. This creates a mirrored Back-2-Back solution



understanding monitor arms (continued)

monitor arms weight capacity

| | Description | Flat Screen Weight Capacity per Arm | Curve Screen Weight Capacity per Arm |
|-------|--|--|--|
| YMSS | Swerv Monitor Arm | 5 lbs. - 12 lbs. | 5 lbs. - 10 lbs. |
| YMSH | Swerv Monitor Arm | 8 lbs. - 20 lbs. | 8 lbs. - 18 lbs. |
| YMSX | Swerv XL Dynamic Monitor Arm | 20 lbs. - 35 lbs. | 20 lbs. - 22 lbs. |
| YMSB | Swerv XL Dynamic Monitor Arm with Crossbar | 6 lbs. - 14 lbs. | 6 lbs. - 14 lbs. |
| YMSTD | MAST Dynamic Arm | 8 lbs. - 30 lbs. | 8 lbs. - 22.5 lbs. |
| YMSTX | MAST Dynamic Arm Light | 4 lbs. - 18 lbs. | 4 lbs. - 18 lbs. |
| YMSTM | MAST Manual Arm | up to 30 lbs. | 22.5 lbs. |
| YMSTA | MAST Arm | Option D - MAST Dynamic Arm 8 lbs. - 30 lbs. Option M - MAST Dynamic Arm Light 4 lbs. - 18 lbs. Option X - MAST Manual Arm up to 30 lbs. | Option D - MAST Dynamic Arm 8 lbs. - 22.5 lbs. Option M - MAST Dynamic Arm Light 4 lbs. - 18 lbs. Option X - MAST Manual Arm up to 22.5 lbs. |
| YMSTS | MAST Stanchion | Minimum 30 lbs. | Minimum 22.5 lbs . |

swerv monitor arm positioning with monitor sizes

Swerv Monitor Arm is designed to suit many planning scenarios. The following outlines monitor arm solutions recommended for typical worksurface sizes and applications.



Assumptions

- Average distance from front edge of desk to monitor is 19/20"
- Angle of Monitor is 20°
- Monitor sizes are 16:9 Ratio with a 1/2" bezel

Assumptions

- Monitor Arm cannot exceed the back edge of the worksurface (Desk Edge Screens will likely be present)
- Planning with Swerv Monitor Arms and panels or desk edge screens should be taking into consideration, as it may prevent full 360° swivel movement

| Monitor Size | Swerv'd Primary/Secondary | | | Center "V" | | | Swerv'd "V" | | | Split Swerv | | |
|--------------|---------------------------|-----|-----|--------------------|-----|-----|--------------------|-----|-----|--------------------|-----|-----|
| | Worksurface Depths | | | Worksurface Depths | | | Worksurface Depths | | | Worksurface Depths | | |
| | 24" | 30" | 36" | 24" | 30" | 36" | 24" | 30" | 36" | 24" | 30" | 36" |
| 19" | ✓ | ✓ | ! | ! | ! | ✓ | ! | ✓ | ✓ | ✓ | ✓ | ✓ |
| 20" | ✓ | ✓ | ! | ! | ! | ✓ | ! | ✓ | ✓ | ✓ | ✓ | ✓ |
| 21" | ✓ | ✓ | ! | ! | ! | ✓ | ! | ✓ | ✓ | ✓ | ✓ | ✓ |
| 22" | ✓ | ✓ | ! | ! | ! | ✓ | ! | ✓ | ✓ | ✓ | ✓ | ✓ |
| 23" | ✓ | ! | ✗ | ! | ! | ✓ | ✗ | ✓ | ✓ | ✓ | ✓ | ✓ |
| 24" | ✗ | ! | ✗ | ! | ! | ✓ | ✗ | ! | ✓ | ✓ | ✓ | ✓ |
| 27" | ✗ | ! | ✗ | ✗ | ! | ✓ | ✗ | ! | ✓ | ✓ | ✓ | ✓ |
| 30" | ✗ | ! | ✗ | ✗ | ! | ✓ | ✗ | ! | ✓ | ✓ | ✓ | ✓ |