


WBH

Rectangular Height-Adjustable Worksurface for Navigate



The Rectangular Height-Adjustable Worksurface is for use with the Navigate Height-Adjustable Freestanding Table Base Only to create a complete Navigate Height-Adjustable Table.

What's Included

1 worksurface

Notes

Dimensions are actual width and actual depth

Worksurface actual width 46" is actually 47" when specifying the Counterbalance base mechanisms (1S, 1X)

Worksurface includes only a cut out in the worksurface. The proper grommet for each cut out style must be ordered separately. C-Leg (CCC) Application available on length of 23" and 29" only.

C-Leg (CCC) Leg Application available on 23" and 29" deep bases only.

T-Leg (TTT) Application available on depths of 29" and 35" only.

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Cut Out Style
TTT T-Legs	1X Counterbalance Lower Edition (26 1/2" - 43 1/2")	23, 29, 35	40, 46, 52, 58, 64, 70, 76, 82	N None
CCC C-Legs	1S Counterbalance Standard (29 1/2" - 49 1/2")			G Round (2 3/4" Diameter)
	7S Standard Electric (27" - 43")			R Rectangular (Diamond Shaped Cut Out)
	9C Extended Electric - Restricted (25" - 48 7/10")			
	9E Extended Electric - Extended (22 3/5" - 48 7/10")			

SAMPLE ORDER CODE

WBH TTT	7S	29	58	G
----------------	-----------	-----------	-----------	----------

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Surface Finish	Edge Trim Style	Edge Trim Finish
N None	Source Laminate	6 Straight (with Source and Foundation)	Edge Trim Colors
C Center	Foundation Laminate	8 Flat (with Foundation)	
L Left	Seamless	9 Flat (with Flintwood & Natural Veneer)	
R Right	Flintwood	G Flat (with Seamless)	
B Left and Right	Natural Veneer	E Seamless Eased (with Seamless)	
A Center and Left		2 Bullnose (with Foundation)	
D Center and Right		H Full Knife (with Foundation, Flintwood and Natural Veneer)	
E Center, Left and Right		X Full Knife (with Seamless)	

SAMPLE ORDER CODE (CONTINUED)

C	LW	8	ST
----------	-----------	----------	-----------

See Pricing on the following page.

WBH

Rectangular Height-Adjustable Worksurface for Navigate (Continued)

**DIMENSIONS
INCHES / MM**

D	W
23 / 584	46 / 1168
23 / 584	52 / 1321
23 / 584	58 / 1473
23 / 584	64 / 1626
23 / 584	70 / 1778
29 / 237	46 / 1168
29 / 237	52 / 1321
29 / 237	58 / 1473
29 / 237	64 / 1626
29 / 237	70 / 1778
29 / 237	40 / 1016
29 / 237	46 / 1168
29 / 237	52 / 1321
29 / 237	58 / 1473
29 / 237	64 / 1626
29 / 237	70 / 1778
29 / 237	76 / 1930
29 / 237	82 / 2083
29 / 237	40 / 1016
29 / 237	46 / 1168
29 / 237	52 / 1321
29 / 237	58 / 1473
29 / 237	64 / 1626
29 / 237	70 / 1778
29 / 237	76 / 1930
29 / 237	82 / 2083
35 / 889	40 / 1016
35 / 889	46 / 1168
35 / 889	52 / 1321
35 / 889	58 / 1473
35 / 889	64 / 1626
35 / 889	70 / 1778
35 / 889	76 / 1930
35 / 889	82 / 2083

PRICING

COUNTERBALANCE LOWER EDITION / COUNTERBALANCE STANDARD									
SOURCE LAMINATE	FOUNDATION LAMINATE				SEAMLESS	FLINTWOOD		VENEER	
Straight Trim	Straight Trim	Flat Trim	Bullnose Trim	Full Knife Trim	Eased, Flat & Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
355	404	397	466	510	536	917	1051	961	1102
427	529	522	598	675	624	1019	1170	1068	1226
490	539	529	612	689	649	1084	1241	1135	1300
499	548	538	626	700	673	1167	1336	1222	1400
507	557	547	642	714	697	1232	1406	1291	1473
413	441	433	510	555	587	1047	1205	1097	1262
443	546	537	620	696	678	1137	1308	1192	1371
521	556	547	635	710	709	1210	1387	1268	1455
529	567	557	650	725	740	1282	1466	1343	1536
539	578	567	667	739	770	1392	1593	1458	1671
338	396	389	453	497	510	879	1011	922	1061
355	404	397	466	510	536	917	1051	961	1102
427	529	522	598	675	624	1019	1170	1068	1226
490	539	529	612	689	649	1084	1241	1135	1300
499	548	538	626	700	673	1167	1336	1222	1400
507	557	547	642	714	697	1232	1406	1291	1473
517	613	603	704	801	774	1296	1477	1359	1547
525	623	611	717	814	799	1397	1594	1464	1673
403	431	424	495	542	557	1003	1158	1051	1214
413	441	433	510	555	587	1047	1205	1097	1262
443	546	537	620	696	678	1137	1308	1192	1371
521	556	547	635	710	709	1210	1387	1268	1455
529	567	557	650	725	740	1282	1466	1343	1536
539	578	567	667	739	770	1392	1593	1458	1671
665	869	857	963	1134	983	1464	1674	1533	1754
674	879	867	979	1148	1013	1572	1802	1647	1886
489	586	578	654	758	711	1110	1280	1164	1342
501	598	590	671	774	748	1158	1334	1214	1397
640	843	834	922	1097	915	1239	1421	1297	1489
760	855	845	939	1113	951	1355	1559	1419	1633
772	867	856	956	1128	988	1436	1647	1504	1726
783	879	867	974	1145	1024	1550	1782	1625	1868
794	986	975	1086	1308	1162	1631	1871	1708	1960
806	999	986	1103	1323	1198	1711	1959	1792	2052

If one cut out is specified, add 36
 If two cut outs are specified, add 70
 If three cut outs are specified, add 106

Pricing is continued on the following page.

WBH

Rectangular Height-Adjustable Worksurface for Navigate
(Continued)DIMENSIONS
INCHES / MM

PRICING

		EXTENDED ELECTRIC - RESTRICTED / EXTENDED ELECTRIC - EXTENDED									
		SOURCE LAMINATE				SEAMLESS		FLINTWOOD		VENEER	
D	W	Straight Trim	Straight Trim	Flat Trim	Bullnose Trim	Full Knife Trim	Eased, Flat & Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
23 / 584	40 / 1016	338	396	389	453	497	510	879	1011	922	1061
23 / 584	46 / 1168	355	404	397	466	510	536	917	1051	961	1102
23 / 584	52 / 1321	427	529	522	598	675	624	1019	1170	1068	1226
23 / 584	58 / 1473	490	539	529	612	689	649	1084	1241	1135	1300
23 / 584	64 / 1626	499	548	538	626	700	673	1167	1336	1222	1400
23 / 584	70 / 1778	507	557	547	642	714	697	1232	1406	1291	1473
23 / 584	76 / 1930	517	613	603	704	801	774	1296	1477	1359	1547
23 / 584	82 / 2083	525	623	611	717	814	799	1397	1594	1464	1673
29 / 237	40 / 1016	403	431	424	495	542	557	1003	1158	1051	1214
29 / 237	46 / 1168	413	441	433	510	555	587	1047	1205	1097	1262
29 / 237	52 / 1321	443	546	537	620	696	678	1137	1308	1192	1371
29 / 237	58 / 1473	521	556	547	635	710	709	1210	1387	1268	1455
29 / 237	64 / 1626	529	567	557	650	725	740	1282	1466	1343	1536
29 / 237	70 / 1778	539	578	567	667	739	770	1392	1593	1458	1671
29 / 237	76 / 1930	665	869	857	963	1134	983	1464	1674	1533	1754
29 / 237	82 / 2083	674	879	867	979	1148	1013	1572	1802	1647	1886
35 / 889	40 / 1016	489	586	578	654	758	711	1110	1280	1164	1342
35 / 889	46 / 1168	501	598	590	671	774	748	1158	1334	1214	1397
35 / 889	52 / 1321	640	843	834	922	1097	915	1239	1421	1297	1489
35 / 889	58 / 1473	760	855	845	939	1113	951	1355	1559	1419	1633
35 / 889	64 / 1626	772	867	856	956	1128	988	1436	1647	1504	1726
35 / 889	70 / 1778	783	879	867	974	1145	1024	1550	1782	1625	1868
35 / 889	76 / 1930	794	986	975	1086	1308	1162	1631	1871	1708	1960
35 / 889	82 / 2083	806	999	986	1103	1323	1198	1711	1959	1792	2052

If one cut out is specified, add 36
 If two cut outs are specified, add 70
 If three cut outs are specified, add 106