


WJH

Rectangular Height-Adjustable Worksurface with Radius Corners for Navigate



The Rectangular Height-Adjustable Worksurface with Radius Corners is for use with the Navigate Height-Adjustable Freestanding Table Base only to create a complete Navigate Height-Adjustable Table.

What's Included

1 worksurface

Notes

Dimensions are actual width and actual depth

Worksurface actual width 46" is actually 47" when specifying the Counterbalance base mechanism

Worksurface include only a cut out in the worksurface. The proper grommet for each cut out style must be ordered separately.

T-Leg (TTT) Leg Application available on depths of 29" and 35" only.

C-Leg (CCC) Leg Application available on length of 23" and 29" only.

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Cut Out Style
TTT T-Legs	1X Counterbalance Lower Edition (26 1/2" - 43 1/2") 1S Counterbalance Standard (29 1/2" - 49 1/2") 7S Standard Electric (27" - 43") 9C Extended Electric - Restricted (25" - 48 7/10") 9E Extended Electric - Extended (22.6" - 48 7/10")	23, 29, 35	40, 46, 52, 58, 64, 70, 76, 82	N None
CCC C-Legs				G Round (2 3/4" Diameter)
				R Rectangular (Diamond Shaped Cut Out)

SAMPLE ORDER CODE

WJH TTT	7S	29	58	G
----------------	-----------	-----------	-----------	----------

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Surface Finish	Edge Trim Style	Edge Trim Finish
N None	Source Laminate	6 Straight (with Source and Foundation)	Edge Trim Colors
C Center	Foundation Laminate	8 Flat (with Foundation)	
L Left	Seamless	9 Flat (with Flintwood & Natural Veneer)	
R Right	Flintwood	G Flat (with Seamless)	
B Left and Right	Natural Veneer	H Full Knife (with Foundation, Flintwood and Natural Veneer)	
A Center and Left		X Full Knife (with Seamless)	
D Center and Right			
E Center, Left and Right			

SAMPLE ORDER CODE (CONTINUED)

C	LW	8	ST
----------	-----------	----------	-----------

See Pricing on the following page.

WJH

Rectangular Height-Adjustable Worksurface with Radius Corners for Navigate (Continued)

**DIMENSIONS
INCHES / MM**

D	W
23 / 584	46 / 1168
23 / 584	52 / 1321
23 / 584	58 / 1473
23 / 584	64 / 1626
23 / 584	70 / 1778
29 / 237	46 / 1168
29 / 237	52 / 1321
29 / 237	58 / 1473
29 / 237	64 / 1626
29 / 237	70 / 1778
23 / 584	40 / 1016
23 / 584	46 / 1168
23 / 584	52 / 1321
23 / 584	58 / 1473
23 / 584	64 / 1626
23 / 584	70 / 1778
23 / 584	76 / 1930
23 / 584	82 / 2083
29 / 237	40 / 1016
29 / 237	46 / 1168
29 / 237	52 / 1321
29 / 237	58 / 1473
29 / 237	64 / 1626
29 / 237	70 / 1778
29 / 237	76 / 1930
29 / 237	82 / 2083
35 / 889	40 / 1016
35 / 889	46 / 1168
35 / 889	52 / 1321
35 / 889	58 / 1473
35 / 889	64 / 1626
35 / 889	70 / 1778
35 / 889	76 / 1930
35 / 889	82 / 2083

PRICING

COUNTERBALANCE LOWER EDITION / COUNTERBALANCE STANDARD									
SOURCE LAMINATE	FOUNDATION LAMINATE			SEAMLESS	FLINTWOOD		VENEER		
Straight Trim	Straight Trim	Flat Trim	Full Knife Trim	Flat & Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	
355	404	397	510	536	917	1051	961	1102	
427	529	522	675	624	1019	1170	1068	1226	
490	539	529	689	649	1084	1241	1135	1300	
499	548	538	700	673	1167	1336	1222	1400	
507	557	547	714	697	1232	1406	1291	1473	
413	441	433	555	587	1047	1205	1097	1262	
443	546	537	696	678	1137	1308	1192	1371	
521	556	547	710	709	1210	1387	1268	1455	
529	567	557	725	740	1282	1466	1343	1536	
539	578	567	739	770	1392	1593	1458	1671	
STANDARD ELECTRICS									
SOURCE LAMINATE	FOUNDATION LAMINATE			SEAMLESS	FLINTWOOD		VENEER		
Straight Trim	Straight Trim	Flat Trim	Full Knife Trim	Flat & Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	
338	396	389	497	510	879	1011	922	1061	
355	404	397	510	536	917	1051	961	1102	
427	529	522	675	624	1019	1170	1068	1226	
490	539	529	689	649	1084	1241	1135	1300	
499	548	538	700	673	1167	1336	1222	1400	
507	557	547	714	697	1232	1406	1291	1473	
517	613	603	801	774	1296	1477	1359	1547	
525	623	611	814	799	1397	1594	1464	1673	
403	431	424	542	557	1003	1158	1051	1214	
413	441	433	555	587	1047	1205	1097	1262	
443	546	537	696	678	1137	1308	1192	1371	
521	556	547	710	709	1210	1387	1268	1455	
529	567	557	725	740	1282	1466	1343	1536	
539	578	567	739	770	1392	1593	1458	1671	
665	869	857	1134	983	1464	1674	1533	1754	
674	879	867	1148	1013	1572	1802	1647	1886	
489	586	578	758	711	1110	1280	1164	1342	
501	598	590	774	748	1158	1334	1214	1397	
640	843	834	1097	915	1239	1421	1297	1489	
760	855	845	1113	951	1355	1559	1419	1633	
772	867	856	1128	988	1436	1647	1504	1726	
783	879	867	1145	1024	1550	1782	1625	1868	
794	986	975	1308	1162	1631	1871	1708	1960	
806	999	986	1323	1198	1711	1959	1792	2052	

If one cut out is specified, add 36
 If two cut outs are specified, add 70
 If three cut outs are specified, add 106

Pricing is continued on the following page.

WJH

Rectangular Height-Adjustable Worksurface with Radius Corners for Navigate (Continued)

DIMENSIONS
INCHES / MM

PRICING

		EXTENDED ELECTRIC - RESTRICTED / EXTENDED ELECTRIC - EXTENDED								
		SOURCE LAMINATE	FOUNDATION LAMINATE			SEAMLESS	FLINTWOOD		VENEER	
D	W	Straight Trim	Straight Trim	Flat Trim	Full Knife Trim	Flat & Full Knife Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim
23 / 584	40 / 1016	338	396	389	497	510	879	1011	922	1061
23 / 584	46 / 1168	355	404	397	510	536	917	1051	961	1102
23 / 584	52 / 1321	427	529	522	675	624	1019	1170	1068	1226
23 / 584	58 / 1473	490	539	529	689	649	1084	1241	1135	1300
23 / 584	64 / 1626	499	548	538	700	673	1167	1336	1222	1400
23 / 584	70 / 1778	507	557	547	714	697	1232	1406	1291	1473
23 / 584	76 / 1930	517	613	603	801	774	1296	1477	1359	1547
23 / 584	82 / 2083	525	623	611	814	799	1397	1594	1464	1673
29 / 237	40 / 1016	403	431	424	542	557	1003	1158	1051	1214
29 / 237	46 / 1168	413	441	433	555	587	1047	1205	1097	1262
29 / 237	52 / 1321	443	546	537	696	678	1137	1308	1192	1371
29 / 237	58 / 1473	521	556	547	710	709	1210	1387	1268	1455
29 / 237	64 / 1626	529	567	557	725	740	1282	1466	1343	1536
29 / 237	70 / 1778	539	578	567	739	770	1392	1593	1458	1671
29 / 237	76 / 1930	665	869	857	1134	983	1464	1674	1533	1754
29 / 237	82 / 2083	674	879	867	1148	1013	1572	1802	1647	1886
35 / 889	40 / 1016	489	586	578	758	711	1110	1280	1164	1342
35 / 889	46 / 1168	501	598	590	774	748	1158	1334	1214	1397
35 / 889	52 / 1321	640	843	834	1097	915	1239	1421	1297	1489
35 / 889	58 / 1473	760	855	845	1113	951	1355	1559	1419	1633
35 / 889	64 / 1626	772	867	856	1128	988	1436	1647	1504	1726
35 / 889	70 / 1778	783	879	867	1145	1024	1550	1782	1625	1868
35 / 889	76 / 1930	794	986	975	1308	1162	1631	1871	1708	1960
35 / 889	82 / 2083	806	999	986	1323	1198	1711	1959	1792	2052

If one cut out is specified, add 36
 If two cut outs are specified, add 70
 If three cut outs are specified, add 106