


WJH

Rectangular Height-Adjustable Worksurface with Radius Corners for Navigate



The Rectangular Height-Adjustable Worksurface with Radius Corners is for use with the Navigate Height-Adjustable Freestanding Table Base only to create a complete Navigate Height-Adjustable Table.

What's Included

1 worksurface

Notes

Dimensions are actual width and actual depth

Worksurface actual width 46" is actually 47" when specifying the Counterbalance base mechanism

Worksurface include only a cut out in the worksurface. The proper grommet for each cut out style must be ordered separately.

T-Leg (TTT) Leg Application available on depths of 29" and 35" only.

C-Leg (CCC) Leg Application available on length of 23" and 29" only.

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Cut Out Style
TTT T-Legs	1X Counterbalance Lower Edition (26 1/2" - 43 1/2")	23, 29, 35	40, 46, 52, 58, 64, 70, 76, 82	N None
CCC C-Legs	1S Counterbalance Standard (29 1/2" - 49 1/2")			G Round (2 3/4" Diameter)
	7S Standard Electric (27" - 43")			R Rectangular (Diamond Shaped Cut Out)
	9C Extended Electric - Restricted (25" - 48 7/10")			
	9E Extended Electric - Extended (22.6" - 48 7/10")			

SAMPLE ORDER CODE

WJH TTT	7S	29	58	G
----------------	-----------	-----------	-----------	----------

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Surface Finish	Edge Trim Style	Edge Trim Finish
N None	Source Laminate	6 Straight (with Source and Foundation)	Edge Trim Colors
C Center	Foundation Laminate	8 Flat (with Foundation)	
L Left	Grade 2 Laminate	9 Flat (with Flintwood & Natural Veneer)	
R Right	Flintwood	H Full Knife (with Foundation, Flintwood and Natural Veneer)	
B Left & Right	Natural Veneer		
A Center & Left			
D Center & Right			
E Center, Left & Right			

SAMPLE ORDER CODE (CONTINUED)

C	LW	8	ST
----------	-----------	----------	-----------

See Pricing on the following page.

WJH

Rectangular Height-Adjustable Worksurface with Radius Corners for Navigate (Continued)

**DIMENSIONS
INCHES / MM**

D	W
23 / 584	46 / 1168
23 / 584	52 / 1321
23 / 584	58 / 1473
23 / 584	64 / 1626
23 / 584	70 / 1778
29 / 237	46 / 1168
29 / 237	52 / 1321
29 / 237	58 / 1473
29 / 237	64 / 1626
29 / 237	70 / 1778
29 / 237	40 / 1016
29 / 237	46 / 1168
29 / 237	52 / 1321
29 / 237	58 / 1473
29 / 237	64 / 1626
29 / 237	70 / 1778
29 / 237	76 / 1930
29 / 237	82 / 2083
35 / 889	40 / 1016
35 / 889	46 / 1168
35 / 889	52 / 1321
35 / 889	58 / 1473
35 / 889	64 / 1626
35 / 889	70 / 1778
35 / 889	76 / 1930
35 / 889	82 / 2083

PRICING

COUNTERBALANCE LOWER EDITION / COUNTERBALANCE STANDARD									
SOURCE LAMINATE		FOUNDATION LAMINATE			GRADE 2 LAMINATE	FLINTWOOD		VENEER	
Straight Trim	Flat Trim	Straight Trim	Full Knife Trim	Flat Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	
428	477	487	615	653	1107	1268	1159	1329	
514	629	639	814	891	1228	1412	1288	1480	
590	639	650	829	903	1307	1498	1369	1569	
601	648	660	846	976	1408	1611	1474	1689	
612	659	673	860	989	1486	1696	1558	1777	
498	523	531	670	853	1263	1453	1324	1522	
532	647	658	839	977	1372	1579	1438	1655	
626	659	672	856	989	1460	1673	1530	1755	
639	673	682	876	1003	1547	1770	1621	1854	
650	682	698	890	1012	1680	1923	1759	2016	
485	509	521	652	839	1210	1397	1268	1464	
498	523	531	670	853	1263	1453	1324	1522	
532	647	658	839	977	1372	1579	1438	1655	
626	659	672	856	989	1460	1673	1530	1755	
639	673	682	876	1003	1547	1770	1621	1854	
650	682	698	890	1012	1680	1923	1759	2016	
800	1034	1049	1368	1691	1767	2020	1849	2116	
813	1046	1060	1385	1703	1897	2174	1987	2277	
589	698	706	914	1138	1339	1544	1404	1619	
604	710	720	935	1150	1397	1609	1464	1687	
770	1006	1017	1324	1446	1494	1716	1566	1797	
916	1020	1031	1343	1460	1636	1880	1713	1971	
931	1032	1046	1362	1689	1732	1987	1814	2082	
944	1046	1060	1382	1703	1871	2152	1960	2254	
958	1176	1189	1579	1877	1967	2257	2062	2366	
972	1189	1205	1597	1890	2066	2365	2162	2478	

STANDARD ELECTRICS

STANDARD ELECTRICS									
SOURCE LAMINATE		FOUNDATION LAMINATE			GRADE 2 LAMINATE	FLINTWOOD		VENEER	
Straight Trim	Flat Trim	Straight Trim	Full Knife Trim	Flat Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim	
408	469	476	597	645	1060	1219	1112	1279	
428	477	487	615	653	1107	1268	1159	1329	
514	629	639	814	891	1228	1412	1288	1480	
590	639	650	829	903	1307	1498	1369	1569	
601	648	660	846	976	1408	1611	1474	1689	
612	659	673	860	989	1486	1696	1558	1777	
622	728	739	966	1078	1565	1783	1639	1866	
632	737	752	981	1087	1687	1924	1767	2018	
485	509	521	652	839	1210	1397	1268	1464	
498	523	531	670	853	1263	1453	1324	1522	
532	647	658	839	977	1372	1579	1438	1655	
626	659	672	856	989	1460	1673	1530	1755	
639	673	682	876	1003	1547	1770	1621	1854	
650	682	698	890	1012	1680	1923	1759	2016	
800	1034	1049	1368	1691	1767	2020	1849	2116	
813	1046	1060	1385	1703	1897	2174	1987	2277	
589	698	706	914	1138	1339	1544	1404	1619	
604	710	720	935	1150	1397	1609	1464	1687	
770	1006	1017	1324	1446	1494	1716	1566	1797	
916	1020	1031	1343	1460	1636	1880	1713	1971	
931	1032	1046	1362	1689	1732	1987	1814	2082	
944	1046	1060	1382	1703	1871	2152	1960	2254	
958	1176	1189	1579	1877	1967	2257	2062	2366	
972	1189	1205	1597	1890	2066	2365	2162	2478	

If one cut out is specified, add 42
 If two cut outs are specified, add 85
 If three cut outs are specified, add 125

Pricing is continued on the following page.

WJH

Rectangular Height-Adjustable Worksurface with Radius Corners for Navigate (Continued)

DIMENSIONS
INCHES / MM

PRICING

		EXTENDED ELECTRIC - RESTRICTED / EXTENDED ELECTRIC - EXTENDED											
		SOURCE LAMINATE			FOUNDATION LAMINATE			GRADE 2 LAMINATE		FLINTWOOD		VENEER	
D	W	Straight Trim	Flat Trim	Straight Trim	Full Knife Trim	Flat Trim	Flat Trim	Flat Trim	Full Knife Trim	Flat Trim	Full Knife Trim		
23 / 584	40 / 1016	408	469	476	597	645	1060	1219	1112	1279			
23 / 584	46 / 1168	428	477	487	615	653	1107	1268	1159	1329			
23 / 584	52 / 1321	514	629	639	814	891	1228	1412	1288	1480			
23 / 584	58 / 1473	590	639	650	829	903	1307	1498	1369	1569			
23 / 584	64 / 1626	601	648	660	846	976	1408	1611	1474	1689			
23 / 584	70 / 1778	612	659	673	860	989	1486	1696	1558	1777			
23 / 584	76 / 1930	622	728	739	966	1078	1565	1783	1639	1866			
23 / 584	82 / 2083	632	737	752	981	1087	1687	1924	1767	2018			
29 / 237	40 / 1016	485	509	521	652	839	1210	1397	1268	1464			
29 / 237	46 / 1168	498	523	531	670	853	1263	1453	1324	1522			
29 / 237	52 / 1321	532	647	658	839	977	1372	1579	1438	1655			
29 / 237	58 / 1473	626	659	672	856	989	1460	1673	1530	1755			
29 / 237	64 / 1626	639	673	682	876	1003	1547	1770	1621	1854			
29 / 237	70 / 1778	650	682	698	890	1012	1680	1923	1759	2016			
29 / 237	76 / 1930	800	1034	1049	1368	1691	1767	2020	1849	2116			
29 / 237	82 / 2083	813	1046	1060	1385	1703	1897	2174	1987	2277			
35 / 889	40 / 1016	589	698	706	914	1138	1339	1544	1404	1619			
35 / 889	46 / 1168	604	710	720	935	1150	1397	1609	1464	1687			
35 / 889	52 / 1321	770	1006	1017	1324	1446	1494	1716	1566	1797			
35 / 889	58 / 1473	916	1020	1031	1343	1460	1636	1880	1713	1971			
35 / 889	64 / 1626	931	1032	1046	1362	1689	1732	1987	1814	2082			
35 / 889	70 / 1778	944	1046	1060	1382	1703	1871	2152	1960	2254			
35 / 889	76 / 1930	958	1176	1189	1579	1877	1967	2257	2062	2366			
35 / 889	82 / 2083	972	1189	1205	1597	1890	2066	2365	2162	2478			

If one cut out is specified, add 42

If two cut outs are specified, add 85

If three cut outs are specified, add 125