


## YAH **Xpress**

### Navigate Height-Adjustable Freestanding Table Base Only

One Table  
One Plug



Navigate Height-Adjustable Freestanding Table Base Only is to be paired with Rectangular Height-Adjustable Worksurface for Navigate (WBH) or Rectangular Height-Adjustable Worksurface with Radius Corners for Navigate (WJH) to create a complete height-adjustable table.

#### What's Included

Electric height-adjustable base frame only. Assembly hardware. Shipped knocked down. Worksurface not included.

#### Notes

C-Leg (CCC) Leg Application available on 23" and 29" deep bases only.

T-Leg (TTT) Leg Application available on 29" and 35" deep bases only.

Electric base mechanism has 0.1 Watt resting power draw and uses 120V North American control box. For Switch details, see the Application Guide section.

Cross Channel Integrated Powerbar option (C) includes 3 outlets + 1 IEC Connection. This IEC connection accepts only one IEC-compatible power accessory (with an IEC cord terminal) at a time.

Undersurface cable management option (5) - Dual Plastic Trays + Powerbar with IEC refers to a Power Rod (with IEC cord terminal) that must be plugged into the IEC connection of the Cross Channel Integrated Powerbar option (C).

For more information about the One Table One Plug electrical system, IEC-compatible power accessories and planning with IEC Connection, refer to the *Application Guide* section.

**Xpress** Available through *Teknion's Xpress Program*.

#### PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Foot Style	Base Finish
TTT T-Legs CCC C-Legs	<b>1X</b> Counterbalance Lower Edition (26 1/2" - 43 1/2") <b>1S</b> Counterbalance Standard (29 1/2" - 49 1/2") <b>7S</b> Standard Electric (27" - 43") <b>9C</b> Extended Electric - Restricted (25" - 48 7/10") <b>9E</b> Extended Electric - Extended (22 3/5" - 48 7/10")	23, 29, 35	40, 46, 52, 58, 64, 70, 76, 82	<b>1</b> Standard	Foundation Mica Accent

#### SAMPLE ORDER CODE

<b>YAH TTT</b>	<b>9E</b>	<b>29</b>	<b>58</b>	<b>1</b>	<b>52</b>
----------------	-----------	-----------	-----------	----------	-----------

#### PRODUCT OPTIONS (CONTINUED)

Switch Style	Switch Finish	Powerbar	Undersurface Cable Management	Vertical Wire Carrier (Optional)
<b>C</b> Counterbalance Paddle	<b>E</b> Ebony Coordinate	<b>N</b> None	<b>N</b> None	<b>N</b> None
<b>S</b> Standard Up/Down	<b>X</b> Anthracite	<b>I</b> Cross Channel Integrated - 4 Outlets	<b>1</b> Cable Organizer with Felt Cover	<b>E</b> Ebony Coordinate
<b>D</b> Display with Up/Down Memory	<b>7</b> Platinum Coordinate	<b>C</b> Cross Channel Integrated - 3 Outlets +1 IEC	<b>3</b> Dual Plastic Trays + Powerbar	<b>7</b> Platinum Coordinate
<b>T</b> Toggle Up/Down	<b>6</b> Crisp Grey	<b>E</b> External	<b>4</b> Dual Plastic Trays	<b>V</b> Very White Coordinate
<b>X</b> Display toggle with Memory and Navigate GPS			<b>5</b> Dual Plastic Trays + Powerbar with IEC	

#### SAMPLE ORDER CODE (CONTINUED)

<b>X</b>	<b>X</b>	<b>I</b>	<b>1</b>	<b>E</b>
----------	----------	----------	----------	----------

See Pricing on the following page.

# Navigate Height-Adjustable Freestanding Table Base Only (Continued)

**DIMENSIONS  
 INCHES / MM**

D	W
23 / 584	46 / 1168
23 / 584	52 / 1321
23 / 584	58 / 1473
23 / 584	64 / 1626
23 / 584	70 / 1778
29 / 237	46 / 1168
29 / 237	52 / 1321
29 / 237	58 / 1473
29 / 237	64 / 1626
29 / 237	70 / 1778
23 / 584	40 / 1016
23 / 584	46 / 1168
23 / 584	52 / 1321
23 / 584	58 / 1473
23 / 584	64 / 1626
23 / 584	70 / 1778
23 / 584	76 / 1930
23 / 584	82 / 2083
29 / 237	40 / 1016
29 / 237	46 / 1168
29 / 237	52 / 1321
29 / 237	58 / 1473
29 / 237	64 / 1626
29 / 237	70 / 1778
29 / 237	76 / 1930
29 / 237	82 / 2083

**PRICING**

COUNTERBALANCE LOWER EDITION (1X) /  
 COUNTERBALANCE STANDARD (1S)

Foundation	Mica/Accent
3352	3457
3352	3457
3352	3457
3389	3494
3389	3494
3352	3457
3352	3457
3352	3457
3389	3494
3389	3494

STANDARD ELECTRICS (7S)

Foundation	Mica/Accent
3352	3457
3352	3457
3352	3457
3352	3457
3389	3494
3389	3494
3389	3494
3389	3494
3352	3457
3352	3457
3352	3457
3352	3457
3389	3494
3389	3494
3389	3494
3389	3494

- If Display with Up/Down Memory (D) switch is specified, add 184
- If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 184
- If Dual Plastic Trays are specified, add 59
- If Dual Plastic Trays and Powerbar are specified, add 285
- If Cable Organizer with Felt Cover is specified, add 292
- If External (E) or Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 247
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 308
- If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 533
- If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 605
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 541
- If Vertical Wire Carrier is specified, add 334

Pricing is continued on the following page

# height-adjustable tables

**YAH** Xpress

## Navigate Height-Adjustable Freestanding Table Base Only (Continued)

**DIMENSIONS**  
INCHES / MM

D	W
23 / 584	40 / 1016
23 / 584	46 / 1168
23 / 584	52 / 1321
23 / 584	58 / 1473
23 / 584	64 / 1626
23 / 584	70 / 1778
23 / 584	76 / 1930
23 / 584	82 / 2083
29 / 237	40 / 1016
29 / 237	46 / 1168
29 / 237	52 / 1321
29 / 237	58 / 1473
29 / 237	64 / 1626
29 / 237	70 / 1778
29 / 237	76 / 1930
29 / 237	82 / 2083
35 / 889	40 / 1016
35 / 889	46 / 1168
35 / 889	52 / 1321
35 / 889	58 / 1473
35 / 889	64 / 1626
35 / 889	70 / 1778
35 / 889	76 / 1930
35 / 889	82 / 2083

**PRICING**

EXTENDED ELECTRICS - RESTRICTED (9C) /  
EXTENDED ELECTRICS - EXTENDED (9E)

Foundation	Mica/Accent
3579	3684
3579	3684
3579	3684
3579	3684
3593	3699
3593	3699
3593	3699
3593	3699
3579	3684
3579	3684
3579	3684
3579	3684
3593	3699
3593	3699
3593	3699
3593	3699
3579	3684
3579	3684
3579	3684
3579	3684
3593	3699
3593	3699
3593	3699
3593	3699

If Display with Up/Down Memory (D) switch is specified, add 184

If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 184

If Dual Plastic Trays are specified, add 59

If Dual Plastic Trays and Powerbar are specified, add 285

If Cable Organizer with Felt Cover is specified, add 292

If External (E) or Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 247

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 308

If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 533

If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 605

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 541

If Vertical Wire Carrier is specified, add 334

