


YAH

Navigate Height-Adjustable Freestanding Table Base Only

One Table
One Plug



Navigate Height-Adjustable Freestanding Table Base Only is to be paired with Rectangular Height-Adjustable Worksurface for Navigate (WBH) or Rectangular Height-Adjustable Worksurface with Radius Corners for Navigate (WJH) to create a complete height-adjustable table.

What's Included

Electric height-adjustable base frame only. Assembly hardware. Shipped knocked down. Worksurface not included.

Notes

C-Leg (CCC) Leg Application available on 23" and 29" deep bases only.

T-Leg (TTT) Leg Application available on 29" and 35" deep bases only.

Electric base mechanism has 0.1 Watt resting power draw and uses 120V North American control box. For Switch details, see the Application Guide section.

Cross Channel Integrated Powerbar option (C) includes 3 outlets + 1 IEC Connection. This IEC connection accepts only one IEC-compatible power accessory (with an IEC cord terminal) at a time.

Undersurface cable management option (5) - Dual Plastic Trays + Powerbar with IEC refers to a Power Rod (with IEC cord terminal) that must be plugged into the IEC connection of the Cross Channel Integrated Powerbar option (C).

For more information about the One Table One Plug electrical system, IEC-compatible power accessories and planning with IEC Connection, refer to the *Application Guide* section.

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Foot Style	Base Finish
TTT T-Legs	1X Counterbalance Lower Edition (26 1/2" - 43 1/2")	23, 29, 35	40, 46, 52, 58, 64, 70, 76, 82	1 Standard	Foundation
CCC C-Legs	1S Counterbalance Standard (29 1/2" - 49 1/2")				Mica
	7S Standard Electric (27" - 43")				Accent
	9C Extended Electric - Restricted (25" - 48 7/10")				
	9E Extended Electric - Extended (22 3/5" - 48 7/10")				

SAMPLE ORDER CODE

YAH TTT	9E	29	58	1	52
---------	----	----	----	---	----

PRODUCT OPTIONS (CONTINUED)

Switch Style	Switch Finish	Powerbar	Undersurface Cable Management	Vertical Wire Carrier (Optional)
C Counterbalance Paddle	E Ebony Coordinate	N None	N None	N None
S Standard Up/Down	X Anthracite	I Cross Channel Integrated - 4 Outlets	1 Cable Organizer with Felt Cover	E Ebony Coordinate
D Display with Up/Down Memory	7 Platinum Coordinate	C Cross Channel Integrated - 3 Outlets +1 IEC	3 Dual Plastic Trays + Powerbar	7 Platinum Coordinate
T Toggle Up/Down	6 Crisp Grey	E External	4 Dual Plastic Trays	V Very White Coordinate
X Display toggle with Memory and Navigate GPS			5 Dual Plastic Trays + Powerbar with IEC	

SAMPLE ORDER CODE (CONTINUED)

X	X	I	1	E
---	---	---	---	---

See Pricing on the following page.

YAH

Navigate Height-Adjustable Freestanding Table Base Only (Continued)

**DIMENSIONS
INCHES / MM**

D	W
23 / 584	40 / 1016
23 / 584	46 / 1168
23 / 584	52 / 1321
23 / 584	58 / 1473
23 / 584	64 / 1626
23 / 584	70 / 1778
23 / 584	76 / 1930
23 / 584	82 / 2083
29 / 237	40 / 1016
29 / 237	46 / 1168
29 / 237	52 / 1321
29 / 237	58 / 1473
29 / 237	64 / 1626
29 / 237	70 / 1778
29 / 237	76 / 1930
29 / 237	82 / 2083
35 / 889	40 / 1016
35 / 889	46 / 1168
35 / 889	52 / 1321
35 / 889	58 / 1473
35 / 889	64 / 1626
35 / 889	70 / 1778
35 / 889	76 / 1930
35 / 889	82 / 2083

PRICING

COUNTERBALANCE LOWER EDITION (1X) / COUNTERBALANCE STANDARD (1S) / STANDARD ELECTRICS (7S)

Foundation	Mica/Accent
2672	2756
2672	2756
2672	2756
2672	2756
2702	2786
2702	2786
2702	2786
2702	2786
2672	2756
2672	2756
2672	2756
2672	2756
2702	2786
2702	2786
2702	2786
2702	2786
2672	2756
2672	2756
2672	2756
2672	2756
2702	2786
2702	2786
2702	2786
2702	2786

If Toggle Up/Down (T) switch is specified, add 67

If Display with Up/Down Memory (D) switch is specified, add 149

If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 184

If Dual Plastic Trays are specified, add 47

If Dual Plastic Trays and Powerbar are specified, add 229

If Cable Organizer with Felt Cover is specified, add 233

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 199

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 247

If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 426

If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 482

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 431

If Vertical Wire Carrier is specified, add 266

Pricing is continued on the following page

YAH

Navigate Height-Adjustable Freestanding Table Base Only
(Continued)DIMENSIONS
INCHES / MM

D	W
23 / 584	40 / 1016
23 / 584	46 / 1168
23 / 584	52 / 1321
23 / 584	58 / 1473
23 / 584	64 / 1626
23 / 584	70 / 1778
23 / 584	76 / 1930
23 / 584	82 / 2083
29 / 237	40 / 1016
29 / 237	46 / 1168
29 / 237	52 / 1321
29 / 237	58 / 1473
29 / 237	64 / 1626
29 / 237	70 / 1778
29 / 237	76 / 1930
29 / 237	82 / 2083
35 / 889	40 / 1016
35 / 889	46 / 1168
35 / 889	52 / 1321
35 / 889	58 / 1473
35 / 889	64 / 1626
35 / 889	70 / 1778
35 / 889	76 / 1930
35 / 889	82 / 2083

PRICING

EXTENDED ELECTRICS - RESTRICTED (9C) / EXTENDED ELECTRICS - EXTENDED (9E)

Foundation	Mica/Accent
2854	2938
2854	2938
2854	2938
2854	2938
2865	2949
2865	2949
2865	2949
2865	2949
2854	2938
2854	2938
2854	2938
2854	2938
2865	2949
2865	2949
2865	2949
2865	2949
2854	2938
2854	2938
2854	2938
2854	2938
2865	2949
2865	2949
2865	2949
2865	2949

If Toggle Up/Down (T) switch is specified, add 67

If Display with Up/Down Memory (D) switch is specified, add 149

If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 184

If Dual Plastic Trays are specified, add 47

If Dual Plastic Trays and Powerbar are specified, add 229

If Cable Organizer with Felt Cover is specified, add 233

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 199

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 247

If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 426

If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 482

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 431

If Vertical Wire Carrier is specified, add 266