


# YAH

## Navigate Height-Adjustable Freestanding Table Base Only

One Table  
One Plug



Navigate Height-Adjustable Freestanding Table Base Only is to be paired with Rectangular Height-Adjustable Worksurface for Navigate (WBH) or Rectangular Height-Adjustable Worksurface with Radius Corners for Navigate (WJH) to create a complete height-adjustable table.

### What's Included

Electric height-adjustable base frame only. Assembly hardware. Shipped knocked down. Worksurface not included.

### Notes

C-Leg (CCC) Leg Application available on 23" and 29" deep bases only.

T-Leg (TTT) Leg Application available on 29" and 35" deep bases only.

Electric base mechanism has 0.1 Watt resting power draw and uses 120V North American control box.

For Switch details, see the Application Guide section.

Cross Channel Integrated Powerbar option (C) includes 3 outlets + 1 IEC Connection. This IEC connection accepts only one IEC-compatible power accessory (with an IEC cord terminal) at a time.

Undersurface cable management option (5) - Dual Plastic Trays + Powerbar with IEC refers to a Power Rod (with IEC cord terminal) that must be plugged into the IEC connection of the Cross Channel Integrated Powerbar option (C).

For more information about the One Table One Plug electrical system, IEC-compatible power accessories and planning with IEC Connection, refer to the *Application Guide* section.

### PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Foot Style	Base Finish
<b>TTT</b> T-Legs	<b>1X</b> Counterbalance Lower Edition (26 1/2" - 43 1/2")	23, 29, 35	40, 46, 52, 58, 64, 70, 76, 82	<b>1</b> Standard	Foundation
<b>CCC</b> C-Legs	<b>1S</b> Counterbalance Standard (29 1/2" - 49 1/2")				Mica
	<b>7S</b> Standard Electric (27" - 43")				Accent
	<b>9C</b> Extended Electric - Restricted (25" - 48 7/10")				
	<b>9E</b> Extended Electric - Extended (22 3/5" - 48 7/10")				

### SAMPLE ORDER CODE

<b>YAH TTT</b>	<b>9E</b>	<b>29</b>	<b>58</b>	<b>1</b>	<b>52</b>
----------------	-----------	-----------	-----------	----------	-----------

### PRODUCT OPTIONS (CONTINUED)

Switch Style	Switch Finish	Powerbar	Undersurface Cable Management	Vertical Wire Carrier (Optional)
<b>C</b> Counterbalance Paddle	<b>E</b> Ebony Coordinate	<b>N</b> None	<b>N</b> None	<b>N</b> None
<b>S</b> Standard Up/Down	<b>X</b> Anthracite	<b>I</b> Cross Channel Integrated - 4 Outlets	<b>1</b> Cable Organizer with Felt Cover	<b>E</b> Ebony Coordinate
<b>D</b> Display with Up/Down Memory	<b>7</b> Platinum Coordinate	<b>C</b> Cross Channel Integrated - 3 Outlets +1 IEC	<b>3</b> Dual Plastic Trays + Powerbar	<b>7</b> Platinum Coordinate
<b>T</b> Toggle Up/Down	<b>6</b> Crisp Grey	<b>E</b> External	<b>4</b> Dual Plastic Trays	<b>V</b> Very White Coordinate
<b>X</b> Display toggle with Memory and Navigate GPS			<b>5</b> Dual Plastic Trays + Powerbar with IEC	

### SAMPLE ORDER CODE (CONTINUED)

<b>X</b>	<b>X</b>	<b>I</b>	<b>1</b>	<b>E</b>
----------	----------	----------	----------	----------

See Pricing on the following page.

YAH

# Navigate Height-Adjustable Freestanding Table Base Only (Continued)

**DIMENSIONS  
INCHES / MM**

D	W
23 / 584	46 / 1168
23 / 584	52 / 1321
23 / 584	58 / 1473
23 / 584	64 / 1626
23 / 584	70 / 1778
29 / 237	46 / 1168
29 / 237	52 / 1321
29 / 237	58 / 1473
29 / 237	64 / 1626
29 / 237	70 / 1778
23 / 584	40 / 1016
23 / 584	46 / 1168
23 / 584	52 / 1321
23 / 584	58 / 1473
23 / 584	64 / 1626
23 / 584	70 / 1778
23 / 584	76 / 1930
23 / 584	82 / 2083
29 / 237	40 / 1016
29 / 237	46 / 1168
29 / 237	52 / 1321
29 / 237	58 / 1473
29 / 237	64 / 1626
29 / 237	70 / 1778
29 / 237	76 / 1930
29 / 237	82 / 2083

**PRICING**

COUNTERBALANCE LOWER EDITION (1X) /  
COUNTERBALANCE STANDARD (1S)

Foundation	Mica/Accent
3226	3327
3226	3327
3226	3327
3262	3363
3262	3363
3226	3327
3226	3327
3226	3327
3262	3363
3262	3363

STANDARD ELECTRICS (7S)

Foundation	Mica/Accent
3226	3327
3226	3327
3226	3327
3226	3327
3262	3363
3262	3363
3262	3363
3262	3363
3226	3327
3226	3327
3226	3327
3226	3327
3262	3363
3262	3363
3262	3363

- If Display with Up/Down Memory (D) switch is specified, add 177
- If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 177
- If Dual Plastic Trays are specified, add 57
- If Dual Plastic Trays and Powerbar are specified, add 274
- If Cable Organizer with Felt Cover is specified, add 281
- If External (E) or Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 238
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 296
- If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 513
- If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 582
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 521
- If Vertical Wire Carrier is specified, add 321

Pricing is continued on the following page

YAH

# Navigate Height-Adjustable Freestanding Table Base Only (Continued)

**DIMENSIONS**  
**INCHES / MM**

D	W
23 / 584	40 / 1016
23 / 584	46 / 1168
23 / 584	52 / 1321
23 / 584	58 / 1473
23 / 584	64 / 1626
23 / 584	70 / 1778
23 / 584	76 / 1930
23 / 584	82 / 2083
29 / 237	40 / 1016
29 / 237	46 / 1168
29 / 237	52 / 1321
29 / 237	58 / 1473
29 / 237	64 / 1626
29 / 237	70 / 1778
29 / 237	76 / 1930
29 / 237	82 / 2083
35 / 889	40 / 1016
35 / 889	46 / 1168
35 / 889	52 / 1321
35 / 889	58 / 1473
35 / 889	64 / 1626
35 / 889	70 / 1778
35 / 889	76 / 1930
35 / 889	82 / 2083

**PRICING**

 EXTENDED ELECTRICS - RESTRICTED (9C) /  
 EXTENDED ELECTRICS - EXTENDED (9E)

Foundation	Mica/Accent
3445	3546
3445	3546
3445	3546
3445	3546
3458	3560
3458	3560
3458	3560
3458	3560
3445	3546
3445	3546
3445	3546
3445	3546
3458	3560
3458	3560
3458	3560
3445	3546
3445	3546
3445	3546
3445	3546
3458	3560
3458	3560
3458	3560
3458	3560

If Display with Up/Down Memory (D) switch is specified, add 177

If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 177

If Dual Plastic Trays are specified, add 57

If Dual Plastic Trays and Powerbar are specified, add 274

If Cable Organizer with Felt Cover is specified, add 281

If External (E) or Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 238

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 296

If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 513

If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 582

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 521

If Vertical Wire Carrier is specified, add 321

