


# height-adjustable tables

**YHES** **Xpress** 

## hiSpace Height-Adjustable Table with Rectangular Corner



### What's Included

Complete Table including rectangular worksurface with straight corners and electric height-adjustable base. All installation hardware.

### Notes

Meets ANSI/BIFMA testing requirements.

BIFMA compliant height-adjustment range from 22 3/5" to 48 7/10", from the top of a 1" thick worksurface.

Includes a 240V universal control box.

A felt cable organizer comes standard with partially assembled configuration.

Standby power consumption of 0.2W.

Power cord is 10' long.

Worksurface dimensions are actual width and actual depth.

Screens are not compatible for sizes 46", 47", 48", 49", 50" and 51".

**Xpress** Available through *Teknion's Xpress Program*.

### PRODUCT OPTIONS

Base Mechanism	Actual Depth	Actual Width (1" increments)	Cut Out Style	Cut Out Location	Surface Finish	Edge Trim Style
9E Extended Electric - Extended (22 3/5"-48 7/10")	23, 29	46 - 84	NN None	N None	Foundation Laminate	6 Straight
			AV Round (2 3/4" Diameter)	C Center	Source Laminate	8 Flat
			AS Rectangular (Diamond Shaped Cutout)	L Left		
				R Right		
				B Left & Right		
				A Center & Left		
				D Center & Right		
				E Center, Left & Right		

### SAMPLE ORDER CODE

YHES 9E	29	70	NN	N	LW	8
---------	----	----	----	---	----	---

### PRODUCT OPTIONS (CONTINUED)

Edge Trim Finish	Base Finish	Switch	Undersurface Cable Management	Vertical Wire Carrier	Configuration
Edge Trim Colors	60 Platinum	A Toggle Adjust with Display and Memory	N None	N None	P Partially Assembled - Quick Connect
	83 Very White				
	52 Ebony	B Push Button Adjust with Display and Memory	2 Felt Cover Cable Organizer	E Ebony Coordinate	U Unassembled - Basic
			3 Dual Plastic Trays + Powerbar	7 Platinum Coordinate	
			5 Wire Management Hammock + Powerbar	V Very White Coordinate	

### SAMPLE ORDER CODE (CONTINUED)

ST	52	A	5	N	P
----	----	---	---	---	---

See Pricing on the following page.

# hiSpace Height-Adjustable Table with Rectangular Corner (Continued)

**DIMENSIONS**  
INCHES / MM

**PRICING**

NO CUT OUT (N)		CENTER & LEFT (A), LEFT & RIGHT (B), CENTER & RIGHT (D)			CENTER (C), LEFT (L), RIGHT (R)			CENTER, LEFT & RIGHT (E)					
SOURCE FOUNDATION		SOURCE FOUNDATION			SOURCE FOUNDATION			SOURCE FOUNDATION					
D	W	Straight Trim	Straight Trim	Flat Trim	Straight Trim	Straight Trim	Flat Trim	Straight Trim	Straight Trim	Flat Trim	Straight Trim	Straight Trim	Flat Trim
23 / 584	46 / 1168	2424	2490	2480	2514	2580	2570	2469	2535	2525	2559	2625	2615
23 / 584	47 / 1194	2424	2490	2480	2514	2580	2570	2469	2535	2525	2559	2625	2615
23 / 584	48 / 1219	2424	2490	2480	2514	2580	2570	2469	2535	2525	2559	2625	2615
23 / 584	49 / 1245	2588	2654	2644	2678	2744	2734	2633	2699	2689	2723	2789	2779
23 / 584	50 / 1270	2588	2654	2644	2678	2744	2734	2633	2699	2689	2723	2789	2779
23 / 584	51 / 1295	2588	2654	2644	2678	2744	2734	2633	2699	2689	2723	2789	2779
23 / 584	52 / 1321	2591	2657	2648	2681	2747	2738	2636	2702	2693	2726	2792	2783
23 / 584	53 / 1346	2591	2657	2648	2681	2747	2738	2636	2702	2693	2726	2792	2783
23 / 584	54 / 1372	2591	2657	2648	2681	2747	2738	2636	2702	2693	2726	2792	2783
23 / 584	55 / 1397	2595	2661	2652	2685	2751	2742	2640	2706	2697	2730	2796	2787
23 / 584	56 / 1422	2595	2661	2652	2685	2751	2742	2640	2706	2697	2730	2796	2787
23 / 584	57 / 1448	2595	2661	2652	2685	2751	2742	2640	2706	2697	2730	2796	2787
23 / 584	58 / 1473	2605	2670	2657	2695	2760	2747	2650	2715	2702	2740	2805	2792
23 / 584	59 / 1499	2605	2670	2657	2695	2760	2747	2650	2715	2702	2740	2805	2792
23 / 584	60 / 1524	2605	2670	2657	2695	2760	2747	2650	2715	2702	2740	2805	2792
23 / 584	61 / 1549	2612	2677	2664	2702	2767	2754	2657	2722	2709	2747	2812	2799
23 / 584	62 / 1575	2612	2677	2664	2702	2767	2754	2657	2722	2709	2747	2812	2799
23 / 584	63 / 1600	2612	2677	2664	2702	2767	2754	2657	2722	2709	2747	2812	2799
23 / 584	64 / 1626	2617	2682	2668	2707	2772	2758	2662	2727	2713	2752	2817	2803
23 / 584	65 / 1651	2617	2682	2668	2707	2772	2758	2662	2727	2713	2752	2817	2803
23 / 584	66 / 1676	2617	2682	2668	2707	2772	2758	2662	2727	2713	2752	2817	2803
23 / 584	67 / 1702	2624	2689	2675	2714	2779	2765	2669	2734	2720	2759	2824	2810
23 / 584	68 / 1727	2624	2689	2675	2714	2779	2765	2669	2734	2720	2759	2824	2810
23 / 584	69 / 1753	2624	2689	2675	2714	2779	2765	2669	2734	2720	2759	2824	2810
23 / 584	70 / 1778	2631	2696	2681	2721	2786	2771	2676	2741	2726	2766	2831	2816
23 / 584	71 / 1803	2631	2696	2681	2721	2786	2771	2676	2741	2726	2766	2831	2816
23 / 584	72 / 1828	2631	2696	2681	2721	2786	2771	2676	2741	2726	2766	2831	2816
23 / 584	73 / 1854	2703	2768	2753	2793	2858	2843	2748	2813	2798	2838	2903	2888
23 / 584	74 / 1880	2703	2768	2753	2793	2858	2843	2748	2813	2798	2838	2903	2888
23 / 584	75 / 1905	2703	2768	2753	2793	2858	2843	2748	2813	2798	2838	2903	2888
23 / 584	76 / 1930	2855	2920	2907	2945	3010	2997	2900	2965	2952	2990	3055	3042
23 / 584	77 / 1956	2855	2920	2907	2945	3010	2997	2900	2965	2952	2990	3055	3042
23 / 584	78 / 1981	2855	2920	2907	2945	3010	2997	2900	2965	2952	2990	3055	3042
23 / 584	79 / 2007	2861	2926	2913	2951	3016	3003	2906	2971	2958	2996	3061	3048
23 / 584	80 / 2032	2861	2926	2913	2951	3016	3003	2906	2971	2958	2996	3061	3048
23 / 584	81 / 2057	2861	2926	2913	2951	3016	3003	2906	2971	2958	2996	3061	3048
23 / 584	82 / 2083	2866	2931	2916	2956	3021	3006	2911	2976	2961	3001	3066	3051
23 / 584	83 / 2108	2866	2931	2916	2956	3021	3006	2911	2976	2961	3001	3066	3051
23 / 584	84 / 2134	2866	2931	2916	2956	3021	3006	2911	2976	2961	3001	3066	3051

If Felt Cover Cable Organizer is specified, add 310  
 If Dual Plastic Trays with Power Bar are specified, add 302  
 Wire Management Hammock + Powerbar is specified, add 670  
 If Vertical Wire Carrier is specified, add 354  
 If Partially Assembled - Quick Connect is specified, add 328

Pricing is continued on the following page.

# height-adjustable tables

**YHES**  

## hiSpace Height-Adjustable Table with Rectangular Corner (Continued)

**DIMENSIONS**  
INCHES / MM

**PRICING**

D	W	NO CUT OUT (N)			CENTER & LEFT (A), LEFT & RIGHT (B), CENTER & RIGHT (D)			CENTER (C), LEFT (L), RIGHT (R)			CENTER, LEFT & RIGHT (E)		
		SOURCE FOUNDATION			SOURCE FOUNDATION			SOURCE FOUNDATION			SOURCE FOUNDATION		
		Straight Trim	Straight Trim	Flat Trim	Straight Trim	Straight Trim	Flat Trim	Straight Trim	Straight Trim	Flat Trim	Straight Trim	Straight Trim	Flat Trim
29 / 737	46 / 1168	2502	2540	2531	2592	2630	2621	2547	2585	2576	2637	2675	2666
29 / 737	47 / 1194	2502	2540	2531	2592	2630	2621	2547	2585	2576	2637	2675	2666
29 / 737	48 / 1219	2502	2540	2531	2592	2630	2621	2547	2585	2576	2637	2675	2666
29 / 737	49 / 1245	2632	2674	2665	2722	2764	2755	2677	2719	2710	2767	2809	2800
29 / 737	50 / 1270	2632	2674	2665	2722	2764	2755	2677	2719	2710	2767	2809	2800
29 / 737	51 / 1295	2632	2674	2665	2722	2764	2755	2677	2719	2710	2767	2809	2800
29 / 737	52 / 1321	2638	2680	2667	2728	2770	2757	2683	2725	2712	2773	2815	2802
29 / 737	53 / 1346	2638	2680	2667	2728	2770	2757	2683	2725	2712	2773	2815	2802
29 / 737	54 / 1372	2638	2680	2667	2728	2770	2757	2683	2725	2712	2773	2815	2802
29 / 737	55 / 1397	2642	2688	2675	2732	2778	2765	2687	2733	2720	2777	2823	2810
29 / 737	56 / 1422	2642	2688	2675	2732	2778	2765	2687	2733	2720	2777	2823	2810
29 / 737	57 / 1448	2642	2688	2675	2732	2778	2765	2687	2733	2720	2777	2823	2810
29 / 737	58 / 1473	2646	2693	2681	2736	2783	2771	2691	2738	2726	2781	2828	2816
29 / 737	59 / 1499	2646	2693	2681	2736	2783	2771	2691	2738	2726	2781	2828	2816
29 / 737	60 / 1524	2646	2693	2681	2736	2783	2771	2691	2738	2726	2781	2828	2816
29 / 737	61 / 1549	2653	2700	2688	2743	2790	2778	2698	2745	2733	2788	2835	2823
29 / 737	62 / 1575	2653	2700	2688	2743	2790	2778	2698	2745	2733	2788	2835	2823
29 / 737	63 / 1600	2653	2700	2688	2743	2790	2778	2698	2745	2733	2788	2835	2823
29 / 737	64 / 1626	2658	2706	2696	2748	2796	2786	2703	2751	2741	2793	2841	2831
29 / 737	65 / 1651	2658	2706	2696	2748	2796	2786	2703	2751	2741	2793	2841	2831
29 / 737	66 / 1676	2658	2706	2696	2748	2796	2786	2703	2751	2741	2793	2841	2831
29 / 737	67 / 1702	2663	2711	2701	2753	2801	2791	2708	2756	2746	2798	2846	2836
29 / 737	68 / 1727	2663	2711	2701	2753	2801	2791	2708	2756	2746	2798	2846	2836
29 / 737	69 / 1753	2663	2711	2701	2753	2801	2791	2708	2756	2746	2798	2846	2836
29 / 737	70 / 1778	2670	2722	2706	2760	2812	2796	2715	2767	2751	2805	2857	2841
29 / 737	71 / 1803	2670	2722	2706	2760	2812	2796	2715	2767	2751	2805	2857	2841
29 / 737	72 / 1828	2670	2722	2706	2760	2812	2796	2715	2767	2751	2805	2857	2841
29 / 737	73 / 1854	3061	3113	3097	3151	3203	3187	3106	3158	3142	3196	3248	3232
29 / 737	74 / 1880	3061	3113	3097	3151	3203	3187	3106	3158	3142	3196	3248	3232
29 / 737	75 / 1905	3061	3113	3097	3151	3203	3187	3106	3158	3142	3196	3248	3232
29 / 737	76 / 1930	3067	3119	3103	3157	3209	3193	3112	3164	3148	3202	3254	3238
29 / 737	77 / 1956	3067	3119	3103	3157	3209	3193	3112	3164	3148	3202	3254	3238
29 / 737	78 / 1981	3067	3119	3103	3157	3209	3193	3112	3164	3148	3202	3254	3238
29 / 737	79 / 2007	3077	3129	3113	3167	3219	3203	3122	3174	3158	3212	3264	3248
29 / 737	80 / 2032	3077	3129	3113	3167	3219	3203	3122	3174	3158	3212	3264	3248
29 / 737	81 / 2057	3077	3129	3113	3167	3219	3203	3122	3174	3158	3212	3264	3248
29 / 737	82 / 2083	3083	3135	3119	3173	3225	3209	3128	3180	3164	3218	3270	3254
29 / 737	83 / 2108	3083	3135	3119	3173	3225	3209	3128	3180	3164	3218	3270	3254
29 / 737	84 / 2134	3083	3135	3119	3173	3225	3209	3128	3180	3164	3218	3270	3254

If Felt Cover Cable Organizer is specified, add 310

If Dual Plastic Trays with Power Bar are specified, add 302

Wire Management Hammock + Powerbar is specified, add 670

If Vertical Wire Carrier is specified, add 354

If Partially Assembled - Quick Connect is specified, add 328

