


YJH

Navigate Height-Adjustable Extended Corner Complete Table

One Table
One Plug



What's Included

1 3-point extended corner electric height-adjustable base, 2-piece worksurface, all assembly hardware, shipped knocked down.

Notes

Always uses a C-Leg Application

Table frame and surface orientation are reversible.

Orientation Left (L) and Right (R) refers to placement of primary surface.

Surface dimensions are actual width and actual depth.

Electric base mechanism has 0.1 Watt resting power draw and uses 120V North American control box.

For Switch details, see the Application Guide section.

Cross Channel Integrated (I) and (C) is located in the selected Orientation in the cross-channel and it is not available with Actual Width A (52) (58).

Cross Channel Integrated Powerbar option (C) includes 3 outlets + 1 IEC Connection. This IEC connection accepts only one IEC-compatible power accessory (with an IEC cord terminal) at a time.

Undersurface cable management option (5) - Dual Plastic Trays + Powerbar with IEC refers to a Power Rod (with IEC cord terminal) that must be plugged into the IEC connection of the Cross Channel Integrated Powerbar option (C).

For more information about the One Table One Plug electrical system, IEC-compatible power accessories and planning with IEC Connection, refer to the *Application Guide* section.

PRODUCT OPTIONS

Base Mechanism	Actual Depth A	Actual Depth B	Actual Width A	Actual Width B	Orientation	Surface Finish
7S Standard Electric (27" - 43")	23, 29	23, 29	52, 58, 64, 70	46, 52, 58, 64, 70	L Left	Foundation Laminate
9C Extended Electric - Restricted (25" - 48 3/5")					R Right	Seamless
9E Extended Electric - Extended (22 3/5" - 48 7/10")						Flintwood Natural Veneer

SAMPLE ORDER CODE

YJH 7S	29	29	70	52	L	LW
---------------	-----------	-----------	-----------	-----------	----------	-----------

PRODUCT OPTIONS (CONTINUED)

Edge Trim Style	Edge Trim Finish	Base Finish	Switch Style	Switch Finish	Powerbar	Vertical Wire Carrier (Optional)
6 Straight (with Foundation)	Edge Trim Colors	Foundation Mica	S Standard Up/Down	E Ebony Coordinate	N None	N None
8 Flat (with Foundation)			D Display with Up/Down Memory	X Anthracite	I Cross Channel Integrated - 4 Outlets	E Ebony Coordinate
9 Flat (with Flintwood & Natural Veneer)			T Toggle Up/Down	7 Platinum	C Cross Channel Integrated - 3 Outlets+1 IEC	7 Platinum Coordinate
G Flat (with Seamless)			X Display toggle with Memory and Navigate GPS	6 Crisp Grey		V Very White Coordinate
H Full Knife (with Foundation, Flintwood and Natural Veneer)						
X Full Knife (with Seamless)						

SAMPLE ORDER CODE (CONTINUED)

8	ST	E	X	X	I	N
----------	-----------	----------	----------	----------	----------	----------

See Pricing on the following page.

Navigate Height-Adjustable Extended Corner Complete Table (Continued)

**DIMENSIONS – INCHES
FOR MM X BY 25.4**

Da	Db	Wa	Wb
23	23	52	52
23	23	58	46
23	23	58	52
23	23	58	58
23	23	64	46
23	23	64	52
23	23	64	58
23	23	64	64
23	23	70	46
23	23	70	52
23	23	70	58
23	23	70	64
23	23	70	70
29	23	58	52
29	23	58	58
29	23	64	52
29	23	64	58
29	23	64	64
29	23	70	52
29	23	70	58
29	23	70	64
29	23	70	70
29	29	58	58
29	29	64	52
29	29	64	58
29	29	64	64
29	29	70	52
29	29	70	58
29	29	70	64
29	29	70	70

PRICING

STANDARD ELECTRIC

FOUNDATION

LAMINATE

Straight & Flat Edge

Full Knife Edge

SEAMLESS COLOR

Flat Edge

Full Knife Edge

FLINTWOOD

Flat Edge

Full Knife Edge

NATURAL VENEER

Flat Edge

4458	4748	4541	4541	5392	5523	5426
4438	4718	4513	4513	5344	5469	5374
4496	4792	4575	4575	5459	5595	5490
4553	4868	4636	4636	5575	5718	5607
4483	4780	4564	4564	5412	5546	5445
4539	4852	4623	4623	5523	5664	5559
4595	4926	4684	4684	5634	5784	5673
4650	4999	4744	4744	5747	5903	5785
4521	4827	4605	4605	5426	5561	5460
4576	4897	4663	4663	5530	5674	5566
4631	4969	4723	4723	5634	5786	5674
4684	5040	4781	4781	5742	5899	5781
4739	5112	4838	4838	5846	6013	5887
4495	4798	4575	4575	5578	5761	5613
4547	4866	4632	4632	5688	5881	5726
4568	4895	4658	4658	5649	5840	5686
4619	4962	4717	4717	5756	5957	5796
4672	5033	4773	4773	5865	6074	5905
4636	4984	4730	4730	5797	5999	5837
4689	5055	4789	4789	5905	6116	5947
4741	5123	4846	4846	6013	6233	6056
4793	5191	4903	4903	6119	6350	6165
4598	4938	4690	4690	5815	6020	5853
4608	4951	4705	4705	5747	5945	5784
4670	5036	4773	4773	5876	6089	5919
4733	5119	4842	4842	6007	6232	6052
4678	5043	4778	4778	5894	6104	5935
4740	5125	4846	4846	6024	6248	6069
4804	5209	4914	4914	6156	6391	6203
4866	5292	4982	4982	6287	6535	6336

If Mica is specified, add 103

If Toggle Up/Down (T) switch is specified, add 67

If Display with Up/Down Memory (D) switch is specified, add 149

If Display Toggle with Memory & Navigate GPS (X) switch is specified, add 184

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) is specified, add 199

If Vertical Wire Carrier is specified, add 266

Pricing is continued on the following page

YJH

Navigate Height-Adjustable Extended Corner Complete Table (Continued)

DIMENSIONS – INCHES
FOR MM X BY 25.4

PRICING

EXTENDED ELECTRIC - RESTRICTED / EXTENDED ELECTRIC - EXTENDED

Da	Db	Wa	Wb	FOUNDATION LAMINATE		SEAMLESS COLOR		FLINTWOOD		NATURAL VENEER
				Straight & Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge
23	23	52	52	4656	4947	4739	4739	5589	5722	5624
23	23	58	46	4636	4915	4712	4712	5541	5668	5573
23	23	58	52	4694	4991	4773	4773	5657	5792	5687
23	23	58	58	4750	5065	4835	4835	5772	5915	5805
23	23	64	46	4681	4977	4762	4762	5610	5745	5644
23	23	64	52	4737	5051	4823	4823	5722	5862	5756
23	23	64	58	4792	5123	4883	4883	5832	5982	5871
23	23	64	64	4848	5197	4943	4943	5944	6101	5983
23	23	70	46	4720	5024	4803	4803	5624	5759	5658
23	23	70	52	4774	5095	4861	4861	5728	5872	5766
23	23	70	58	4829	5167	4920	4920	5832	5984	5872
23	23	70	64	4883	5238	4978	4978	5939	6097	5978
23	23	70	70	4937	5309	5038	5038	6043	6210	6086
29	23	58	52	4693	4995	4773	4773	5775	5960	5810
29	23	58	58	4744	5065	4830	4830	5887	6081	5923
29	23	64	52	4765	5093	4855	4855	5848	6038	5885
29	23	64	58	4818	5162	4914	4914	5955	6154	5994
29	23	64	64	4870	5230	4971	4971	6063	6272	6103
29	23	70	52	4835	5183	4929	4929	5995	6199	6036
29	23	70	58	4887	5252	4987	4987	6103	6314	6144
29	23	70	64	4939	5321	5044	5044	6210	6431	6253
29	23	70	70	4992	5390	5100	5100	6316	6547	6362
29	29	58	58	4796	5137	4888	4888	6013	6217	6051
29	29	64	52	4806	5149	4903	4903	5944	6143	5982
29	29	64	58	4869	5234	4971	4971	6075	6287	6117
29	29	64	64	4933	5316	5041	5041	6205	6431	6250
29	29	70	52	4875	5241	4975	4975	6091	6303	6132
29	29	70	58	4938	5324	5044	5044	6222	6445	6267
29	29	70	64	5001	5407	5113	5113	6353	6589	6400
29	29	70	70	5065	5491	5180	5180	6484	6733	6535

If Mica is specified, add 103

If Toggle Up/Down (T) switch is specified, add 67

If Display with Up/Down Memory (D) switch is specified, add 149

If Display Toggle with Memory & Navigate GPS (X) switch is specified, add 184

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) is specified, add 199

If Vertical Wire Carrier is specified, add 266