


# YJH

## Navigate Height-Adjustable Extended Corner Complete Table

One Table  
One Plug



### What's Included

1 3-point extended corner electric height-adjustable base, 2-piece worksurface, all assembly hardware, shipped knocked down.

### Notes

Always uses a C-Leg Application

Table frame and surface orientation are reversible.

Orientation Left (L) and Right (R) refers to placement of primary surface.

Surface dimensions are actual width and actual depth.

Electric base mechanism has 0.1 Watt resting power draw and uses 120V North American control box.

For Switch details, see the Application Guide section.

Cross Channel Integrated (I) and (C) is located in the selected Orientation in the cross-channel and it is not available with Actual Width A (52) (58).

Cross Channel Integrated Powerbar option (C) includes 3 outlets + 1 IEC Connection. This IEC connection accepts only one IEC-compatible power accessory (with an IEC cord terminal) at a time.

Undersurface cable management option (5) - Dual Plastic Trays + Powerbar with IEC refers to a Power Rod (with IEC cord terminal) that must be plugged into the IEC connection of the Cross Channel Integrated Powerbar option (C).

For more information about the One Table One Plug electrical system, IEC-compatible power accessories and planning with IEC Connection, refer to the *Application Guide* section.

### PRODUCT OPTIONS

Base Mechanism	Actual Depth A	Actual Depth B	Actual Width A	Actual Width B	Orientation	Surface Finish
<b>7S</b> Standard Electric (27" - 43")	23, 29	23, 29	52, 58, 64, 70	46, 52, 58, 64, 70	<b>L</b> Left <b>R</b> Right	Foundation Laminata
<b>9C</b> Extended Electric - Restricted (25" - 48.6")						Seamless
<b>9E</b> Extended Electric - Extended (22.6" - 48.7")						Flintwood Natural Veneer

### SAMPLE ORDER CODE

<b>YJH 7S</b>	<b>29</b>	<b>29</b>	<b>70</b>	<b>52</b>	<b>L</b>	<b>LW</b>
---------------	-----------	-----------	-----------	-----------	----------	-----------

### PRODUCT OPTIONS (CONTINUED)

Edge Trim Style	Edge Trim Finish	Base Finish	Switch Style	Switch Finish	Powerbar	E-Chain (Optional)
<b>6</b> Straight (with Foundation)	Edge Trim Colors	Foundation	<b>S</b> Standard Up/Down	<b>E</b> Ebony Coordinate	<b>N</b> None	<b>N</b> None
<b>8</b> Flat (with Foundation)		Mica	<b>D</b> Display with Up/Down Memory	<b>X</b> Anthracite	<b>I</b> Cross Channel Integrated - 4 Outlets	<b>E</b> Ebony Coordinate
<b>9</b> Flat (with Flintwood & Natural Veneer)			<b>T</b> Toggle Up/Down	<b>7</b> Platinum	<b>C</b> Cross Channel Integrated - 3 Outlets+1 IEC	<b>7</b> Platinum Coordinate
<b>G</b> Flat (with Seamless)			<b>X</b> Display toggle with Memory and Navigate GPS	<b>6</b> Crisp Grey		<b>V</b> Very White Coordinate
<b>H</b> Full Knife (with Foundation, Flintwood and Natural Veneer)						
<b>X</b> Full Knife (with Seamless)						

### SAMPLE ORDER CODE (CONTINUED)

<b>8</b>	<b>ST</b>	<b>E</b>	<b>X</b>	<b>X</b>	<b>I</b>	<b>N</b>
----------	-----------	----------	----------	----------	----------	----------

See Pricing on the following page.

# Navigate Height-Adjustable Extended Corner Complete Table (Continued)

**DIMENSIONS – INCHES  
FOR MM X BY 25.4**

Da	Db	Wa	Wb
23	23	52	52
23	23	58	46
23	23	58	52
23	23	58	58
23	23	64	46
23	23	64	52
23	23	64	58
23	23	64	64
23	23	70	46
23	23	70	52
23	23	70	58
23	23	70	64
23	23	70	70
29	23	58	52
29	23	58	58
29	23	64	52
29	23	64	58
29	23	64	64
29	23	70	52
29	23	70	58
29	23	70	64
29	23	70	70
29	29	58	58
29	29	64	52
29	29	64	58
29	29	64	64
29	29	70	52
29	29	70	58
29	29	70	64
29	29	70	70

**PRICING**

STANDARD ELECTRIC						
FOUNDATION LAMINATE		SEAMLESS COLOR		FLINTWOOD		NATURAL VENEER
Straight & Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge
4091	4357	4167	4167	4949	5068	4979
4073	4330	4142	4142	4905	5020	4932
4126	4398	4199	4199	5010	5134	5039
4178	4467	4255	4255	5116	5247	5146
4114	4387	4188	4188	4967	5089	4998
4165	4453	4243	4243	5068	5199	5102
4217	4521	4299	4299	5171	5309	5206
4267	4588	4354	4354	5274	5418	5310
4149	4430	4226	4226	4979	5104	5011
4200	4494	4279	4279	5075	5207	5109
4250	4560	4334	4334	5171	5311	5207
4299	4625	4388	4388	5269	5414	5306
4349	4691	4440	4440	5365	5518	5403
4125	4403	4199	4199	5119	5288	5152
4173	4466	4251	4251	5221	5398	5255
4192	4492	4275	4275	5184	5359	5219
4239	4554	4329	4329	5283	5467	5319
4288	4619	4380	4380	5382	5575	5420
4255	4574	4341	4341	5320	5506	5357
4303	4639	4395	4395	5420	5613	5458
4351	4702	4447	4447	5518	5720	5558
4399	4764	4500	4500	5616	5828	5658
4220	4532	4304	4304	5336	5525	5372
4229	4544	4318	4318	5274	5456	5309
4286	4622	4380	4380	5393	5588	5432
4344	4698	4444	4444	5513	5719	5555
4293	4628	4385	4385	5409	5602	5447
4350	4704	4447	4447	5529	5734	5570
4409	4780	4510	4510	5650	5866	5693
4466	4857	4572	4572	5770	5998	5815

- If Mica is specified, add 93
- If Toggle Up/Down (T) switch is specified, add 61
- If Display with Up/Down Memory (D) switch is specified, add 135
- If Display Toggle with Memory & Navigate GPS (X) switch is specified, add 168
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) is specified, add 181
- If E-Chain is specified, add 244

Pricing is continued on the following page

YJH

# Navigate Height-Adjustable Extended Corner Complete Table (Continued)

DIMENSIONS – INCHES  
FOR MM X BY 25.4

## PRICING

## EXTENDED ELECTRIC - RESTRICTED / EXTENDED ELECTRIC - EXTENDED

Da	Db	Wa	Wb	FOUNDATION LAMINATE		SEAMLESS COLOR		FLINTWOOD		NATURAL VENEER
				Straight & Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge
23	23	52	52	4273	4540	4349	4349	5130	5251	5161
23	23	58	46	4255	4511	4324	4324	5086	5201	5114
23	23	58	52	4308	4580	4380	4380	5192	5315	5220
23	23	58	58	4359	4648	4437	4437	5297	5428	5328
23	23	64	46	4296	4568	4370	4370	5149	5272	5179
23	23	64	52	4347	4636	4426	4426	5251	5380	5283
23	23	64	58	4398	4702	4481	4481	5353	5490	5388
23	23	64	64	4449	4770	4536	4536	5455	5600	5491
23	23	70	46	4332	4611	4408	4408	5161	5286	5193
23	23	70	52	4381	4676	4461	4461	5257	5389	5291
23	23	70	58	4432	4742	4515	4515	5353	5492	5389
23	23	70	64	4481	4807	4569	4569	5450	5596	5487
23	23	70	70	4531	4872	4623	4623	5546	5699	5585
29	23	58	52	4307	4584	4380	4380	5300	5470	5333
29	23	58	58	4354	4648	4433	4433	5403	5581	5436
29	23	64	52	4373	4674	4456	4456	5367	5541	5401
29	23	64	58	4422	4737	4510	4510	5466	5648	5501
29	23	64	64	4469	4800	4562	4562	5564	5756	5601
29	23	70	52	4437	4756	4524	4524	5502	5689	5539
29	23	70	58	4485	4820	4577	4577	5601	5795	5639
29	23	70	64	4533	4884	4629	4629	5699	5902	5739
29	23	70	70	4581	4947	4681	4681	5797	6009	5839
29	29	58	58	4401	4714	4486	4486	5518	5706	5554
29	29	64	52	4411	4726	4500	4500	5455	5638	5490
29	29	64	58	4468	4803	4562	4562	5576	5770	5614
29	29	64	64	4527	4879	4626	4626	5695	5902	5736
29	29	70	52	4474	4810	4566	4566	5590	5785	5628
29	29	70	58	4532	4886	4629	4629	5711	5915	5752
29	29	70	64	4590	4962	4692	4692	5831	6047	5874
29	29	70	70	4648	5040	4754	4754	5951	6179	5998

If Mica is specified, add 93

If Toggle Up/Down (T) switch is specified, add 61

If Display with Up/Down Memory (D) switch is specified, add 135

If Display Toggle with Memory &amp; Navigate GPS (X) switch is specified, add 168

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) is specified, add 181

If E-Chain is specified, add 244