


YQX

hiSpace Quick Connect Height-Adjustable Mechanism, Round Legs



hiSpace Quick Connect Height-Adjustable Mechanism, Round Legs must be paired with Rectangular Height-Adjustable Worksurface with Connection Kit for hiSpace Quick Connect (WBX), Rectangular Height-Adjustable Worksurface with Radius Corners and Connection Kit for hiSpace Quick Connect (WJX) or Rectangular Height-Adjustable Worksurface with Routes Corners (WQX) to create a complete table solution

What's Included

1 pair of feet, 1 pair of leg columns, 1 power pak (includes 1 cable organizer with felt cover, preinstalled control box, 1 switch, 1 15' power cord, 2 motor cables)

Notes

Meets ANSI/BIFMA testing requirements.

BIFMA compliant height-adjustment range from 22 3/5" to 48 7/10" from the top of a 1" thick worksurface.

Includes a 240V universal control box.

Standby power consumption of 0.2W.

Option of 0.2W Power cord is 15' long.

This is not a complete Base Only product. The Connection Kit top frame is required and included on WBX, WJX and WQX.

PRODUCT OPTIONS

Base Mechanism	Actual Depth	Actual Width	Screen Frame Provision	Base Finish
9 Extended Electric (22-3/5"-48-7/10")	29, 30	46, 52, 58, 60, 64, 70, 72	N None 6 6" Frame Actual Width Reduction	52 Ebony 60 Platinum 83 Very White

SAMPLE ORDER CODE

YQX 9	30	60	6	52
-------	----	----	---	----

PRODUCT OPTIONS (CONTINUED)

Switch	Power Pack	Undersurface Cable Management	Vertical Wire Carrier
D Display with up/Down Memory	1 Cable Organizer with Felt Cover	N None 3 Dual Plastic Trays + Powerbar 4 Dual Plastic Trays	N None Y With Vertical Wire Carrier

SAMPLE ORDER CODE (CONTINUED)

D	1	4	Y
---	---	---	---

See Pricing on the following page.

YQX
hiSpace Quick Connect Height-Adjustable Mechanism,
Round Legs (Continued)

PRICING

1634

If Dual Plastic Trays + Power Bar are specified, add 229
If Dual Plastic are specified, add 47
If Vertical Wire Carrier is specified, add 266