


YTH

Navigate Height-Adjustable Gable Leg Complete Table

One Table
One Plug



What's Included

Complete height-adjustable base with 2 gable legs, worksurface with waterfall leg covers, integrated Vertical Wire Carrier, assembly hardware. Ships knocked down.

Notes

All dimensions are actual size.

Tested to ANSI/BIFMA & CGSB requirements.

Worksurface and Waterfall finish are always the same.

Worksurface edge trim style is always Flat trim.

Electric base mechanism has 0.1 Watt resting power draw and uses 120V North American control box.

For Switch details, see the Application Guide section.

Cross Channel Integrated Powerbar option (C) includes 3 outlets + 1 IEC Connection. This IEC connection accepts only one IEC-compatible power accessory (with an IEC cord terminal) at a time.

Undersurface cable management option (5) - Dual Plastic Trays + Powerbar with IEC refers to a Power Rod (with IEC cord terminal) that must be plugged into the IEC connection of the Cross Channel Integrated Powerbar option (C).

For more information about the One Table One Plug electrical system, IEC-compatible power accessories and planning with IEC Connection, refer to the *Application Guide* section.

PRODUCT OPTIONS

Base Mechanism	Actual Depth	Actual Width	Cut Out	Cut Out Location	Base Finish
7S Standard Electric (27"-43")	29, 35	46, 52, 58, 64, 70, 76, 82	N None	N None	Foundation
9C Extended Electric - High Gable (25"-48 7/10")			G Round	C Center	Mica
			R Rectangular	L Left	Accent
				R Right	
				B Left & Right	
				A Center & Left	
				D Center & Right	
				E Center, Left & Right	

SAMPLE ORDER CODE

YTH 7S	29	70	R	C	25
--------	----	----	---	---	----

PRODUCT OPTIONS

Surface & Waterfall Finish	Switch Style	Switch Finish	Power Bar	Undersurface Cable Management
Foundation Laminate	S Standard Up/Down	E Ebony Coordinate	N None	N None
Flintwood	D Display with Up/Down Memory	X Anthracite	I Cross Channel Integrated - 4 Outlets	1 Cable Organizer with Felt Cover
Natural Veneer	T Toggle Up/Down	7 Platinum	C Cross Channel Integrated - 3 Outlets + 1 IEC	3 Dual Plastic Trays + Powerbar
	X Display Toggle with Memory and Navigate GPS	6 Crisp Grey		4 Dual Plastic Trays
				5 Dual Plastic Trays + Powerbar with IEC

SAMPLE ORDER CODE

VZ	X	X	I	N
----	---	---	---	---

See Pricing on the following page.

YTH Navigate Height-Adjustable Gable Leg Complete Table (Continued)

DIMENSIONS
INCHES / MM

D	W
29 / 737	46 / 1168
29 / 737	52 / 1321
29 / 737	58 / 1473
29 / 737	64 / 1626
29 / 737	70 / 1778
29 / 737	76 / 1930
29 / 737	82 / 2083
35 / 889	46 / 1168
35 / 889	52 / 1321
35 / 889	58 / 1473
35 / 889	64 / 1626
35 / 889	70 / 1778
35 / 889	76 / 1930
35 / 889	82 / 2083

PRICING

STANDARD ELECTRIC

NO CUT OUT (NN)

BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:	
Foundation	Mica/ Accent	Flintwood	Veneer
5113	5196	995	1073
5150	5235	949	1034
5195	5280	1045	1134
5280	5363	1194	1291
5328	5411	1291	1393
5377	5460	1019	1127
5417	5502	1113	1228
5268	5353	1086	1173
5450	5533	1088	1180
5493	5578	1192	1288
5578	5661	1347	1451
5628	5711	1451	1562
5628	5711	1451	1562
5628	5711	1451	1562

ROUND, CENTER (GC)

BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:	
Foundation	Mica/ Accent	Flintwood	Veneer
5146	5230	1028	1108
5186	5269	984	1069
5229	5313	1079	1169
5313	5396	1229	1324
5362	5445	1324	1427
5411	5494	1052	1162
5453	5536	1148	1262
5304	5387	1121	1208
5483	5566	1123	1215
5528	5612	1226	1321
5612	5697	1383	1486
5662	5747	1486	1596
5662	5747	1486	1596
5662	5747	1486	1596

ROUND, LEFT OR RIGHT (GL/GR)

BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:	
Foundation	Mica/ Accent	Flintwood	Veneer
5146	5230	1028	1108
5186	5269	984	1069
5229	5313	1079	1169
5313	5396	1229	1324
5362	5445	1324	1427
5411	5494	1052	1162
5453	5536	1148	1262
5304	5387	1121	1208
5483	5566	1123	1215
5528	5612	1226	1321
5612	5697	1383	1486
5662	5747	1486	1596
5662	5747	1486	1596
5662	5747	1486	1596

ROUND, LEFT & RIGHT (GB)

BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:	
Foundation	Mica/ Accent	Flintwood	Veneer
5181	5265	1063	1143
5220	5305	1019	1103
5264	5347	1113	1204
5347	5432	1263	1360
5395	5480	1360	1462
5445	5530	1087	1196
5487	5572	1183	1296
5337	5420	1155	1242
5517	5602	1157	1249
5562	5647	1261	1356
5647	5730	1417	1520
5698	5781	1520	1631
5698	5781	1520	1631
5698	5781	1520	1631

- If Toggle Up/Down (T) switch is specified, add 67
- If Display with Up/Down Memory (D) switch is specified, add 149
- If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 184
- If Dual Plastic Trays are specified, add 47
- If Dual Plastic Trays and Powerbar are specified, add 229
- If Cable Organizer with Felt Cover is specified, add 233
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 199
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 247
- If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 426
- If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 482
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 431

Pricing is continued on the following page

YTH

Navigate Height-Adjustable Gable Leg Complete Table (Continued)

DIMENSIONS
INCHES / MM

D	W
29 / 737	46 / 1168
29 / 737	52 / 1321
29 / 737	58 / 1473
29 / 737	64 / 1626
29 / 737	70 / 1778
29 / 737	76 / 1930
29 / 737	82 / 2083
35 / 889	46 / 1168
35 / 889	52 / 1321
35 / 889	58 / 1473
35 / 889	64 / 1626
35 / 889	70 / 1778
35 / 889	76 / 1930
35 / 889	82 / 2083

PRICING

ROUND, CENTER, LEFT OR RIGHT (GA/GD)				ROUND, CENTER, LEFT & RIGHT(GE)			
BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:		BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:	
Foundation	Mica/ Accent	Flintwood	Veneer	Foundation	Mica/ Accent	Flintwood	Veneer
5181	5265	1063	1143	5216	5300	1097	1176
5220	5305	1019	1103	5254	5338	1052	1137
5264	5347	1113	1204	5297	5383	1148	1238
5347	5432	1263	1360	5383	5466	1297	1394
5395	5480	1360	1462	5431	5514	1394	1496
5445	5530	1087	1196	5480	5563	1122	1231
5487	5572	1183	1296	5522	5605	1217	1331
5337	5420	1155	1242	5371	5456	1190	1277
5517	5602	1157	1249	5553	5636	1192	1283
5562	5647	1261	1356	5598	5681	1295	1390
5647	5730	1417	1520	5681	5766	1451	1555
5698	5781	1520	1631	5731	5816	1555	1665
5698	5781	1520	1631	5731	5816	1555	1665
5698	5781	1520	1631	5731	5816	1555	1665

RECTANGULAR, CENTER (RC)				RECTANGULAR, LEFT OR RIGHT (RL/RR)				RECTANGULAR, LEFT & RIGHT (RB)			
BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:		BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:		BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:	
Foundation	Mica/ Accent	Flintwood	Veneer	Foundation	Mica/ Accent	Flintwood	Veneer	Foundation	Mica/ Accent	Flintwood	Veneer
5146	5230	1028	1108	5146	5230	1028	1108	5181	5265	1063	1143
5186	5269	984	1069	5186	5269	984	1069	5220	5305	1019	1103
5229	5313	1079	1169	5229	5313	1079	1169	5264	5347	1113	1204
5313	5396	1229	1324	5313	5396	1229	1324	5347	5432	1263	1360
5362	5445	1324	1427	5362	5445	1324	1427	5395	5480	1360	1462
5411	5494	1052	1162	5411	5494	1052	1162	5445	5530	1087	1196
5453	5536	1148	1262	5453	5536	1148	1262	5487	5572	1183	1296
5304	5387	1121	1208	5304	5387	1121	1208	5337	5420	1155	1242
5483	5566	1123	1215	5483	5566	1123	1215	5517	5602	1157	1249
5528	5612	1226	1321	5528	5612	1226	1321	5562	5647	1261	1356
5612	5697	1383	1486	5612	5697	1383	1486	5647	5730	1417	1520
5662	5747	1486	1596	5662	5747	1486	1596	5698	5781	1520	1631
5662	5747	1486	1596	5662	5747	1486	1596	5698	5781	1520	1631
5662	5747	1486	1596	5662	5747	1486	1596	5698	5781	1520	1631

- If Toggle Up/Down (T) switch is specified, add 67
- If Display with Up/Down Memory (D) switch is specified, add 149
- If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 184
- If Dual Plastic Trays are specified, add 47
- If Dual Plastic Trays and Powerbar are specified, add 229
- If Cable Organizer with Felt Cover is specified, add 233
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 199
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 247
- If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 426
- If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 482
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 431

Pricing is continued on the following page

YTH

Navigate Height-Adjustable Gable Leg Complete Table (Continued)

DIMENSIONS
INCHES / MM

D	W
29 / 737	46 / 1168
29 / 737	52 / 1321
29 / 737	58 / 1473
29 / 737	64 / 1626
29 / 737	70 / 1778
29 / 737	76 / 1930
29 / 737	82 / 2083
35 / 889	46 / 1168
35 / 889	52 / 1321
35 / 889	58 / 1473
35 / 889	64 / 1626
35 / 889	70 / 1778
35 / 889	76 / 1930
35 / 889	82 / 2083

PRICING

RECTANGULAR, CENTER LEFT OR RIGHT (RA/RD)				RECTANGULAR, CENTER LEFT & RIGHT (RE)			
BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:		BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:	
Foundation	Mica/ Accent	Flintwood	Veneer	Foundation	Mica/ Accent	Flintwood	Veneer
5216	5300	1097	1176	5216	5300	1097	1176
5254	5338	1052	1137	5254	5338	1052	1137
5297	5383	1148	1238	5297	5383	1148	1238
5383	5466	1297	1394	5383	5466	1297	1394
5431	5514	1394	1496	5431	5514	1394	1496
5480	5563	1122	1231	5480	5563	1122	1231
5522	5605	1217	1331	5522	5605	1217	1331
5337	5420	1155	1242	5371	5456	1190	1277
5517	5602	1157	1249	5553	5636	1192	1283
5562	5647	1261	1356	5598	5681	1295	1390
5647	5730	1417	1520	5681	5766	1451	1555
5698	5781	1520	1631	5731	5816	1555	1665
5698	5781	1520	1631	5731	5816	1555	1665
5698	5781	1520	1631	5731	5816	1555	1665

EXTENDED ELECTRIC

NO CUT OUT (NN)

BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:	
Foundation	Mica/ Accent	Flintwood	Veneer
5196	5472	995	1073
5150	5235	949	1034
5195	5280	1045	1134
5280	5363	1194	1291
5328	5411	1291	1393
5377	5460	1019	1127
5417	5502	1113	1228
5196	5472	995	1073
5150	5235	949	1034
5195	5280	1045	1134
5280	5363	1194	1291
5328	5411	1291	1393
5377	5460	1019	1127
5417	5502	1113	1228

- If Toggle Up/Down (T) switch is specified, add 67
- If Display with Up/Down Memory (D) switch is specified, add 149
- If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 184
- If Dual Plastic Trays are specified, add 47
- If Dual Plastic Trays and Powerbar are specified, add 229
- If Cable Organizer with Felt Cover is specified, add 233
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 199
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 247
- If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 426
- If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 482
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 431

Pricing is continued on the following page

YTH

Navigate Height-Adjustable Gable Leg Complete Table (Continued)

DIMENSIONS
INCHES / MM

D	W
29 / 737	46 / 1168
29 / 737	52 / 1321
29 / 737	58 / 1473
29 / 737	64 / 1626
29 / 737	70 / 1778
29 / 737	76 / 1930
29 / 737	82 / 2083
35 / 889	46 / 1168
35 / 889	52 / 1321
35 / 889	58 / 1473
35 / 889	64 / 1626
35 / 889	70 / 1778
35 / 889	76 / 1930
35 / 889	82 / 2083

PRICING

ROUND, CENTER (GC)				ROUND, LEFT OR RIGHT (GL/GR)				ROUND, LEFT & RIGHT (GB)			
BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:		BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:		BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:	
Foundation	Mica/ Accent	Flintwood	Veneer	Foundation	Mica/ Accent	Flintwood	Veneer	Foundation	Mica/ Accent	Flintwood	Veneer
5265	5540	1028	1108	5265	5540	1028	1108	5334	5609	1063	1143
5220	5305	984	1069	5220	5305	984	1069	5289	5373	1019	1103
5264	5347	1079	1169	5264	5347	1079	1169	5333	5416	1113	1204
5347	5432	1229	1324	5347	5432	1229	1324	5416	5501	1263	1360
5396	5481	1324	1427	5396	5481	1324	1427	5464	5549	1360	1462
5445	5530	1052	1162	5445	5530	1052	1162	5514	5599	1087	1196
5487	5572	1148	1262	5487	5572	1148	1262	5556	5639	1183	1296
5265	5540	1028	1108	5265	5540	1028	1108	5334	5609	1063	1143
5220	5305	984	1069	5220	5305	984	1069	5289	5373	1019	1103
5264	5347	1079	1169	5264	5347	1079	1169	5333	5416	1113	1204
5347	5432	1229	1324	5347	5432	1229	1324	5416	5501	1263	1360
5396	5481	1324	1427	5396	5481	1324	1427	5464	5549	1360	1462
5445	5530	1052	1162	5445	5530	1052	1162	5514	5599	1087	1196
5487	5572	1148	1262	5487	5572	1148	1262	5556	5639	1183	1296

ROUND, CENTER & RIGHT (GA/GD)				ROUND, CENTER, LEFT & RIGHT (GE)			
BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:		BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:	
Foundation	Mica/ Accent	Flintwood	Veneer	Foundation	Mica/ Accent	Flintwood	Veneer
5334	5609	1063	1143	5404	5679	1097	1176
5289	5373	1019	1103	5358	5441	1052	1137
5333	5416	1113	1204	5402	5486	1148	1238
5416	5501	1263	1360	5486	5571	1297	1394
5464	5549	1360	1462	5534	5619	1394	1496
5514	5599	1087	1196	5583	5668	1122	1231
5556	5639	1183	1296	5625	5708	1217	1331
5334	5609	1063	1143	5404	5679	1097	1176
5289	5373	1019	1103	5358	5441	1052	1137
5333	5416	1113	1204	5402	5486	1148	1238
5416	5501	1263	1360	5486	5571	1297	1394
5464	5549	1360	1462	5534	5619	1394	1496
5514	5599	1087	1196	5583	5668	1122	1231
5556	5639	1183	1296	5625	5708	1217	1331

- If Toggle Up/Down (T) switch is specified, add 67
- If Display with Up/Down Memory (D) switch is specified, add 149
- If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 184
- If Dual Plastic Trays are specified, add 47
- If Dual Plastic Trays and Powerbar are specified, add 229
- If Cable Organizer with Felt Cover is specified, add 233
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 199
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 247
- If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 426
- If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 482
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 431

See Pricing on the following page

YTH

Navigate Height-Adjustable Gable Leg Complete Table (Continued)

DIMENSIONS
INCHES / MM

D		W	
29 / 737	46 / 1168		
29 / 737	52 / 1321		
29 / 737	58 / 1473		
29 / 737	64 / 1626		
29 / 737	70 / 1778		
29 / 737	76 / 1930		
29 / 737	82 / 2083		
35 / 889	46 / 1168		
35 / 889	52 / 1321		
35 / 889	58 / 1473		
35 / 889	64 / 1626		
35 / 889	70 / 1778		
35 / 889	76 / 1930		
35 / 889	82 / 2083		

PRICING

RECTANGULAR, CENTER (RC)				RECTANGULAR, LEFT OR RIGHT (RL/RR)				RECTANGULAR, LEFT & RIGHT (RB)			
BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:		BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:		BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:	
Foundation	Mica/ Accent	Flintwood	Veneer	Foundation	Mica/ Accent	Flintwood	Veneer	Foundation	Mica/ Accent	Flintwood	Veneer
5265	5540	1028	1108	5265	5540	1028	1108	5334	5609	1063	1143
5220	5305	984	1069	5220	5305	984	1069	5289	5373	1019	1103
5264	5347	1079	1169	5264	5347	1079	1169	5333	5416	1113	1204
5347	5432	1229	1324	5347	5432	1229	1324	5416	5501	1263	1360
5396	5481	1324	1427	5396	5481	1324	1427	5464	5549	1360	1462
5445	5530	1052	1162	5445	5530	1052	1162	5514	5599	1087	1196
5487	5572	1148	1262	5487	5572	1148	1262	5556	5639	1183	1296
5265	5540	1028	1108	5265	5540	1028	1108	5334	5609	1063	1143
5220	5305	984	1069	5220	5305	984	1069	5289	5373	1019	1103
5264	5347	1079	1169	5264	5347	1079	1169	5333	5416	1113	1204
5347	5432	1229	1324	5347	5432	1229	1324	5416	5501	1263	1360
5396	5481	1324	1427	5396	5481	1324	1427	5464	5549	1360	1462
5445	5530	1052	1162	5445	5530	1052	1162	5514	5599	1087	1196
5487	5572	1148	1262	5487	5572	1148	1262	5556	5639	1183	1296
5265	5540	1028	1108	5265	5540	1028	1108	5334	5609	1063	1143
5220	5305	984	1069	5220	5305	984	1069	5289	5373	1019	1103
5264	5347	1079	1169	5264	5347	1079	1169	5333	5416	1113	1204
5347	5432	1229	1324	5347	5432	1229	1324	5416	5501	1263	1360
5396	5481	1324	1427	5396	5481	1324	1427	5464	5549	1360	1462
5445	5530	1052	1162	5445	5530	1052	1162	5514	5599	1087	1196
5487	5572	1148	1262	5487	5572	1148	1262	5556	5639	1183	1296

RECTANGULAR, CENTER LEFT OR RIGHT (RA/RD)				RECTANGULAR, CENTER LEFT OR RIGHT (RE)			
BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:		BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:	
Foundation	Mica/ Accent	Flintwood	Veneer	Foundation	Mica/ Accent	Flintwood	Veneer
5334	5609	1063	1143	5404	5679	1097	1176
5289	5373	1019	1103	5358	5441	1052	1137
5333	5416	1113	1204	5402	5486	1148	1238
5416	5501	1263	1360	5486	5571	1297	1394
5464	5549	1360	1462	5534	5619	1394	1496
5514	5599	1087	1196	5583	5668	1122	1231
5556	5639	1183	1296	5625	5708	1217	1331
5334	5609	1063	1143	5404	5679	1097	1176
5289	5373	1019	1103	5358	5441	1052	1137
5333	5416	1113	1204	5402	5486	1148	1238
5416	5501	1263	1360	5486	5571	1297	1394
5464	5549	1360	1462	5534	5619	1394	1496
5514	5599	1087	1196	5583	5668	1122	1231
5556	5639	1183	1296	5625	5708	1217	1331

- If Toggle Up/Down (T) switch is specified, add 67
- If Display with Up/Down Memory (D) switch is specified, add 149
- If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 184
- If Dual Plastic Trays are specified, add 47
- If Dual Plastic Trays and Powerbar are specified, add 229
- If Cable Organizer with Felt Cover is specified, add 233
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 199
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 247
- If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 426
- If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 482
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 431