


YTH

Navigate Height-Adjustable Gable Leg Complete Table

One Table
One Plug



What's Included

Complete height-adjustable base with 2 gable legs, worksurface with waterfall leg covers, integrated e-Chain vertical cable manager, assembly hardware. Ships knocked down.

Notes

All dimensions are actual size.

Tested to ANSI/BIFMA & CGSB requirements.

Worksurface and Waterfall finish are always the same.

Worksurface edge trim style is always Flat trim.

Electric base mechanism has 0.1 Watt resting power draw and uses 120V North American control box.

For Switch details, see the Application Guide section.

Cross Channel Integrated Powerbar option (C) includes 3 outlets + 1 IEC Connection. This IEC connection accepts only one IEC-compatible power accessory (with an IEC cord terminal) at a time.

Undersurface cable management option (5) - Dual Plastic Trays + Powerbar with IEC refers to a Power Rod (with IEC cord terminal) that must be plugged into the IEC connection of the Cross Channel Integrated Powerbar option (C).

For more information about the One Table One Plug electrical system, IEC-compatible power accessories and planning with IEC Connection, refer to the *Application Guide* section.

PRODUCT OPTIONS

Base Mechanism	Actual Depth	Actual Width	Cut Out	Cut Out Location	Base Finish
7S Standard Electric (27"-43")	29, 35	46, 52, 58, 64, 70, 76, 82	N None	N None	Foundation
9C Extended Electric - High Gable (25.0"-48.7")			G Round	C Center	Mica
			R Rectangular	L Left	Accent
				R Right	
				B Left & Right	
				A Center & Left	
				D Center & Right	
				E Center, Left & Right	

SAMPLE ORDER CODE

YTH 7S	29	70	R	C	25
--------	----	----	---	---	----

PRODUCT OPTIONS

Surface & Waterfall Finish	Switch Style	Switch Finish	Power Bar	Undersurface Cable Management
Foundation Laminate	S Standard Up/Down	E Ebony Coordinate	N None	N None
Flintwood	D Display with Up/Down Memory	X Anthracite	I Cross Channel Integrated - 4 Outlets	1 Cable Organizer with Felt Cover
Natural Veneer	T Toggle Up/Down	7 Platinum	C Cross Channel Integrated - 3 Outlets + 1 IEC	3 Dual Plastic Trays + Powerbar
	X Display Toggle with Memory and Navigate GPS	6 Crisp Grey		4 Dual Plastic Trays
				5 Dual Plastic Trays + Powerbar with IEC

SAMPLE ORDER CODE

VZ	X	X	I	N
----	---	---	---	---

See Pricing on the following page.

YTH

Navigate Height-Adjustable Gable Leg Complete Table (Continued)

DIMENSIONS
INCHES / MM

D	W
29 / 737	46 / 1168
29 / 737	52 / 1321
29 / 737	58 / 1473
29 / 737	64 / 1626
29 / 737	70 / 1778
29 / 737	76 / 1930
29 / 737	82 / 2083
35 / 889	46 / 1168
35 / 889	52 / 1321
35 / 889	58 / 1473
35 / 889	64 / 1626
35 / 889	70 / 1778
35 / 889	76 / 1930
35 / 889	82 / 2083

PRICING

STANDARD ELECTRIC

NO CUT OUT (NN)

BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:	
Foundation	Mica/ Accent	Flintwood	Veneer
4692	4769	912	984
4727	4804	870	948
4768	4845	958	1040
4845	4922	1095	1184
4889	4966	1184	1278
4934	5011	934	1034
4972	5049	1021	1126
4835	4912	996	1076
5001	5078	998	1082
5042	5119	1093	1181
5119	5196	1236	1331
5165	5242	1331	1433
5165	5242	1331	1433
5165	5242	1331	1433

ROUND, CENTER (GC)

BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:	
Foundation	Mica/ Accent	Flintwood	Veneer
4723	4800	943	1016
4759	4836	902	980
4799	4876	990	1072
4876	4953	1127	1215
4921	4998	1215	1309
4966	5043	965	1066
5004	5081	1053	1157
4867	4944	1028	1108
5032	5109	1030	1114
5073	5151	1125	1212
5151	5228	1268	1363
5197	5274	1363	1464
5197	5274	1363	1464
5197	5274	1363	1464

ROUND, LEFT OR RIGHT (GL/GR)

BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:	
Foundation	Mica/ Accent	Flintwood	Veneer
4723	4800	943	1016
4759	4836	902	980
4799	4876	990	1072
4876	4953	1127	1215
4921	4998	1215	1309
4966	5043	965	1066
5004	5081	1053	1157
4867	4944	1028	1108
5032	5109	1030	1114
5073	5151	1125	1212
5151	5228	1268	1363
5197	5274	1363	1464
5197	5274	1363	1464
5197	5274	1363	1464

ROUND, LEFT & RIGHT (GB)

BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:	
Foundation	Mica/ Accent	Flintwood	Veneer
4755	4832	975	1048
4791	4868	934	1012
4831	4908	1021	1104
4908	4985	1158	1247
4952	5029	1247	1341
4998	5075	997	1097
5036	5113	1085	1189
4898	4975	1059	1139
5064	5141	1061	1146
5105	5182	1156	1244
5182	5259	1300	1395
5229	5306	1395	1496
5229	5306	1395	1496
5229	5306	1395	1496

- If Toggle Up/Down (T) switch is specified, add 61
- If Display with Up/Down Memory (D) switch is specified, add 135
- If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 168
- If Dual Plastic Trays are specified, add 43
- If Dual Plastic Trays and Powerbar are specified, add 209
- If Cable Organizer with Felt Cover is specified, add 213
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 181
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 225
- If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 390
- If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 442
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 395

Pricing is continued on the following page

YTH

Navigate Height-Adjustable Gable Leg Complete Table (Continued)

DIMENSIONS
INCHES / MM

D	W
29 / 737	46 / 1168
29 / 737	52 / 1321
29 / 737	58 / 1473
29 / 737	64 / 1626
29 / 737	70 / 1778
29 / 737	76 / 1930
29 / 737	82 / 2083
35 / 889	46 / 1168
35 / 889	52 / 1321
35 / 889	58 / 1473
35 / 889	64 / 1626
35 / 889	70 / 1778
35 / 889	76 / 1930
35 / 889	82 / 2083

PRICING

ROUND, CENTER, LEFT OR RIGHT (GA/GD)				ROUND, CENTER, LEFT & RIGHT (GE)			
BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:		BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:	
Foundation	Mica/ Accent	Flintwood	Veneer	Foundation	Mica/ Accent	Flintwood	Veneer
4755	4832	975	1048	4787	4864	1006	1079
4791	4868	934	1012	4822	4899	965	1043
4831	4908	1021	1104	4862	4940	1053	1135
4908	4985	1158	1247	4940	5017	1190	1279
4952	5029	1247	1341	4984	5061	1279	1373
4998	5075	997	1097	5029	5106	1029	1129
5036	5113	1085	1189	5067	5144	1116	1221
4898	4975	1059	1139	4930	5007	1091	1171
5064	5141	1061	1146	5096	5173	1093	1177
5105	5182	1156	1244	5137	5214	1188	1275
5182	5259	1300	1395	5214	5291	1331	1426
5229	5306	1395	1496	5260	5337	1426	1528
5229	5306	1395	1496	5260	5337	1426	1528
5229	5306	1395	1496	5260	5337	1426	1528

RECTANGULAR, CENTER (RC)				RECTANGULAR, LEFT OR RIGHT (RL/RR)				RECTANGULAR, LEFT & RIGHT (RB)			
BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:		BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:		BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:	
Foundation	Mica/ Accent	Flintwood	Veneer	Foundation	Mica/ Accent	Flintwood	Veneer	Foundation	Mica/ Accent	Flintwood	Veneer
4723	4800	943	1016	4723	4800	943	1016	4755	4832	975	1048
4759	4836	902	980	4759	4836	902	980	4791	4868	934	1012
4799	4876	990	1072	4799	4876	990	1072	4831	4908	1021	1104
4876	4953	1127	1215	4876	4953	1127	1215	4908	4985	1158	1247
4921	4998	1215	1309	4921	4998	1215	1309	4952	5029	1247	1341
4966	5043	965	1066	4966	5043	965	1066	4998	5075	997	1097
5004	5081	1053	1157	5004	5081	1053	1157	5036	5113	1085	1189
4867	4944	1028	1108	4867	4944	1028	1108	4898	4975	1059	1139
5032	5109	1030	1114	5032	5109	1030	1114	5064	5141	1061	1146
5073	5151	1125	1212	5073	5151	1125	1212	5105	5182	1156	1244
5151	5228	1268	1363	5151	5228	1268	1363	5182	5259	1300	1395
5197	5274	1363	1464	5197	5274	1363	1464	5229	5306	1395	1496
5197	5274	1363	1464	5197	5274	1363	1464	5229	5306	1395	1496
5197	5274	1363	1464	5197	5274	1363	1464	5229	5306	1395	1496

- If Toggle Up/Down (T) switch is specified, add 61
- If Display with Up/Down Memory (D) switch is specified, add 135
- If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 168
- If Dual Plastic Trays are specified, add 43
- If Dual Plastic Trays and Powerbar are specified, add 209
- If Cable Organizer with Felt Cover is specified, add 213
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 181
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 225
- If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 390
- If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 442
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 395

Pricing is continued on the following page

YTH

Navigate Height-Adjustable Gable Leg Complete Table (Continued)

**DIMENSIONS
INCHES / MM**

D	W
29 / 737	46 / 1168
29 / 737	52 / 1321
29 / 737	58 / 1473
29 / 737	64 / 1626
29 / 737	70 / 1778
29 / 737	76 / 1930
29 / 737	82 / 2083
35 / 889	46 / 1168
35 / 889	52 / 1321
35 / 889	58 / 1473
35 / 889	64 / 1626
35 / 889	70 / 1778
35 / 889	76 / 1930
35 / 889	82 / 2083

PRICING

RECTANGULAR, CENTER LEFT OR RIGHT (RA/RD)				RECTANGULAR, CENTER LEFT & RIGHT (RE)			
BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:		BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:	
Foundation	Mica/ Accent	Flintwood	Veneer	Foundation	Mica/ Accent	Flintwood	Veneer
4787	4864	1006	1079	4787	4864	1006	1079
4822	4899	965	1043	4822	4899	965	1043
4862	4940	1053	1135	4862	4940	1053	1135
4940	5017	1190	1279	4940	5017	1190	1279
4984	5061	1279	1373	4984	5061	1279	1373
5029	5106	1029	1129	5029	5106	1029	1129
5067	5144	1116	1221	5067	5144	1116	1221
4898	4975	1059	1139	4930	5007	1091	1171
5064	5141	1061	1146	5096	5173	1093	1177
5105	5182	1156	1244	5137	5214	1188	1275
5182	5259	1300	1395	5214	5291	1331	1426
5229	5306	1395	1496	5260	5337	1426	1528
5229	5306	1395	1496	5260	5337	1426	1528
5229	5306	1395	1496	5260	5337	1426	1528

EXTENDED ELECTRIC

NO CUT OUT (NN)

BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:	
Foundation	Mica/ Accent	Flintwood	Veneer
4769	5022	912	984
4727	4804	870	948
4768	4845	958	1040
4845	4922	1095	1184
4889	4966	1184	1278
4934	5011	934	1034
4972	5049	1021	1126
4769	5022	912	984
4727	4804	870	948
4768	4845	958	1040
4845	4922	1095	1184
4889	4966	1184	1278
4934	5011	934	1034
4972	5049	1021	1126

- If Toggle Up/Down (T) switch is specified, add 61
- If Display with Up/Down Memory (D) switch is specified, add 135
- If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 168
- If Dual Plastic Trays are specified, add 43
- If Dual Plastic Trays and Powerbar are specified, add 209
- If Cable Organizer with Felt Cover is specified, add 213
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 181
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 225
- If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 390
- If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 442
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 395

Pricing is continued on the following page

YTH

Navigate Height-Adjustable Gable Leg Complete Table (Continued)

DIMENSIONS
INCHES / MM

D	W
29 / 737	46 / 1168
29 / 737	52 / 1321
29 / 737	58 / 1473
29 / 737	64 / 1626
29 / 737	70 / 1778
29 / 737	76 / 1930
29 / 737	82 / 2083
35 / 889	46 / 1168
35 / 889	52 / 1321
35 / 889	58 / 1473
35 / 889	64 / 1626
35 / 889	70 / 1778
35 / 889	76 / 1930
35 / 889	82 / 2083

PRICING

ROUND, CENTER (GC)				ROUND, LEFT OR RIGHT (GL/GR)				ROUND, LEFT & RIGHT (GB)			
BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:		BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:		BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:	
Foundation	Mica/ Accent	Flintwood	Veneer	Foundation	Mica/ Accent	Flintwood	Veneer	Foundation	Mica/ Accent	Flintwood	Veneer
4832	5085	943	1016	4832	5085	943	1016	4895	5148	975	1048
4791	4868	902	980	4791	4868	902	980	4854	4931	934	1012
4831	4908	990	1072	4831	4908	990	1072	4894	4971	1021	1104
4908	4985	1127	1215	4908	4985	1127	1215	4971	5048	1158	1247
4953	5030	1215	1309	4953	5030	1215	1309	5015	5092	1247	1341
4998	5075	965	1066	4998	5075	965	1066	5061	5138	997	1097
5036	5113	1053	1157	5036	5113	1053	1157	5099	5176	1085	1189
4832	5085	943	1016	4832	5085	943	1016	4895	5148	975	1048
4791	4868	902	980	4791	4868	902	980	4854	4931	934	1012
4831	4908	990	1072	4831	4908	990	1072	4894	4971	1021	1104
4908	4985	1127	1215	4908	4985	1127	1215	4971	5048	1158	1247
4953	5030	1215	1309	4953	5030	1215	1309	5015	5092	1247	1341
4998	5075	965	1066	4998	5075	965	1066	5061	5138	997	1097
5036	5113	1053	1157	5036	5113	1053	1157	5099	5176	1085	1189

ROUND, CENTER & RIGHT (GA/GD)				ROUND, CENTER, LEFT & RIGHT (GE)			
BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:		BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:	
Foundation	Mica/ Accent	Flintwood	Veneer	Foundation	Mica/ Accent	Flintwood	Veneer
4895	5148	975	1048	4959	5212	1006	1079
4854	4931	934	1012	4917	4994	965	1043
4894	4971	1021	1104	4957	5035	1053	1135
4971	5048	1158	1247	5035	5112	1190	1279
5015	5092	1247	1341	5079	5156	1279	1373
5061	5138	997	1097	5124	5201	1029	1129
5099	5176	1085	1189	5162	5239	1116	1221
4895	5148	975	1048	4959	5212	1006	1079
4854	4931	934	1012	4917	4994	965	1043
4894	4971	1021	1104	4957	5035	1053	1135
4971	5048	1158	1247	5035	5112	1190	1279
5015	5092	1247	1341	5079	5156	1279	1373
5061	5138	997	1097	5124	5201	1029	1129
5099	5176	1085	1189	5162	5239	1116	1221

- If Toggle Up/Down (T) switch is specified, add 61
- If Display with Up/Down Memory (D) switch is specified, add 135
- If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 168
- If Dual Plastic Trays are specified, add 43
- If Dual Plastic Trays and Powerbar are specified, add 209
- If Cable Organizer with Felt Cover is specified, add 213
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 181
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 225
- If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 390
- If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 442
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 395

See Pricing on the following page

YTH

Navigate Height-Adjustable Gable Leg Complete Table (Continued)

DIMENSIONS
INCHES / MM

D	W
29 / 737	46 / 1168
29 / 737	52 / 1321
29 / 737	58 / 1473
29 / 737	64 / 1626
29 / 737	70 / 1778
29 / 737	76 / 1930
29 / 737	82 / 2083
35 / 889	46 / 1168
35 / 889	52 / 1321
35 / 889	58 / 1473
35 / 889	64 / 1626
35 / 889	70 / 1778
35 / 889	76 / 1930
35 / 889	82 / 2083

PRICING

RECTANGULAR, CENTER (RC)				RECTANGULAR, LEFT OR RIGHT (RL/RR)				RECTANGULAR, LEFT & RIGHT (RB)			
BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:		BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:		BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:	
Foundation	Mica/ Accent	Flintwood	Veneer	Foundation	Mica/ Accent	Flintwood	Veneer	Foundation	Mica/ Accent	Flintwood	Veneer
4832	5085	943	1016	4832	5085	943	1016	4895	5148	975	1048
4791	4868	902	980	4791	4868	902	980	4854	4931	934	1012
4831	4908	990	1072	4831	4908	990	1072	4894	4971	1021	1104
4908	4985	1127	1215	4908	4985	1127	1215	4971	5048	1158	1247
4953	5030	1215	1309	4953	5030	1215	1309	5015	5092	1247	1341
4998	5075	965	1066	4998	5075	965	1066	5061	5138	997	1097
5036	5113	1053	1157	5036	5113	1053	1157	5099	5176	1085	1189
4832	5085	943	1016	4832	5085	943	1016	4895	5148	975	1048
4791	4868	902	980	4791	4868	902	980	4854	4931	934	1012
4831	4908	990	1072	4831	4908	990	1072	4894	4971	1021	1104
4908	4985	1127	1215	4908	4985	1127	1215	4971	5048	1158	1247
4953	5030	1215	1309	4953	5030	1215	1309	5015	5092	1247	1341
4998	5075	965	1066	4998	5075	965	1066	5061	5138	997	1097
5036	5113	1053	1157	5036	5113	1053	1157	5099	5176	1085	1189
RECTANGULAR, CENTER LEFT OR RIGHT (RA/RD)				RECTANGULAR, CENTER LEFT OR RIGHT (RE)							
BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:		BASE FINISH		FOR SURFACE & WATERFALL FINISH ADD:					
Foundation	Mica/ Accent	Flintwood	Veneer	Foundation	Mica/ Accent	Flintwood	Veneer				
4895	5148	975	1048	4959	5212	1006	1079				
4854	4931	934	1012	4917	4994	965	1043				
4894	4971	1021	1104	4957	5035	1053	1135				
4971	5048	1158	1247	5035	5112	1190	1279				
5015	5092	1247	1341	5079	5156	1279	1373				
5061	5138	997	1097	5124	5201	1029	1129				
5099	5176	1085	1189	5162	5239	1116	1221				
4895	5148	975	1048	4959	5212	1006	1079				
4854	4931	934	1012	4917	4994	965	1043				
4894	4971	1021	1104	4957	5035	1053	1135				
4971	5048	1158	1247	5035	5112	1190	1279				
5015	5092	1247	1341	5079	5156	1279	1373				
5061	5138	997	1097	5124	5201	1029	1129				
5099	5176	1085	1189	5162	5239	1116	1221				

- If Toggle Up/Down (T) switch is specified, add 61
- If Display with Up/Down Memory (D) switch is specified, add 135
- If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 168
- If Dual Plastic Trays are specified, add 43
- If Dual Plastic Trays and Powerbar are specified, add 209
- If Cable Organizer with Felt Cover is specified, add 213
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 181
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 225
- If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 390
- If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 442
- If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 395