


### hispace quick connect height-adjustable freestanding table overview


That's one quick table! The hiSpace Quick Connect height-adjustable freestanding table goes from pallets and boxes to a completely assembled and functional table in under five minutes. The Quick Connect "Connection Kit" top frame, the Slide & Lock leg columns, and the Power Pak make this height-adjustable table faster than any other.



- ① Worksurface
- ② Pre-Installed Connection Kit Collar
- ③ Leg Column
- ④ Foot
- ⑤ Pre-Installed Connection Kit Stretcher Bar
- ⑥ Power Pak (pre-wired)
- ⑦ Digital Switch

# hiSpace quick connect height-adjustable freestanding table basics


hiSpace Quick Connect Height-Adjustable Freestanding Tables are centered around a square profile leg, neutral foot and digital display switch.




**hiSpace Worksurface Finishes**  
- Foundation Laminate

**Connect Kit Finishes**  
- Ebony  
- Platinum  
- Very White


**Base Finishes:**  
- Ebony  
- Platinum  
- Very White



**Rectangular Height-Adjustable Worksurface with Connection Kit for hiSpace Quick Connect (WBX)**



**Rectangular Height-Adjustable Worksurface with Radius Corners and Connection Kit for hiSpace Quick Connect (WJX)**



**hiSpace Quick Connect Height-Adjustable Freestanding Table Mechanism (YSX)**

**Worksurfaces are available in two styles**

- Rectangular
- Rectangular with Radius Corners

**Dimension:** All dimensions are actual sizes to allow for proper gapping between worksurfaces, panels, storage, etc.

**Depths:**  
23", 29"

**Widths**  
46", 52", 58", 64", 70", 76", 82"

**Screen Frame Provision:**

- None
- 6" Frame Actual Width Reduction

**Cut Out Styles for Grommets:**

- None
- Round (2 3/4" diameter)
- Rectangular (Diamond Shaped Cut Out)

The Table size is determined by the size of the worksurface it is used with

**Depths (to work with worksurface depth)**  
23", 29"

**Widths (to work with worksurface width)**  
46", 52", 58", 64", 70", 76", 82"

**Base Mechanism**

- Extended Range Electric-Extended Height (22 3/5" - 48 7/10")

**Leg Styles:**

- C-Leg (23" deep & 29" deep)

**Screen Frame Provision:**

- None
- 6" Frame Actual Width Reduction

**Switch/Handle:**

- Left or Right hand installation

**Power and Cable Management Options:**


- Dual Plastic Trays and Power Bar
- Dual Plastic Trays

## hispace quick connect height-adjustable freestanding table frame



hiSpace Quick Connect Height-Adjustable Freestanding tables can be specified with or without a 6" provision when used with Side Desk Edge Screens or to provide extra leg room.

Without 6" frame provision

Base Size: 46"





With 6" frame provision





Base Size 46" is not available with a 6" Frame Provision and does not accommodate Side Desk Edge Screens.



Base Size: 52"





Base Size: 58"



Base Size: 64"



Base Size: 70"




# hispace quick connect height-adjustable freestanding table grommets

hiSpace Grommets allow a clean and easy through-way for cables from above to below the worksurface.

## grommets cut outs (optional)


Can be specified left, right or centered, and are inset 4" on center from the rear and 4" on center from the edge.



## hispace quick connect height-adjustable freestanding table switch


hiSpace Quick Connect Height-Adjustable Freestanding Tables are equipped with a programmable digital switch. The switch can be installed on either the right or left side of the worksurface.

### switches



#### Digital Display Switch with Memory (D)

- Push buttons to move table up and down
- Digital display for height indication
- Three programmable memory settings
- Error Code Read-Out
- Switch Finish: Platinum Coordinate




#### Toggle Display Switch with Memory (A)




- Up-Down Toggle for Intuitive Adjustment (lift switch or push down to move table up and down)
- Digital display for height indication
- Two programmable memory settings
- Switch Finish: Black

# hispace quick connect height-adjustable freestanding table edge trim styles

The chart below indicates which edge trim styles can be specified with all hiSpace Quick Connect Height-Adjustable Freestanding Table surface finishes.


All edge finishes will automatically default to match the surface finish selected with the exception of Foundation Laminate, which requires that an edge trim color be chosen. The chart below indicates which edge trim styles can be combined with height-adjustable tables surface finishes.



	Foundation Laminate Surface
Flat (8) All Edges 	✓
Straight Trim (6) User Edge 	✓
Bullnose Trim (2) User Edge 	✓

## planning with hispace quick connect height-adjustable freestanding table


layout 01: private office with height-adjustable table



layout 02: home office with height-adjustable table




layout 03: workstation cluster



## hispace quick connect height-adjustable round leg table overview


The hiSpace height-adjustable round leg table is comparable to the hiSpace Quick Connect height-adjustable freestanding table but is available with a round leg and foot to match the Routes aesthetic.






hispace quick connect height-adjustable round leg tables basics

The hiSpace Quick Connect Height-Adjustable Round Leg base can accommodate the Routes Radius Corner Worksurface, standard Rectangular Worksurface and the Rectangular Worksurface with Radius Corner Worksurface, depending on the size and finish desired.



- hiSpace Worksurface Finishes**
- Foundation Laminate
- Connect Kit Finishes**
- Ebony
  - Platinum
  - Very White
- Base Finishes:**
- Ebony
  - Platinum
  - Very White




hiSpace Quick Connect Height-Adjustable Base Only, Round Legs (YQX)

- Base is used with same size worksurface styles depending on size selected:
- Rectangular Height Adjustable Worksurface with Routes Radius Corners (WQX)
  - Rectangular Height-Adjustable Worksurface(WBX)
  - Rectangular Height-Adjustable Worksurface with Radius Corner (WJX)
- Depths:** (to work with worksurface depth)
- 29" for use with (WBX) and (WJX)
  - 30" (for use with (YQX))
- Widths:**
- 46", 52", 58" and 64" for use with (WBX) and (WJX)
  - 60", 72" for use with (YQX)

**Base Mechanism**

- Extended Range Electric-Extended Height (22.6"- 4 8.7")

- Leg Styles:**
- T-Leg
- Screen Frame Provision:**
- None
  - 6" Frame Actual Width Reduction
- Switch/Handle:**
- Display with Up/Down Memory
  - Toggle Display with Memory
  - Left or Right hand installation
- Power and Cable Management Options:**
- None
  - Dual Plastic Trays and Power Bar
  - Dual Plastic Tray
- Power Pak:**
- Cable organizer with Felt Cover




Rectangular Height-Adjustable Worksurface with Routes Radius Corners and Connection Kit for hiSpace Quick Connect (WQX)

- Depths:**
- 30"
- Widths:** (Worksurface works with same size base)
- 60", 72"
- Dimension:** All dimensions are actual sizes to allow for proper gapping between worksurfaces, panels, storage, etc.
- Screen Frame Provision:**
- 6" Frame Actual Width Reduction
- Cut Out Styles for Grommets:**
- None
- Cut out Location:**
- None

## hispace quick connect height-adjustable round leg table edge trim styles

60" and 72" wide Base




- Used with Routes style 60" and 72" radius worksurfaces only
- Provides the opportunity to use Routes specific edge trims

		Foundation Laminate Surface
<b>Flat (8)</b> All Edges		✓

- Foundation Laminates
- Edge Trim Finishes:
  - Matching edge
  - Matte black
  - Signal red
  - Baltic Ply

46", 52", 58", 64" and 70" wide Base

- Used with standard hi-Space radius worksurfaces of the same width to provide additional size options
- Available with Foundation Laminates and Edge styles

		Foundation Laminate Surface
<b>Flat (8)</b> All Edges		✓
<b>Straight Trim (6)</b> User Edge		✓
<b>Bullnose Trim (2)</b> User Edge		✓


- Foundation Laminates
- Edge Trim Finishes:
  - Foundation

## planning with hispace quick connect height-adjustable round leg tables

layout 01: private workspace




layout 02: back to back workstations



## hispace basic height-adjustable freestanding table overview


The hiSpace Basic height-adjustable freestanding table is comparable to the hiSpace Quick Connect height-adjustable freestanding table yet is cost effective because it requires simple assembly.



- ① Worksurface
- ② Connection Kit Collar (requires assembly)
- ③ Leg Column
- ④ Foot
- ⑤ Connection Kit Stretcher Bar (requires assembly)
- ⑥ Power Pak (requires assembly)
- ⑦ Digital Switch

## hispace basic height-adjustable freestanding table basics

hiSpace Basic Height-Adjustable Freestanding Tables are a cost effective solution that has a square profile leg, neutral foot and digital display switch. It is available as a complete table solution or base only that can be specified with other Teknion worksurfaces. Requires on-site assembly.




### hiSpace Worksurface Finishes:

- Foundation Laminate

### Base Finishes:

- Ebony
- Platinum
- Very White



**hiSpace Basic Height-Adjustable Freestanding Complete Table with Rectangular Worksurface (YSRB)**

**Worksurfaces are available in two styles**

- Rectangular
- Rectangular with Radius Corners


**Dimension:** All dimensions are actual sizes to allow for proper gapping between worksurfaces, panels, storage, etc.

**Depths:** 23", 29"

**Widths:** 46", 52", 58", 64", 70", 76", 82"

### Base Mechanism:

- Extended Range Electric-Extended Height (22 3/5" - 48 7/10")
- Fixed Height (29")



**hiSpace Basic Height-Adjustable Freestanding Complete Table with Rectangular Worksurface with Radius Corners (YSRJ)**

### Leg Styles:

- C-Leg (23" deep & 29" deep)

### Screen Frame Provision:


- None
- 6" Frame Actual Width Reduction

### Switch/Handle:

- Display with Up/Down Memory
- Toggle Display with Memory
- Left or Right hand installation

### Power and Cable Management Options:

- Dual Plastic Trays and Power Bar
- Dual Plastic Trays



**hiSpace Basic Height-Adjustable Freestanding Base Only (YSYR)**

The Table size is determined by the size of the worksurface it is used with.

**Depths** (to work with worksurface depth): 23", 29"

**Widths** (to work with worksurface width): 46", 52", 58", 64", 70", 76", 82"

### Base Mechanism:

- Extended Range Electric-Extended Height (22 3/5" - 48 7/10")
- Fixed Height (29")

### Leg Styles:

- C-Leg (23" deep & 29" deep)

### Screen Frame Provision:

- None
- 6" Frame Actual Width Reduction

### Switch/Handle:


- Display with Up/Down Memory
- Toggle Display with Memory
- Left or Right hand installation

### Power and Cable Management Options:

- Dual Plastic Trays and Power Bar
- Dual Plastic Trays

## hispace basic height-adjustable extended corner complete table overview

The hiSpace Basic height-adjustable extended corner complete table is a cost effective primary worksurface with return solution that requires on-site assembly.




- 1 Worksurface
- 2 Connection Kit Collar (requires assembly)
- 3 Leg Column
- 4 Foot
- 5 Connection Kit Stretcher Bar (requires assembly)
- 6 Control Box
- 7 Digital Switch

# height-adjustable tables

---

## hispace basic height-adjustable extended corner complete table basics

hiSpace Basic Height-Adjustable Extended Corner Complete Tables provide height-adjustability on both the primary and secondary worksurface.



### hiSpace Finishes

#### Worksurface Finish:

- Foundation Laminate

#### Base Finish:


- Platinum
- Very White
- Ebony

#### Switch Style:

- Standard Up/Down Memory

#### Switch Finish:

- Platinum



### hiSpace Basic Height-Adjustable Extended Corner Complete Table (YJS)

- Extended Corner Tables are specified as a complete unit
- Primary worksurface dimension will always be larger than or equal to secondary worksurface when specifying

#### Actual Depth

- Primary Worksurface A: 23", 29"
- Secondary Worksurface B: 23", 29"

#### Actual Width

- Primary Worksurface Width A: 52", 58", 64", 70"
- Secondary Worksurface Width B: 46", 52", 58", 64", 70"

#### Orientation

- Left Handedness
- Right Handedness

#### Leg Style

- C-Leg

#### Base Mechanism

- Extended Electric-Extended (22 3/5"-48 7/10")
- Fixed Height (29")

#### Switch (Always on primary worksurface)


- Display with Up/Down Memory
- Toggle Display with Memory

#### Undersurface Cable Management

- None
- Cable Organizer with Felt Cover
- Dual Plastic Trays + Powerbar
- Dual Plastic Trays

#### Vertical Wire Carrier


- None
- With Vertical Wire Carrier




Primary worksurface compatibility with secondary worksurface

## planning with hispace basic height-adjustable extended corner complete table

- hiSpace Basic Height-Adjustable Extended Corner Complete tables are handed
- The handedness (orientation) is determined by the location of the primary surface from the users perspective



Right hand Orientation




Left hand Orientation



## hispace basic 120 height-adjustable table overview

The hiSpace Basic 120 height-adjustable table is a cost effective solution that requires on-site assembly.




- 1 Worksurface
- 2 Connection Kit Collar  
(requires assembly)
- 3 Leg Column
- 4 Foot
- 5 Connection Kit Stretcher Bar  
(requires assembly)
- 6 Felt Cover Cable Organizer  
(optional)
- 7 Digital Switch

# hispace basic 120 height-adjustable freestanding table basics

hiSpace Basic Height-Adjustable Extended Corner Complete Tables provide height-adjustability on both the primary and secondary worksurface.

hiSpace 120 Height-Adjustable Freestanding Tables are specified in two steps:

1. Select the desired worksurface
2. Select the base to match the specified worksurface size



## hiSpace Finishes

### Worksurface Finish:

- Foundation Laminate

### Base Finish:


- Platinum
- Very White
- Ebony

### Switch Style:


- Standard Up/Down Memory

### Switch Finish:


- Platinum



**Height-Adjustable Worksurface for hiSpace Basic (WBS)**



**Height-Adjustable Worksurface with Radius Corners for hiSpace Basic (WJS)**



**hiSpace Basic 120 Height-Adjustable Freestanding Table Base Only (YNS)**

## Worksurfaces are available in two styles:

- Height-Adjustable Worksurface for hiSpace
- Height-Adjustable Worksurface with Radius Corners for hiSpace 120

**Dimension:** All dimensions are actual sizes to allow for proper gapping between worksurfaces, panels, storage, etc.

**Depths :** 23", 29"

**Widths:** 46", 52", 58"

## Cut Out Styles for grommets

- None
- Round (2 3/4" diameter)
- Rectangular (Diamond Shaped Cut Out)

## Power and Cable Management Options

- Undersurface Cable Management
- Powerbar
- Vertical Wire Carrier

The Table Base size is determined by the size of the worksurface it is used with:

**Depths (to work with worksurface depth):** 23", 29"

**Widths (to work with worksurface width):** 46", 52", 58"

## Leg Style:

- C-Leg (23" deep & 29" deep)

## Base Mechanism:


- Extended Range Electric-Extended Height (22 3/5" - 48 7/10")
- Fixed Height (29")

## planning with hispace basic tables

layout 01: freestanding



layout 02: extended



layout 03: 120 planning




## planning with hispace basic tables (continued)

### height-adjustable vs. fixed height frames


Fixed-height columns can be used to cost-reduce a project, or to gradually phase-in height adjustability as needed.

Fixed-height columns are available as an option on all hiSpace Basic tables:

- hiSpace Basic Height-Adjustable Freestanding Complete Table with Rectangular Worksurface (YSRB)
- hiSpace Basic Height-Adjustable Freestanding Complete Table with Rectangular Worksurface with Radius Corners (YSRJ)
- hiSpace Basic Height-Adjustable Freestanding Base Only (YSYR)
- hiSpace Basic Height-Adjustable Extended Corner Complete Table (YJS)
- hiSpace Basic 120 Height-Adjustable Freestanding Table Base Only (YNS)




Height-Adjustable Leg




Fixed Height Leg

### switches



#### Digital Display Switch with Memory (D)

- Push buttons to move table up and down
- Digital display for height indication
- Three programmable memory settings
- Error Code Read-Out
- Switch Finish: Platinum Coordinate




#### Toggle Display Switch with Memory (A)

- Up-Down Toggle for Intuitive Adjustment (lift switch or push down to move table up and down)
- Digital display for height indication
- Two programmable memory settings
- Switch Finish: Black


## hispace slide height-adjustable freestanding table overview

The hiSpace Slide, named for its telescopic top frame, is adjustable in both height and width! It gives users unparalleled control of their workspace and movement, and it expands on the health and wellness benefits of an everyday sit/stand workstation.



## hispace slide height-adjustable freestanding table basics

hiSpace Slide Height-Adjustable Freestanding Tables come with the same square profile leg profile used in all other hiSpace tables. It is available as a complete table solution or base only that can be specified with other Teknion worksurfaces. Requires on-site assembly.



### hiSpace Worksurface Finishes:


- Foundation Laminate

### Base Finishes:


- Ebony coordinate
- Platinum coordinate
- Very White coordinate

### Note:


hiSpace Slide Base Finishes work with standard Ebony, Platinum, and Very White paints, but they are not an exact match



**hiSpace Slide Height-Adjustable Freestanding Complete Table with Rectangular Worksurface (YSKB)**



**hiSpace Slide Height-Adjustable Freestanding Complete Table with Rectangular Worksurface with Radius Corners (YSKJ)**



**hiSpace Slide Height-Adjustable Freestanding Base Only (YSK)**

### Worksurfaces are available in two styles

- Rectangular
- Rectangular with Radius Corners

**Dimension:** All dimensions are actual sizes to allow for proper gapping between worksurfaces, panels, storage, etc.

**Depths:**  
23", 29"

**Widths:**  
46", 52", 58", 64", 70"

### Base Mechanism:

- Extended Range Electric-Extended Height (22 3/5" - 48 7/10")

### Leg Styles:

- T-Leg (23" deep & 29" deep)

### Screen Frame Provision:

- None
- 6" Frame Actual Width Reduction

### Switch/Handle:

- Display with Up/Down Memory
- Left or Right hand installation

### Power and Cable Management Options:

- Dual Plastic Trays and Power Bar
- Dual Plastic Trays

The Table size is determined by the size of the worksurface it is used with.

**Depths** (to work with worksurface depth): 23"-30"

**Width** (to work with worksurface width): 46"-72"

### Base Mechanism:

- Extended Range Electric-Extended Height (22 3/5" - 48 7/10")

### Leg Styles:

- T-Leg (23" deep & 29" deep)

### Screen Frame Provision:

- None
- 6" Frame Actual Width Reduction

### Switch/Handle:

- Display with Up/Down Memory
- Left or Right hand installation

### Power and Cable Management Options:

- Felt Cover/Cable Organizer (optional)