


fascias

Xpress

U A E L I F

Tackable Fabric International Power/Communications Fascia for Freestanding District (Slot Mount)



The Tackable International Fabric Power/Communications Fascia provides a tackable panel wall finish.

WHAT'S INCLUDED

1 fascia.

NOTES

7" height fascias are not tackable.

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 21" and 22" fascias must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

For 24" to 60" wide fascias only Left (LL) or Right (RR) power and data locations can be specified.

Xpress Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

| Outlet Configuration | Horizontal Power/Communication Orientation | Vertical Power/Communication Orientation | Height | Width (6" increments) | Fascia Finish | Bezel Finish |
|---|--|--|------------|-----------------------|---------------|----------------|
| 2 Cut Out for two outlets (available on 24" and 30" widths) | LL Left | T Top | 21, 22, 35 | 24 - 96 | Panel Fabric | ~ Black |
| | LC Left Center | B Bottom | | | | 74 Storm White |
| 3 Cut Out for two outlets and one data/communications box (available on 36" widths and wider) | RC Right Center | | | | | |
| | RR Right | | | | | |
| | LR Left and Right | | | | | |
| | CR Left Center and Right | | | | | |
| 4 Cut Out for four outlets (available on 36" widths and wider) | CL Right Center and Left | | | | | |
| 5 Cala Cut Out for two outlets | | | | | | |
| 6 Cala Cut Out for four outlets | | | | | | |

SAMPLE ORDER CODE

| | | | | | | |
|----------|----|---|----|----|------|----|
| UAELIF 3 | LR | T | 22 | 66 | C503 | 74 |
|----------|----|---|----|----|------|----|

DIMENSIONS INCHES / MM

| H | W |
|----------|-----------|
| 21 / 533 | 66 / 1676 |
| 21 / 533 | 72 / 1829 |
| 21 / 533 | 78 / 1981 |
| 21 / 533 | 84 / 2134 |
| 21 / 533 | 90 / 2286 |
| 21 / 533 | 96 / 2438 |
| 22 / 559 | 66 / 1676 |
| 22 / 559 | 72 / 1829 |
| 22 / 559 | 78 / 1981 |
| 22 / 559 | 84 / 2134 |
| 22 / 559 | 90 / 2286 |
| 22 / 559 | 96 / 2438 |
| 35 / 889 | 66 / 1676 |
| 35 / 889 | 72 / 1829 |
| 35 / 889 | 78 / 1981 |
| 35 / 889 | 84 / 2134 |
| 35 / 889 | 90 / 2286 |
| 35 / 889 | 96 / 2438 |

PRICING

CUT OUT OUTLET (2, 3, 4)

HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (T or B)

| Fabric A/COM | Gr. 1 | Gr. 2 | Gr. 3 | Gr. 4 | Gr. 5 | Gr. 6 | Gr. 7 |
|--------------|-------|-------|-------|-------|-------|-------|-------|
| 284 | 300 | 320 | 380 | 425 | 454 | 495 | 530 |
| 303 | 325 | 347 | 411 | 461 | 492 | 534 | 573 |
| 326 | 349 | 372 | 442 | 495 | 528 | 575 | 617 |
| 348 | 374 | 396 | 472 | 529 | 564 | 615 | 660 |
| 370 | 396 | 420 | 502 | 563 | 601 | 654 | 704 |
| 390 | 418 | 445 | 532 | 596 | 639 | 695 | 747 |
| 287 | 304 | 324 | 384 | 429 | 458 | 498 | 534 |
| 307 | 328 | 349 | 414 | 464 | 495 | 537 | 579 |
| 329 | 353 | 376 | 444 | 498 | 531 | 580 | 621 |
| 353 | 377 | 401 | 476 | 532 | 567 | 618 | 666 |
| 375 | 401 | 425 | 506 | 566 | 606 | 659 | 709 |
| 396 | 422 | 450 | 536 | 600 | 643 | 701 | 753 |
| 450 | 491 | 527 | 647 | 737 | 795 | 873 | 947 |
| 487 | 529 | 568 | 702 | 798 | 860 | 947 | 1028 |
| 524 | 567 | 614 | 754 | 858 | 926 | 1020 | 1107 |
| 559 | 609 | 654 | 807 | 921 | 994 | 1093 | 1186 |
| 595 | 647 | 699 | 860 | 980 | 1059 | 1167 | 1266 |
| 631 | 686 | 740 | 914 | 1042 | 1124 | 1239 | 1344 |

Pricing is continued on the following page.

U A E L I F
Tackable Fabric International
Power/Communications Fascia
for Freestanding District
(Slot Mount) (Continued)

DIMENSIONS
INCHES / MM

| H | W |
|----------|-----------|
| 21 / 533 | 36 / 914 |
| 21 / 533 | 42 / 1067 |
| 21 / 533 | 48 / 1219 |
| 21 / 533 | 54 / 1372 |
| 21 / 533 | 60 / 1524 |
| 21 / 533 | 66 / 1676 |
| 21 / 533 | 72 / 1829 |
| 21 / 533 | 78 / 1981 |
| 21 / 533 | 84 / 2134 |
| 21 / 533 | 90 / 2286 |
| 21 / 533 | 96 / 2438 |
| 22 / 559 | 36 / 914 |
| 22 / 559 | 42 / 1067 |
| 22 / 559 | 48 / 1219 |
| 22 / 559 | 54 / 1372 |
| 22 / 559 | 60 / 1524 |
| 22 / 559 | 66 / 1676 |
| 22 / 559 | 72 / 1829 |
| 22 / 559 | 78 / 1981 |
| 22 / 559 | 84 / 2134 |
| 22 / 559 | 90 / 2286 |
| 22 / 559 | 96 / 2438 |
| 35 / 889 | 36 / 914 |
| 35 / 889 | 42 / 1067 |
| 35 / 889 | 48 / 1219 |
| 35 / 889 | 54 / 1372 |
| 35 / 889 | 60 / 1524 |
| 35 / 889 | 66 / 1676 |
| 35 / 889 | 72 / 1829 |
| 35 / 889 | 78 / 1981 |
| 35 / 889 | 84 / 2134 |
| 35 / 889 | 90 / 2286 |
| 35 / 889 | 96 / 2438 |

PRICING

CUT OUT OUTLET (2, 3, 4)

HORIZONTAL (LL or RR) & VERTICAL (B or T)

| Fabric A/COM | Gr. 1 | Gr. 2 | Gr. 3 | Gr. 4 | Gr. 5 | Gr. 6 | Gr. 7 |
|--------------|-------|-------|-------|-------|-------|-------|-------|
| 183 | 198 | 219 | 244 | 267 | 289 | 313 | 333 |
| 203 | 216 | 233 | 268 | 297 | 318 | 345 | 369 |
| 224 | 235 | 246 | 293 | 327 | 348 | 377 | 404 |
| 240 | 256 | 271 | 321 | 357 | 382 | 413 | 443 |
| 261 | 274 | 295 | 348 | 387 | 413 | 449 | 483 |
| 284 | 300 | 320 | 380 | 425 | 454 | 495 | 530 |
| 303 | 325 | 347 | 411 | 461 | 492 | 534 | 573 |
| 326 | 349 | 372 | 442 | 495 | 528 | 575 | 617 |
| 348 | 374 | 396 | 472 | 529 | 564 | 615 | 660 |
| 370 | 396 | 420 | 502 | 563 | 601 | 654 | 704 |
| 390 | 418 | 445 | 532 | 596 | 639 | 695 | 747 |
| 184 | 201 | 226 | 246 | 269 | 292 | 317 | 336 |
| 205 | 219 | 238 | 271 | 299 | 321 | 348 | 374 |
| 226 | 238 | 253 | 296 | 329 | 351 | 380 | 407 |
| 244 | 259 | 274 | 324 | 360 | 384 | 416 | 447 |
| 263 | 276 | 298 | 351 | 391 | 416 | 451 | 485 |
| 287 | 304 | 324 | 384 | 429 | 458 | 498 | 534 |
| 307 | 328 | 349 | 414 | 464 | 495 | 537 | 579 |
| 329 | 353 | 376 | 444 | 498 | 531 | 580 | 621 |
| 353 | 377 | 401 | 476 | 532 | 567 | 618 | 666 |
| 375 | 401 | 425 | 506 | 566 | 606 | 659 | 709 |
| 396 | 422 | 450 | 536 | 600 | 643 | 701 | 753 |
| 281 | 300 | 321 | 390 | 441 | 472 | 520 | 559 |
| 314 | 333 | 355 | 435 | 493 | 527 | 577 | 623 |
| 348 | 369 | 391 | 477 | 539 | 581 | 636 | 686 |
| 380 | 405 | 443 | 536 | 607 | 654 | 719 | 778 |
| 414 | 441 | 484 | 586 | 661 | 715 | 788 | 851 |
| 450 | 491 | 527 | 647 | 737 | 795 | 873 | 947 |
| 487 | 529 | 568 | 702 | 798 | 860 | 947 | 1028 |
| 524 | 567 | 614 | 754 | 858 | 926 | 1020 | 1107 |
| 559 | 609 | 654 | 807 | 921 | 994 | 1093 | 1186 |
| 595 | 647 | 699 | 860 | 980 | 1059 | 1167 | 1266 |
| 631 | 686 | 740 | 914 | 1042 | 1124 | 1239 | 1344 |

Pricing is continued on the following page.

Xpress

U A E L I F

Tackable Fabric International Power/Communications Fascia for Freestanding District (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

| H | W |
|----------|-----------|
| 21 / 533 | 66 / 1676 |
| 21 / 533 | 72 / 1829 |
| 21 / 533 | 78 / 1981 |
| 21 / 533 | 84 / 2134 |
| 21 / 533 | 90 / 2286 |
| 21 / 533 | 96 / 2438 |
| | |
| 22 / 559 | 66 / 1676 |
| 22 / 559 | 72 / 1829 |
| 22 / 559 | 78 / 1981 |
| 22 / 559 | 84 / 2134 |
| 22 / 559 | 90 / 2286 |
| 22 / 559 | 96 / 2438 |
| | |
| 35 / 889 | 66 / 1676 |
| 35 / 889 | 72 / 1829 |
| 35 / 889 | 78 / 1981 |
| 35 / 889 | 84 / 2134 |
| 35 / 889 | 90 / 2286 |
| 35 / 889 | 96 / 2438 |

| | |
|----------|-----------|
| 21 / 533 | 36 / 914 |
| 21 / 533 | 42 / 1067 |
| 21 / 533 | 48 / 1219 |
| 21 / 533 | 54 / 1372 |
| 21 / 533 | 60 / 1524 |
| 21 / 533 | 66 / 1676 |
| 21 / 533 | 72 / 1829 |
| 21 / 533 | 78 / 1981 |
| 21 / 533 | 84 / 2134 |
| 21 / 533 | 90 / 2286 |
| 21 / 533 | 96 / 2438 |
| | |
| 22 / 559 | 36 / 914 |
| 22 / 559 | 42 / 1067 |
| 22 / 559 | 48 / 1219 |
| 22 / 559 | 54 / 1372 |
| 22 / 559 | 60 / 1524 |
| 22 / 559 | 66 / 1676 |
| 22 / 559 | 72 / 1829 |
| 22 / 559 | 78 / 1981 |
| 22 / 559 | 84 / 2134 |
| 22 / 559 | 90 / 2286 |
| 22 / 559 | 96 / 2438 |

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (T or B)

| Fabric A/COM | Gr. 1 | Gr. 2 | Gr. 3 | Gr. 4 | Gr. 5 | Gr. 6 | Gr. 7 |
|--------------|-------|-------|-------|-------|-------|-------|-------|
| 316 | 332 | 351 | 412 | 456 | 485 | 527 | 561 |
| 334 | 356 | 378 | 442 | 492 | 523 | 565 | 606 |
| 357 | 380 | 404 | 473 | 527 | 559 | 607 | 648 |
| 379 | 405 | 428 | 503 | 560 | 595 | 646 | 691 |
| 403 | 428 | 451 | 534 | 594 | 632 | 686 | 735 |
| 421 | 449 | 477 | 564 | 628 | 670 | 727 | 778 |
| | | | | | | | |
| 318 | 336 | 355 | 415 | 462 | 491 | 529 | 565 |
| 340 | 360 | 380 | 445 | 495 | 527 | 568 | 610 |
| 361 | 384 | 407 | 476 | 529 | 563 | 611 | 652 |
| 384 | 408 | 433 | 507 | 564 | 600 | 650 | 698 |
| 406 | 433 | 456 | 537 | 597 | 638 | 690 | 740 |
| 428 | 455 | 483 | 567 | 631 | 674 | 732 | 784 |
| | | | | | | | |
| 483 | 522 | 558 | 679 | 768 | 826 | 906 | 978 |
| 520 | 560 | 601 | 733 | 829 | 892 | 978 | 1059 |
| 556 | 600 | 645 | 786 | 890 | 958 | 1051 | 1138 |
| 590 | 640 | 686 | 839 | 952 | 1025 | 1124 | 1217 |
| 626 | 679 | 731 | 892 | 1013 | 1090 | 1198 | 1297 |
| 664 | 718 | 771 | 945 | 1073 | 1157 | 1270 | 1376 |

HORIZONTAL (LL or RR) & VERTICAL (B or T)

| Fabric A/COM | Gr. 1 | Gr. 2 | Gr. 3 | Gr. 4 | Gr. 5 | Gr. 6 | Gr. 7 |
|--------------|-------|-------|-------|-------|-------|-------|-------|
| 215 | 230 | 253 | 275 | 298 | 320 | 345 | 365 |
| 234 | 248 | 264 | 299 | 328 | 349 | 376 | 401 |
| 255 | 267 | 278 | 325 | 358 | 379 | 408 | 435 |
| 271 | 288 | 303 | 353 | 389 | 413 | 444 | 474 |
| 292 | 305 | 326 | 379 | 419 | 444 | 480 | 514 |
| 316 | 332 | 351 | 412 | 456 | 485 | 527 | 561 |
| 334 | 356 | 378 | 442 | 492 | 523 | 565 | 606 |
| 357 | 380 | 404 | 473 | 527 | 559 | 607 | 648 |
| 379 | 405 | 428 | 503 | 560 | 595 | 646 | 691 |
| 403 | 428 | 451 | 534 | 594 | 632 | 686 | 735 |
| 421 | 449 | 477 | 564 | 628 | 670 | 727 | 778 |
| | | | | | | | |
| 216 | 232 | 258 | 278 | 302 | 324 | 348 | 369 |
| 237 | 253 | 269 | 303 | 331 | 353 | 379 | 405 |
| 258 | 269 | 284 | 327 | 361 | 383 | 412 | 438 |
| 275 | 290 | 305 | 355 | 391 | 415 | 448 | 478 |
| 295 | 309 | 329 | 383 | 422 | 448 | 484 | 517 |
| 318 | 336 | 355 | 415 | 462 | 491 | 529 | 565 |
| 340 | 360 | 380 | 445 | 495 | 527 | 568 | 610 |
| 361 | 384 | 407 | 476 | 529 | 563 | 611 | 652 |
| 384 | 408 | 433 | 507 | 564 | 600 | 650 | 698 |
| 406 | 433 | 456 | 537 | 597 | 638 | 690 | 740 |
| 428 | 455 | 483 | 567 | 631 | 674 | 732 | 784 |

Pricing is continued on the following page.

U A E L I F
Tackable Fabric International
Power/Communications Fascia
for Freestanding District
(Slot Mount) (Continued)

DIMENSIONS
INCHES / MM

| H | W |
|----------|-----------|
| 35 / 889 | 36 / 914 |
| 35 / 889 | 42 / 1067 |
| 35 / 889 | 48 / 1219 |
| 35 / 889 | 54 / 1372 |
| 35 / 889 | 60 / 1524 |
| 35 / 889 | 66 / 1676 |
| 35 / 889 | 72 / 1829 |
| 35 / 889 | 78 / 1981 |
| 35 / 889 | 84 / 2134 |
| 35 / 889 | 90 / 2286 |
| 35 / 889 | 96 / 2438 |

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL (LL or RR) & VERTICAL (B or T) (CONTINUED)

| Fabric A/COM | Gr. 1 | Gr. 2 | Gr. 3 | Gr. 4 | Gr. 5 | Gr. 6 | Gr. 7 |
|--------------|-------|-------|-------|-------|-------|-------|-------|
| 313 | 332 | 353 | 421 | 472 | 503 | 551 | 590 |
| 346 | 365 | 386 | 466 | 524 | 558 | 609 | 654 |
| 379 | 401 | 422 | 508 | 571 | 612 | 668 | 718 |
| 412 | 436 | 474 | 567 | 639 | 686 | 752 | 811 |
| 445 | 472 | 516 | 617 | 695 | 747 | 819 | 883 |
| 483 | 522 | 558 | 679 | 768 | 826 | 906 | 978 |
| 520 | 560 | 601 | 733 | 829 | 892 | 978 | 1059 |
| 556 | 600 | 645 | 786 | 890 | 958 | 1051 | 1138 |
| 590 | 640 | 686 | 839 | 952 | 1025 | 1124 | 1217 |
| 626 | 679 | 731 | 892 | 1013 | 1090 | 1198 | 1297 |
| 664 | 718 | 771 | 945 | 1073 | 1157 | 1270 | 1376 |

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (T or B)

| Fabric A/COM | Gr. 1 | Gr. 2 | Gr. 3 | Gr. 4 | Gr. 5 | Gr. 6 | Gr. 7 | | |
|--------------|-----------|-------|-------|-------|-------|-------|-------|------|------|
| 21 / 533 | 66 / 1676 | 322 | 342 | 358 | 419 | 465 | 494 | 534 | 568 |
| 21 / 533 | 72 / 1829 | 345 | 363 | 385 | 449 | 499 | 530 | 573 | 614 |
| 21 / 533 | 78 / 1981 | 365 | 387 | 411 | 480 | 534 | 566 | 615 | 655 |
| 21 / 533 | 84 / 2134 | 386 | 412 | 436 | 512 | 568 | 604 | 653 | 701 |
| 21 / 533 | 90 / 2286 | 409 | 436 | 462 | 542 | 602 | 641 | 695 | 742 |
| 21 / 533 | 96 / 2438 | 432 | 458 | 485 | 572 | 638 | 677 | 734 | 788 |
| 22 / 559 | 66 / 1676 | 325 | 346 | 362 | 422 | 469 | 498 | 536 | 573 |
| 22 / 559 | 72 / 1829 | 348 | 369 | 387 | 454 | 503 | 534 | 579 | 617 |
| 22 / 559 | 78 / 1981 | 370 | 391 | 414 | 484 | 537 | 571 | 618 | 660 |
| 22 / 559 | 84 / 2134 | 391 | 415 | 440 | 516 | 572 | 609 | 658 | 705 |
| 22 / 559 | 90 / 2286 | 413 | 440 | 465 | 546 | 607 | 645 | 699 | 748 |
| 22 / 559 | 96 / 2438 | 436 | 464 | 492 | 577 | 641 | 681 | 739 | 792 |
| 35 / 889 | 66 / 1676 | 492 | 529 | 565 | 686 | 776 | 834 | 913 | 986 |
| 35 / 889 | 72 / 1829 | 527 | 567 | 610 | 740 | 836 | 900 | 986 | 1066 |
| 35 / 889 | 78 / 1981 | 563 | 609 | 652 | 793 | 897 | 966 | 1059 | 1146 |
| 35 / 889 | 84 / 2134 | 597 | 647 | 695 | 848 | 960 | 1032 | 1132 | 1225 |
| 35 / 889 | 90 / 2286 | 636 | 686 | 738 | 900 | 1021 | 1099 | 1206 | 1305 |
| 35 / 889 | 96 / 2438 | 672 | 727 | 780 | 954 | 1083 | 1165 | 1278 | 1384 |

Pricing is continued on the following page.

Xpress

U A E L I F

Tackable Fabric International Power/Communications Fascia for Freestanding District (Slot Mount) (Continued)

DIMENSIONS
INCHES / MM

| H | W |
|----------|-----------|
| 21 / 533 | 36 / 914 |
| 21 / 533 | 42 / 1067 |
| 21 / 533 | 48 / 1219 |
| 21 / 533 | 54 / 1372 |
| 21 / 533 | 60 / 1524 |
| 21 / 533 | 66 / 1676 |
| 21 / 533 | 72 / 1829 |
| 21 / 533 | 78 / 1981 |
| 21 / 533 | 84 / 2134 |
| 21 / 533 | 90 / 2286 |
| 21 / 533 | 96 / 2438 |
| 22 / 559 | 36 / 914 |
| 22 / 559 | 42 / 1067 |
| 22 / 559 | 48 / 1219 |
| 22 / 559 | 54 / 1372 |
| 22 / 559 | 60 / 1524 |
| 22 / 559 | 66 / 1676 |
| 22 / 559 | 72 / 1829 |
| 22 / 559 | 78 / 1981 |
| 22 / 559 | 84 / 2134 |
| 22 / 559 | 90 / 2286 |
| 22 / 559 | 96 / 2438 |
| 35 / 889 | 36 / 914 |
| 35 / 889 | 42 / 1067 |
| 35 / 889 | 48 / 1219 |
| 35 / 889 | 54 / 1372 |
| 35 / 889 | 60 / 1524 |
| 35 / 889 | 66 / 1676 |
| 35 / 889 | 72 / 1829 |
| 35 / 889 | 78 / 1981 |
| 35 / 889 | 84 / 2134 |
| 35 / 889 | 90 / 2286 |
| 35 / 889 | 96 / 2438 |

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL (LL or RR) & VERTICAL (B or T)

| Fabric A/COM | Gr. 1 | Gr. 2 | Gr. 3 | Gr. 4 | Gr. 5 | Gr. 6 | Gr. 7 |
|--------------|-------|-------|-------|-------|-------|-------|-------|
| 225 | 237 | 260 | 285 | 306 | 327 | 351 | 375 |
| 241 | 258 | 271 | 307 | 336 | 356 | 383 | 408 |
| 262 | 274 | 288 | 332 | 365 | 386 | 415 | 442 |
| 281 | 295 | 313 | 360 | 396 | 420 | 451 | 483 |
| 299 | 316 | 333 | 386 | 426 | 451 | 491 | 523 |
| 322 | 342 | 358 | 419 | 465 | 494 | 534 | 568 |
| 345 | 363 | 385 | 449 | 499 | 530 | 573 | 614 |
| 365 | 387 | 411 | 480 | 534 | 566 | 615 | 655 |
| 386 | 412 | 436 | 512 | 568 | 604 | 653 | 701 |
| 409 | 436 | 462 | 542 | 602 | 641 | 695 | 742 |
| 432 | 458 | 485 | 572 | 638 | 677 | 734 | 788 |
| 226 | 239 | 264 | 288 | 309 | 331 | 355 | 377 |
| 244 | 260 | 276 | 313 | 340 | 360 | 386 | 412 |
| 264 | 276 | 291 | 334 | 369 | 390 | 419 | 445 |
| 285 | 297 | 316 | 362 | 399 | 422 | 456 | 487 |
| 302 | 318 | 338 | 390 | 432 | 456 | 493 | 525 |
| 325 | 346 | 362 | 422 | 469 | 498 | 536 | 573 |
| 348 | 369 | 387 | 454 | 503 | 534 | 579 | 617 |
| 370 | 391 | 414 | 484 | 537 | 571 | 618 | 660 |
| 391 | 415 | 440 | 516 | 572 | 609 | 658 | 705 |
| 413 | 440 | 465 | 546 | 607 | 645 | 699 | 748 |
| 436 | 464 | 492 | 577 | 641 | 681 | 739 | 792 |
| 320 | 342 | 360 | 432 | 481 | 512 | 558 | 597 |
| 353 | 375 | 394 | 473 | 530 | 565 | 616 | 664 |
| 386 | 408 | 433 | 517 | 581 | 619 | 675 | 727 |
| 419 | 443 | 483 | 577 | 647 | 695 | 760 | 819 |
| 454 | 479 | 524 | 624 | 703 | 756 | 826 | 890 |
| 492 | 529 | 565 | 686 | 776 | 834 | 913 | 986 |
| 527 | 567 | 610 | 740 | 836 | 900 | 986 | 1066 |
| 563 | 609 | 652 | 793 | 897 | 966 | 1059 | 1146 |
| 597 | 647 | 695 | 848 | 960 | 1032 | 1132 | 1225 |
| 636 | 686 | 738 | 900 | 1021 | 1099 | 1206 | 1305 |
| 672 | 727 | 780 | 954 | 1083 | 1165 | 1278 | 1384 |

