


U A E L I M

Metal International Power/ Communications Fascia for Freestanding District (Slot Mount)



The Metal International Power/Communications Fascia provides face-mounted access to power/communications.

WHAT'S INCLUDED

1 fascia with Cut Out as specified, fascia connectors.

NOTES

Not all height/width combinations are available. 35" high fascia can be specified to a maximum of 60" width only. See pricing for exact offering.

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 21" and 22" fascias must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

For 36" to 60" wide fascias only Left (LL) or Right (RR) power and data locations can be specified.

PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/ Communication Orientation	Vertical Power/ Communication Orientation	Height	Width (6" increments)	Fascia Finish	Bezel Finish		
2 Cut Out for two outlets (available on 24" and 30" widths)	LL Left	T Top	21, 22, 27, 28, 35	36 - 96	Foundation Mica	Black		
	LC Left Centre	B Bottom				74 Storm White		
3 Cut Out for two outlets and one data/communications box (available on 36" widths and wider)	RC Right Centre							
	RR Right							
	LR Left & Right							
	CR Left Centre & Right							
4 Cut Out for four outlets (available on 36" widths and wider)	CL Right Centre & Left							
5 Cala Cut Out for two outlets								
6 Cala Cut Out for four outlets								

SAMPLE ORDER CODE

UAELIM 2	LC	B	22	66	E	74
----------	----	---	----	----	---	----

DIMENSIONS INCHES / MM

H	W
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4)	
HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (B or T)	
253	
261	
273	
281	
290	
301	
256	
265	
277	
285	
296	
305	

DIMENSIONS INCHES / MM

H	W
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4)	
HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (B or T) (Continued)	
285	
298	
310	
323	
333	
346	
288	
301	
313	
326	
337	
350	

Pricing is continued on the following page.

U A E L I M
**Metal International Power/
Communications Fascia for
Freestanding District (Slot Mount)
(Continued)**

DIMENSIONS
INCHES / MM

H	W
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	36 / 914
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	36 / 914
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524

PRICING

CUT OUT OUTLET (2, 3, 4)	
HORIZONTAL (LL or RR) & VERTICAL (B or T)	
151	
159	
170	
178	
186	
253	
261	
273	
281	
290	
301	
153	
161	
172	
180	
189	
256	
265	
277	
285	
296	
305	
168	
178	
187	
200	
210	
285	
298	
310	
323	
333	
346	
170	
180	
193	
203	
214	
288	
301	
313	
326	
337	
350	
197	
210	
226	
240	
255	

DIMENSIONS
INCHES / MM

H	W
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)	
HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (B or T)	
280	
288	
300	
308	
318	
328	
283	
293	
304	
312	
323	
332	
312	
325	
337	
350	
360	
373	
316	
328	
341	
353	
364	
377	
178	
186	
197	
205	
214	
280	
288	
300	
308	
318	
328	

**HORIZONTAL (LL or RR) &
VERTICAL (B or T)**

Pricing is continued on the following page.

U A E L I M

**Metal International Power/
Communications Fascia for
Freestanding District (Slot Mount)
(Continued)**

**DIMENSIONS
INCHES / MM**

PRICING

		CALA CUT OUT FOR TWO OUTLETS (5)
H	W	HORIZONTAL (LL or RR) & VERTICAL (B or T) (Continued)
22 / 559	36 / 914	180
22 / 559	42 / 1067	189
22 / 559	48 / 1219	199
22 / 559	54 / 1372	207
22 / 559	60 / 1524	218
22 / 559	66 / 1676	283
22 / 559	72 / 1829	293
22 / 559	78 / 1981	304
22 / 559	84 / 2134	312
22 / 559	90 / 2286	323
22 / 559	96 / 2438	332
27 / 686	36 / 914	195
27 / 686	42 / 1067	205
27 / 686	48 / 1219	215
27 / 686	54 / 1372	227
27 / 686	60 / 1524	237
27 / 686	66 / 1676	312
27 / 686	72 / 1829	325
27 / 686	78 / 1981	337
27 / 686	84 / 2134	350
27 / 686	90 / 2286	360
27 / 686	96 / 2438	373
28 / 711	36 / 914	197
28 / 711	42 / 1067	207
28 / 711	48 / 1219	220
28 / 711	54 / 1372	230
28 / 711	60 / 1524	242
28 / 711	66 / 1676	316
28 / 711	72 / 1829	328
28 / 711	78 / 1981	341
28 / 711	84 / 2134	353
28 / 711	90 / 2286	364
28 / 711	96 / 2438	377
35 / 889	36 / 914	224
35 / 889	42 / 1067	237
35 / 889	48 / 1219	253
35 / 889	54 / 1372	268
35 / 889	60 / 1524	282

**DIMENSIONS
INCHES / MM**

PRICING

		CALA CUT OUT FOR FOUR OUTLETS (6)
H	W	HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (B or T)
21 / 533	66 / 1676	286
21 / 533	72 / 1829	297
21 / 533	78 / 1981	306
21 / 533	84 / 2134	315
21 / 533	90 / 2286	325
21 / 533	96 / 2438	334
22 / 559	66 / 1676	290
22 / 559	72 / 1829	300
22 / 559	78 / 1981	310
22 / 559	84 / 2134	321
22 / 559	90 / 2286	329
22 / 559	96 / 2438	338
27 / 686	66 / 1676	321
27 / 686	72 / 1829	331
27 / 686	78 / 1981	346
27 / 686	84 / 2134	356
27 / 686	90 / 2286	367
27 / 686	96 / 2438	379
28 / 711	66 / 1676	324
28 / 711	72 / 1829	334
28 / 711	78 / 1981	349
28 / 711	84 / 2134	359
28 / 711	90 / 2286	373
28 / 711	96 / 2438	383
21 / 533	36 / 914	184
21 / 533	42 / 1067	195
21 / 533	48 / 1219	203
21 / 533	54 / 1372	211
21 / 533	60 / 1524	222
21 / 533	66 / 1676	286
21 / 533	72 / 1829	297
21 / 533	78 / 1981	306
21 / 533	84 / 2134	315
21 / 533	90 / 2286	325
21 / 533	96 / 2438	334

**HORIZONTAL (LL or RR) &
VERTICAL (B or T)**

Pricing is continued on the following page.

U A E L I M
**Metal International Power/
 Communications Fascia for
 Freestanding District (Slot Mount)
 (Continued)**

DIMENSIONS INCHES / MM		PRICING
H	W	CALA CUT OUT FOR FOUR OUTLETS (6) HORIZONTAL (LL or RR) & VERTICAL (B or T) (Continued)
22 / 559	36 / 914	186
22 / 559	42 / 1067	197
22 / 559	48 / 1219	205
22 / 559	54 / 1372	214
22 / 559	60 / 1524	224
22 / 559	66 / 1676	290
22 / 559	72 / 1829	300
22 / 559	78 / 1981	310
22 / 559	84 / 2134	321
22 / 559	90 / 2286	329
22 / 559	96 / 2438	338
27 / 686	36 / 914	201
27 / 686	42 / 1067	211
27 / 686	48 / 1219	223
27 / 686	54 / 1372	233
27 / 686	60 / 1524	246
27 / 686	66 / 1676	321
27 / 686	72 / 1829	331
27 / 686	78 / 1981	346
27 / 686	84 / 2134	356
27 / 686	90 / 2286	367
27 / 686	96 / 2438	379

DIMENSIONS INCHES / MM		PRICING
H	W	CALA CUT OUT FOR FOUR OUTLETS (6) HORIZONTAL (LL or RR) & VERTICAL (B or T) (Continued)
28 / 711	36 / 914	203
28 / 711	42 / 1067	214
28 / 711	48 / 1219	226
28 / 711	54 / 1372	236
28 / 711	60 / 1524	249
28 / 711	66 / 1676	324
28 / 711	72 / 1829	334
28 / 711	78 / 1981	349
28 / 711	84 / 2134	359
28 / 711	90 / 2286	373
28 / 711	96 / 2438	383
35 / 889	36 / 914	230
35 / 889	42 / 1067	246
35 / 889	48 / 1219	259
35 / 889	54 / 1372	275
35 / 889	60 / 1524	288