


UNECL

Solid Power/Communications Fascia (Clip Mount)



The Solid Power/Communications Fascia provides face-mounted access to power/communications above or below worksurface height.

WHAT'S INCLUDED

1 fascia with cut out as specified, fascia connectors.

WHAT'S EXCLUDED

Panel Wall Rail (UNPHN) is required for additional panel segmentation and must be specified separately. Can be found in the *Panel Walls* section.

NOTES

Not all height/width combinations are available. See pricing for exact offering.

Panel Wall Rail (UNPHN) required for application to Panel Frame for Wood and/or Framed Fascias, ordered separately.

27" and 21" height fascia can only be applied to the Flush Panel with Accessory Beam (UAFRR), Elevated Panel with Accessory Beam or Convertible Panel with Accessory Beam (UAFCR).

PRODUCT OPTIONS

| Outlet Configuration | Horizontal Power/Communications Orientation | Vertical Power/Communications Orientation | Height | Width (6" increments) | Fascia Finish |
|--|--|---|----------------------------|-----------------------|--|
| 2 one duplex outlet plus VDM (available on 24" and 30" widths) | B Left and Right (available on 66" width and wider for one and two duplex outlets) C Centered (available on 36" width for two duplex outlets and on 24", 30", 36" widths for one duplex outlet) | B Bottom or lower section of Fascia (available on 7", 13", 21", 22", 37" heights) F Flush (applies to 28" and 27" heights only for base fascias flush to floor. Cut Out will be at bottom) | 07, 13, 21, 22, 27, 28, 37 | 24 - 96 | Element Source Laminate Seamless Color Flintwood Natural Veneer |
| 4 two duplex outlets plus VDM (available on 36" widths and wider) | L Left (not available on widths below 42") R Right (not available on widths below 42") | T Top or upper section of Fascia (available on 13", 21", 22", 27", 28" heights) | | | |

SAMPLE ORDER CODE

| | | | | | |
|---------|---|---|----|----|----|
| UNECL 2 | B | B | 22 | 72 | FX |
|---------|---|---|----|----|----|

DIMENSIONS INCHES / MM

| H | W |
|----------|-----------|
| 7 / 178 | 66 / 1676 |
| 7 / 178 | 72 / 1829 |
| 7 / 178 | 78 / 1981 |
| 7 / 178 | 84 / 2134 |
| 7 / 178 | 90 / 2286 |
| 7 / 178 | 96 / 2438 |
| 13 / 330 | 66 / 1676 |
| 13 / 330 | 72 / 1829 |
| 13 / 330 | 78 / 1981 |
| 13 / 330 | 84 / 2134 |
| 13 / 330 | 90 / 2286 |
| 13 / 330 | 96 / 2438 |
| 21 / 533 | 66 / 1676 |
| 21 / 533 | 72 / 1829 |
| 21 / 533 | 78 / 1981 |
| 21 / 533 | 84 / 2134 |
| 21 / 533 | 90 / 2286 |
| 21 / 533 | 96 / 2438 |
| 22 / 559 | 66 / 1676 |
| 22 / 559 | 72 / 1829 |
| 22 / 559 | 78 / 1981 |
| 22 / 559 | 84 / 2134 |
| 22 / 559 | 90 / 2286 |
| 22 / 559 | 96 / 2438 |

PRICING

| Element Source | Seamless Color | Flintwood | Natural Veneer |
|-------------------------------|----------------|-----------|----------------|
| HORIZONTAL (B) & VERTICAL (B) | | | |
| 246 | 281 | 417 | 431 |
| 248 | 283 | 428 | 445 |
| 252 | 288 | 441 | 457 |
| 258 | 298 | 460 | 478 |
| 263 | 302 | 474 | 491 |
| 264 | 303 | 484 | 504 |
| 272 | 313 | 514 | 535 |
| 280 | 323 | 537 | 557 |
| 287 | 332 | 557 | 580 |
| 305 | 354 | 593 | 617 |
| 311 | 362 | 616 | 642 |
| 319 | 372 | 638 | 666 |
| 303 | 376 | 607 | 637 |
| 311 | 386 | 633 | 666 |
| 320 | 397 | 659 | 695 |
| 345 | 428 | 703 | 741 |
| 354 | 439 | 730 | 769 |
| 365 | 447 | 755 | 797 |
| 303 | 376 | 607 | 637 |
| 311 | 386 | 633 | 666 |
| 320 | 397 | 659 | 695 |
| 345 | 428 | 703 | 741 |
| 354 | 439 | 730 | 769 |
| 365 | 447 | 755 | 797 |

DIMENSIONS INCHES / MM

| H | W |
|----------|-----------|
| 37 / 940 | 66 / 1676 |
| 37 / 940 | 72 / 1829 |
| 37 / 940 | 78 / 1981 |
| 37 / 940 | 84 / 2134 |
| 37 / 940 | 90 / 2286 |
| 37 / 940 | 96 / 2438 |

PRICING

| Element Source | Seamless Color | Flintwood | Natural Veneer |
|-------------------------------|----------------|-----------|----------------|
| HORIZONTAL (B) & VERTICAL (B) | | | |
| 416 | 494 | 809 | 844 |
| 434 | 514 | 855 | 894 |
| 452 | 538 | 899 | 937 |
| 487 | 581 | 961 | 1002 |
| 505 | 603 | 1004 | 1051 |
| 522 | 626 | 1051 | 1097 |

Pricing is continued on the following page.

**Solid Power/Communications Fascia
(Clip Mount) (Continued)**

**DIMENSIONS
INCHES / MM**

| H | W |
|----------|-----------|
| 27 / 686 | 66 / 1676 |
| 27 / 686 | 72 / 1829 |
| 27 / 686 | 78 / 1981 |
| 27 / 686 | 84 / 2134 |
| 27 / 686 | 90 / 2286 |
| 27 / 686 | 96 / 2438 |

| | |
|----------|-----------|
| 28 / 711 | 66 / 1676 |
| 28 / 711 | 72 / 1829 |
| 28 / 711 | 78 / 1981 |
| 28 / 711 | 84 / 2134 |
| 28 / 711 | 90 / 2286 |
| 28 / 711 | 96 / 2438 |

| | |
|----------|-----------|
| 13 / 330 | 66 / 1676 |
| 13 / 330 | 72 / 1829 |
| 13 / 330 | 78 / 1981 |
| 13 / 330 | 84 / 2134 |
| 13 / 330 | 90 / 2286 |
| 13 / 330 | 96 / 2438 |

| | |
|----------|-----------|
| 21 / 533 | 66 / 1676 |
| 21 / 533 | 72 / 1829 |
| 21 / 533 | 78 / 1981 |
| 21 / 533 | 84 / 2134 |
| 21 / 533 | 90 / 2286 |
| 21 / 533 | 96 / 2438 |

| | |
|----------|-----------|
| 22 / 559 | 66 / 1676 |
| 22 / 559 | 72 / 1829 |
| 22 / 559 | 78 / 1981 |
| 22 / 559 | 84 / 2134 |
| 22 / 559 | 90 / 2286 |
| 22 / 559 | 96 / 2438 |

| | |
|----------|-----------|
| 27 / 686 | 66 / 1676 |
| 27 / 686 | 72 / 1829 |
| 27 / 686 | 78 / 1981 |
| 27 / 686 | 84 / 2134 |
| 27 / 686 | 90 / 2286 |
| 27 / 686 | 96 / 2438 |

| | |
|----------|-----------|
| 28 / 711 | 66 / 1676 |
| 28 / 711 | 72 / 1829 |
| 28 / 711 | 78 / 1981 |
| 28 / 711 | 84 / 2134 |
| 28 / 711 | 90 / 2286 |
| 28 / 711 | 96 / 2438 |

PRICING

| Element Source | Seamless Laminate Color | Flintwood | Natural Veneer |
|----------------|-------------------------|-----------|----------------|
|----------------|-------------------------|-----------|----------------|

| HORIZONTAL (B) & VERTICAL (F) | | | |
|-------------------------------|-----|-----|-----|
| 380 | 414 | 679 | 714 |
| 396 | 427 | 712 | 749 |
| 411 | 442 | 743 | 783 |
| 443 | 477 | 793 | 837 |
| 459 | 491 | 829 | 874 |
| 474 | 504 | 863 | 908 |

| | | | |
|-----|-----|-----|-----|
| 380 | 414 | 679 | 714 |
| 396 | 427 | 712 | 749 |
| 411 | 442 | 743 | 783 |
| 443 | 477 | 793 | 837 |
| 459 | 491 | 829 | 874 |
| 474 | 504 | 863 | 908 |

| HORIZONTAL (B) & VERTICAL (T) | | | |
|-------------------------------|-----|-----|-----|
| 272 | 313 | 514 | 535 |
| 280 | 323 | 537 | 557 |
| 287 | 332 | 557 | 580 |
| 305 | 354 | 593 | 617 |
| 311 | 362 | 616 | 642 |
| 319 | 372 | 638 | 666 |

| | | | |
|-----|-----|-----|-----|
| 303 | 376 | 607 | 637 |
| 311 | 386 | 633 | 666 |
| 320 | 397 | 659 | 695 |
| 345 | 428 | 703 | 741 |
| 354 | 439 | 730 | 769 |
| 365 | 447 | 755 | 797 |

| | | | |
|-----|-----|-----|-----|
| 303 | 376 | 607 | 637 |
| 311 | 386 | 633 | 666 |
| 320 | 397 | 659 | 695 |
| 345 | 428 | 703 | 741 |
| 354 | 439 | 730 | 769 |
| 365 | 447 | 755 | 797 |

| | | | |
|-----|-----|-----|-----|
| 380 | 414 | 679 | 714 |
| 396 | 427 | 712 | 749 |
| 411 | 442 | 743 | 783 |
| 443 | 477 | 793 | 837 |
| 459 | 491 | 829 | 874 |
| 474 | 504 | 863 | 908 |

| | | | |
|-----|-----|-----|-----|
| 380 | 414 | 679 | 714 |
| 396 | 427 | 712 | 749 |
| 411 | 442 | 743 | 783 |
| 443 | 477 | 793 | 837 |
| 459 | 491 | 829 | 874 |
| 474 | 504 | 863 | 908 |

**DIMENSIONS
INCHES / MM**

| H | W |
|----------|-----------|
| 13 / 330 | 66 / 1676 |
| 13 / 330 | 72 / 1829 |
| 13 / 330 | 78 / 1981 |
| 13 / 330 | 84 / 2134 |
| 13 / 330 | 90 / 2286 |
| 13 / 330 | 96 / 2438 |

| | |
|----------|-----------|
| 21 / 533 | 66 / 1676 |
| 21 / 533 | 72 / 1829 |
| 21 / 533 | 78 / 1981 |
| 21 / 533 | 84 / 2134 |
| 21 / 533 | 90 / 2286 |
| 21 / 533 | 96 / 2438 |

| | |
|----------|-----------|
| 22 / 559 | 66 / 1676 |
| 22 / 559 | 72 / 1829 |
| 22 / 559 | 78 / 1981 |
| 22 / 559 | 84 / 2134 |
| 22 / 559 | 90 / 2286 |
| 22 / 559 | 96 / 2438 |

| | |
|----------|-----------|
| 27 / 686 | 66 / 1676 |
| 27 / 686 | 72 / 1829 |
| 27 / 686 | 78 / 1981 |
| 27 / 686 | 84 / 2134 |
| 27 / 686 | 90 / 2286 |
| 27 / 686 | 96 / 2438 |

| | |
|----------|-----------|
| 28 / 711 | 66 / 1676 |
| 28 / 711 | 72 / 1829 |
| 28 / 711 | 78 / 1981 |
| 28 / 711 | 84 / 2134 |
| 28 / 711 | 90 / 2286 |
| 28 / 711 | 96 / 2438 |

PRICING

| Element Source | Seamless Laminate Color | Flintwood | Natural Veneer |
|----------------|-------------------------|-----------|----------------|
|----------------|-------------------------|-----------|----------------|

| HORIZONTAL (B) & VERTICAL (T) | | | |
|-------------------------------|-----|-----|-----|
| 272 | 313 | 514 | 535 |
| 280 | 323 | 537 | 557 |
| 287 | 332 | 557 | 580 |
| 305 | 354 | 593 | 617 |
| 311 | 362 | 616 | 642 |
| 319 | 372 | 638 | 666 |

| | | | |
|-----|-----|-----|-----|
| 303 | 376 | 607 | 637 |
| 311 | 386 | 633 | 666 |
| 320 | 397 | 659 | 695 |
| 345 | 428 | 703 | 741 |
| 354 | 439 | 730 | 769 |
| 365 | 447 | 755 | 797 |

| | | | |
|-----|-----|-----|-----|
| 303 | 376 | 607 | 637 |
| 311 | 386 | 633 | 666 |
| 320 | 397 | 659 | 695 |
| 345 | 428 | 703 | 741 |
| 354 | 439 | 730 | 769 |
| 365 | 447 | 755 | 797 |

| | | | |
|-----|-----|-----|-----|
| 380 | 414 | 679 | 714 |
| 396 | 427 | 712 | 749 |
| 411 | 442 | 743 | 783 |
| 443 | 477 | 793 | 837 |
| 459 | 491 | 829 | 874 |
| 474 | 504 | 863 | 908 |

| | | | |
|-----|-----|-----|-----|
| 380 | 414 | 679 | 714 |
| 396 | 427 | 712 | 749 |
| 411 | 442 | 743 | 783 |
| 443 | 477 | 793 | 837 |
| 459 | 491 | 829 | 874 |
| 474 | 504 | 863 | 908 |

Pricing is continued on the following page.

UNECL

Solid Power/Communications Fascia (Clip Mount) (Continued)

DIMENSIONS INCHES / MM

| H | W |
|------------|----------|
| * 7 / 178 | 24 / 610 |
| * 7 / 178 | 30 / 762 |
| 7 / 178 | 36 / 914 |
| * 13 / 330 | 24 / 610 |
| * 13 / 330 | 30 / 762 |
| 13 / 330 | 36 / 914 |
| * 21 / 533 | 24 / 610 |
| * 21 / 533 | 30 / 762 |
| 21 / 533 | 36 / 914 |
| * 22 / 559 | 24 / 610 |
| * 22 / 559 | 30 / 762 |
| 22 / 559 | 36 / 914 |
| * 37 / 940 | 24 / 610 |
| * 37 / 940 | 30 / 762 |
| 37 / 940 | 36 / 914 |
| * 27 / 686 | 24 / 610 |
| * 27 / 686 | 30 / 762 |
| 27 / 686 | 36 / 914 |
| * 28 / 711 | 24 / 610 |
| * 28 / 711 | 30 / 762 |
| 28 / 711 | 36 / 914 |
| * 13 / 330 | 24 / 610 |
| * 13 / 330 | 30 / 762 |
| 13 / 330 | 36 / 914 |
| * 21 / 533 | 24 / 610 |
| * 21 / 533 | 30 / 762 |
| 21 / 533 | 36 / 914 |
| * 22 / 559 | 24 / 610 |
| * 22 / 559 | 30 / 762 |
| 22 / 559 | 36 / 914 |
| * 27 / 686 | 24 / 610 |
| * 27 / 686 | 30 / 762 |
| 27 / 686 | 36 / 914 |
| * 28 / 711 | 24 / 610 |
| * 28 / 711 | 30 / 762 |
| 28 / 711 | 36 / 914 |

* Does NOT apply to Outlet Configuration 4

PRICING

| Element Source | Laminate | Seamless Color | Flintwood | Natural Veneer |
|--|----------|----------------|-----------|----------------|
| HORIZONTAL (C) & VERTICAL (B) | | | | |
| 161 | 188 | 271 | 282 | |
| 164 | 192 | 281 | 292 | |
| 167 | 196 | 288 | 301 | |
| 170 | 199 | 300 | 311 | |
| 175 | 206 | 320 | 334 | |
| 181 | 214 | 343 | 357 | |
| 194 | 242 | 378 | 399 | |
| 202 | 252 | 403 | 424 | |
| 213 | 261 | 429 | 452 | |
| 194 | 242 | 378 | 399 | |
| 202 | 252 | 403 | 424 | |
| 213 | 261 | 429 | 452 | |
| 235 | 281 | 442 | 461 | |
| 253 | 303 | 487 | 507 | |
| 271 | 325 | 530 | 555 | |
| HORIZONTAL (C) & VERTICAL (F) | | | | |
| 216 | 258 | 391 | 407 | |
| 228 | 270 | 423 | 441 | |
| 238 | 285 | 455 | 475 | |
| 216 | 258 | 391 | 407 | |
| 228 | 270 | 423 | 441 | |
| 238 | 285 | 455 | 475 | |
| HORIZONTAL (C) & VERTICAL (T) | | | | |
| 170 | 199 | 300 | 311 | |
| 175 | 206 | 320 | 334 | |
| 181 | 214 | 343 | 357 | |
| 194 | 242 | 378 | 399 | |
| 202 | 252 | 403 | 424 | |
| 213 | 261 | 429 | 452 | |
| 194 | 242 | 378 | 399 | |
| 202 | 252 | 403 | 424 | |
| 213 | 261 | 429 | 452 | |
| 216 | 258 | 391 | 407 | |
| 228 | 270 | 423 | 441 | |
| 238 | 285 | 455 | 475 | |
| 216 | 258 | 391 | 407 | |
| 228 | 270 | 423 | 441 | |
| 238 | 285 | 455 | 475 | |

DIMENSIONS INCHES / MM

| H | W |
|----------|-----------|
| 7 / 178 | 42 / 1067 |
| 7 / 178 | 48 / 1219 |
| 7 / 178 | 54 / 1372 |
| 7 / 178 | 60 / 1524 |
| 7 / 178 | 66 / 1676 |
| 7 / 178 | 72 / 1829 |
| 7 / 178 | 78 / 1981 |
| 7 / 178 | 84 / 2134 |
| 7 / 178 | 90 / 2286 |
| 7 / 178 | 96 / 2438 |
| 13 / 330 | 42 / 1067 |
| 13 / 330 | 48 / 1219 |
| 13 / 330 | 54 / 1372 |
| 13 / 330 | 60 / 1524 |
| 13 / 330 | 66 / 1676 |
| 13 / 330 | 72 / 1829 |
| 13 / 330 | 78 / 1981 |
| 13 / 330 | 84 / 2134 |
| 13 / 330 | 90 / 2286 |
| 13 / 330 | 96 / 2438 |
| 21 / 533 | 42 / 1067 |
| 21 / 533 | 48 / 1219 |
| 21 / 533 | 54 / 1372 |
| 21 / 533 | 60 / 1524 |
| 21 / 533 | 66 / 1676 |
| 21 / 533 | 72 / 1829 |
| 21 / 533 | 78 / 1981 |
| 21 / 533 | 84 / 2134 |
| 21 / 533 | 90 / 2286 |
| 21 / 533 | 96 / 2438 |
| 22 / 559 | 42 / 1067 |
| 22 / 559 | 48 / 1219 |
| 22 / 559 | 54 / 1372 |
| 22 / 559 | 60 / 1524 |
| 22 / 559 | 66 / 1676 |
| 22 / 559 | 72 / 1829 |
| 22 / 559 | 78 / 1981 |
| 22 / 559 | 84 / 2134 |
| 22 / 559 | 90 / 2286 |
| 22 / 559 | 96 / 2438 |
| 37 / 940 | 42 / 1067 |
| 37 / 940 | 48 / 1219 |
| 37 / 940 | 54 / 1372 |
| 37 / 940 | 60 / 1524 |
| 37 / 940 | 66 / 1676 |
| 37 / 940 | 72 / 1829 |
| 37 / 940 | 78 / 1981 |
| 37 / 940 | 84 / 2134 |
| 37 / 940 | 90 / 2286 |
| 37 / 940 | 96 / 2438 |

PRICING

| Element Source | Laminate | Seamless Color | Flintwood | Natural Veneer |
|---|----------|----------------|-----------|----------------|
| HORIZONTAL (L or R) & VERTICAL (B) | | | | |
| 173 | 204 | 305 | 316 | |
| 175 | 206 | 315 | 330 | |
| 176 | 208 | 327 | 342 | |
| 180 | 212 | 341 | 354 | |
| 192 | 227 | 364 | 378 | |
| 194 | 229 | 375 | 391 | |
| 197 | 233 | 386 | 402 | |
| 205 | 242 | 406 | 424 | |
| 208 | 247 | 419 | 437 | |
| 209 | 248 | 429 | 448 | |
| 190 | 224 | 368 | 382 | |
| 198 | 235 | 389 | 406 | |
| 205 | 242 | 411 | 429 | |
| 209 | 248 | 435 | 455 | |
| 218 | 258 | 460 | 480 | |
| 226 | 269 | 481 | 503 | |
| 232 | 277 | 503 | 525 | |
| 250 | 301 | 539 | 562 | |
| 256 | 308 | 561 | 588 | |
| 264 | 316 | 586 | 612 | |
| 224 | 276 | 460 | 484 | |
| 232 | 288 | 484 | 511 | |
| 244 | 298 | 511 | 539 | |
| 252 | 306 | 538 | 568 | |
| 264 | 321 | 569 | 600 | |
| 273 | 332 | 595 | 628 | |
| 282 | 343 | 622 | 657 | |
| 308 | 375 | 665 | 703 | |
| 316 | 383 | 692 | 731 | |
| 325 | 394 | 717 | 757 | |
| 224 | 276 | 460 | 484 | |
| 232 | 288 | 484 | 511 | |
| 244 | 298 | 511 | 539 | |
| 252 | 306 | 538 | 568 | |
| 264 | 321 | 569 | 600 | |
| 273 | 332 | 595 | 628 | |
| 282 | 343 | 622 | 657 | |
| 308 | 375 | 665 | 703 | |
| 316 | 383 | 692 | 731 | |
| 325 | 394 | 717 | 757 | |
| 288 | 347 | 576 | 601 | |
| 308 | 372 | 621 | 650 | |
| 326 | 396 | 666 | 696 | |
| 344 | 416 | 712 | 745 | |
| 362 | 440 | 755 | 791 | |
| 379 | 460 | 801 | 838 | |
| 397 | 482 | 843 | 882 | |
| 431 | 526 | 905 | 946 | |
| 449 | 550 | 948 | 997 | |
| 467 | 572 | 997 | 1041 | |

Pricing is continued on the following page.

UNEC L

Solid Power/Communications Fascia
(Clip Mount) (Continued)

DIMENSIONS
INCHES / MM

| H | W |
|----------|-----------|
| 27 / 686 | 42 / 1067 |
| 27 / 686 | 48 / 1219 |
| 27 / 686 | 54 / 1372 |
| 27 / 686 | 60 / 1524 |
| 27 / 686 | 66 / 1676 |
| 27 / 686 | 72 / 1829 |
| 27 / 686 | 78 / 1981 |
| 27 / 686 | 84 / 2134 |
| 27 / 686 | 90 / 2286 |
| 27 / 686 | 96 / 2438 |
| 28 / 711 | 42 / 1067 |
| 28 / 711 | 48 / 1219 |
| 28 / 711 | 54 / 1372 |
| 28 / 711 | 60 / 1524 |
| 28 / 711 | 66 / 1676 |
| 28 / 711 | 72 / 1829 |
| 28 / 711 | 78 / 1981 |
| 28 / 711 | 84 / 2134 |
| 28 / 711 | 90 / 2286 |
| 28 / 711 | 96 / 2438 |

| | |
|----------|-----------|
| 13 / 330 | 42 / 1067 |
| 13 / 330 | 48 / 1219 |
| 13 / 330 | 54 / 1372 |
| 13 / 330 | 60 / 1524 |
| 13 / 330 | 66 / 1676 |
| 13 / 330 | 72 / 1829 |
| 13 / 330 | 78 / 1981 |
| 13 / 330 | 84 / 2134 |
| 13 / 330 | 90 / 2286 |
| 13 / 330 | 96 / 2438 |

| | |
|----------|-----------|
| 21 / 533 | 42 / 1067 |
| 21 / 533 | 48 / 1219 |
| 21 / 533 | 54 / 1372 |
| 21 / 533 | 60 / 1524 |
| 21 / 533 | 66 / 1676 |
| 21 / 533 | 72 / 1829 |
| 21 / 533 | 78 / 1981 |
| 21 / 533 | 84 / 2134 |
| 21 / 533 | 90 / 2286 |
| 21 / 533 | 96 / 2438 |

| | |
|----------|-----------|
| 22 / 559 | 42 / 1067 |
| 22 / 559 | 48 / 1219 |
| 22 / 559 | 54 / 1372 |
| 22 / 559 | 60 / 1524 |
| 22 / 559 | 66 / 1676 |
| 22 / 559 | 72 / 1829 |
| 22 / 559 | 78 / 1981 |
| 22 / 559 | 84 / 2134 |
| 22 / 559 | 90 / 2286 |
| 22 / 559 | 96 / 2438 |

PRICING

| Element Source | Seamless Laminate Color | Flintwood | Natural Veneer |
|------------------------------------|-------------------------|-----------|----------------|
| HORIZONTAL (L or R) & VERTICAL (F) | | | |
| 280 | 301 | 504 | 531 |
| 298 | 315 | 541 | 572 |
| 312 | 331 | 573 | 603 |
| 326 | 343 | 608 | 642 |
| 343 | 360 | 641 | 676 |
| 357 | 373 | 673 | 712 |
| 375 | 387 | 705 | 746 |
| 406 | 423 | 755 | 799 |
| 420 | 437 | 791 | 837 |
| 437 | 448 | 825 | 871 |
| 280 | 301 | 504 | 531 |
| 298 | 315 | 541 | 572 |
| 312 | 331 | 573 | 603 |
| 326 | 343 | 608 | 642 |
| 343 | 360 | 641 | 676 |
| 357 | 373 | 673 | 712 |
| 375 | 387 | 705 | 746 |
| 406 | 423 | 755 | 799 |
| 420 | 437 | 791 | 837 |
| 437 | 448 | 825 | 871 |

HORIZONTAL (L or R) & VERTICAL (T)

| | | | |
|-----|-----|-----|-----|
| 190 | 224 | 368 | 382 |
| 198 | 235 | 389 | 406 |
| 205 | 242 | 411 | 429 |
| 209 | 248 | 435 | 455 |
| 218 | 258 | 460 | 480 |
| 226 | 269 | 481 | 503 |
| 232 | 277 | 503 | 525 |
| 250 | 301 | 539 | 562 |
| 256 | 308 | 561 | 588 |
| 264 | 316 | 586 | 612 |

| | | | |
|-----|-----|-----|-----|
| 224 | 276 | 460 | 484 |
| 232 | 288 | 484 | 511 |
| 244 | 298 | 511 | 539 |
| 252 | 306 | 538 | 568 |
| 264 | 321 | 569 | 600 |
| 273 | 332 | 595 | 628 |
| 282 | 343 | 622 | 657 |
| 308 | 375 | 665 | 703 |
| 316 | 383 | 692 | 731 |
| 325 | 394 | 717 | 757 |

| | | | |
|-----|-----|-----|-----|
| 224 | 276 | 460 | 484 |
| 232 | 288 | 484 | 511 |
| 244 | 298 | 511 | 539 |
| 252 | 306 | 538 | 568 |
| 264 | 321 | 569 | 600 |
| 273 | 332 | 595 | 628 |
| 282 | 343 | 622 | 657 |
| 308 | 375 | 665 | 703 |
| 316 | 383 | 692 | 731 |
| 325 | 394 | 717 | 757 |

DIMENSIONS
INCHES / MM

| H | W |
|----------|-----------|
| 27 / 686 | 42 / 1067 |
| 27 / 686 | 48 / 1219 |
| 27 / 686 | 54 / 1372 |
| 27 / 686 | 60 / 1524 |
| 27 / 686 | 66 / 1676 |
| 27 / 686 | 72 / 1829 |
| 27 / 686 | 78 / 1981 |
| 27 / 686 | 84 / 2134 |
| 27 / 686 | 90 / 2286 |
| 27 / 686 | 96 / 2438 |
| 28 / 711 | 42 / 1067 |
| 28 / 711 | 48 / 1219 |
| 28 / 711 | 54 / 1372 |
| 28 / 711 | 60 / 1524 |
| 28 / 711 | 66 / 1676 |
| 28 / 711 | 72 / 1829 |
| 28 / 711 | 78 / 1981 |
| 28 / 711 | 84 / 2134 |
| 28 / 711 | 90 / 2286 |
| 28 / 711 | 96 / 2438 |

PRICING

| Element Source | Seamless Laminate Color | Flintwood | Natural Veneer |
|------------------------------------|-------------------------|-----------|----------------|
| HORIZONTAL (L or R) & VERTICAL (T) | | | |
| 280 | 301 | 504 | 531 |
| 298 | 315 | 541 | 572 |
| 312 | 331 | 573 | 603 |
| 326 | 343 | 608 | 642 |
| 343 | 360 | 641 | 676 |
| 357 | 373 | 673 | 712 |
| 375 | 387 | 705 | 746 |
| 406 | 423 | 755 | 799 |
| 420 | 437 | 791 | 837 |
| 437 | 448 | 825 | 871 |
| 280 | 301 | 504 | 531 |
| 298 | 315 | 541 | 572 |
| 312 | 331 | 573 | 603 |
| 326 | 343 | 608 | 642 |
| 343 | 360 | 641 | 676 |
| 357 | 373 | 673 | 712 |
| 375 | 387 | 705 | 746 |
| 406 | 423 | 755 | 799 |
| 420 | 437 | 791 | 837 |
| 437 | 448 | 825 | 871 |