

## UNEIL

### Solid International Power/ Communications Fascia (Clip Mount)


The Solid International Power/Communications Fascia provides face mounted access to power/communications above or below worksurface height.

#### WHAT'S INCLUDED

1 fascia with cut out as specified, fascia connectors.

#### WHAT'S EXCLUDED

Panel Wall Rail (UNPHN) is required for additional panel segmentation and must be specified separately. Can be found in the *Panel Walls* section.



#### PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/Communications Orientation	Vertical Power/Communications Orientation	Height	Width (6" increments)	Fascia Finish	Bezel Finish
2 Cut Out for two outlets (available on 24" and 30" widths)	<b>B</b> Left and Right (available on 66" width and wider)	<b>B</b> Bottom or lower section of Fascia (available on 7", 13", 22", 37" heights)	07, 13, 21, 22, 27, 28, 37	24 - 96	Element Source Laminate Seamless Color Flintwood Natural Veneer	Black 74 Storm White
3 Cut Out for two outlets and one data/communications box (available on 36" widths and wider)	<b>C</b> Centered (available on 36" width for config. 3 and 4 (available on 24", 30", 36" widths for config. 2)	<b>F</b> Flush (applies to 28" height only for base fascias flush to floor. Cut Out will be at bottom)				
4 Cut Out for four outlets (available on 36" widths and wider)	<b>L</b> Left (not available on widths below 42")	<b>T</b> Top or upper section of Fascia (available on 13", 22", 28" heights)				
5 Call Cut Out for two outlets	<b>R</b> Right (not available on widths below 42")					
6 Call Cut Out for four outlets						

#### SAMPLE ORDER CODE

<b>UNEIL 3</b>	<b>R</b>	<b>T</b>	<b>22</b>	<b>60</b>	<b>FX</b>	<b>74</b>
----------------	----------	----------	-----------	-----------	-----------	-----------

#### DIMENSIONS INCHES / MM

		Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
<b>HORIZONTAL (B) &amp; VERTICAL (B)</b>					
H	W	172	199	278	291
7 / 178	66 / 1676	178	206	287	301
7 / 178	72 / 1829	187	216	300	314
7 / 178	78 / 1981	193	222	309	324
7 / 178	84 / 2134	201	232	324	340
7 / 178	90 / 2286	207	239	334	349
7 / 178	96 / 2438				
13 / 330	66 / 1676	221	265	355	372
13 / 330	72 / 1829	235	283	382	401
13 / 330	78 / 1981	248	298	401	420
13 / 330	84 / 2134	258	311	417	437
13 / 330	90 / 2286	269	323	433	453
13 / 330	96 / 2438	279	335	448	469
21 / 533	66 / 1676	289	355	464	485
21 / 533	72 / 1829	312	386	510	534
21 / 533	78 / 1981	330	409	537	563
21 / 533	84 / 2134	346	429	561	588
21 / 533	90 / 2286	361	449	585	613
21 / 533	96 / 2438	382	476	624	654

If option 5 is specified add 24

If option 6 is specified add 30

#### DIMENSIONS INCHES / MM

		Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
<b>HORIZONTAL (B) &amp; VERTICAL (B) (Continued)</b>					
H	W	296	364	474	497
22 / 559	66 / 1676	319	396	522	547
22 / 559	72 / 1829	338	420	550	576
22 / 559	78 / 1981	354	441	575	602
22 / 559	84 / 2134	375	469	615	644
22 / 559	90 / 2286	391	489	640	670
22 / 559	96 / 2438				
37 / 940	66 / 1676	663	755	910	954
37 / 940	72 / 1829	668	770	932	976
37 / 940	78 / 1981	715	823	991	1038
37 / 940	84 / 2134	727	841	1026	1075
37 / 940	90 / 2286	739	853	1038	1087
37 / 940	96 / 2438	751	884	1082	1133

If option 5 is specified add 24

If option 6 is specified add 30

Pricing is continued on the following page.

**UN EIL**  
**Solid International**  
**Power/Communications Fascia**  
**(Clip Mount) (Continued)**

**DIMENSIONS**  
**INCHES / MM**

H	W
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

If option 5 is specified add 24  
 If option 6 is specified add 30

**PRICING**

Element Source	Seamless Laminate Color	Flintwood	Natural Veneer
<b>HORIZONTAL (B) &amp; VERTICAL (F)</b>			
548	611	736	772
569	640	778	815
612	687	830	870
622	704	851	892
662	750	910	954
673	761	921	965
541	607	735	770
584	657	797	835
628	705	850	891
643	730	887	930
679	771	932	977
690	782	943	988
<b>HORIZONTAL (B) &amp; VERTICAL (T)</b>			
221	265	355	372
235	283	382	401
248	298	401	420
258	311	417	437
269	323	433	453
279	335	448	469
289	355	464	485
312	386	510	534
330	409	537	563
346	429	561	588
361	449	585	613
382	476	624	654
296	364	474	497
319	396	522	547
338	420	550	576
354	441	575	602
375	469	615	644
391	489	640	670
548	611	736	772
569	640	778	815
612	687	830	870
622	704	851	892
662	750	910	954
673	761	921	965
541	607	735	770
584	657	797	835
628	705	850	891
643	730	887	930
679	771	932	977
690	782	943	988

**DIMENSIONS**  
**INCHES / MM**

H	W
* 7 / 178	24 / 610
* 7 / 178	30 / 762
7 / 178	36 / 914
* 13 / 330	24 / 610
* 13 / 330	30 / 762
13 / 330	36 / 914
* 21 / 533	24 / 610
* 21 / 533	30 / 762
21 / 533	36 / 914
* 22 / 559	24 / 610
* 22 / 559	30 / 762
22 / 559	36 / 914
* 37 / 940	24 / 610
* 37 / 940	30 / 762
37 / 940	36 / 914
* 27 / 686	24 / 610
* 27 / 686	30 / 762
27 / 686	36 / 914
* 28 / 711	24 / 610
* 28 / 711	30 / 762
28 / 711	36 / 914
* 13 / 330	24 / 610
* 13 / 330	30 / 762
13 / 330	36 / 914
* 21 / 533	24 / 610
* 21 / 533	30 / 762
21 / 533	36 / 914
* 22 / 559	24 / 610
* 22 / 559	30 / 762
22 / 559	36 / 914
* 27 / 686	24 / 610
* 27 / 686	30 / 762
27 / 686	36 / 914
* 28 / 711	24 / 610
* 28 / 711	30 / 762
28 / 711	36 / 914

\* Does NOT apply to Outlet Configurations 3 and 4

If option 5 is specified add 24

If option 6 is specified add 30

**PRICING**

Element Source	Seamless Laminate Color	Flintwood	Natural Veneer
<b>HORIZONTAL (C) &amp; VERTICAL (B)</b>			
118	138	192	201
124	145	201	211
130	151	211	221
138	164	226	237
149	177	242	253
161	192	263	276
166	200	270	283
183	222	300	314
199	242	324	339
169	203	274	287
186	226	305	319
203	247	330	345
219	269	360	377
245	304	401	419
272	338	441	462
<b>HORIZONTAL (C) &amp; VERTICAL (F)</b>			
183	223	301	315
203	248	331	346
226	279	372	390
186	226	305	320
206	252	336	352
230	284	378	396
<b>HORIZONTAL (C) &amp; VERTICAL (T)</b>			
138	164	226	237
149	177	242	253
161	192	263	276
166	200	270	283
183	222	300	314
199	242	324	339
169	203	274	287
186	226	305	319
203	247	330	345
183	223	301	315
203	248	331	346
226	279	372	390
186	226	305	320
206	252	336	352
230	284	378	396

Pricing is continued on the following page.

## UNEIL

### Solid International Power/Communications Fascia (Clip Mount) (Continued)

#### DIMENSIONS INCHES / MM

H	W
7 / 178	42 / 1067
7 / 178	48 / 1219
7 / 178	54 / 1372
7 / 178	60 / 1524
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
37 / 940	42 / 1067
37 / 940	48 / 1219
37 / 940	54 / 1372
37 / 940	60 / 1524
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438

If option 5 is specified add 24  
If option 6 is specified add 30

#### PRICING

Element Source	Seamless Laminate	Color	Flintwood	Natural Veneer
HORIZONTAL (L or R) & VERTICAL (B)				
137	159	222	232	
151	174	242	254	
156	181	252	264	
162	188	261	273	
172	199	278	291	
178	206	287	301	
187	216	300	314	
193	222	309	324	
201	232	324	340	
207	239	334	349	
172	206	280	294	
190	226	307	322	
200	239	323	338	
210	251	338	354	
221	265	355	372	
235	283	382	401	
248	298	401	420	
258	311	417	437	
269	323	433	453	
279	335	448	469	
216	263	349	365	
240	294	389	408	
255	313	413	432	
270	332	436	457	
289	355	464	485	
312	386	510	534	
330	409	537	563	
346	429	561	588	
361	449	585	613	
382	476	624	654	
224	275	367	385	
245	300	397	416	
261	320	422	442	
276	340	446	467	
296	364	474	497	
319	396	522	547	
338	420	550	576	
354	441	575	602	
375	469	615	644	
391	489	640	670	
492	551	668	700	
550	614	737	772	
584	658	795	833	
608	690	833	873	
663	755	910	954	
668	770	932	976	
715	823	991	1038	
727	841	1026	1075	
739	853	1038	1087	
751	884	1082	1133	

#### DIMENSIONS INCHES / MM

H	W
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

If option 5 is specified add 24  
If option 6 is specified add 30

#### PRICING

Element Source	Seamless Laminate	Color	Flintwood	Natural Veneer
HORIZONTAL (L or R) & VERTICAL (F)				
248	307	405	424	
267	332	435	455	
286	356	464	486	
506	565	686	719	
548	611	736	772	
569	640	778	815	
612	687	830	870	
622	704	851	892	
662	750	910	954	
673	761	921	965	
253	313	412	432	
272	338	443	464	
480	536	654	685	
519	580	702	736	
541	607	735	770	
584	657	797	835	
628	705	850	891	
643	730	887	930	
679	771	932	977	
690	782	943	988	
HORIZONTAL (L or R) & VERTICAL (T)				
172	206	280	294	
190	226	307	322	
200	239	323	338	
210	251	338	354	
221	265	355	372	
235	283	382	401	
248	298	401	420	
258	311	417	437	
269	323	433	453	
279	335	448	469	
216	263	349	365	
240	294	389	408	
255	313	413	432	
270	332	436	457	
289	355	464	485	
312	386	510	534	
330	409	537	563	
346	429	561	588	
361	449	585	613	
382	476	624	654	
224	275	367	385	
245	300	397	416	
261	320	422	442	
276	340	446	467	
296	364	474	497	
319	396	522	547	
338	420	550	576	
354	441	575	602	
375	469	615	644	
391	489	640	670	
224	275	367	385	
245	300	397	416	
261	320	422	442	
276	340	446	467	
296	364	474	497	
319	396	522	547	
338	420	550	576	
354	441	575	602	
375	469	615	644	
391	489	640	670	

Pricing is continued on the following page.

**UNEIL**  
**Solid International**  
**Power/Communications Fascia**  
**(Clip Mount) (Continued)**

**DIMENSIONS**  
**INCHES / MM**

H	W
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

**PRICING**

Element Source	Seamless Laminate Color	Natural Flintwood	Veneer
<b>HORIZONTAL (L or R) &amp; VERTICAL (T)</b>			
248	307	405	424
267	332	435	455
286	356	464	486
506	565	686	719
548	611	736	772
569	640	778	815
612	687	830	870
622	704	851	892
662	750	910	954
673	761	921	965
253	313	412	432
272	338	443	464
480	536	654	685
519	580	702	736
541	607	735	770
584	657	797	835
628	705	850	891
643	730	887	930
679	771	932	977
690	782	943	988

If option 5 is specified add 24

If option 6 is specified add 30