


UNELIM

Metal International Power/ Communications Fascia (Slot Mount)



The Metal International Power/Communications Fascia provides face-mounted access to power/communications above or below worksurface height.

WHAT'S INCLUDED

1 fascia with cut out as specified.

WHAT'S EXCLUDED

Fascia Light Block (UNEX) is required for additional segmentation and must be specified separately. Can be found in the *Panel Walls* section.

NOTES

37" high fascia can be specified to a maximum of 60" width only.

PRODUCT OPTIONS

| Outlet Configuration | Horizontal Power/Communications Orientation | Vertical Power/Communications Orientation | Height | Width (6" increments) | Fascia Finish | Bezel Finish |
|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|----------------------------|-----------------------|--------------------|--------------------------------------|
| 2 Cut Out for two outlets (available on 24" and 30" widths) | B Left and Right (available on 66" width and wider) | B Bottom or lower section of fascia (available on 7", 13", 22", 37" heights) | 07, 13, 21, 22, 27, 28, 37 | 24 - 96 | Foundation Mica | ~ Black YF Storm White Coordinate |
| 3 Cut Out for two outlets and one data/communications box (available on 36" widths and wider) | C Centered (available on 36" width for config. 3 and 4 (available on 24", 30", 36" widths for config. 2) | F Flush (applies to 28" height only for base fascias flush to floor. Cut Out will be at bottom) | | | | |
| 4 Cut Out for four outlets (available on 36" widths and wider) | L Left (not available on widths below 42") | T Top or upper section of fascia (available on 13", 22", 28" heights) | | | | |
| 5 Cala Cut Out for two outlets | R Right (not available on widths below 42") | | | | | |
| 6 Cala Cut Out for four outlets | | | | | | |

SAMPLE ORDER CODE

| | | | | | | |
|----------|---|---|----|----|---|----|
| UNELIM 3 | R | T | 22 | 60 | E | 74 |
|----------|---|---|----|----|---|----|

DIMENSIONS INCHES / MM

| H | W |
|----------|-----------|
| 7 / 178 | 66 / 1676 |
| 7 / 178 | 72 / 1829 |
| 7 / 178 | 78 / 1981 |
| 7 / 178 | 84 / 2134 |
| 7 / 178 | 90 / 2286 |
| 7 / 178 | 96 / 2438 |
| 13 / 330 | 66 / 1676 |
| 13 / 330 | 72 / 1829 |
| 13 / 330 | 78 / 1981 |
| 13 / 330 | 84 / 2134 |
| 13 / 330 | 90 / 2286 |
| 13 / 330 | 96 / 2438 |
| 21 / 533 | 66 / 1676 |
| 21 / 533 | 72 / 1829 |
| 21 / 533 | 78 / 1981 |
| 21 / 533 | 84 / 2134 |
| 21 / 533 | 90 / 2286 |
| 21 / 533 | 96 / 2438 |
| 22 / 559 | 66 / 1676 |

PRICING

HORIZONTAL (B) & VERTICAL (B)

| |
|-----|
| 124 |
| 128 |
| 131 |
| 134 |
| 137 |
| 140 |
| 165 |
| 170 |
| 176 |
| 181 |
| 186 |
| 192 |
| 219 |
| 227 |
| 236 |
| 244 |
| 252 |
| 261 |
| 222 |

DIMENSIONS INCHES / MM

| H | W |
|----------|-----------|
| 22 / 559 | 72 / 1829 |
| 22 / 559 | 78 / 1981 |
| 22 / 559 | 84 / 2134 |
| 22 / 559 | 90 / 2286 |
| 22 / 559 | 96 / 2438 |
| 27 / 686 | 66 / 1676 |
| 27 / 686 | 72 / 1829 |
| 27 / 686 | 78 / 1981 |
| 27 / 686 | 84 / 2134 |
| 27 / 686 | 90 / 2286 |
| 27 / 686 | 96 / 2438 |
| 28 / 711 | 66 / 1676 |
| 28 / 711 | 72 / 1829 |
| 28 / 711 | 78 / 1981 |
| 28 / 711 | 84 / 2134 |
| 28 / 711 | 90 / 2286 |
| 28 / 711 | 96 / 2438 |

PRICING

HORIZONTAL (B) & VERTICAL (B) (Continued)

| |
|-----|
| 230 |
| 239 |
| 248 |
| 256 |
| 265 |
| 257 |
| 267 |
| 277 |
| 288 |
| 298 |
| 309 |
| 260 |
| 270 |
| 281 |
| 292 |
| 302 |
| 313 |

If option 5 is specified add 24
If option 6 is specified add 30

If option 5 is specified add 24
If option 6 is specified add 30

Pricing is continued on the following page.

UNELIM

Metal International Power/ Communications Fascia (Slot Mount) (Continued)

| DIMENSIONS | | PRICING |
|-------------|-----------|-------------------------------|
| INCHES / MM | | |
| H | W | HORIZONTAL (B) & VERTICAL (T) |
| 13 / 330 | 66 / 1676 | 165 |
| 13 / 330 | 72 / 1829 | 170 |
| 13 / 330 | 78 / 1981 | 176 |
| 13 / 330 | 84 / 2134 | 181 |
| 13 / 330 | 90 / 2286 | 186 |
| 13 / 330 | 96 / 2438 | 192 |
| 21 / 533 | 66 / 1676 | 219 |
| 21 / 533 | 72 / 1829 | 227 |
| 21 / 533 | 78 / 1981 | 236 |
| 21 / 533 | 84 / 2134 | 244 |
| 21 / 533 | 90 / 2286 | 252 |
| 21 / 533 | 96 / 2438 | 261 |
| 22 / 559 | 66 / 1676 | 222 |
| 22 / 559 | 72 / 1829 | 230 |
| 22 / 559 | 78 / 1981 | 239 |
| 22 / 559 | 84 / 2134 | 248 |
| 22 / 559 | 90 / 2286 | 256 |
| 22 / 559 | 96 / 2438 | 265 |
| 27 / 686 | 66 / 1676 | 257 |
| 27 / 686 | 72 / 1829 | 267 |
| 27 / 686 | 78 / 1981 | 277 |
| 27 / 686 | 84 / 2134 | 288 |
| 27 / 686 | 90 / 2286 | 298 |
| 27 / 686 | 96 / 2438 | 309 |
| 28 / 711 | 66 / 1676 | 260 |
| 28 / 711 | 72 / 1829 | 270 |
| 28 / 711 | 78 / 1981 | 281 |
| 28 / 711 | 84 / 2134 | 292 |
| 28 / 711 | 90 / 2286 | 302 |
| 28 / 711 | 96 / 2438 | 313 |

If option 5 is specified add 24
If option 6 is specified add 30

| DIMENSIONS | | PRICING |
|-------------------------------|----------|-------------------------------|
| INCHES / MM | | |
| H | W | HORIZONTAL (C) & VERTICAL (B) |
| * 7 / 178 | 24 / 610 | 67 |
| * 7 / 178 | 30 / 762 | 71 |
| 7 / 178 | 36 / 914 | 75 |
| * 13 / 330 | 24 / 610 | 84 |
| * 13 / 330 | 30 / 762 | 91 |
| 13 / 330 | 36 / 914 | 97 |
| * 21 / 533 | 24 / 610 | 106 |
| * 21 / 533 | 30 / 762 | 115 |
| 21 / 533 | 36 / 914 | 125 |
| * 22 / 559 | 24 / 610 | 107 |
| * 22 / 559 | 30 / 762 | 117 |
| 22 / 559 | 36 / 914 | 127 |
| * 37 / 940 | 24 / 610 | 151 |
| * 37 / 940 | 30 / 762 | 165 |
| 37 / 940 | 36 / 914 | 180 |
| HORIZONTAL (C) & VERTICAL (F) | | |
| * 27 / 686 | 24 / 610 | 121 |
| * 27 / 686 | 30 / 762 | 132 |
| 27 / 686 | 36 / 914 | 144 |
| * 28 / 711 | 24 / 610 | 122 |
| * 28 / 711 | 30 / 762 | 134 |
| 28 / 711 | 36 / 914 | 146 |
| HORIZONTAL (C) & VERTICAL (T) | | |
| * 13 / 330 | 24 / 610 | 84 |
| * 13 / 330 | 30 / 762 | 91 |
| 13 / 330 | 36 / 914 | 97 |
| * 21 / 533 | 24 / 610 | 106 |
| * 21 / 533 | 30 / 762 | 115 |
| 21 / 533 | 36 / 914 | 125 |
| * 22 / 559 | 24 / 610 | 107 |
| * 22 / 559 | 30 / 762 | 117 |
| 22 / 559 | 36 / 914 | 127 |
| * 27 / 686 | 24 / 610 | 121 |
| * 27 / 686 | 30 / 762 | 132 |
| 27 / 686 | 36 / 914 | 144 |
| * 28 / 711 | 24 / 610 | 122 |
| * 28 / 711 | 30 / 762 | 134 |
| 28 / 711 | 36 / 914 | 146 |

* Does NOT apply to Outlet Configurations 3 and 4

If option 5 is specified add 24
If option 6 is specified add 30

Pricing is continued on the following page.

UNELIM

Metal International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

| H | W |
|----------|-----------|
| 7 / 178 | 42 / 1067 |
| 7 / 178 | 48 / 1219 |
| 7 / 178 | 54 / 1372 |
| 7 / 178 | 60 / 1524 |
| 7 / 178 | 66 / 1676 |
| 7 / 178 | 72 / 1829 |
| 7 / 178 | 78 / 1981 |
| 7 / 178 | 84 / 2134 |
| 7 / 178 | 90 / 2286 |
| 7 / 178 | 96 / 2438 |
| 13 / 330 | 42 / 1067 |
| 13 / 330 | 48 / 1219 |
| 13 / 330 | 54 / 1372 |
| 13 / 330 | 60 / 1524 |
| 13 / 330 | 66 / 1676 |
| 13 / 330 | 72 / 1829 |
| 13 / 330 | 78 / 1981 |
| 13 / 330 | 84 / 2134 |
| 13 / 330 | 90 / 2286 |
| 13 / 330 | 96 / 2438 |
| 21 / 533 | 42 / 1067 |
| 21 / 533 | 48 / 1219 |
| 21 / 533 | 54 / 1372 |
| 21 / 533 | 60 / 1524 |
| 21 / 533 | 66 / 1676 |
| 21 / 533 | 72 / 1829 |
| 21 / 533 | 78 / 1981 |
| 21 / 533 | 84 / 2134 |
| 21 / 533 | 90 / 2286 |
| 21 / 533 | 96 / 2438 |
| 22 / 559 | 42 / 1067 |
| 22 / 559 | 48 / 1219 |
| 22 / 559 | 54 / 1372 |
| 22 / 559 | 60 / 1524 |
| 22 / 559 | 66 / 1676 |
| 22 / 559 | 72 / 1829 |
| 22 / 559 | 78 / 1981 |
| 22 / 559 | 84 / 2134 |
| 22 / 559 | 90 / 2286 |
| 22 / 559 | 96 / 2438 |
| 37 / 940 | 42 / 1067 |
| 37 / 940 | 48 / 1219 |
| 37 / 940 | 54 / 1372 |
| 37 / 940 | 60 / 1524 |

If option 5 is specified add 24
If option 6 is specified add 30

PRICING

| HORIZONTAL (L or R) & VERTICAL (B) |
|------------------------------------|
| 79 |
| 83 |
| 87 |
| 91 |
| 124 |
| 128 |
| 131 |
| 134 |
| 137 |
| 140 |
| 103 |
| 109 |
| 116 |
| 122 |
| 165 |
| 170 |
| 176 |
| 181 |
| 186 |
| 192 |
| 134 |
| 143 |
| 152 |
| 161 |
| 219 |
| 227 |
| 236 |
| 244 |
| 252 |
| 261 |
| 136 |
| 145 |
| 154 |
| 163 |
| 222 |
| 230 |
| 239 |
| 248 |
| 256 |
| 265 |
| 195 |
| 209 |
| 224 |
| 239 |

DIMENSIONS INCHES / MM

| H | W |
|----------|-----------|
| 27 / 686 | 42 / 1067 |
| 27 / 686 | 48 / 1219 |
| 27 / 686 | 54 / 1372 |
| 27 / 686 | 60 / 1524 |
| 27 / 686 | 66 / 1676 |
| 27 / 686 | 72 / 1829 |
| 27 / 686 | 78 / 1981 |
| 27 / 686 | 84 / 2134 |
| 27 / 686 | 90 / 2286 |
| 27 / 686 | 96 / 2438 |
| 28 / 711 | 42 / 1067 |
| 28 / 711 | 48 / 1219 |
| 28 / 711 | 54 / 1372 |
| 28 / 711 | 60 / 1524 |
| 28 / 711 | 66 / 1676 |
| 28 / 711 | 72 / 1829 |
| 28 / 711 | 78 / 1981 |
| 28 / 711 | 84 / 2134 |
| 28 / 711 | 90 / 2286 |
| 28 / 711 | 96 / 2438 |

If option 5 is specified add 24
If option 6 is specified add 30

PRICING

| HORIZONTAL (L or R) & VERTICAL (F) |
|------------------------------------|
| 155 |
| 166 |
| 176 |
| 187 |
| 257 |
| 267 |
| 277 |
| 288 |
| 298 |
| 309 |
| 157 |
| 168 |
| 179 |
| 190 |
| 260 |
| 270 |
| 281 |
| 292 |
| 302 |
| 313 |

Pricing is continued on the following page.

UNELIM
**Metal International Power/
Communications Fascia
(Slot Mount) (Continued)**

| DIMENSIONS INCHES / MM | | PRICING |
|---------------------------|-----------|------------------------------------|
| H | W | HORIZONTAL (L or R) & VERTICAL (T) |
| 13 / 330 | 42 / 1067 | 103 |
| 13 / 330 | 48 / 1219 | 109 |
| 13 / 330 | 54 / 1372 | 116 |
| 13 / 330 | 60 / 1524 | 122 |
| 13 / 330 | 66 / 1676 | 165 |
| 13 / 330 | 72 / 1829 | 170 |
| 13 / 330 | 78 / 1981 | 176 |
| 13 / 330 | 84 / 2134 | 181 |
| 13 / 330 | 90 / 2286 | 186 |
| 13 / 330 | 96 / 2438 | 192 |
| 21 / 533 | 42 / 1067 | 134 |
| 21 / 533 | 48 / 1219 | 143 |
| 21 / 533 | 54 / 1372 | 152 |
| 21 / 533 | 60 / 1524 | 161 |
| 21 / 533 | 66 / 1676 | 219 |
| 21 / 533 | 72 / 1829 | 227 |
| 21 / 533 | 78 / 1981 | 236 |
| 21 / 533 | 84 / 2134 | 244 |
| 21 / 533 | 90 / 2286 | 252 |
| 21 / 533 | 96 / 2438 | 261 |
| 22 / 559 | 42 / 1067 | 136 |
| 22 / 559 | 48 / 1219 | 145 |
| 22 / 559 | 54 / 1372 | 154 |
| 22 / 559 | 60 / 1524 | 163 |
| 22 / 559 | 66 / 1676 | 222 |
| 22 / 559 | 72 / 1829 | 230 |
| 22 / 559 | 78 / 1981 | 239 |
| 22 / 559 | 84 / 2134 | 248 |
| 22 / 559 | 90 / 2286 | 256 |
| 22 / 559 | 96 / 2438 | 265 |
| 27 / 686 | 42 / 1067 | 155 |
| 27 / 686 | 48 / 1219 | 166 |
| 27 / 686 | 54 / 1372 | 176 |
| 27 / 686 | 60 / 1524 | 187 |
| 27 / 686 | 66 / 1676 | 257 |
| 27 / 686 | 72 / 1829 | 267 |
| 27 / 686 | 78 / 1981 | 277 |
| 27 / 686 | 84 / 2134 | 288 |
| 27 / 686 | 90 / 2286 | 298 |
| 27 / 686 | 96 / 2438 | 309 |

If option 5 is specified add 24
If option 6 is specified add 30

| DIMENSIONS INCHES / MM | | PRICING |
|---------------------------|-----------|---------------------------------------------------|
| H | W | HORIZONTAL (L or R) & VERTICAL (T) (Continued) |
| 28 / 711 | 42 / 1067 | 157 |
| 28 / 711 | 48 / 1219 | 168 |
| 28 / 711 | 54 / 1372 | 179 |
| 28 / 711 | 60 / 1524 | 190 |
| 28 / 711 | 66 / 1676 | 260 |
| 28 / 711 | 72 / 1829 | 270 |
| 28 / 711 | 78 / 1981 | 281 |
| 28 / 711 | 84 / 2134 | 292 |
| 28 / 711 | 90 / 2286 | 302 |
| 28 / 711 | 96 / 2438 | 313 |

If option 5 is specified add 24
If option 6 is specified add 30