


Xpress

UTLS

Lateral Tower – Standard



The Standard Lateral Tower provides both file and binder storage, and the capability to support worksurfaces, stackers and panels.

WHAT'S INCLUDED

1 tower, drawers and pulls (as specified), lock and keys (if specified).

NOTES

The 42", 51" and 66" high Standard Lateral Tower is available in a Box/Box/File (B) or File/File (F) drawer combination.

Individual Locks may be specified on the File/File (F) drawer combination.

This product includes extended levelers (UNSXLB) already installed.

Xpress Case, Back & Front Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Height	Depth	Width	Drawer Combination	Shelf Configuration	Pull Style	Pull Finish	Case, Back & Front Finish	Key Style
42, 51, 66	16, 19	24, 30, 36	B Box/Box/File (shown) F File/File	C Closed Back S Secured	D District R Rectangular	Foundation Mica	Source Laminate Flintwood Natural Veneer	L Individual Lock K Keyed Alike R Keyed Randomly N No Lock

SAMPLE ORDER CODE

							Case	Back	Front	
UTLS 42	16	36	B	C	D	7	VU	VU	VU	R

See Pricing on the following page.

UTLS

Lateral Tower – Standard
(Continued)

DIMENSIONS
FOR MM X BY 25.4

PRICING

BOX/BOX/FILE (B)

CLOSED BACK (C)

			SOURCE LAMINATE CASE		FLINTWOOD CASE	VENEER CASE
			Source Lam. Back & Front	Source Lam. Back, Flintwood Front	Flintwood Back & Front	Veneer Back & Front
42	16	24	2724	3261	4515	5053
42	16	30	3052	3674	5087	5660
42	16	36	3415	4133	5720	6324
42	19	24	2854	3414	4725	5292
42	19	30	3200	3849	5334	5928
42	19	36	3580	4330	5995	6627
51	16	24	2798	3332	4609	5193
51	16	30	3141	3772	5214	5829
51	16	36	3526	4249	5885	6534
51	19	24	2932	3490	4828	5438
51	19	30	3296	3951	5466	6111
51	19	36	3697	4451	6165	6845
66	16	24	2945	3495	4836	5475
66	16	30	3316	3965	5484	6156
66	16	36	3731	4480	6204	6910
66	19	24	3088	3662	5068	5735
66	19	30	3482	4155	5752	6454
66	19	36	3914	4700	6506	7248

SECURED (S)

			SOURCE LAMINATE CASE		FLINTWOOD CASE	VENEER CASE
			Source Lam. Back & Front	Source Lam. Back, Flintwood Front	Flintwood Back & Front	Veneer Back & Front
42	16	24	2898	3481	4816	5370
42	16	30	3243	3916	5422	6006
42	16	36	3626	4394	6085	6705
42	19	24	3036	3647	5044	5629
42	19	30	3403	4103	5683	6299
42	19	36	3802	4609	6382	7033
51	16	24	2981	3564	4930	5532
51	16	30	3344	4022	5567	6200
51	16	36	3746	4527	6267	6936
51	19	24	3125	3733	5163	5792
51	19	30	3508	4215	5834	6498
51	19	36	3928	4747	6575	7274
66	16	24	3140	3744	5176	5832
66	16	30	3533	4237	5865	6554
66	16	36	3965	4782	6620	7351
66	19	24	3293	3923	5428	6113
66	19	30	3706	4443	6150	6873
66	19	36	4160	5018	6947	7708

If Individual Lock is specified, add 195

Pricing is continued on the following page.

storage

Xpress

UTLS

Lateral Tower – Standard (Continued)

DIMENSIONS
FOR MM X BY 25.4

PRICING

			FILE/FILE (F)			
			CLOSED BACK (C)			
			SOURCE LAMINATE CASE		FLINTWOOD CASE	VENEER CASE
			Source Lam. Back & Front	Source Lam. Back, Flintwood Front	Flintwood Back & Front	Veneer Back & Front
42	16	24	2457	2926	4047	4565
42	16	30	2786	3338	4620	5165
42	16	36	3149	3798	5258	5834
42	19	24	2587	3080	4257	4800
42	19	30	2937	3516	4866	5438
42	19	36	3314	3996	5532	6136
51	16	24	2531	2997	4144	4703
51	16	30	2877	3431	4747	5339
51	16	36	3260	3915	5417	6041
51	19	24	2666	3154	4363	4951
51	19	30	3030	3612	4998	5619
51	19	36	3430	4117	5703	6357
66	16	24	2678	3161	4370	4987
66	16	30	3050	3630	5020	5665
66	16	36	3461	4147	5737	6419
66	19	24	2820	3328	4597	5246
66	19	30	3214	3822	5286	5962
66	19	36	3647	4366	6039	6757
			SECURED (S)			
			SOURCE LAMINATE CASE		FLINTWOOD CASE	VENEER CASE
			Source Lam. Back & Front	Source Lam. Back, Flintwood Front	Flintwood Back & Front	Veneer Back & Front
42	16	24	2630	3141	4349	4878
42	16	30	2980	3580	4954	5519
42	16	36	3358	4060	5620	6215
42	19	24	2770	3311	4580	5138
42	19	30	3134	3772	5217	5808
42	19	36	3536	4272	5917	6547
51	16	24	2714	3228	4465	5041
51	16	30	3080	3689	5101	5711
51	16	36	3481	4189	5802	6447
51	19	24	2857	3396	4698	5301
51	19	30	3241	3878	5370	6006
51	19	36	3662	4411	6109	6784
66	16	24	2873	3408	4710	5344
66	16	30	3268	3905	5396	6064
66	16	36	3698	4446	6154	6858
66	19	24	3028	3586	4959	5624
66	19	30	3443	4105	5683	6382
66	19	36	3895	4678	6476	7218

If Individual Lock is specified, add 195

