


height-adjustability

Xpress

W B D

Freestanding Table Rectangular Height-Adjustable Worksurface



Freestanding Table Rectangular Height-Adjustable Worksurface is to be paired with Navigate Freestanding Table, Base Only, to create a Freestanding District specific height-adjustable table.

WHAT'S INCLUDED

1 worksurface with cut out (if specified).

WHAT'S EXCLUDED

Base and grommet to be ordered separately.

NOTES

To be used with Navigate Freestanding Table, Base Only (YAD).

Xpress Surface Finish Flintwood and Natural Veneer, Edge Trim Style Flat with Flintwood and Natural Veneer (9) and Full Knife (H) are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Cut Out Style
CCC C-Legs	1S Counterbalance Standard (29.5" - 49.5")	23, 29, 35	45, 51, 57, 63, 69, 75, 81	N None
TTT T-Leg	1X Counterbalance Lower Edition (26.5" - 43.5")			G Round
	7S Standard Electric (27" - 43")			
	9C Extended Electric-Restricted (25" - 48.7")			
	9E Extended Electric-Extended (22.6" - 48.7")			

SAMPLE ORDER CODE

WBD TTT	7S	29	51	G
----------------	-----------	-----------	-----------	----------

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Surface Finish	Edge Trim	Edge Trim Finish
N None	Foundation Laminate	8 Flat (with Foundation)	Edge Trim Colors
C Center	Flintwood	9 Flat (with Flintwood and Natural Veneer)	
L Left	Natural Veneer	H Full Knife (with all)	
R Right			

SAMPLE ORDER CODE (CONTINUED)

C	LW	H	4T
----------	-----------	----------	-----------

See pricing in the following page.

**Freestanding Table Rectangular
Height-Adjustable Worksurface
(Continued)**

**DIMENSIONS
INCHES / MM**

D	W
23 / 584	51 / 1295
23 / 584	57 / 1448
23 / 584	63 / 1600
23 / 584	69 / 1753
29 / 737	51 / 1295
29 / 737	57 / 1448
29 / 737	63 / 1600
29 / 737	69 / 1753
35 / 889	51 / 1295
35 / 889	57 / 1448
35 / 889	63 / 1600
35 / 889	69 / 1753

PRICING

COUNTERBALANCE STANDARD / COUNTERBALANCE LOWER EDITION

FOUNDATION LAMINATE		FLINTWOOD		NATURAL VENEER	
Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
623	806	1225	1409	1283	1478
632	822	1304	1494	1365	1567
645	838	1406	1611	1472	1689
653	854	1485	1697	1557	1779
641	831	1365	1572	1431	1648
653	849	1455	1669	1523	1749
665	865	1588	1826	1662	1914
677	883	1676	1923	1756	2015
1000	1314	1486	1708	1558	1789
1013	1334	1629	1873	1706	1964
1027	1354	1725	1982	1807	2078
1039	1371	1866	2148	1955	2250

STANDARD ELECTRIC

FOUNDATION LAMINATE		FLINTWOOD		NATURAL VENEER	
Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
472	607	1101	1263	1153	1326
623	806	1225	1409	1283	1478
632	822	1304	1494	1365	1567
645	838	1406	1611	1472	1689
653	854	1485	1697	1557	1779
723	958	1566	1785	1640	1871
732	973	1688	1928	1770	2022
516	660	1256	1445	1315	1515
641	831	1365	1572	1431	1648
653	849	1455	1669	1523	1749
665	865	1588	1826	1662	1914
677	883	1676	1923	1756	2015
1029	1358	1766	2021	1848	2117
1041	1377	1897	2175	1987	2279
704	925	1387	1598	1455	1676
1000	1314	1486	1708	1558	1789
1013	1334	1629	1873	1706	1964
1027	1354	1725	1982	1807	2078
1039	1371	1866	2148	1955	2250
1168	1568	1965	2256	2058	2365
1182	1588	2064	2365	2160	2478

If Cut Out is specified, add 43

Pricing is continued on the following page.

height-adjustability

Xpress

W B D

Freestanding Table Rectangular Height-Adjustable Worksurface (Continued)

DIMENSIONS
INCHES / MM

PRICING

		EXTENDED ELECTRIC-RESTRICTED / EXTENDED ELECTRIC-EXTENDED					
		FOUNDATION LAMINATE		FLINTWOOD		NATURAL VENEER	
D	W	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
23 / 584	45 / 1143	472	607	1101	1263	1153	1326
23 / 584	51 / 1295	623	806	1225	1409	1283	1478
23 / 584	57 / 1448	632	822	1304	1494	1365	1567
23 / 584	63 / 1600	645	838	1406	1611	1472	1689
23 / 584	69 / 1753	653	854	1485	1697	1557	1779
23 / 584	75 / 1905	723	958	1566	1785	1640	1871
23 / 584	81 / 2057	732	973	1688	1928	1770	2022
29 / 737	45 / 1143	516	660	1256	1445	1315	1515
29 / 737	51 / 1295	641	831	1365	1572	1431	1648
29 / 737	57 / 1448	653	849	1455	1669	1523	1749
29 / 737	63 / 1600	665	865	1588	1826	1662	1914
29 / 737	69 / 1753	677	883	1676	1923	1756	2015
29 / 737	75 / 1905	1029	1358	1766	2021	1848	2117
29 / 737	81 / 2057	1041	1377	1897	2175	1987	2279
35 / 889	45 / 1143	704	925	1387	1598	1455	1676
35 / 889	51 / 1295	1000	1314	1486	1708	1558	1789
35 / 889	57 / 1448	1013	1334	1629	1873	1706	1964
35 / 889	63 / 1600	1027	1354	1725	1982	1807	2078
35 / 889	69 / 1753	1039	1371	1866	2148	1955	2250
35 / 889	75 / 1905	1168	1568	1965	2256	2058	2365
35 / 889	81 / 2057	1182	1588	2064	2365	2160	2478

If Cut Out is specified, add 43

