


Y A D

Navigate Freestanding Table, Base Only

One Table
One Plug



Navigate Freestanding Table Base Only to be used with Freestanding Table Rectangular Height-Adjustable Worksurface to create a Freestanding District specific height-adjustable table.

WHAT'S INCLUDED

1 Height-Adjustable base, leg and foot configuration as specified.

NOTES

Electric base mechanism has 0.1 Watt resting power draw and uses 120V North American control box.

E-Chain includes cross channel bracket and mounts into credenza.

The height-adjustable worksurface must be specified separately.

For Switch details, see the *Application Guide* section.

Cross Channel Integrated Powerbar option (C) includes 3 outlets + 1 IEC Connection. This IEC connection accepts only one IEC-compatible power accessory (with an IEC cord terminal) at a time.

Undersurface cable management option (5) - Dual Plastic Trays + Powerbar with IEC refers to a Power Rod (with IEC cord terminal) that must be plugged into the IEC connection of the Cross Channel Integrated Powerbar option (C).

For more information about the One Table One Plug electrical system, IEC-compatible power accessories and planning with IEC Connection, refer to Complements: Teknion's Ergonomics & Accessories Program.

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Foot Style	Base Finish
CCC C-Legs	1S Counterbalance Standard (29.5" - 49.5")	23, 29, 35	45, 51, 57, 63, 69, 75, 81	1 Standard	Texture Foundation Mica Accent
TTT T-Leg	1X Counterbalance Lower Edition (26.5" - 43.5") 7S Standard Electric (27" - 43") 9C Extended Electric-Restricted (25" - 48.7") 9E Extended Electric-Extended (22.6" - 48.7")				Without Texture Foundation Mica Accent

SAMPLE ORDER CODE

YAD TTT	9C	29	57	1	52
----------------	-----------	-----------	-----------	----------	-----------

PRODUCT OPTIONS (CONTINUED)

Switch Style	Switch Finish	Powerbar	Undersurface Cable Management	E-Chain (optional)
S Standard Up/Down	E Ebony Coordinate	N None	N None	N None
D Display with Up/Down Memory	X Anthracite	I Cross Channel Integrated - 4 Outlets	1 Cable Organizer with Felt Cover	E Ebony Coordinate
T Toggle Up/Down	7 Platinum	C Cross Channel Integrated - 3 Outlets + 1 IEC	3 Dual Plastic Trays and Powerbar	7 Platinum Coordinate
X Display Toggle with Memory and Navigate GPS	6 Crisp Grey		4 Dual Plastic Trays	V Very White Coordinate
			5 Dual Plastic Trays+Powerbar with IEC	

SAMPLE ORDER CODE (CONTINUED)

X	X	I	1	E
----------	----------	----------	----------	----------

See pricing in the following page.

Navigate Freestanding Table, Base Only (Continued)

DIMENSIONS INCHES / MM

D	W
23 / 584	51 / 1294
23 / 584	57 / 1447
23 / 584	63 / 1600
23 / 584	69 / 1753
29 / 237	51 / 1294
29 / 237	57 / 1447
29 / 237	63 / 1600
29 / 237	69 / 1753

23 / 584	45 / 1143
23 / 584	51 / 1294
23 / 584	57 / 1447
23 / 584	63 / 1600
23 / 584	69 / 1753
23 / 584	75 / 1905
23 / 584	81 / 2057
29 / 237	45 / 1143
29 / 237	51 / 1294
29 / 237	57 / 1447
29 / 237	63 / 1600
29 / 237	69 / 1753
29 / 237	75 / 1905
29 / 237	81 / 2057
35 / 889	45 / 1143
35 / 889	51 / 1294
35 / 889	57 / 1447
35 / 889	63 / 1600
35 / 889	69 / 1753
35 / 889	75 / 1905
35 / 889	81 / 2057

PRICING

COUNTERBALANCE STANDARD / COUNTERBALANCE LOWER EDITION

Foundation	Mica/Accent
2452	2529
2452	2529
2479	2556
2479	2556
2452	2529
2452	2529
2479	2556
2479	2556

STANDARD ELECTRIC

Foundation	Mica/Accent
2452	2529
2452	2529
2452	2529
2479	2556
2479	2556
2479	2556
2479	2556
2452	2529
2452	2529
2452	2529
2479	2556
2479	2556
2479	2556
2479	2556
2452	2529
2452	2529
2452	2529
2479	2556
2479	2556
2479	2556
2479	2556
2452	2529
2452	2529
2452	2529
2479	2556
2479	2556
2479	2556
2479	2556

Pricing is continued on the following page

If Toggle Up/Down (T) switch is specified, add 61

If Display with Up/Down Memory (D) switch is specified, add 135

If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 168

If Dual Plastic Trays are specified, add 43

If Dual Plastic Trays + Powerbar are specified, add 209

If Cable Organizer with Felt Cover is specified, add 213

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 181

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 225

If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 390

If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 442

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 395

If E-Chain is specified, add 244

Y A D

Navigate Freestanding Table, Base Only (Continued)

DIMENSIONS INCHES / MM

PRICING

DIMENSIONS		PRICING	
INCHES / MM		EXTENDED ELECTRIC-RESTRICTED / EXTENDED ELECTRIC-RESTRICTED	
D	W	Foundation	Mica/Accent
23 / 584	45 / 1143	2619	2696
23 / 584	51 / 1294	2619	2696
23 / 584	57 / 1447	2619	2696
23 / 584	63 / 1600	2629	2706
23 / 584	69 / 1753	2629	2706
23 / 584	75 / 1905	2629	2706
23 / 584	81 / 2057	2629	2706
29 / 237	45 / 1143	2619	2696
29 / 237	51 / 1294	2619	2696
29 / 237	57 / 1447	2619	2696
29 / 237	63 / 1600	2629	2706
29 / 237	69 / 1753	2629	2706
29 / 237	75 / 1905	2629	2706
29 / 237	81 / 2057	2629	2706
35 / 889	45 / 1143	2619	2696
35 / 889	51 / 1294	2619	2696
35 / 889	57 / 1447	2619	2696
35 / 889	63 / 1600	2629	2706
35 / 889	69 / 1753	2629	2706
35 / 889	75 / 1905	2629	2706
35 / 889	81 / 2057	2629	2706

If Toggle Up/Down (T) switch is specified, add 61

If Display with Up/Down Memory (D) switch is specified, add 135

If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 168

If Dual Plastic Trays are specified, add 43

If Dual Plastic Trays + Powerbar are specified, add 209

If Cable Organizer with Felt Cover is specified, add 213

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 181

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 225

If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 390

If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 442

If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 395

If E-Chain is specified, add 244