district

price & application guide

05.26.2025



teknion

update summary

Please be advised that information has been updated within the District Price & Application Guide. To highlight these updates, a summary has been created for your reference.

new

The following new products are now available and have been added to all relevant pages:

- Gallery Screen (UGSSS)
- Gallery Screen with Glass (UGSGS)
- Gallery Screen with Return (UGSSL)
- Gallery Screen with Glass with Return (UGSGL)
- Gallery Screen with Shared Return (UGSST)
- Gallery Screen with Glass with Shared Return (UGSGT)

Please note, first orders for new products will be accepted on May 26, 2025. All software will also be updated by May 26, 2025. If you have any questions regarding the information enclosed, please contact your Teknion Customer Service Representative.





WHAT IS DISTRICT 6

INDEX 12

APPLICATION GUIDE 19


PRICE & PRODUCT GUIDE. 291

what is district

District responds to a new generation of architecture and employees, combining elements of classic furniture with the functionality of systems furniture. Two key features define District.

more out of small spaces


• As workstations become smaller, there is a need to maximize the use of every volume



layering


• Worksurfaces and credenzas overlap

• Shelves and lower cubbies allow for storage in otherwise unusable areas




furniture pieces with multiple functions

• Towers and lockers are used for support of worksurface, binder storage, waste sorting, coat storage, and space division



District



Conventional System Layout

re-appropriation of surfaces and volumes

• Equal or greater capacity and performance can be achieved with less conventional layouts


• Emphasis on increasing the primary worksurfaces and decreasing the secondary worksurface depth

• Flat screen monitors and laptops reduce the need for corner worksurface


what is district (continued)

furniture look & feel

• Users are moving to workspaces that have a more furniture like feel, but still require adequate storage and power capacity




conventional system components




district furniture pieces

• Individual freestanding or semi-supported pieces of furniture rather than components add to this look



district focuses less on panels for space division


• Panel walls are typically not used to enclose entire stations, but are used as a conduit for technology



• Storage is utilized in place of panel walls optimizing planning possibilities and price competitiveness


district workstation typicals

The following examples demonstrate the versatility of District to create various workstations types, from storage based spine planning, bench planning, traditional systems planning and freestanding offices.




storage spine

- combo towers can provide space division and power/communications distribution without the use of panels
- cabinets can be placed in either direction, and have the option to be the full desired height or made up of stacked components for maximum flexibility
- cabinets are available with coat storage, filing and open cabinets for variable privacy
- power is available above or below desk level on some products
- accessories such as tackboards can be mounted to the backside of storage components
- District worksurfaces mount directly to the storage without the need for legs, to create a clean aesthetic



shared address benching


- desk height panels provide power/communication distribution below desk height level to provide a clean aesthetic
- glass screens between worksurfaces and desk edge screens provide territorial privacy
- workstations can be shared by a number of users, so lockers can provide individual storage
- seat cushions can provide temporary seating for guests



collaborative open plan


- space division is provided by a combination of 42" high panels and storage
- 42" high panels enhance the functionality of the workstation by providing above worksurface power and accessory rails
- narrow depth return worksurfaces and storage add to the spaciousness of small workstations
- storage formats are available for closed and open storage combinations, and are available with wood, laminate and glass options

district workstation typicals (continued)



conventional workstation

- District can be planned in a more traditional way where panels provide the space division
- fascias are available in solid, wood, metal and fabric finishes to provide varying aesthetics
- storage is available with various foot details, or to the floor for a more traditional appearance
- panels range from 29" high to 66" high depending on the amount of privacy required



freestanding private office

- private offices can be created using combinations of District worksurfaces and storage
- overhead storage can mount to drywall and Altos
- additional seating requirements can be accommodated with the District seat cushion on credenzas
- the aesthetic of District is maintained with the use of layered worksurfaces and storage, and the use of the semi-suspended end gable, Desk Shelf and the distinct District handle on storage return worksurfaces and storage add to the spaciousness of small workstations
- storage formats are available for closed and open storage combinations, and are available with wood, laminate and glass options

introduction

xpress program

what is xpress

Teknion's Xpress Program is designed to offer expedited shipment to a large base of teknion customers needing delivery in an abbreviated time frame. Products that are available through *Teknion's Xpress Program* will include this Xpress .

order information

Orders received before 12:00 pm eastern standard/eastern daylight savings time will be processed on that same day. Orders received after 12:00 pm eastern standard/eastern daylight savings time will be processed on the next business day.

Teknion's Xpress Program is not intended to replace our standard product lead time. For this reason, the following guidelines are in effect:

1. Quantities may be limited on individual items based on product availability. XPRESS PRODUCT PROGRAM

XPRESS PRODUCT MAP	PROGRAM	ORDER DETAILS	NOTES
EXPANSION CASEGOODS	5-day Program*	Maximum $75,000 list	See Product Map for details
EXPANSION CASEWORK+	10-day Program*	Maximum $30,000 list	See Product Map for details
EXPANSION DESKING	5-day Program*	Maximum $75,000 list	See Product Map for details
EXPANSION LEARNING	5-day Program*	Maximum $50,000 list	See Product Map for details
COMPLEMENTS	5 or 10-day Program*	See Product Map for details	Excluded: Flintwood and Natural Veneer Full Knife Edge
SEATING	5 or 10-day Program*	See Product Map for details	See Product Map for details
DISTRICT	10-day Program*	Maximum $200,000 list or 25 units of any single products	Excluded: Flintwood, Natural Veneer for Worksurfaces, Screens, Fascias and Storage Full Knife Edge on Worksurfaces
DISTRICT STORAGE	10-day Program*	Maximum $200,000 list or 50 units	Excluded: Flintwood and Natural Veneer Backpainted Glass
FILING & STORAGE	10-day Program*	Maximum 50 units	Excluded: Flintwood Fronts District Handles
LEVERAGE	10-day Program*	Maximum: $200,000 list or 25 units of any single products or 50 units of storage	Excluded: Flintwood and Natural Veneer
ALTOS	10-day Program*	Maximum $75,000 list	See Product Map for details
TEK VUE	10-day Program*	Maximum $150,000 list	See Product Map for details

* 5-10 days refers to manufactured days. Refer to the Teknion Lead Time Sheet published on MyTeknion for the current manufacturing information.

2. Orders can only be accepted with Xpress fabrics, finishes and available sizes.
3. Orders must be submitted via the Order Submission application on OnePlace.

changes and cancellations

No changes or cancellations are accepted on Xpress orders.

terms and conditions

All other terms and conditions of sale are available online at **www.teknion.com**.

Not all products are available through *Teknion's Xpress Program*. Refer to the specification software or product maps for complete product offering.

Product Maps are available online at **Xpress Product Maps**.

index

Section Contents	Product Code	Page No.
WHAT IS DISTRICT		
What is District		6
District Workstation Typicals		8
INTRODUCTION		
Xpress Program		11
APPLICATION GUIDES		
Understanding Panel Walls		25
Flush Panel Wall Basics		27
Elevated Panel Wall Basics		28
Convertible Panel Wall Basics		29
Panel Wall Base Basics		30
Planning with Panel Wall Rail & Light Block Rail		31
Support Foot Basics		32
Planning with Panel Wall Base & Foot		33
Support Foot for Freestanding District Basics		34
Planning with Freestanding Panels		35
Add-On Window Basics		36
Planning with Add-On Windows		37
Full-Height Window Basics		38
Planning with Full-Height Glass Panels		39
Understanding Fascias		42
Understanding Fascias for Freestanding District		43
Understanding Fascia Types		44
Fascia Basics		45
Planning with Fascias		53
Planning with Window Fascias		56
Planning with Power Communications Fascias on Non-Freestanding Panels		57
Planning with Power Communications Fascias on Freestanding Panels		60
Understanding Power Spine		66
Floor Flush Power Spine Basics		69
Power Spine Basics		70
Planning with Power Spine, Top Trims & Screens		74
Planning with Power Spine Fascias		75
Planning with Power Spine Fascia Cut Outs		80
Planning with Power Spine Electrics		81
Planning with Power Spine Lateral Screens		83
Planning with Power Spine Lateral Screens with Return		84
Open Frame Basics		85
Planning with Open Frames		86
Sliding Screen Basics		87
Planning with Sliding Screens		88
Bracket & Anchor for Height-Adjustable Table Basics		89
Planning with Power Spine Lateral Floor Screen Datum Heights		90
Understanding Power Spine Worksurface		92
Power Spine Worksurface & Worksurface Support Basics		93
Planning with Power Spine Worksurface		97
Planning with Power Spine Rectangle Worksurface		99
Planning with Power Spine Zig Zag Panel & Worksurface		101
Planning with Power Spine 120 hub & Worksurface		102
Power Spine hiSpace Quick Connect Table Basics		103
Planning with Power Spine hiSpace Quick Connect Table		106
Understanding Screens		110
Desk Edge Screen Basics		112
Planning with Desk Edge Screens		117
Desktop Lateral Screen Basics		134
Desktop Screen Basics		137
Modesty Screen Basics		138
Planning with Modesty Screens		139
Floor Screen Basics		140
Planning with Floor Screens		141
Storage Screen Basics		142
Planning with Storage Screens		143
Storage Screen Typicals		144
Lateral Floor Screens Basics		145
Lateral Floor Screens with Return Basics		146
Planning with End Mount Lateral Screens		147
Panel Wall Add-On Screen Basics		155
Planning with Wall Panel Add-On Screens		156
Glass Blades for Panels with Inset Basics		158
Planning with Glass Blades for Panels with Inset		159
Understanding Trims & Connectors		166
Top Trim Basics		167
End Trim Basics		168
Connector Basics		169
Connector & Trim Configurations		171
Planning with Connectors & Trims		173
Understanding Worksurfaces		178
Worksurface Basics		179
Planning with Worksurfaces		180
Planning with Worksurface Gaps		181
Planning with Small Footprint Worksurfaces		183
Planning with Grommets		184
Worksurface Grain/Pattern Direction		185
Edge Trim Style Overview		187
Understanding Height-Adjustability		190
Navigate Height-Adjustable Build-In Perpendicular Table Basics		191
Navigate Height-Adjustable Build-In Parallel Table Basics		192
Navigate Height-Adjustable Freestanding Table Basics		193

index

Section Contents	Product Code	Page No.
hiSpace Height-Adjustable Build-In Perpendicular Table Basics		194
hiSpace Height-Adjustable Built-In Parallel Table Basics		195
Planning with Height-Adjustable Tables		196
Credenzas for Height-Adjustable Tables Overview		206
Credenzas for Height-Adjustable Table Basics		207
Height-Adjustable Credenza Drawer Widths		208
Planning with Credenzas for Height-Adjustable Tables		210
Height-Adjustable Tables with Screen Overview		215
Planning with Height-Adjustable Tables and Screens		216
Height-Adjustable Credenza Lock Chart		222
Understanding District Support		226
Worksurface Support Basics – Horizontal		227
Planning with Worksurface Supports – Horizontal		228
Worksurface Support Basics – Vertical		232
Planning with Panel-Mounted Cantilevered Supports		233
Worksurface Support, Freestanding Basics		234
Planning with Worksurface Supports, Freestanding		235
Planning with Semi-Suspended Supports		236
Worksurface-to-Storage Support Basics		237
Planning with Worksurface to Storage Supports		238
Storage-to-Panel Support Basics		240
Selecting the Correct Storage-to-Panel Bracket		241
Planning with Keyboard Trays		243
Understanding Accessories		251
Storage Mounted Fascia Basics		252
Planning with Storage Mounted Fascias		253
Screen & Panel Mounted Fascias Basics		254
Planning with Screen-Mounted & Panel-Mounted Fascias		255
Tower & Locker Infill Basics		256
Planning with Tower & Locker Infills		257
Seat Cushion Basics		258
Complements Accessory Basics		259
Electrics & Communications Overview		262
Power Entry Basics – Panel-Mounted Workstations		263
Planning with Power Poles		264
Power & Communications Basics – Panel-Mounted Workstations		265
Planning with Power Boxes & Outlets		266
Wiring Systems		268
Power Distribution Basics – Panel-Mounted Workstations		269
Planning with Harnesses		270
Determining Harnesses Lengths		271
Casual Electrics Basics – Panel-Mounted Workstations		272
Storage Electrics Basics		273
Planning with Storage		276
Power Conservation System Basics		279
Planning with Power Conservation System		280
International Electrics Basics		283
Planning with International Electrics		287
PANEL WALLS		
Flush Panel Wall	UNPFR	294
Flush Panel with Inset	UYPFR	295
Elevated Panel Wall	UNPER	296
Elevated Panel Wall with Inset	UYPER	297
Convertible Panel Wall	UNPC	298
Convertible Panel Wall with Inset	UYPCR	299
Add-On Window (D-Style) – Single Glass	UNPWSR	300
Add-On Window (D-Style) – Double Glass	UNPWDR	302
Flush Full-Height Window (D-Style) – Single Glass	UNPFWSR	304
Flush Full-Height Window (D-Style) – Double Glass	UNPFWDR	305
Elevated Full-Height Window (D-Style) – Single Glass	UNPEWSR	306
Elevated Full-Height Window (D-Style) – Double Glass	UNPEWDR	307
Convertible Panel Wall Base and Foot Trim	UNPCF	308
Elevated Panel Wall Foot	UNPEFR	309
Support Foot for Freestanding District	UAFFN	310
Panel Wall Rail	UNPHN	311
Light Block Rail	UNEX	312
FASCIAS		
Solid Fascia	UNESD	318
Solid Fascia For Freestanding District (Clip Mount)	UAESD	320
Stretch Solid Fascia	UNYSD	322
Stretch Solid Fascia for Freestanding District	UAYSD	324
Solid Fascia – Full-Height	UNESF	326
Metal Fascia	UNELM	328
Metal Fascia For Freestanding District (Slot Mount)	UAELM	330
Tackable Fabric Fascia	UNELF	332
Tackable Fabric Fascia For Freestanding District (Slot Mount)	UAELF	336
Whiteboard Fascia	UNEMB	338
Accessory Fascia	UNELA	339
Solid Power/Communications Fascia	UNECL	340
Solid Power/Communications Fascia For Freestanding District (Clip Mount)	UAECL	344
Solid International Power/Communications Fascia	UNEIL	346
Solid International Power/Communications Fascia For Freestanding District (Clip Mount)	UAEIL	356
Metal Power/Communications Fascia	UNELCM	360
Metal Power/Communications Fascia For Freestanding District (Slot Mount)	UAELCM	364
Metal International Power/Communications Fascia	UNELIM	366

index

Section Contents	Product Code	Page No.
Metal International Power/Communications Fascia For Freestanding District (Slot Mount)	UAELIM	374
Tackable Fabric Power/Communications Fascia	UNELCF	378
Tackable Fabric Power/Communications Fascia For Freestanding District (Slot Mount)	UAELCF	384
Tackable Fabric International Power/Communications Fascia	UNELIF	386
Tackable Fabric International Power/Communications Fascia For Freestanding District (Slot Mount)	UAELIF	404
Metal Base Feed Fascia	UNELMB	410
Metal Base Feed Fascia For Freestanding District (Slot Mount)	UAELMB	411
Fabric Base Feed Fascia	UNELFB	412
Fabric Base Feed Fascia For Freestanding District (Slot Mount)	UAELFB	413
Fascia Clip Kit	UNELK	414
POWER SPINE		
Floor Flush Power Spine	UNFF	421
Floor Flush Inset Power Spine	UYFF	422
Floor Flush Power Spine Support Kit	UZFF	424
Power Spine Panel	UNPZ	426
Power Spine Inset Panel	UYPZ	428
Power Spine Support Kit	UZPK	430
Zig Zag Power Spine Panel	UNZZ	434
Zig Zag Power Spine Inset Panel	UYZZ	435
Zig Zag Support Kit	UZZK	436
Power Spine 120 Hub Panel	UNYH	438
Power Spine 120 Hub Inset Panel	UZYH	439
Power Spine 120 Hub Support Kit	UZYK	440
Open Frame 29" High Panel, Standard	UNAF	442
Open Frame 29" High Panel, Inset	UYAF	443
Sliding Fabric Screen for Open Frame	UNXF	444
Sliding Smooth Felt Screen for Open Frame	UNZF	446
Power Spine Base Feed Cover	UZBC	447
Anchor for Height-Adjustable Table	UZAS	448
Bracket for Height-Adjustable Table	UZBS	449
hiSpace Quick Connect Height-Adjustable Freestanding Table Mechanism for District Power Spine	YSZ	450
Rectangular Height-Adjustable Worksurface with Connection Kit for hiSpace Quick Connect with District Power Spine	WBZ	451
hiSpace Quick Connect Parallelogram Height-Adjustable Freestanding Table Mechanism for District Power Spine	YSB	452
Parallelogram Height-Adjustable Worksurface with Connection Kit for District Power Spine	WBP	453
hiSpace 120 Height-Adjustable Freestanding Table	YST	454
hiSpace Quick Connect 120 Hub Height-Adjustable Freestanding Table Mechanism for District Power Spine	WBT	456
Power Spine Rectangle Worksurface	UZWE	458
Power Spine Rectangle Worksurface Support Bundle	UZWC	460
Power Spine Parallelogram Worksurface	UZWP	462
Power Spine Parallelogram Worksurface Support Bundle	UZWK	464
Power Spine Angled Worksurface	UZWA	466
Power Spine Angled Worksurface Support Bundle	UZWB	468
Power Spine Dual 120 Angled Worksurface	UZWD	469
Power Spine Dual Angled Worksurface Support Bundle	UZDK	470
Power Spine 120 Hub Worksurface	UZWT	471
Power Spine 120 HUB Worksurface Support Bundle	UZWW	472
SCREENS		
Desk Top Casual Screen	UNSDT	480
Desk Edge Screen	UNSDE	481
Desk Edge Screen – Glass	UNSDEG	482
Desk Edge Screen – Full-Height	UNSFDE	484
Desk Edge Screen – Full-Height Glass	UNSFDG	486
Infinity Curved Desk Edge Screen	GXCD	488
Infinity Desk Edge Screen	GXDD	492
Quilted Infinity Desk Edge Screen	GQDD	498
Infinity Side Desk Edge Screen	GXSD	502
Infinity Desk Edge Floor Screen	GXFD	504
Infinity Side Desk Edge Floor Screen	GXED	506
Infinity Screen Alignment Clip	GXCC	507
Framed Desk Edge Screen	GYDD	508
Framed Side Desk Edge Screen	GYSD	512
Framed Desk Edge Floor Screen	GYFD	516
Framed Side Desk Edge Floor Screen	GYED	518
Desk Edge Screen with Glass	GVGD	520
Glass 6mm Lateral Screen	GNGD	522
Glass 10mm Lateral Screen	GNTD	523
Writable Glass Lateral Screen	GNWD	524
Solid Lateral Screen	GNSD	525
Writable Laminate Lateral Screen	GNLD	526
Infinity Lateral Screen	GNXD	527
Smooth Felt Lateral Screen	GNZD	528
Fabric Lateral Screen	GNYD	529
Metal Lateral Screen	GNMD	530
Modesty Screen	UNSM	531
Floor Screen	UNSF	532
Floor Screen Extended Leveling Kit	UNSFXL	534
Storage Screen	UNSSS	536

index

Section Contents	Product Code	Page No.
Lateral Floor Screen Solid	UZSS	538
Lateral Floor Screen with Glass	UZSG	540
Lateral Floor Screen with Glass, with Return	UZRG	548
Lateral Floor Screen with Solid, with Return	UZRS	560
Lateral Floor Screen with Glass, with Shared Return	UZCG	566
Lateral Floor Screen with Solid, with Shared Return	UZCS	572
Gallery Screen	UGSSS	578
Gallery Screen with Glass	UGSGS	579
Gallery Screen with Return	UGSSL	580
Gallery Screen with Glass with Return	UGSGL	584
Gallery Screen with Shared Return	UGSST	588
Gallery Screen with Glass with Shared Return	UGSGT	592
Panel Wall Add-On Screen – Solid	UNSPS	596
Panel Wall 10mm Add-On Screen – Glass	UNSPG	597
Panel Wall Add-On Screen – 6mm Glass	UNSPF	598
Panel Glass Blade for Panels with 10mm Inset Glass	UYSPG	599
Panel Glass Blade for Panels with 6mm Inset Glass	UYSPF	600
Bridged Glass Blade for Panels with 10mm Inset Glass	UYSCG	601
Bridged Glass Blade for Panels with 6mm Inset Glass	UYSCF	602
Smooth Felt Add-On	UNSPZ	603
Smooth Felt Blade for Panels with Inset	UYSPZ	604
Infinity Blade for Panels with Inset	UYXD	604
CONNECTIONS & TRIMS		
Top Trim	UNTT	612
Panel Top Trim for Panels with Inset Glass for 6mm or 10mm	UYTT	613
Panel Top Trim for Panels with Inset Smooth Felt	UZTT	614
Top Trim – Power Pole Access	UNTTP	615
Bridged Top Trim for Panels with Inset Glass for 6mm or 10mm	UYCT	616
End Trim	UNTE	617
End Trim For Freestanding District	UATE	618
Intermediate End Trim	UNTM	619
Two-Way 90˚	UNPCR2	620
Three-Way 90˚	UNPCR3	621
Four-Way 90˚	UNPCR4	622
Two-Way 180˚ Spacer	UNPCCR	623
Two-Way Intermediate 90˚	UNIC2	624
Three-Way Intermediate 90˚	UNIC3	625
Four-Way Intermediate 90˚	UNIC4	626
Two-Way Intermediate 180˚	UNICC	627
Two-Way 90˚ Corner Cap for Panels with Inset Glass for 6mm or 10mm	UYPC2	628
Transition Cover	UNTC	629
Top Trim Cover for Panels with Inset Glass for 6mm or 10mm	UYTC	630
Wall Start	UNPCW	631

Section Contents	Product Code	Page No.
WORKSURFACES		
Rectangle Worksurface	UNWR	634
Rectangle with Radius Corners Worksurface	UNWC	638
HEIGHT-ADJUSTABILITY		
Navigate Freestanding Table, Base Only	YAD (One Table One Plug)	644
Navigate Height-Adjustable Built-in Base - Parallel Planning	YHD (One Table One Plug)	648
Navigate Height-Adjustable Built-in Base - Perpendicular Planning	YGD (One Table One Plug)	650
Navigate Height-Adjustable Built-in Gable Base - Parallel Planning	YWD (One Table One Plug)	652
Navigate Height-Adjustable Built-in Gable Base - Perpendicular Planning	YVD (One Table One Plug)	654
hiSpace Quick Connect Height-Adjustable Built-in Base - Perpendicular Planning	YSG	656
hiSpace Quick Connect Height-Adjustable Built-in Base - Perpendicular Planning	YSP	658
Parallel Rectangular Height-Adjustable Built-in Worksurface, T-Legs	WHD	660
Parallel Rectangular Height-Adjustable Built-in Worksurface, Gable	WHD_	661
Perpendicular Rectangular Height-Adjustable Built-in Worksurface, T-Legs	WLD	662
Perpendicular Rectangular Height-Adjustable Built-in Worksurface, Gable	WLD_	663
Freestanding Table Rectangular Height-Adjustable Worksurface	WBD	664
Perpendicular Rectangular Height-Adjustable Built-in Worksurface with Radius Corners	WMD	668
hiSpace Parallel Rectangular Height-Adjustable Built-in Worksurface	WBF	669
hiSpace Perpendicular Rectangular Height-Adjustable Built-in Worksurface with connection kit for Quick Connect	WBG	670
hiSpace Rectangular Height-Adjustable Built-in Perpendicular Worksurface with Radius Corners	WJE	671
Perpendicular Credenza for Height-Adjustable Table	UPPC	672
Shared Perpendicular Credenza for Height-Adjustable Table	UPCS	674
Parallel Spine Credenza for Height-Adjustable Table	UPSC	676
Parallel Corridor Credenza for Height-Adjustable Table	UPCC	678
SUPPORTS		
End Gable	UNGEN	684
End Gable – Height-Adjustable	UNGEAN	685
Flush End Gable	UNGEF	686
Flush End Gable – Height-Adjustable	UNGEFA	687
Mid Gable	UNGMF	688

index

Section Contents	Product Code	Page No.
Mid Gable – Height-Adjustable	UNGMFA	689
Cantilever	UNLVR	690
Off-Module Cantilever	UNLVFN	691
Off-Module Cantilever for Panels with Accessory Beam	UALVFN	692
Semi-Suspended Gable	UNGSN	693
Semi-Suspended Gable – Height-Adjustable	UNGSAN	694
Leg – Single	UNLGN	695
Leg – Height-Adjustable Single	UNLGA	696
Leg – Pair	UNLGPN	697
Leg – Height-Adjustable Pair	UNLGPA	697
Worksurface Panel Wall Bracket – Pair	UNBP	698
Worksurface Panel Wall Bracket – Height-Adjustable	UNBPA	698
Storage-to-Panel Bracket	UWSPB	699
Worksurface-to-Tower Bracket Kit	UWBT	700
Height-Adjustable Worksurface-to-Tower Bracket Kit	UWBTH	701
Low Credenza-to-Worksurface Support	UNCPWN	702
Reconfigurable Low Credenza-to-Worksurface Support	UWCPWN	703
Flush Plate	UNRF	704
Structural Flush Plate	UNRFS	704
Worksurface Reinforcement Channel	UNRC	705
Mini Leg	UNCLN	706
Centermount Cabinet Support Posts & Trim	UNOPT	707
Centermount Cabinet Support Brackets & Top Trim	UNOBT	708
Side Filer Panel Support Kit	UWSPK	709
ACCESSORIES		
Standing Storage Fascia	UNPSF	714
Stacking Storage Fascia	UNPSS	718
Tackboard – Screen Mount	UNTBS	722
Whiteboard – Screen Mount	UNTBW	724
Tackboard – Panel Wall Mount	UNTBP	726
Single Locker with Cubby Infill	UKSCIS	728
Lateral Tower Infill	UTLXIS	730
Combo Tower Infill	UTCXIS	732
Source Laminate Combo Tower Infill	UTCXIX	736
Pedestal Tower with Cubby Infill	UTDCIS	739
Seat Cushion	UWLC	740
Fitted Seat Cushion	UWLF	741
Tool Kit	UNTK	742
Accessory Bundle	UNAB	743
Side Filer Boot Tray	UNBW	744
ELECTRICS		
Power Box	UNQPR	750
Receptacle Outlet	UNQRO	751
Power Harness	UNQBHR	752
Base Feed	UNQBFR	753

Section Contents	Product Code	Page No.
Split Base Feed	UNQBFSR	754
Ceiling Feed	UNQCFR	755
Power Pole	UNQEP	756
End of Run Power Pole	UNQEPR	757
Cable Trough	UNQCT	758
Vertical Cable Manager	UNVC	759
Casual Wire Manager Kit	ZOEWM	760
Data Extender Plate	UNQDE	761
Chicago Power Box	UNQPRCH	762
Chicago Base Feed	UNQBFRCH	763
Chicago Ceiling Feed	UNQCFRCH	764
Under Cabinet Wire Tray	EWWT	765
Storage Base Feed	EWBF	766
Storage Chicago Base Feed	EWBFCH	767
Storage Split Base Feed	EWBFS	768
Storage Ceiling Feed	EWCF	769
Storage Chicago Ceiling Feed	EWCFCH	770
Storage Power Harness	EWBH	771
4-Way Splitter	EWDB	772
I-Connector	EWIC	772
Flush Mount Power & Data	EWQP	773
Chicago Flush-Mounted Power Box	EWQPCH	774
Storage Receptacle Outlet	EWRO	775
Cubby Power Monument	EWQPM	776
Chicago Cubby Power Monument	EWQPMCH	777
Storage Power Pole	EWEP	778
Power Conservation System	UNQPC	779
Diecast Grommet	UNDG	780
INTERNATIONAL ELECTRICS		
Outlet Box	VED	786
Interconnecting Power Cable	VCC	787
Input Power Cable	VEP	788
Voice & Data Box	VVD	789
Voice & Data Outlets	VDO	790
Electric Accessories	VAC	791
Screen Mount Outlet Box Bracket	UNXSE	792
Base Feed Mounting Kit	UNXPFR	792
Panel Mount Outlet Box Bracket	UNXBR	793
CALA Power Module	VBCD	794
CALA Power In Feed	VBPD	795
CALA Jumper Power Harness	VBPH	796
CALA Power Station	VBWB	797

application guide

application guide

PANEL WALLS 23

FASCIAS 41

POWER SPINE 65

SCREENS 109

CONNECTIONS & TRIMS 165

WORKSURFACES 177

HEIGHT-ADJUSTABILITY 189

SUPPORTS 225


ACCESSORIES 249

ELECTRICS 261

INTERNATIONAL ELECTRICS 283

understanding application guide pages

This application guide will include the following types of pages.


application guides

understanding panel walls

District Panels are available in three Panel Styles: Standard Panel Wall, Panel Wall with Inset Glass and Panel Wall with Accessory Beam. Each Panel Style is available in three Panel Profiles: Flush, Elevated and Convertible.

panel profiles


– **Flush**, which provides privacy to the floor
– **Elevated**, which provides a 6" high open space at the bottom of the panel to allow air flow and a lighted aesthetic
– **Convertible**, which provides a economical alternative to the Flush and Elevated Panel and allows the flexibility to convert from a Flush Panel Profile to an Elevated Panel Profile using the same frame

Standard Panel Wall (UNPFR, UNPER and UNPC)
All panel profiles accept the Panel Wall Add-On Screen – Glass (UNSPQ) and Panel Wall Add-On Screen – Solid (UNSPS).

Flush and Conventional panel profiles can accept the Support Foot for Freestanding District (UAFFN) for freestanding applications. Elevated Panels **cannot** accept a freestanding foot.

understanding pages

Used to describe the intent and common features of a group of products.


application guides

flush panel wall basics

Flush Panel Walls consist of a frame to the floor, and are typically used with hard surface fascias which have mounting clips.


• Consists of one or two sections depending on width and fixed rails at 6" and 29" (or 28" for panels with accessory beam) to allow for horizontal mounting of storage and worksurfaces
• Complete with fascia attachment clips and slots and accepts all fascia types (see Fascia Section for complete product offering)
• Complete with light block strip on vertical and horizontal slots
• Finished in Black

24" – 60"
66" – 96"

Flush Panel Wall (UNPFR)
• Available in heights of 29", 42", 51" and 66"
• The 29", 42" and 51" high frame can be used in freestanding application

basics pages

Used to describe the details of each individual product including:
• Product codes
• Dimensions
• Options
• Features
• Links to the price page


application guides

planning with the panel wall rail & light block rail

The following should be considered when planning with Panel Wall Rails and Light Block Rails.

29"

• Panel walls have fixed horizontal segmentation at 6" and 29" heights and top rail height only

• If additional segmentation is required above 29" high, Panel Wall Rails or Light Block Rails must be added at the desired heights

66" or wider

• Panel Wall Rails and Light Block Rails are only available up to 66" wide
• They **cannot** span across the two panel in panel widths 66" and above sections
• One rail must be ordered for each half of the panel

• One rail is required at all fascia breaks above 29" high
• Choice of rail will depend on whether the fascia has clips (Panel Wall Rail) or mounts into slots (Light Block Rail)

29"

planning pages

Used to outline the rules and restrictions that should be considered when planning with products.

panel walls

panel walls

UNDERSTANDING PANEL WALLS 25

FLUSH PANEL WALL BASICS 27

ELEVATED PANEL WALL BASICS 28

CONVERTIBLE PANEL WALL BASICS 29

PANEL WALL BASE BASICS 30

PLANNING WITH PANEL WALL RAIL & LIGHT BLOCK RAIL 31

SUPPORT FOOT BASICS 32

PLANNING WITH PANEL WALL BASE & FOOT 33

SUPPORT FOOT FOR FREESTANDING DISTRICT BASICS 34

PLANNING WITH FREESTANDING PANELS. 35

ADD-ON WINDOW BASICS 36

PLANNING WITH ADD-ON WINDOWS 37

FULL-HEIGHT WINDOW BASICS 38

PLANNING WITH FULL-HEIGHT GLASS PANELS 39

understanding panel walls


District Panels are available in three Panel Styles: Standard Panel Wall, Panel Wall with Inset Glass and Panel Wall with Accessory Beam. Each Panel Style is available in three Panel Profiles: Flush, Elevated and Convertible.

panel profiles

– **Flush**, which provides privacy to the floor

– **Elevated**, which provides a 6" high open space at the bottom of the panel to allow air flow and a lighted aesthetic


– **Convertible**, which provides a economical alternative to the Flush and Elevated Panel and allows the flexibility to convert from a Flush Panel Profile to an Elevated Panel Profile using the same frame



Standard Panel Wall (UNPFR, UNPER and UNPC)

All panel profiles accept the Panel Wall Add-On Screen – Glass (UNSPG) and Panel Wall Add-On Screen – Solid (UNSPS).

Flush and Conventional panel profiles can accept the Support Foot for Freestanding District (UAFFN) for freestanding applications. Elevated Panels **cannot** accept a freestanding foot.



Panel Wall with Inset (UYPFR, UYPER and UYPCR)

All panel profiles accept the following blade options:
- Glass Blade (UYSPG/UYSPF)
- Bridged Glass Blade (UYSCG/UYSCF)
- Smooth Felt Blade(UYSPZ)
- Infinity Blade (UYXD)


The blade is inset into the frame, so there is less exposed trim offering a more seamless appearance.

Flush and Conventional panel profiles can accept the Support Foot for Freestanding District (UAFFN) for freestanding applications. Elevated Panels **cannot** accept a freestanding foot.


understanding panel walls (continued)

panel creep

District Panels have no creep factor, the nominal dimension and the actual dimension are the same.




• Panels 66" or wider consist of two equally sized segments




• Frame up to 60" consist of one segment only

panel runs



• On panel wall heights of 66" that do **not** support loads, the maximum run allowed is 12' - 0"


• 60" wide x 66" high wing panels must be used at both ends to provide adequate support



• On panel wall heights of 29", 42" and 51" that do **not** support loads, the maximum unsupported run allowed is 16' - 0"

• 60" wide wing panels the same height as the panel run, must be used at both ends to provide support

fascia spans





• Fascias can span across both sections of a frame 66" wide and wider to cover the entire width, or can be split so that each section can have a different fascia


flush panel wall basics

Flush Panel Walls consist of a frame to the floor, and are typically used with hard surface fascias which have mounting clips.

- Consists of one or two sections depending on width and fixed rails at 6" and 29" (or 28" for panels with accessory beam) to allow for horizontal mounting of storage and worksurfaces
- Complete with fascia attachment clips and slots and accepts all fascia types (see Fascia Section for complete product offering)
- Complete with light block strip on vertical and horizontal slots
- Finished in Black







Flush Panel Wall (UNPFR)

- Available in heights of 29", 42", 51" and 66"
- The 29", 42" and 51" high frame can be used in freestanding application
- Can accept Panel Wall Add-On Screen – Solid (UNSPS) and Panel Wall Add-On Screen – Glass (UNSPG)
- Can be used with the following:
  - Glass Blade (UYSPG/UYSPF) with Panel Top Trim for Panels with Inset Glass for 6mm or 10mm (UYTT)
  - Bridged Glass Blade (UYSCG) with Bridged Top Trim for Panels with Inset Glass for 6mm or 10mm (UYCT)
  - Smooth Felt Blade (UYSPZ) with Panel Top Trim for Panels with Inset Smooth Felt (UZTT)
  - Infinity Blade (UYXD) with Panel Top Trim for Panels with Inset Glass for 6mm only (UYTT)


Flush Panel Wall with Inset (UYPFR)


- Available 29", 42" and 51" high
- Can be used in freestanding applications
- Panel Walls with Inset do not allow access to the top horizontal rail of the panel, so careful attention must be paid when planning with horizontal mounting brackets. See the *Worksurface and Support* sections for details on mounting worksurfaces to 29" high Panel Walls with Inset
- When planning with District with Inset Panel, a return panel must be specified on both sides of a panel run when using center mounted overhead storage


elevated panel wall basics

Elevated Panel Walls consist of a frame that allows for 6" of open space at the bottom. It is typically used with hard surface fascias which have mounting clips and for applications where the aesthetic and finish of the foot are considerations.

- Consists of one or two sections depending on width and fixed rails at 6" and 29" (or 28" for panels with accessory beam) to allow for horizontal mounting of storage and worksurfaces, but does **not** extend to the floor – the Elevated Panel Wall Foot (UNPEFR) (must be ordered separately) is attached below the panel frame to reach the desired datum height
- Complete with fascia attachment clips and slots and accepts all fascia types (see Fascia Section for complete product offering)
- Complete with light block strip on vertical and horizontal slots
- Base of the 6" rail is finished in Clear Anodized, Foundation or Mica paint finishes







Elevated Panel Wall (UNPER)

- Available in heights of 29", 42", 51" and 66"
- **Cannot** be used in freestanding applications
- Can accept Panel Wall Add-On Screen – Solid (UNSPS) and Panel Wall Add-On Screen – Glass (UNSPG)
- Can be used with the following:
  - Glass Blade (UYSPG/UYSPF) with Panel Top Trim for Panels with Inset Glass for 6mm or 10mm (UYTT)
  - Bridged Glass Blade (UYSCG) with Bridged Top Trim for Panels with Inset Glass for 6mm or 10mm (UYCT)
  - Smooth Felt Blade (UYSPZ) with Panel Top Trim for Panels with Inset Smooth Felt (UZTT)
  - Infinity Blade (UYXD) with Panel Top Trim for Panels with Inset Glass for 6mm only (UYTT)


Elevated Panel Wall with Inset (UYPER)


- Available 29", 42" and 51" high
- **Cannot** be used on freestanding applications
- Panel Walls with Inset do not allow access to the top horizontal rail of the panel, so careful attention must be paid when planning with horizontal mounting brackets. See the *Worksurface and Support* sections for details on mounting worksurfaces to 29" high Panel Walls with Inset
- When planning with District with Inset Panel, a return panel must be specified on both sides of a panel run when using center mounted overhead storage


convertible panel wall basics

Convertible Panel Walls consist of a frame to the floor and provides an economical and flexible alternative to the Flush and Elevated panel frame. It can be used in a flush or elevated profile and is typically used for applications where the majority of the fascias do not have clips and are slot-mounted.

- Consists of one or two sections depending on width and fixed rails at 6" and 29" (or 28" for panels with accessory beam) to allow for horizontal mounting of storage and worksurfaces
- Does **not** have fascia attachment clips, is complete with slots only
- There are two rows of slots side-by-side will accept both fascias and storage or supports in the same location
- Accepts all fascia types but for Fascias that are complete with fascia clips, a separate mounting clip kit is required for mounting the fascias to the frame
- When used in a Flush application fascias are mounted onto the frame to the floor, and when used in an Elevated application the fascia mounts onto the frame to the 6" rail and an additional Convertible Panel Wall Base and Foot Trims (UNPCF) are added to provide a base trim and foot cover on the frame below the 6" level
- Finished in Black







Convertible Panel Wall (UNPC)


- Available in heights of 29", 42", 51" and 66"
- The 29", 42" and 51" high can be used in freestanding applications
- Can accept Panel Wall Add-On Screen – Solid (UNSPS) and Panel Wall Add-On Screen – Glass (UNSPG)
- Can be used with the following:
  - Glass Blade (UYSPG/UYSPF) with Panel Top Trim for Panels with Inset Glass for 6mm or 10mm (UYTT)
  - Bridged Glass Blade (UYSCG) with Bridged Top Trim for Panels with Inset Glass for 6mm or 10mm (UYCT)
  - Smooth Felt Blade (UYSPZ) with Panel Top Trim for Panels with Inset Smooth Felt (UZTT)
  - Infinity Blade (UYXD) with Panel Top Trim for Panels with Inset Glass for 6mm only (UYTT)


Convertible Panel Wall with Inset (UYPCR)

- Available 29", 42" and 51" high
- Can be used in freestanding applications
- Panel Walls with Inset do not allow access to the top horizontal rail of the panel, so careful attention must be paid when planning with horizontal mounting brackets. See the *Worksurface and Support* sections for details on mounting worksurfaces to 29" high Panel Walls with Inset
- When planning with District with Inset Panel, a return panel must be specified on both sides of a panel run when using center mounted overhead storage

panel wall base basics


Panel Wall Rails and Light Block Rails are used to create additional segmentation on panels above the 29" high rail.





Panel Wall Rail (UNPHN)

- Complete with clips so can be used on all panels when Fascias with clips are specified




Light Block Rail (UNEX)


- Does not include clips so can be used on all panel types when fascias with no clips are specified

planning with panel wall rail & light block rail

The following should be considered when planning with Panel Wall Rails and Light Block Rails.




- Panel walls have fixed horizontal segmentation at 6" and 29" heights and top rail height only




- If additional segmentation is required above 29" high, Panel Wall Rails or Light Block Rails must be added at the desired heights

- One rail is required at all fascia breaks above 29" high
- Choice of rail will depend on whether the fascia has clips (Panel Wall Rail) or mounts into slots (Light Block Rail)



- Panel Wall Rails and Light Block Rails are only available up to 60" wide
- They **cannot** span across the two panel in panel widths 66" and above sections
- One rail must be ordered for each half of the panel


In this example, the 6" and 29" high rail and top of panel are fixed, so four additional rails are required.



- Panel Walls **cannot** be segmented between the 6" high rail and 29" high rail
- There are no mounting locations in the frame Panel Wall Rails or Light Block Rails

support foot basics


Panel Wall Bases and Panel Wall Feet are used for elevated panel wall applications.



Elevated Foot (Shown)

Convertible Base Trim and Foot Cover





Elevated Panel Wall Foot (UNPEFR)

- Used with the Elevated Panel Wall (UNPER) and Elevated Panel Wall with Inset (UYPER)
- Mounted to the base of the panel frame to elevate the frame 6" above the floor
- Used at all ends and shared between two panels at 180˚ angles, but are **not** required at corners or 180˚ spacers because the connector provides the necessary panel support
- Available in Clear Anodized, Foundation and Mica paint finishes


Convertible Panel Wall Base and Foot Trim (UNPCF)

- Used with the Convertible Panel Wall (UNPC) only in an elevated application
- Consists of a metal trim that is attached to the bottom rail of the panel and elevated feet that snap onto the frame post
- One Convertible Panel Wall Base and Foot Trim is required for all elevated panels 60" and less. Two are required for elevated panels 66" and wider as they are made up of two frames (specified as one unit at the overall length)
- Available in Foundation and Mica paint finishes

planning with panel wall base & foot


The following should be considered when planning with Panel Wall Bases and Feet.

elevated panel wall foot



- The Panel Wall Foot is used only on the Elevated Panel Wall
- Provides a clean aesthetic at the base of the panel because it is required only at the ends of panel runs and shared between two panels in a straight run
- Offers a Clear Anodized finish option


convertible panel wall base and foot trim




- The Convertible Panel Wall Base and Trim is used only on the Convertible Panel Wall in Elevated applications
- Available only in painted finishes
- Lengths 60" wider and under include two feet covers and one base trim
- Lengths 66" wide and wider include four feet covers and two base trims

support foot for freestanding district basics

The Support Foot is used to create Freestanding District Panel runs.



Support Foot (Shown)




Support Foot for Freestanding District (UAFFN)


- Installed at the bottom of panels to create freestanding applications
- **Cannot** be used with an Elevated panel
- The Support Foot can be used in any of the four existing hole locations on the bottom of Flush or Convertible panels
- On Panel widths from 24" - 48" there are two cut out locations, 54" - 96" have four cut out locations
- There must be a foot at both start and ends of a panel run
- The Support Foot takes up approximately 1/2" in height therefore a specific fascia is required below 29" high (the height is nominal, therefore 28" fascia will actually be approximately 27-1/2" to allow for the foot)
- The distance between panel support feet **cannot** exceed 96"
- A unique end trim is required, End Trim for Freestanding District (UATE) to accommodate the height change created by the foot
- Freestanding District can be specified up to 51" total in height (this can be either a 51" high panel or a 29" or 42" high panel with storage or screens to 51" high)
- The top area of the foot offers cable pass through capability available with levelers
- Available with levelers
- Recommend additional support feet if panel mounted storage usage is high

planning with freestanding panels


The following outlines the steps for planning with Freestanding District Panels.




Specify the Support Foot as needed. Support foot must be specified at the beginning and at the end of each run as well as every 8' in between. Support feet **cannot** be placed in the same location that power is used, so careful attention to the planning of power is required. See fascia section for available power cut out locations.



Specify the fascias required. In this example the power is in the right location, but at the end of the run, the power is located center right to avoid interference with support foot.






When planned at 29" high with accessory rail, a variety of storage options can be added either freestanding and mobile or mounted onto the accessory beam.


Recommend additional support feet if panel mounted storage usage is high.


add-on window basics

Add-On Windows mount to the top of a panel wall frame to provide an uninterrupted glass finish.



Add-On (D-Style) Window (Shown)





Add-On Window (D-Style) – Single Glass (UNPWSR) and Add-On Window (D-Style) – Double Glass (UNPWDR)


- Mount on-module or semi off-module to the top of a panel wall frame up to a height of 66"
- Frame is continuous on all sides to provide a refined aesthetic
- Are **not** load bearing, and **cannot** be mounted above another add-on window
- Do **not** affect existing cable routing within the panel wall frame
- Available in Standard Glass Clear and Frost, and Specialty Glass Vanceva
- Standard Glass, Clear is a tempered glass; Standard Glass, Frost is a sandblasted tempered glass; Specialty Glass Vanceva is a laminated glass – Clear tempered glass will be applied to the opposite side of the double glass window when Frost or Vanceva glass have been specified
- Frames are available in Clear Anodized, Espresso and Storm White paint finishes
- Top trims must be specified separately
- Not available on UY_ Panels

planning with add-on windows


The following should be taken into consideration when planning with Add-On Windows.

stackability

- Only one window can be stacked onto a Panel Wall to a maximum height of 66"
- The Add-On is non-load bearing




- When the panel frame is wider than 60" and made up of two sections, the Add-On spans across both frame sections




off-modularity

- The Add-On Window can be mounted fully on-module or semi off-module




Fully On-Module

- The add-on window spans the entire panel wall regardless of whether the panel is a single frame section or made up of two frame sections



Semi Off-Module

- The Add-On Window is mounted on a panel wall that is over 60" wide therefore, made up of two sections
- The Add-On must be half the width of the overall panel to meet the connection of the two sections




Fully Off-Module


The add-on window **cannot** be specified fully off-module.

full-height window basics

Full-Height Windows are used in place of a panel wall to provide a full-height glass alternative.




Flush Full Height (D-Style) Window (Shown)



Flush Full-Height Window (D-Style) – Single Glass (UNPFWSR) and Flush Full-Height Window (D-Style) – Double Glass (UNPFWDR)

- Used in place of a Flush Panel Wall (UNPFR) and Flush Panel with Inset (UYPFR)
- Available in widths up to 60" for panel heights up to 51" and widths up to 48" for panel heights up to 66"
- Available in Standard Glass Clear and Frost, and Specialty Glass Vanceva
- Standard Glass, Clear is a tempered glass; Standard Glass, Frost is a sandblasted tempered glass; Specialty Glass Vanceva is a laminated glass – Clear tempered glass will be applied to the opposite side of the double glass window when Frost or Vanceva glass have been specified
- Frames are available in Clear Anodized, Espresso and Storm White paint finishes
- Top trims and 6" Base Fascia must be specified separately




Elevated Full-Height (D-Style) Window – Single Glass (UNPEWSR) and Elevated Full-Height (D-Style) Window – Double Glass (UNPEWDR)


- Used in place of an Elevated Panel Wall (UNPER) and Elevated Panel Wall with Inset (UYPER)
- Available in widths up to 60" for panel heights up to 51" and widths up to 48" for panel heights up to 66"
- Available in Standard Glass Clear and Frost, and Specialty Glass Vanceva
- Standard Glass, Clear is a tempered glass; Standard Glass, Frost is a sandblasted tempered glass; Specialty Glass Vanceva is a laminated glass – Clear tempered glass will be applied to the opposite side of the double glass window when Frost or Vanceva glass have been specified
- Frames are available in Clear Anodized, Espresso and Storm White paint finishes
- Top trims must be specified separately

planning with full-height glass panels


The following should be considered when planning with full-height glass panels.




- Consists of the glass and frame only; top trims and end trims must be specified separately
- When the Flush Full Height Window is specified, a fascia must be specified to finish the base below the 6" rail



29", 42" and 51" heights are available in widths from 24" - 60"



66" height is only available in widths from 24" - 48"



- Full-height glass panels can support worksurfaces when the depth of the worksurface and the width of the panels are the same – see the *Supports* section for proper supports

fascias

fascias

UNDERSTANDING FASCIAS 42

UNDERSTANDING FASCIAS FOR FREESTANDING DISTRICT 43

UNDERSTANDING FASCIA TYPES 44

FASCIA BASICS 45

PLANNING WITH FASCIAS 53

PLANNING WITH WINDOW FASCIAS 56

PLANNING WITH POWER COMMUNICATIONS FASCIAS ON NON FREESTANDING PANELS 57

PLANNING WITH POWER COMMUNICATIONS FASCIAS ON FREESTANDING PANELS 60


understanding fascias

District Fascias mount to a panel wall frame to provide functionality and aesthetic options to the panel and are available for standard and freestanding applications.

Fascias are available for two applications

- UN_applications - used on
  - – Standard panel walls
  - – Standard panel walls with accessory rails
- UA_applications - used on
  - – Panel walls with freestanding feet (at the bottom level)
  - – Panel walls with freestanding feet and accessory rails (at the top level)
- When specifying fascias on panels wall frames the total height of the fascias will be 1" less than the actual panel frame height, to allow for leveling (ex. a 29"h. panel wall frame uses a 28"h. fascia, or a 6" and 22"h. fascia combination)

UN_applications



The following outlines the types of UN__ fascias available


1. Solid Fascias
   -Provide a high aesthetic and a furniture look and feel to a workstation
   -Fascias can be segmented or monolithic
2. Stretch Solid Fascias
   -Span across connectors to provide an uninterrupted aesthetic
3. Fabric and Metal Fascias
   -Provide a cost effective alternative to solid fascias
4. Tackable and Whiteboard Fascias, available
   -Framed to provide an enhanced aesthetic
   -Unframed to provide a cost effective alternative
5. Accessory Fascias
   -Provide a rail to store personal items above the worksurface
6. Power and Communication Fascias
   -Provides access to power either above or below worksurface level
7. Window Fascias
   -Add lightness to a panel wall

understanding fascias for freestanding district

UA_ applications

UA__Fascias can be used in two locations:

- On the bottom level of a panel with freestanding feet
- Only the 6", 27" and 28"h. can be used at the bottom of a panel
- Fascia- heights are nominal, the actual size is 1/2" less to accommodate the freestanding foot
- At a level where electrical is required on a panel with freestanding feet, as the electrical locations are designed to avoid interference with the freestanding feet
- When specifying fascias on panels wall frames with accessory rails, the total height of the fascias will be 2" less than the actual panel frame, to allow for the thickness of the accessory rail and for leveling (ex. a 29"h. panel wall frame uses a 27"h. fascia, or a 6" and 21"h. fascia combination)




The following outlines the types of UA__ fascias available

1. Solid Fascias
   -Accommodates the freestanding foot
2. Fabric and Metal Fascias
   -Accommodates the freestanding foot
3. Power and Communication Fascias
   -Provides access to power below worksurface level
   -The cut out locations are different than the cut out locations on UN_ fascia to avoid interference with freestanding feet

understanding fascia types


The following examples outline the fascia heights required for non freestanding and freestanding panel configurations.

standard




District Flush or Convertible Panel

- No Freestanding Feet, 29"h
- UN__28 fascia required




District Flush or Convertible Panel, No Freestanding Foot, 29"h.

- One UN__6 fascia required
- One UN_22 fascia required



District Flush or Convertible Panel, No Freestanding Foot


- UN__28 fascia required
- UN_ fascia required to top of panel



District Flush or Convertible Panel, No Freestanding Foot


- UN__06 fascia required
- UN__22 fascia required
- UN__Fascia required to top of panel

standard with accessory rail



District Flush, No Freestanding Feet, 29"h


- UA__27 fascia required
- This allows for the 1" accessory rail at the top



District Flush, No Freestanding Foot, 29"h.


- One UN__6 fascia required
- One UA__21 fascia required

panel with freestanding feet




District Flush or Convertible Panel, with Freestanding Foot, 29" high

- UA__28 fascia required the panel




District Flush or Convertible Panel with Freestanding Foot, 29" high

- One UA__6 fascia required
- One UN_22 fascia required



District Flush or Convertible Panel with Freestanding Foot


- UA__28 fascia required
- UN_ fascia required to top of panel



District Flush or Convertible Panel, With Freestanding Foot


- UA__6 fascia required
- UN__22 fascia required
- UN_ Fascia required to top of panel

panel with freestanding feet and accessory rail



District Flush and Freestanding Foot, 29" high

- UA__27 fascia required
- This allows for the 1" accessory rail at the top



District Flush and Freestanding Foot, 29" high




- UA__6 fascia required
- UA__21 fascia required
- This allows for the 1" accessory rail at the top

fascia basics


District fascias mount onto panel wall frames by either clip mounting or slot mounting. The following outlines the available options.

clip-mounted

- The following fascias types mount into Flush and Elevated Panel Wall Frames
- They are hard surface fascias that provide a District aesthetic and are considered "D-style" fascias
- All "D-style" fascias mount to the panel frames with clips
- If a "D-style" fascia is required on a Convertible Panel Wall, a Fascia Clip Kit (additional clips) must be ordered and installed on the panel

Product Name and Code	Illustration	Description
Solid Fascia (UNESD), Solid Full-Height Fascia (UNESF) and Stretch Solid Fascia (UNYSD)		A solid fascia that mounts into a panel wall frame. **Heights:** Solid Fascias 6", 7", 9", 13", 15", 22", 24", 26", 28", 30" and 37" **Solid Full Height Fascias** 35" and 41" -For monolithic applications on 42" high panel wall frames **Stretch Solid Height Fascia** 6", 22", 28", 35" and 41" **Widths:** 24" - 96" in 6" increments -Solid and Full Height Solid Fascia widths are actual dimensions -Stretch Solid Fascia widths are nominal dimensions, the actual width is 1-1/2" or 3" wider as they stretch either half way over a three-way connector on one or both sides **Finishes:** Laminate Flintwood Natural Veneer
Solid Fascia for Freestanding District (Clip Mounted) (UAESD) and Stretch Fascia for Freestanding District (UAYSD)		A solid fascia that mounts into a panel wall frame with: Freestanding feet Accessory rail **Heights:** Solid Fascias and Stretch Fascias 6", 22", 28", 35" and 41" -Used in two locations 1) The base level of a panel wall frame with freestanding feet -Sizes are nominal, actual sizes are 1/2" less to accommodate a freestanding support foot 2) When a panel wall frame has an accessory rail **Widths:** 24" - 96" in 6" increments -Solid Fascia widths are actual dimensions -Stretch Solid Fascia widths are nominal dimensions, the actual width is 1-1/2" or 3" wider as they stretch either half way over a three-way connector on one or both sides **Finishes:** Laminate Flintwood Natural Veneer
Solid Power/ Communications Fascia (UNECL) (shown) and Solid International Power/Communications Fascia (UNEIL)		A solid fascia with electrical and communication cut outs that mounts into a panel wall frame. -The cut out configurations and orientations available depend on size **Heights:** 7", 13", 22", 26", 28", 35", 37" and 41" -Available for above and below worksurface mounting **Widths:** 24" - 96" in 6" increments Outlet Configurations: **UNECL** 2 = one duplex outlet plus VDM 4 = two duplex outlets plus VDM **UNEIL** 2 = cut out for two outlets 3 = cut out for two outlets and one data/ communications 4 = cut out for four outlets 5 = CALA sized cut out for two outlets 6 = CALA sized cut out for four outlets **Cut Out Orientations:** Horizontal L = left R = right C = centered B = both left and right Vertical T = top or upper section of fascia B = bottom or lower section of fascia F = flush (28" high fascias flush to the floor) **Finishes:** Laminate Flintwood Natural Veneer




fascia basics (continued)

Product Name and Code	Illustration	Description
Solid Power/ Communications Fascia for Freestanding District (Clip Mounted) (UAECL) **and** **Solid International Power/ Communications Fascia for Freestanding District (Clip Mounted) (UAEIL)**		A solid fascia with electrical and communication cut outs that mounts into a panel wall frame with: -Freestanding feet -Accessory rail -The cut out locations are different than a UN__fascia to allow for the placement of freestanding feet below the panel frame -The cut out configurations and orientations available depend on size, see chart see power communications fascias chart **Heights:** 22" and 28"h. -Sizes are nominal, actual sizes are 1/2" less to accommodate a freestanding support foot **Widths:** 24" - 96" in 6" increments **Outlet Configurations:** UAECL 2 = one duplex outlet plus VDM 4 = two duplex outlets plus VDM UAEIL 2 = cut out for two outlets 3 = cut out for two outlets and one data/ communications 4 = cut out for four outlets 5 = CALA sized cut out for two outlets 6 = CALA sized cut out for four outlets **Cut out Locations:** One cut out LL = left RR = right LC = left center RC = right center 2 cut outs LR = left and right CR = left center and right CL = right center and left --See chart see power communications fascias chart **Finishes:** Laminate Flintwood Natural Veneer




fascia basics (continued)

slot-mounted



- The following fascias types mount to the Convertible Panel Wall Frame or Power Spine frame (depending on size). They provide a cost effective alternative to "D-Style" fascias and are unframed. They are also referred to as "L-Style" fascias
- All "L-Style" fascias mount into the panel wall slots
- An "L-Style" fascia can mount into a Flush or Elevated Panel Wall as these frames also contain slots, the clips on the panel walls will remain unused

Product Name and Code	Illustration	Description
Metal Fascia (UNELM)		A metal fascia that mounts into a panel wall frame **Heights:** 6", 7", 9", 13", 15", 22", 24", 26", 28", 30", 35", 37" **Widths:** For 6" - 28" high - 24" - 96" wide (in 6" increments) For 30" and 37" high - 24" - 60" wide (in 6" increments) **Finishes:** Foundation Accent Mica
Metal Fascia for Freestanding District (UAELM)		A metal fascia that mounts into a panel wall frame with: Freestanding feet Accessory rail **Heights:** 6", 22", 28", and 35" -Mounted in the lowest level of the panel -Are used on panel wall frames with an accessory rail -1" less to allow for the thickness of the accessory rail **Widths:** For 6" - 28" high - 24" - 96" wide (in 6" increments) For 35" high - 24" - 60" wide (in 6" increments) **Finishes:** Foundation Mica
Communications Fascia (UNELCM) (shown) and Metal International Power/ Communications Fascia (UNELIM)		A metal fascia with electrical and communication cut outs that mounts into a panel wall frame **Heights:** 7", 13", 22", 26", 28" and 37" Available for above and below worksurface mounting **Widths:** For 7" - 27" high - 24" - 96" wide (in 6" increments) For 37" high - 24" - 60" wide (in 6" increments) **Outlet Configurations:** UNELCM 2 = one duplex outlet plus VDM 4 = two duplex outlets plus VDM -See chart see power communications fascias chart for size restrictions UNEILM 2 = cut out for two outlets 3 = cut out for two outlets and one data/ communications 4 = cut out for four outlets 5 = CALA sized cut out for two outlets 6 = CALA sized cut out for four outlets -See power communications fascias chart for size restrictions **Cut Out Orientations:** Horizontal L = left R = right C = centered B = both left and right -See power communications fascias chart Vertical T = top or upper section of fascia B = bottom or lower section of fascia F = flush (28"h. fascias flush to the floor) -See power communications fascias chart for size restrictions **Finishes:** Foundation Mica





fascia basics (continued)

Product Name and Code	Illustration	Description
Metal Power/ Communications Fascia for Freestanding District (Slot Mount) (UAELCM) **and** **Metal International Power/Communications Fascia for Freestanding District (UAELIM)**		A metal fascia with electrical and communication cut outs that mounts into panel wall frame with: Freestanding feet Accessory rail -The cut out locations are different than a UN__fascia to allow for the placement of freestanding feet below the panel **Heights:** 22", 28" and 35" -Sizes are nominal, actual sizes are 1/2" less to accommodate a support foot **Widths:** 36" - 96" in 6" increments **Outlet Configurations:** UAECLM 2 = one duplex outlet plus VDM 4 = two duplex outlets plus VDM -See power communications fascias chart for size restrictions UAEILM 2 = cut out for two outlets 3 = cut out for two outlets and one data/ communications 4 = cut out for four outlets 5 = CALA sized cut out for two outlets 6 = CALA sized cut out for four outlets -See power communications fascias chart for size restrictions **Cut out Locations:** One cut out LL = left RR = right LC = left center RC = right center -See power communications fascias chart for size restrictions 2 cut outs LR = left and right CR = left center and right CL = right center and left -See power communications fascias chart for size restrictions **Finishes:** Foundation Mica
Tackable Fabric Fascia (UNELF)		A tackable fascia that mounts into a panel wall frame **Heights:** 6", 7", 9", 13", 15", 21" 24", 26" 28", 30", 35, 37 and 41" Fascias are tackable in all heights except 6" and 7" **Widths:** 24" - 96" in 6" increments **Finishes:** Fabric All standard Teknion panel fabrics
Tackable Fabric Fascia for Freestanding District (Slot Mount) (UAELF)		A tackable fascia that mounts into a panel wall frame with: Freestanding feet Accessory rail **Heights:** 6", 22", and 35" -Can only be mounted in the lowest level of the panel -Sizes are nominal, actual sizes are 1/2" less to accommodate a support foot **Widths:** 24" - 96" in 6" increments **Finishes:** Fabric All standard Teknion panel fabrics



fascia basics (continued)

Product Name and Code	Illustration	Description
Tackable Fabric Power/ Communications Fascia (UNELCF) **and** **Tackable Fabric International Power/ Communications Fascia (UNELIF)**		A tackable fascia with electrical and communication cut outs that mounts into a panel wall frame **Heights:** 7", 13", 22", 26", 28", 35", 37" and 41"h. -Available for above and below worksurface mounting -Tackable in all heights except 7"h. **Widths:** 24" - 96" in 6" increments **Outlet Configurations:** UNELCF 2 = one duplex outlet plus VDM 4 = two duplex outlets plus VDM -See power communications fascias chart for size restrictions UNELIF 2 = cut out for two outlets 3 = cut out for two outlets and one data/ communications 4 = cut out for four outlets 5 = CALA sized cut out for two outlets 6 = CALA sized cut out for four outlets -See power communications fascias chart for size restrictions **Cut Out Orientations:** Horizontal L = left R = right C = centered B = both left and right -See power communications fascias chart for size restrictions Vertical T = top or upper section of fascia B = bottom or lower section of fascia F = flush (28"h. fascias flush to the floor) -See power communications fascias chart for size restrictions **Finishes:** Fabric All standard Teknion panel fabrics UNELIF **Bezel Finish:** Black Storm White
Tackable Fabric Power/ Communications Fascia for Freestanding District (UAELCF) **and** **Tackable Fabric International Power/ Communications (UAELIF)**		A tackable fascia with electrical and communication cut outs that mounts into panel wall frame with: Freestanding feet Accessory rail -The cut out locations are different than a UN__fascia to allow for the placement of freestanding feet below the panel **Heights:** 22" and 35"h. -Sizes are nominal, actual sizes are 1/2" less to accommodate a support foot **Widths:** 36" - 96" in 6" increments Outlet Configurations: UAECLM 2 = one duplex outlet plus VDM 4 = two duplex outlets plus VDM -See power communications fascias chart for size restrictions UAEILM 2 = cut out for two outlets 3 = cut out for two outlets and one data/ communications 4 = cut out for four outlets 5 = CALA sized cut out for two outlets 6 = CALA sized cut out for four outlets -See power communications fascias chart for size restrictions **Cut Out Locations:** One cut out LL = left RR = right LC = left center RC = right center -See power communications fascias chart for size restrictions Two cut outs LR = left and right CR = left center and right CL = right center and left -See power communications fascias chart for size restrictions **Finishes:** Fabric All standard Teknion panel fabrics

fascia basics (continued)

Product Name and Code	Illustration	Description
Whiteboard Fascia (UNEMB)		A whiteboard fascia that mounts into a panel wall frame -Available with or without a tray **Heights:** 22", 24", 30" and 37" **Widths:** 36", 42" and 48" **Finishes:** Foundation Mica
Accessory Fascia (UNELA)		An accessory rail that mounts into a panel wall frame **Heights:** 6", 13" and 15" **Widths:** 24" - 96" in 6" increments **Finishes:** Foundation Mica
Metal Base Feed Fascia (UNELMB) (shown)		A 6"h. metal fascia with a cut out that allows power and communication cables to enter a panel wall frame at the base level **Widths:** 36" - 96" in 6" increments **Finishes:** Foundation Mica
Metal Base Feed Fascia for Freestanding Application (UAELMB)		A 6" high metal fascia with a cut out that allows power and communication cables to enter a freestanding panel wall frame at the base level -Height is nominal, actual sizes are 1/2" less to accommodate a support foot **Widths:** 36" - 96" in 6" increments **Cut Out Locations:** Left Right Centered -See power communications fascias chart for location restrictions **Finishes:** Foundation Mica
Fabric Base Feed Fascia (UNELFB)		A 6" high fabric fascia with a cut out that allows power and communication cables to enter a freestanding panel wall frame at the base level **Widths:** 24" - 96" in 6" increments **Cut Out Locations:** Left Right Centered -See power communications fascias chart for location restrictions **Finishes:** Fabric All standard Teknion panel fabrics

fascia basics (continued)

Product Name and Code	Illustration	Description
Fabric Base Feed Fascia for Freestanding District (UAELFB)		A 6"h. fabric fascia with a cut out that allows power and communication cables to enter a freestanding panel wall frame at the base level -Height is nominal, actual sizes are 1/2" less to accommodate a support foot **Widths:** 36" - 96" in 6" increments **Locations:** Left Right Centered -See power communications fascias chart for location restrictions **Finishes:** Fabric All standard Teknion panel fabrics
Fascia Clip Kit (UNELK)		Fascia Clips are required to mount clip-mounted fascias to a Convertible Panel Frame -The quantity required varies depending on the size of the panel wall frame -Kits are available in packages of 25 or 100 clips

fascia basics (continued)

The following charts outline the number of clips required for each clip mounted fascia.


Panel Height	Panel Width	Number of Clips	
		Flush	Elevated
29	24	4	2
29	30	4	2
29	36	4	2
29	42	6	3
29	48	6	3
29	54	6	3
29	60	6	3
29	66	8	4
29	72	8	4
29	78	12	6
29	84	12	6
29	90	12	6
29	96	12	6
42	24	6	4
42	30	6	4
42	36	6	4
42	42	9	6
42	48	9	6
42	54	9	6
42	60	9	6
42	66	12	8
42	72	12	8
42	78	18	12
42	84	18	12
42	90	18	12
42	96	18	12

Panel Height	Panel Width	Number of Clips	
		Flush	Elevated
51	24	6	4
51	30	6	4
51	36	6	4
51	42	9	6
51	48	9	6
51	54	9	6
51	60	9	6
51	66	12	8
51	72	12	8
51	78	18	12
51	84	18	12
51	90	18	12
51	96	18	12
66	24	8	6
66	30	8	6
66	36	8	6
66	42	11	8
66	48	11	8
66	54	11	8
66	60	11	8
66	66	16	12
66	72	16	12
66	78	22	16
66	84	22	16
66	90	22	16
66	96	22	16

planning with fascias


The following should be considered when planning with District Fascias.

clip-mounting vs. slot-mounting




Fascias with Clips ("D" style)

- Intended to mount to Flush or Elevated Panels
- The clip on the fascia connects to the clip on the panel wall frame




- Clip mounted fascias can also be mounted to a Convertible panel frame, however fascia clips will have to be installed on the panel wall frame (Fascia Clip Kit UNELK)



Slot Mounted Fascias ("L" style)


- Intended to mount to Convertible Panel Wall frames
- There are no clips on either the fascia or the frame, the fascias mount into the vertical slots of the frame
- Mounting into the slots will not interfere with slot accessibility for mounted storage or supports




- Slot mounted fascias can also be mounted to a Flush or Elevated panel frame, however the existing clips on the frame will not be used


planning with fascias (continued)


fascia widths







- Fascias can span the entire width of a panel wall frame regardless of whether it is made up of one or two frame sections as the fascias sit outside of the frame
- On panel wall frames that are made up of two frame sections (66" or wider) two equally wide fascias can be specified, one mounting to each section






- Fascia widths can be different on opposite sides of a panel, and above and below the 29" high datum as long as they match the datum heights and the width of the panel frame sections







- Two Stretch Fascias span across a three-way connector to conceal the connector to provide a cleaner aesthetic
- A single stretch fascias **cannot** extend over two panel wall frames and the three-way connect, two fascias are required that meet in the middle of the connector




- Fascias above the 29"datum height are typically split to add functionality to a workstation





- Fascias below the 29" datum height are typically split when worksurface height-adjustability is required
- Height-adjustable cantilevers require the vertical slot on a panel wall to be exposed for mounting (see Supports section)





- Fascias above and below the worksurface can be split to achieve specific power/communication locations
- Fascia widths under 42" have cut outs available only in the center of the fascia, and fascia widths over 66" have power available only on the right or left side, so splitting fascias into smaller sizes can provide power closer to the center of the panel wall





- A fascia over 66" wide must span across two equally sized frames
- Clip mounted fascias have specific clip locations that must line up with the locations on the frames
- Slot mounted fascias are often reinforced at the center point of the fascia so require the slots to attach to


planning with fascias (continued)

fascia heights

- District fascias are available in a variety of heights to achieve different looks and levels of functionality
- The 6" and 29"h. are the only fixed rails


all panel heights (except 42"h)

- The 29" h. datum is always exposed




Monolithic aesthetic

- Segmentation only at the 29" datum height




Below worksurface segmentation for added functionality

- 6" and 29" high horizontal segmentation allows for worksurface and storage mounting



Above worksurface segmentation for added functionality

- If segmentation is required above the 29"h. rail, additional panel wall rails or light block rails are required (ex. above - one additional rail is required at the 51"h. datum)




Reconfigurable fascias


- The same fascia can be used above and below the worksurface to add to the reconfigurability of a panel wall (ex. above - a 6" fascia is used at the base of the panel, and between 36" and 42'h.)

42" high panels only

- Monolithic fascias are available for 42" high panels only



- A 41"h. fascia is used on a Flush or Conventional Panel Wall, and covers the 6" and 29"h. fixed rails




- A 35" h. fascia is used on an Elevated Panel Wall, and covers the 29"h. fixed rail


planning with window fascias

The following should be considered when planning with District Window Fascias.

• Window fascias mount into a panel wall frame, they do **not** mount above the frame




• A panel wall frame up to 60" wide is only one frame section so can accommodate a single window fascia




• A panel wall frame 66" wide and wider consists of two frame sections

• It **cannot** accommodate a single window fascia



• Two equally sized windows must be specified, one will fit into each section of the panel wall frame



• If a single span of glass is desired for panels over 60" wide, the window / UNEW_R must be used as it mounts above the frame

planning with power communications fascias on non freestanding panels

Power and Communication Fascia cut outs are available in a variety of locations depending on the size of the fascia. The following chart is an overview of the available locations.

fascias for non freestanding panels

UNECL Solid Power Communications Fascia (Clip Mount)
UNEIL Solid International Power Communications Fascia (Clip Mount)
UNELCM Metal Power/Communications Fascia (Slot Mount)
UNELIM Metal International Power Communications Fascia (Slot Mount)
UNELCF Tackable Fabric Power/Communications Fascia (Slot Mount)
UNELIF Tackable Fabric International Power Communications Fascia (Slot Mount)


Available
Not Available

Horizontal Power/Communication Orientation															Vertical Power/Communications Orientation						
		Fascia Widths													Fascia Heights						
		24	30	36	42	48	54	60	66	72	78	84	90	96		7	13	21	22	27	28	37
L-Left	All outlet configurations				■	■	■	■	■	■	■	■	■	■	T top		■	■	■	■	■	
R-Right	All outlet configurations				■	■	■	■	■	■	■	■	■	■	B bottom	■	■	■	■			■
B-Both	All outlet configurations							■	■	■	■	■	■	■	F flush					■	■	
C-Center	2 (2 outlets)	■	■	■																		
	3 (2 outlets and 2 data)				■	■	■	■	■	■	■	■	■	■								
	4 (4 outlets)				■	■	■	■	■	■	■	■	■	■								
	5 (2 outlets CALA)	■	■	■																		
	6 (4 outlets CALA)				■	■	■	■	■	■	■	■	■	■								

planning with power communications fascias on non freestanding panels (continued)

horizontal power/communications orientation

single width



Duplex outlet plus VDM (2)

-UNECL Solid Power Communication Fascia

-UNELCM Metal Power Communication Fascia

-UNELCF Fabric Power Communication Fascia


Cut Out for two outlets (2)

-UNEIL International Solid Power Communication Fascia

-UNELIM International Metal Power Communication Fascia

-UNELIF International Fabric Power Communication Fascia

double width



Cut Out for two outlets and one data/communications (3)

-UNEIL International Solid Power Communication Fascia

-UNELIM International Metal Power Communication Fascia

-UNELIF International Fabric Power Communication Fascia

Cut Out for two duplex outlets plus VDM (4)

-UNECL Solid Power Communication Fascia

-UNELCM Metal Power Communication Fascia

-UNELCF Fabric Power Communication Fascia

CALA Cut Out for two outlets (5)

-UNEIL International Solid Power Communication Fascia

-UNELIM International Metal Power Communication Fascia

-UNELIF International Fabric Power Communication Fascia

CALA Cut Outs for four outlets (6)

-UNEIL International Solid Power Communication Fascia


-UNELIM International Metal Power Communication Fascia

-UNELIF International Fabric Power Communication Fascia

planning with power communications fascias on non freestanding panels (continued)


vertical power/communication orientation

top location




13" high | **22" high** | **22" high** | **22" high** | **28" high**

bottom location



7" high | **13" high** | **22" high** | **22" high** | **37" high (available on 60" width only)**

flush location





- When a power and communications fascia is installed on one side of a panel wall only, certain fascias, certain restrictions apply
- A solid fascia is the only clip mounted fascia that can be used on the opposite side
- All slot mounted fascias can be used on the opposite
- If a segmentation is required above the fascia, a light block rail must be used and it must be rotated 90˚ to allow more room inside of the panel frame

planning with power communications fascias on freestanding panels

Power and Communication Fascia cut outs are available in a variety of locations depending on the size of the fascia. The following chart is an overview of the available locations.

fascias for freestanding panels and panels with accessory rail

UAECL Solid Power Communications Fascia (Clip Mount) for Freestanding District

UAEIL Solid International Power Communications Fascia for Freestanding District (Clip Mount)

UAELCM Metal Power Communications Fascia for Freestanding District (Slot Mount)

UAELIM Metal International Power Communications Fascia for Freestanding District (Slot Mount)

UAELCF Tackable Fabric Power Communications Fascia for Freestanding District (Slot Mounted)

UAELIF Tackable International Fabric Power Communications Fascia for Freestanding District (Slot Mounted)

Horizontal Power/Communication Orientation															**Vertical Power/Communications Orientation**						
		Fascia Widths													Fascia Heights						
		24	30	36	42	48	54	60	66	72	78	84	90	96		7	13	21	22	27	28	37
Left (L)	2 (2 outlets), 5 (2 outlets CALA)			■	■	■	■	■							Top (T)		■	■	■	■	■	
Right (R)	2 (2 outlets), 5 (2 outlets CALA)			■	■	■	■	■							Bottom (B)	■	■	■	■			■
Left Center (LC)	2 (2 outlets), 5 (2 outlets CALA)								■	■	■	■	■	■	Flush (F)					■	■	
Right Center (RC)	2 (2 outlets), 5 (2 outlets CALA)								■	■	■	■	■	■								
Left and Right (LR)	3 (2 outlets and 2 data), 4 (4 outlets), 6 (4 outlets CALA)								■	■	■	■	■	■								
Left Center and Right (CR)	3 (2 outlets and 2 data), 4 (4 outlets), 6 (4 outlets CALA)								■	■	■	■	■	■								
Right Center and Left (CL)	3 (2 outlets and 2 data), 4 (4 outlets), 6 (4 outlets CALA)								■	■	■	■	■	■								

■ Available

Not Available

planning with power communications fascias on freestanding panels (continued)


electrical/communication outlet locations

- Careful attention is required when planning with UA_ Power Communication Fascias.
- The support on the freestanding foot extends from the bottom of the panel to the top, so no electrical can be placed above it
- The UA_ fascia has additional location options to accommodate this


The UA_ fascia is not available 24" or 30" wide, when these sizes are required a UN_ power communication fascia must be used

UN_ fascias can be used in freestanding applications, as long as the cut out location is not over a freestanding foot

fascias 36" - 60"



Left (LL)




Right (RR)


fascias 66" - 96"




Left and Right (LR)




Left Center and Right (LC)



Right Center and Left (RC)




Left Center (LC)





Left Center (RC)

planning with power communications fascias on freestanding panels (continued)




The following are recommended configurations for planning power/communication and support foot locations.






base feed fascias

Base Feed Fascias provide a cut out location for bringing power and communications wires into a workstation. The cut out locations vary depending on the width of the panel frame.



- When a 36" - 60" wide fascia is specified the Left and Right cut out will be justified to the outer sides of the fascia



- When a 66" - 96" wide fascia is specified the Left and Right cut out will be justified to the center of the frame

power spine

power spine

UNDERSTANDING POWER SPINE 66

FLOOR FLUSH POWER SPINE BASICS 69

POWER SPINE BASICS 70

PLANNING WITH POWER SPINE, TOP TRIMS & SCREENS 74

PLANNING WITH POWER SPINE FASCIAS 75

PLANNING WITH POWER SPINE FASCIA CUT OUTS 80

PLANNING WITH POWER SPINE ELECTRICS 81

PLANNING WITH POWER SPINE LATERAL FLOOR SCREENS 83

PLANNING WITH POWER SPINE LATERAL FLOOR SCREENS WITH RETURN 84

OPEN FRAME BASICS 85

PLANNING WITH OPEN FRAMES 86

SLIDING SCREEN BASICS 87

PLANNING WITH SLIDING SCREENS 88

BRACKET & ANCHOR FOR HEIGHT-ADJUSTABLE TABLE BASICS 89

PLANNING WITH POWER SPINE LATERAL FLOOR SCREEN DATUM HEIGHTS 90

UNDERSTANDING POWER SPINE WORKSURFACE 92

POWER SPINE WORKSURFACE & WORKSURFACE SUPPORT BASICS 93

PLANNING WITH POWER SPINE WORKSURFACE 97

PLANNING WITH POWER SPINE RECTANGLE WORKSURFACE 99

PLANNING WITH POWER SPINE ZIG ZAG PANEL & WORKSURFACE . . . 101

PLANNING WITH POWER SPINE 120 HUB & WORKSURFACE 102

POWER SPINE HISPACE QUICK CONNECT TABLE BASICS 103

PLANNING WITH POWER SPINE HISPACE QUICK CONNECT TABLE . . . 106

understanding power spine

District Power Spine offers a simple and cost effective way to divide space and route power and data. It is available in Linear, Zig Zag and 120 Hub profiles.

linear and floor flush profile

Power Spine provides affordable power delivery, flexible planning and simple to specify linear planning.



zig zag profile

Zig Zag Power Spine provides an unique expression that gives the user the feeling of their own corner or nook.



120 hub profile

This 120˚ Hub offers privacy for heads down work, while optimizing the space in any office environment.



understanding power spine (continued)

Power Spine is designed to match the style of District although it is not a panel, it is a power spine. It has unique components and uses many components from District to complete a power spine configuration.

The unique components include:
- panel frame
- support kit
- lateral screens
- worksurface kits
- power spine specific to hiSpace tables
- base feed cover

The shared District components include:
- fabric, metal and solid fascias 13", 26", 35" and 41" height only
- top and end trims
- add-on glass, felt and infinity screens
- desk mounted screens
- electrics

It can be planned with Floor Flush Linear, Linear, Zig Zag and 120 Hub configurations.

The Linear, Zig Zag and 120 Hub configurations offer a 15'' high opening at the bottom of the panel.

Two frame heights are available for Linear, Zig Zag and 120 Hub:
- 29" (accepts a 13" add-on screens for an overall height of 42")
- 42" (accepts a 9" add-on screens for a maximum overall height of 51")

Floor Flush Power Spine heights are available:
- 29" (accepts a 28'' or 22'' + 6'' base feed fascia)
- 42'' (accepts a 41" or 35" + 6" base feed fascia)

Power Spine can be planned for various applications from freestanding height-adjustable tables to fixed worksurfaces to casual lounge environments.

The following typicals demonstrate layouts possible with Power Spine.

with height-adjustable tables

Mobile furniture and height-adjustable tables can be placed along the spine to meet task-intensive needs, yet still allow the furniture to be repositioned as needed.





understanding power spine (continued)

with fixed worksurfaces

Semi-suspended worksurfaces combined with floor screens provide a more conventional workstation.



with casual lounge furniture


The spine provides space division and power access in casual environments and open collaborative spaces.




floor flush power spine basics

The Power Spine structure consists of a frame and support kit. End and top trims, fascias, screens and electrical components are added from the District offering.


- Module Widths: 48", 60", 66", 72", 84"
- Overall Widths: 96", 120", 132" 14A", 144", 168", 180", 192", 198", 216", 240", 288", 252", 264" 336"
- Power Spine widths over 240" recommend lateral screens at the ends for support






Floor Flush Power Spine (UNFF)

- Height: 29"
- Compatible with:
  - Standard District Top Trims and End Trims
  - Panel Wall Add-On Screens - Glass
  - Panel Wall Add-On Screens - Felt
- Fascias:
  - 28" high or 22"+ 6" base feed fascia
  - For metal/fabric fascias choose: Frame for Metal/Fabric
  - For solid fascias choose: Frame for Solid Fascia
- Can accommodate semi suspended worksurfaces since the mounting channel at 29" high remains accessible



Floor Flush Inset Power Spine (UYFF)

- Height: 29", 42"
- Compatible with:
  - District Panel Top Trim for Panels with Inset Glass (6mm and 10mm)
  - District Panel Top Trim for Panels with Inset Smooth Felt
  - Panel Top Trim for Panels with Inset Glass
  - Panel Glass Blade for Panels with Inset Glass (6mm and 10mm)
  - Smooth Felt Blade for Panels with Inset
- Fascias:
  - 41" high or 35"+6" base feed fascia
  - For metal/fabric fascias choose: Frame for Metal/Fabric
  - For solid fascias choose: Frame for Solid Fascia
- Cannot accommodate worksurfaces on the 29" high frame
  - 29" high datum is inaccessible due to the frame structure for inset glass or felt screens
  - 42" high panel



Floor Flush Power Spine Support Kit (UZFF)

- Height: 29", 42"
- Components include:
  - large or medium feet (levelers between if needed)
- Large feet are 18" deep
- Medium feet are 12" deep
- Number of large and medium is dependent on support kit selected. Refer to chart on price page
- Finishes:
  - Foundation
  - Mica
  - Accent

power spine basics

The Power Spine structure consists of a frame and support kit. End and top trims, fascias, screens and electrical components are added from the District offering.

linear


Power Spines are specified the complete length of the configuration and not as individual modules.


The Support Kit is also specified the complete length so that the proper amount of feet and posts are included.

• Module Widths: 48", 60", 66", 72", 84"

• Overall Widths: 96", 120", 132", 14A", 144", 168", 180", 192", 198", 216", 240", 288", 252", 264", 336"

Power Spine widths over 240" recommend lateral screens at the ends for support.






Power Spine Panel (UNPZ)

• Height: 29"

• Compatible with:
- Standard District Top and End Trims
- Panel Wall Add-On Screens - Glass
- Panel Wall Add-On Screens - Felt

• Can accommodate semi-suspended worksurfaces since the mounting channel at 29"high remains accessible

• Fascias:
- 13" metal/fabric fascia paired with Frame for Metal/Fabric
- 13" solid fascia paired with Frame for Solid Fascias



Power Spine Inset Panel (UYPZ)


• Height: 29", 42"

• Compatible with:
- District Panel Top Trim for Panels with Inset Glass (6mm and 10mm)
- District Panel Top Trim for Panels with Inset Smooth Felt
- Panel Top Trim for Panels with Inset Glass
- Panel Glass Blade for Panels with Inset Glass (6mm and 10mm)
- Smooth Felt Blade for Panels with Inset
- Infinity Add-On Blade with Panel Top Trim for Panels with Inset Glass (UYTT) (6mm)

• Fascias for 29" high
- 13" metal/fabric fascia paired with Frame for Metal/Fabric
- 13" solid fascia paired with Frame for Solid Fascias

• Fascia for 42" high
- 26" metal/fabric fascia paired with Frame for Metal/Fabric
- 26" solid fascia paired with Frame for Solid Fascias

• Cannot accommodate worksurfaces on the 29" high frame
- 29" and 42" high datum is inaccessible due to the frame structure for inset glass or felt screens



Power Spine Support Kit (UZPK)

• Height: 29", 42"

• Components include:
- bottom trim
- leg covers
- large or medium feet and post feet

• Support Types:
- no support post
- with center support post
- with offset support post

• Large feet are 18" deep

• Medium feet are 12" deep

• The number of large and medium feet is dependent on support kit selected. Refer to chart on price page

• Finishes:
- Foundation
- Mica
- Accent

power spine basics (continued)


zig zag


Zig Zag Power Spines are specified the complete length of the configuration and not as individual modules. Includes a centralized single post at each junction.

The Support Kit is also specified the complete length so that the proper amount of feet and posts are included.

The Zig Zag spine is offered in spine lengths of three, four or five segments of standard module sizes, where the in line Power Spine is limited to four.


- Standard Height: 29"
- Inset Height: 29", 42"
- Module Widths: 48", 60", 72", 84"
- Overall Widths: 14A, 180", 192", 216", 240", 24A, 252", 288", 300", 336", 360", 420"






Power Spine Zig Zag (UNZZ)

- Height: 29"
- Compatible with:
  - Standard District Top and End Trims
  - Panel Wall Add-On Screens - Glass
  - Panel Wall Add-On Screens - Felt
- Can accommodate semi-suspended worksurfaces since the mounting channel at 29"high remains accessible
- Fascias:
  - 13" metal/fabric fascia paired with Frame for Metal/Fabric
  - 13" solid fascia paired with Frame for Solid Fascias



Power Spine Zig Zag Inset Panel (UYZZ)

- Height: 29", 42"
- Compatible with:
  - District Panel Top Trim for Panels with Inset Glass (6mm and 10mm)
  - District Panel Top Trim for Panels with Inset Smooth Felt
  - Panel Top Trim for Panels with Inset Glass - Panel Glass Blade for Panels with Inset Glass (6mm and 10mm)
  - Smooth Felt Blade for Panels with Inset
  - Infinity Add-On Blade with Panel Top Trim for Panels with Inset Glass (UYTT) (6mm)
- Fascias for 29" high
  - 13" metal/fabric fascia paired with Frame for Metal/Fabric
  - 13" solid fascia paired with Frame for Solid Fascias
- Fascia for 42" high
  - 26" metal/fabric fascia paired with Frame for Metal/Fabric
  - 26" solid fascia paired with Frame for Solid Fascias
- Cannot accommodate worksurfaces on the 29" high frame
  - 29" high datum is inaccessible due to the frame structure for inset glass or felt screens
  - 42" high panel



Power Spine Zig Zag Support Kit (UZZK)

- Height: 29", 42"
- Components include:
  - top cap
  - vertical trims
  - connectors
  - gaskets
  - shared feet
  - bottom trims and covers
  - two large feet
  - support feet
  - leg covers
- Large feet are 18" deep
- The number of large and medium feet is dependent on support kit selected. Refer to chart on price page
- Finishes:
  - Foundation
  - Mica
  - Accent


power spine basics (continued)

120 hub panel

The 120 Hub consists of three panels in a 120˚ configuration and is specified as a complete frame The Support Kit is also specified as a complete unit.


- Standard Height: 29"
- Inset Height: 29", 42"
- Module Widths: 48", 60"






Power Spine 120 Hub Panel (UNYH)

- Height: 29"
- Compatible with:
  - Standard District Top and End Trims
  - Panel Wall Add-On Screens - Glass
  - Panel Wall Add-On Screens - Felt
- Can accommodate semi-suspended worksurfaces since mounting channel at 29" high the remains accessible
- 13" fabric or metal fascias are specified with this frame
- Fascias:
  - 13" metal/fabric fascia paired with Frame for Metal/Fabric
  - 13" solid fascia paired with Frame for Solid Fascias



Power Spine 120 Hub Inset Panel (UZYH)

- Height: 29", 42"
- Compatible with:
  - District Panel Top Trim for Panels with Inset Glass (6mm and 10mm)
  - District Panel Top Trim for Panels with Inset Smooth Felt
  - Panel Top Trim for Panels with Inset Glass
  - Panel Glass Blade for Panels with Inset Glass (6mm and 10mm)
  - Smooth Felt Blade for Panels with Inset
  - Infinity Add-On Blade with Panel Top Trim for Panels with Inset Glass (UYTT) (6mm)
- Fascias for 29" high
  - 13" metal/fabric fascia paired with Frame for Metal/Fabric
  - 13" solid fascia paired with Frame for Solid Fascias
- Fascia for 42" high
  - 26" metal/fabric fascia paired with Frame for Metal/Fabric
  - 26" solid fascia paired with Frame for Solid Fascias
- Cannot accommodate worksurfaces on the 29" high frame
  - 29" high datum is inaccessible due to the frame structure for inset glass or felt screens
  - 42" high panel








Power Spine 120 Hub Support Kit (UZYK)

- Height: 29", 42"
- Components include:
  - top cap
  - connectors
  - gaskets
  - central post
  - bottom trims
  - three med feet are 12" deep
- The number of large and medium is dependent on support kit selected (see chart)
- Finishes:
  - Foundation
  - Mica
  - Accent

power spine basics (continued)

The following chart shows the number of panels within a Power Spine span.

POWER SPINE LINEAR		
		
CENTER POST	**OFFSET POST**	**NO POST**
120 (two 60" panels)	14A (one 48" panel, one 96" panel)	96 (one 96" panel)
132 (two 66" panels)	180 (one 60" panel, one 120" panel)	120 (one 120" panel)
14A (three 48" panels)	192 (two 48" panels, one 96" panel)	192 (two 96" panels)
144 (two 72" panels)	240 (two 60" panels, one 120" panel)	240 (two 120" panels)
168 (two 84" panels)		
180 (three 60" panels)		
192 (four 48" panels)		
198 (three 66" panels)		
216 (three 72" panels)		
240 (four 60" panels)		
252 (three 84" panels)		
264 (four 66" panels)		
288 (four 72" panels)		
336 (four 84" panels)		


FLOOR FLUSH POWER SPINE	POWER SPINE ZIG ZAG	POWER SPINE 120
		
096 (one 96" panels)	14A (three 48" panels)	48 (three 48" panels)
120 (two 60" panels)	180 (three 60" panel)	60 (three 60" panels)
132 (two 66" panels)	192 (four 48" panels)	
14A (three 48" panels)	216 (three 72" panels)	
144 (two 72" panels)	240 (four 60" panels)	
168 (two 84" panels)	24A (five 48" panels)	
180 (three 60" panels)6	252 (three 84" panels)	
192 (four 48" panels)	288 (four 72" panels)	
198 (three 66" panels)	300 (five 60" panels)	
216 (three 72" panels)	336 (four 84" panels)	
240 (four 60" panels)	360 (five 72" panels)	
252 (three 84" panels)	420 (five 84" panels)	
264 (four 66" panels)		
288 (four 72" panels)		
336 (four 84" panels)		

planning with power spine, top trims & screens


The following should be considered when planning with Power Spine Panels and Panel Spine support kits.

Two frame types are available for Floor Flush, Linear, Zig Zag and Hub Power Spine Panels.


power spine panel



- Accepts a standard top trim
- If an add-on is desired, the top trim is replaced with a standard Panel Wall Add-On Screen – Glass or Felt Screen
- Must be used when semi-suspended worksurfaces are specified to allow access to the horizontal mounting rail




- Accepts add-on screen glass




- Accepts add-on screen felt


power spine inset panel




- Accepts a Panel Top Trim with Inset Glass, Infinity Fabric Blade or Felt
- Inset Panels are compatible with all Top Trim options
- **Cannot** be used when semi-suspended worksurfaces are specified as there is no horizontal mounting rail available



- Accepts panel glass blade



- Accepts panel felt blade



- Accepts infinity blade


End trims, top trims and fascias are specified from the standard District product offering for all Panel Spine types:

- One solid, metal or fabric fascia is required on each side of a module


planning with power spine fascias

The following should be considered when planning with power spine fascias.

linear power spine




Example: 288" Power Spine
- Panels 29" high consisting of four 72" wide modules




Example: 288" Power Spine
- Panels 42" high consisting of four 72" wide modules

floor flush power spine




Example: 288" Floor Flush Power Spine
- Panels 29" high consisting of four 72" wide modules




Example: 288" Floor Flush Power Spine
- Panels 42" high consisting of four 72" wide modules

planning with power spine fascias (continued)

zig zag spine




Example: 288" Power Spine
- Panels 29" high consisting of four 72" wide modules




Example: 288" Power Spine
- Panels 42" high consisting of four 72" wide modules

power spine 120 hub



Example: 288" Power Spine
- Panels 29" high consisting of three 60" wide modules



Example: 288" Power Spine
- Panels 42" high consisting of three 60" wide modules

planning with power spine fascias (continued)

Linear Power Spine frames are available in three configurations.


All support kits have a foot at each end as well as additional feet and support along the length depending on the size and configuration.

no support (N)

Allows for large spans without feet in these conditions:

- When no add-ons are used
- When felt screen add-ons are used


Cannot be used with glass add-on screens.



29" high frame shown

center support (C)

- Used when glass panel add-ons are used
- It provided the additional support required for the glass




29" high frame shown

offset support post (F)


The offset placement allows for less visible support locations on a spine and is used when:

- When no add-ons are used
- When felt screen add-ons are used

Cannot be used with glass add-on screens.




29" high frame shown




42" high frame shown


planning with power spine fascias (continued)


The Floor Flush Power Spine includes two large feet at the ends and levelers or medium feet, depending on the width span chosen.







The Power Spine Zig Zag panel always has a center support.






The Power Spine 120 Hub panel always has a center support.






planning with power spine fascias (continued)


Additional rules also apply when planning with Linear and Floor Flush Power Spine.




Any spine run length can be done as long as there is a support foot every 96".



Any 29" high Power Spine with no center support or offset support must be planned with a Smooth Felt Add On on top of the Power Spine.



Spine Frame at 29" high with 120", 180" or 240" wide without Felt or Add-on Screens cannot plan with any offset (F) or no support (N) options.



Spine runs with a span of 120" must be planned with a continuous PET Panel Wall Add-On Screens.


Cannot span only a partial width.

Any type of add-on screens should run the entire length of the spine.

planning with power spine fascia cut outs


power/communications fascias

The examples below are shown with Tackable Fabric Power/Communication Fascias (Slot Mount) (UNELCF) shown at 41" height.



base feed fascias

The examples below are shown with Fabric Base Feed Fascia (Slot Mount) (UNELFB) shown at 41" height.



planning with power spine electrics


The following should be considered when planning with power spine electrics.

The Power Spine uses standard District electrics.


The frame includes the following:
- Specific pass through for data cables with a capacity of 12 CAT6A cables (100% fill rate)
- Standard pass-though for power harnesses
- A cut out on the bottom frame to allow a base feed or ceiling feed to be installed in the interior of the frame

The following demonstrates how power enters Floor Flush, Linear, Zig Zag or 120 Hub Power Spines.


ceiling feed




- The liquid cable extends through the cut out in the bottom of the frame, over the foot and into the power pole
- It then routes up to the ceiling




The base feed has a liquid tight cable that extends through the cut out in the bottom of the frame to the floor and remains exposed.






On frame modules 60" wide or wider, both can be placed in the same module.




- On frame modules 48" wide the base feed and power module must be placed in separate frame modules




- 48" wide frame modules cannot accommodate both a base feed and power module, there isn't sufficient space for both

planning with power spine electrics (continued)


Zig Zag and 120 Hub configurations have specific electrical requirements.



- In Power Spine Zig Zag configurations with parallel worksurfaces, longer harnesses will be required to make up the distance between power boxes
- Routing multiple harnesses through the connections is not recommended



- In Power Spine Zig Zag configurations with dual perpendicular worksurfaces, power access will be limited to one power module for two users
- Parallel planning is best suited for the smaller 48" and 60" modules where Perpendicular planning is better for the larger modules to sufficient back to back space for the users



- When the Power Spine 120 Hub panel modules are 48" wide, the basefeed kit and power box cannot be in the same module
- The base feed will have to be installed on the exterior of the panel


planning with power spine lateral floor screens


The following should be considered when planning with power spine lateral floor screens in linear applications.

Screens are available in the following configurations.

end mount double, handed

- Screens mount to the end of the spine panel run and extent to the mid point of the frame to provide a clean aesthetic on the outside of the workstations
- End Trim is not required on the panel frame in this application






end mount shared, non-handed

- Screen mounts centered on the outside of the panel frame
- End Trim is not required on the panel frame in this application






end mount single, handed


- Screen mounts outside of the panel frame and extends completely across the end of the frame to provide a clean aesthetic to the outside of the workstations in single sided applications






mid spine, handed

- Screen mounts mid run at a location with a support post







planning with power spine lateral floor screens with return

Handedness is determined by where the bracket is on the screen when the user is facing the workstation.

end mount single, with return


- End mount single (ES) Screen mounts outside of the panel frame and extends completely across the end of the frame to provide a clean aesthetic to the outside of the workstations with a return for added privacy






end mount double, with return


- End Mount Double (EB) Screens mount to the end of the spine panel run and extent to the mid point of the frame to provide a clean aesthetic on the outside of the workstations with returns for added privacy
- End Trim is not required on the panel frame in this application






mid spine, with return


- Mid Spine (MS) Screen mounts mid run at a location with a return determined by handedness






mid spine, shared return

- Mid Spine (MS) Screen mounts mid run at a location with shared return for added privacy






open frame basics


The Open Frame add on is compatible with a Linear or Floor Flush 29" high Power Spine panel or District panels at 29" high. This addition creates a 51" high or 57" datum, with adjustable privacy through the use of the sliding screens.





Open Frame 29" High Panel, Standard (UNAF)

- Datum Heights: 51" (22") or 57" (28")
- Widths: 48" - 96" (6" increments)
- Compatible with Standard Power Spine Panels at 29" high:
  - Linear (UNPZ)
  - Floor Flush (UNFF)
- Compatible with District Power Spine Panels at 29" high:
  - District Flush Panel Wall (UNPFR)
  - District Elevated Panel Wall (UNPER)
  - Convertible Panel Wall (UNPC)
- Not compatible with 96" Linear or Floor Flush Power Spine
- Four configurations:
  - Beginning (B)
  - Middle (M)
  - Finish (F)
  - Complete (C)




Open Frame 29" High Panel, Inset (UYAF)

- Datum Heights: 51" (22") or 57" (28")
- Widths: 48" - 96" (6" increments)
- Compatible with Power Spine Inset Panels at 29" high:
  - Linear (UYPZ)
  - Floor Flush (UYFF)
- Compatible with District Inset Panels at 29" high:
  - District Flush Panel Wall with Inset (UYPFR)
  - District Elevated Panel Wall with Inset (UYPER)
  - Convertible Panel Wall with Inset (UYPCR)
- Not compatible with 96" Linear or Floor Flush Power Spine
- Four configurations:
  - Beginning (B)
  - Middle (M)
  - Finish (F)
  - Complete (C)


planning with open frames

The following should be considered when planning with Open Frame.




The Open Frame is available in two heights to have a 51" high datum or 57" high datum.

Open Frame can be specified as a complete frame or linked together to form longer runs.
To create a longer span a combination beginning, middle and finish can be specified.



Complete open frame on a 192" width Floor Flush Power Spine.




Beginning, Middle, Finish in a 180" width Power Spine.

sliding screen basics

The Sliding Screens for Open Frame add flexible privacy feature to the Open Frame.





Sliding Fabric for Open Frame (UNXF)

- Height: 14", 20", 26"
- Width: 23" - 53" (3" increments)
- Not all panel and upholstery fabric are available. For more information, see the *Textiles Program Guide*



Sliding Smooth Felt Screen for Open Frame (UNZF)


- Height: 14", 20", 26"
- Width: 23"- 53" (3" increments)
- Available in all Smooth Felt color options
- Optional Diagonal Pattern on one side


planning with sliding screens

The following should be considered when planning with Sliding Screens for Open Frame.

The Sliding Screens for Open Frame add in the flexible privacy feature to the Open Frame.


The Screens are available in Smooth Felt or Fabric materials.





- The recommended screen sizes for each panel width has an approximate 6" overlap (example: for a 72" wide panel, should have with two dividers at 41" wide)
- The pattern on the Smooth Felt sliding screen can be placed on either of the two sliding tracks of an Open Frame and can be adjusted on site


Sliding Screen is available with a diagonal pattern.




Diagonal

bracket & anchor for height-adjustable table basics

Height-Adjustable Tables tether to a lateral screen with the use of the Bracket or Anchor.







Anchor for Height-Adjustable Table (UZAS)

- An anchor to tether a hiSpace/Navigate Height-Adjustable Table to the return of a lateral screen
- Anchor Options:
  - hiSpace (H)
  - hiSpace Slide (S)
  - hiSpace (6" frame reduction) (F)
  - hiSpace Slide (6" frame reduction) (G)
  - Navigate (N)
- Installed on-site
- Not compatible with worksurfaces with desk-mounted screens



Bracket for Height-Adjustable Table (UZBS)


- A bracket to tether a hiSpace/Navigate Height-Adjustable Table to a lateral screen from the foot of the table
- Bracket Options:
  - hiSpace (H)
  - hiSpace Slide (S)
  - hiSpace Round Leg (R)
  - Navigate 23" Depth/ 29" Depth (N)
  - Navigate 35" Depth (P)
- Installed on-site
- Not compatible with worksurfaces with desk-mounted screens

planning with power spine lateral floor screens datum heights

- Lateral screens are available with two datum height options for the glass:
  - from 29"
  - from 42"
- Can be used on either Power Spine Panel or Power Spine Inset Panel with inset glass depending on the application

29" high panel walls


- Panel Wall Add-On Screen - Glass has a 2" high metal frame bringing the glass datum height to 31" high when mounted to a panel
- It is recommended that the 31" glass option be selected for the Lateral Screen so that the datum heights align




Recommended Lateral Screen: 31" high solid with 11" glass.

29" and 42" high power spine with panel glass blade for panels with inset glass

- Inset Panel Wall Add-On Screen - Glass has no metal frame so the datum height remains at 29" or 42" high when mounted to a panel
- It is recommended that the 29" glass option be selected for the Lateral Screen when used with the 29" high panel and 42" high glass option be selected when used with the 42" high option




Recommended Lateral Screen: 29" high solid with 13" glass.




Recommended Lateral Screen: 42" high solid with 9" glass.

Two height options can be used in single sided applications with Add-On Screens on 29" high panels depending on the desired aesthetic.




Lateral screen with 31" high solid and glass above:
- the solid part of the screen and the solid part of the glass add-on trim will align



Lateral screen with 29" high solid and glass above:
- the solid part of the screen and the top of the panel will align


planning with power spine lateral floor screens datum heights (continued)

mid run applications



- In mid run applications it is recommended that the 29" high lateral screen with glass above be used
- This aligns the solid portion of the lateral screen or with the top of the panel frame eliminating unnecessary height changes an gaps

42" high panel walls




Only one option is available for adding glass to a 42" high panel

- Inset Glass Screen (the glass is inset, so no trim is visible, the datum height remains at 42")

Lateral Floor Screens provide support to panels when

- The maximum number of panel sections is four and the overall length does not exceed 192" (ex. 4 x 48" sections = 192")
- Reminder: panels over 60" wide consist of two panel sections, so 2 x 48" wide sections is the equivalent of 1 x 96" wide panel
- The maximum number of panels sections is three when 60" wide panels are used and the overall length does not exceed 180" (ex. 3 x 60" sections - 180")
- Panel heights do not exceed 51" high



understanding power spine worksurface

District Power Spine provides a variety of worksurfaces and worksurface support bundles for Floor Flush, Linear and 120 planning. The following outlines the features of District Power Spine worksurfaces and Worksurface Support bundles.

District Worksurfaces for Power Spine Panels are available in a variety of styles for both height-adjustable and fixed applications.

rectangular



Rectangular worksurfaces can be applied in Floor Flush, Linear and Zig Zag Perpendicular and Parallel planning.

dual angled and 120 angled



Angled worksurfaces can be applied in Zig Zag Perpendicular and 120 Hub planning.

parallelogram



Parallelogram worksurfaces can be applied in Zig Zag Perpendicular and 120 Hub planning.

120 hub



120 Hub Worksurfaces can be applied 120 Hub planning.


power spine worksurface & worksurface support basics

The Rectangular Worksurface and Support bundle is used in Floor Flush, Linear and Zig Zag applications.




Finishes:

- Worksurface Finishes:
  - Foundation Laminate
  - Flintwood
  - Natural Veneer
- Grommet Finishes
  - Storm White
  - Espresso
  - Platinum
  - Very White
- Support Finishes:
  - Foundation Colors
  - Mica Colors
  - Accent Colors



Power Spine Rectangle Worksurface (UZWE)

- Depths: 24", 30"
- Widths: 48", 54", 60", 66" 72"
- Edge:
  - (8) Flat
  - (H) Full Knife
- Optional grommets
- Applications:
  - (A) Freestanding - four legs
  - (B) Perpendicular (panel mounted) - two legs



Power Spine Rectangular Worksurface Support Bundle (UZWC)

- Used with the Power Spine Rectangle Worksurface.
- Depths: 24", 30"
- Widths: 48", 54", 60", 66", 72"
- Leg Type:
  - (L) Standard Leg
- Includes legs, mounting brackets and reinforcement channels depending on application
- Applications:
  - (A) Freestanding - four legs
  - B) Perpendicular - two legs, two brackets


power spine worksurface and worksurface support basics (continued)

The Parallelogram Worksurface and Support Bundle for Zig Zag and 120 Hub planning for semi-supported applications.




Finishes:

- Worksurface Finishes:
  - Foundation Laminate
  - Flintwood
  - Natural Veneer
- Grommet Finishes
  - Storm White
  - Espresso
  - Platinum
  - Very White
- Support Finishes:
  - Foundation Colors
  - Mica Colors
  - Accent Colors



Power Spine Parallelogram Worksurface (UZWP)

- Depths: 24", 30"
- Widths: 48", 54", 60", 66", 72"
- Edge:
  - (8) Flat
  - (H) Full Knife
- Optional grommets
- Handedness:
  - (LH) Left Hand
  - (RH) Right Hand
- Applications:
  - (A) Freestanding - four legs
  - (C) Perpendicular - two legs
  - (D) Parallel - one legs



Power Spine Parallelogram Worksurface Support Bundle (UZWK)

- Used with the Power Spine Rectangle Worksurface.
- Depths: 24", 30"
- Widths: 48", 54", 60", 66", 72"
- Handedness:
  - (LH) Left
  - (RH) Right
- Leg Type:
  - (C) Standard Leg for Curved Radius
- Applications:
  - (A) Freestanding - four legs
  - (C) Parallel - two legs, two brackets
  - (D) Perpendicular - one legs, three brackets


power spine worksurface and worksurface support basics (continued)

The Dual 120 Angled Worksurface and Support Bundle for 120 Zig Zag Perpendicular planning for semi-supported applications.




Finishes:

- Worksurface Finishes:
  - Foundation Laminate
  - Flintwood
  - Natural Veneer
- Grommet Finishes
  - Storm White
  - Espresso
  - Platinum
  - Very White
- Support Finishes:
  - Foundation Colors
  - Mica Colors
  - Accent Colors




Power Spine Dual 120 Angled Worksurface (UZWD)

- Depths: 48", 60"
- Widths: 48", 54", 60", 66", 72"
- Edge:
  - (8) Flat
- Optional grommets
- Applications:
  - Perpendicular - two legs
- Includes two angled worksurfaces




Power Spine Dual Angled Worksurface Support Bundle (UZDK)

- Used with the Power Spine Rectangle Worksurface
- Depths: 48", 60"
- Widths: 48", 54", 60", 66", 72"
- Leg Type:
  - (L) Standard Leg
- Applications:
  - (B) Perpendicular - two legs, two brackets



Power Spine Angled Worksurface (UZWA)

- Depths: 24", 30"
- Widths: 48", 54", 60", 66", 72"
- Edge:
  - (8) Flat
  - (H) Full Knife
- Optional grommets
- Handedness:
  - (LH) Left Hand
  - (RH) Right Hand
- Applications:
  - (B) Perpendicular - two legs
  - (D) Parallel - one leg



Power Spine Angled Worksurface Support Bundle (UZWB)

- Used with the Power Spine Rectangle Worksurface.
- Depths: 24", 30"
- Widths: 48", 54", 60", 66", 72"
- Handedness:
  - (LH) Left
  - (RH) Right
- Leg Type:
  - (L) Standard Leg
- Applications:
  - (B) Perpendicular - two legs, two brackets
  - D)Parallel - one leg, three brackets
- Leg Type:
  - (L) Standard Leg
- Applications:
  - (B) Perpendicular - two legs, two brackets
  - (D) Parallel - one leg, three brackets


power spine worksurface and worksurface support basics (continued)


120 Hub Corner Worksurface to be supported by two legs and three brackets.



Finishes:

- Worksurface Finishes:
  - Foundation Laminate
  - Flintwood
  - Natural Veneer
- Grommet Finishes
  - Storm White
  - Espresso
  - Platinum
  - Very White
- Support Finishes:
  - Foundation Colors
  - Mica Colors
  - Accent Colors





Power Spine 120 Hub Worksurface (UZWT)

- Depths: 24", 30"
- Widths: 48", 60"
- Edge:
  - (8) Flat
  - (H) Full Knife
- Optional grommets
- Applications:
  - (E) Semi-Supported - two legs

Power Spine 120 Hub Worksurface Support Bundle (UZWW)

- Used with the Power Spine Rectangle Worksurface.
- Depths: 24", 30"
- Widths: 48", 60"
- Leg Type:
  - (L) Standard Leg
- Applications:
  - (E) Semi Supported - two legs

planning with power spine worksurface

The following should be considered when planning with Power Spine Worksurfaces.

The support configuration for fixed worksurfaces varies depending on the worksurface style and mounting condition.

freestanding planning




4x legs on all corners.

perpendicular applications



- Two legs on one end of the worksurface
- Two brackets on the opposite end (attached to powerspine)

parallel applications



- Two legs on the front side of the worksurface
- Two brackets on the panel side (attached to powerspine)

parallel and 120 hub applications



- One leg on the corner of the worksurface
- Three brackets on the panel side (attached to powerspine)

Knife Edges on worksurfaces will vary depending on the worksurface type and application.

rectangular, angled and parallelogram




Four knife edges




Three knife edges


120 hub



Three knife edges

Parallelogram worksurfaces **cannot** be used for perpendicular planning, Angled Worksurfaces should be used.





Parallelogram worksurfaces have radiused corners, the amount is determined by the application.

four legs (freestanding)




All corners are radiused.

two legs and two brackets



Two corners are radiused.


one leg and three brackets




Two corners are radiused.

planning with power spine worksurface (continued)


The depth and width of Angled and Parallelogram worksurfaces is determine by the following:
- The nominal depth is the distance from the user edge to the face of the panel
- The nominal width matches the width of the panel that the worksurface sits in front of



All Angled, Parallelogram and 120 Hub Semi-Suspended Worksurfaces follow the District worksurface protocol and have a 1" gap on all panel facing sides.




Angled and Parallelogram worksurfaces are handed.
- The handedness is determined by the location of the acute angled corner from the users perspective




The 120 Hub Worksurface has slight differences depending on whether it's use fixed or height adjustable.

- The width on height-adjustable surfaces is 1" less on each side
- The grommet locations are different:
  - The fixed worksurface grommets are inset 6-2/5" on center
  - The height-adjustable worksurface grommets are inset 3-2/5"

fixed




height-adjustable




planning with power spine rectangle worksurface


The following should be considered when planning with rectangular worksurfaces and support kits in linear applications.




Worksurfaces mount perpendicular to the Power Spine Panel.



Worksurfaces **cannot** be mounted parallel to the panels.




Worksurfaces **cannot** be used as a return worksurface.




Off module planning
• For 48" and 60" frame modules, worksurfaces **cannot** be planned off module.

planning with power spine rectangle worksurface (continued)

When planning with lateral screens and semi-suspended worksurfaces the screens can be planned in two ways:



- Attached to the panel and not the worksurface
  - a foot is required on screens 48" wide or wider
- Semi-suspended worksurfaces **cannot** be used with 42" high panels
- Semi-suspended worksurfaces **cannot** be used with inset panels




- The worksurface mounted screen has fixed bracket locations, the width of the screen must be equal to or smaller than the width of the worksurface
- Not designed to support the worksurface

planning with power spine zig zag panel & worksurfaces


The following should be considered when planning with Zig Zag worksurfaces and support kits in linear applications.

Zig Zag Power Spine panels can accept a variety of worksurface types.


single parallelogram worksurfaces



single rectangular worksurfaces




single and dual angled worksurfaces



The recommended worksurface size is 72".


single and dual rectangular worksurfaces





The recommended worksurface size is 72".

Recommended worksurface sizes for Perpendicular Planning Power Spine Zig Zag Panels is 72" wide.

The following recommendations are not recommended.








Not optimal use of space, only if freestanding desks required.

planning with power spine 120 hub & worksurfaces

The following should be considered when planning with 120 Hub Worksurfaces and support kits in linear applications.


120 Hub Power Spine panels can accept a variety of worksurface types.

angled worksurfaces



Planning with Angled Worksurface Semi-Suspended only.


120 hub worksurfaces




Planning with Classic Hub Worksurface Height-Adjustable, Semi-Suspended.

Acceptable Planning (with some drawbacks).

rectangular worksurfaces



Rectangular - Semi Suspended or Freestanding limits legs space.




Rectangular Height-Adjustable, or Freestanding create gaps between Worksurface and Powerspine.

power spine hispace quick connect table basics

Quick Connect Tables can be easily integrated into Power Spine configurations.

The Power Spine Quick Connect Table has all of the same features as the Quick Connect Tables that are available in Complements: *Teknion's Ergonomics & Accessories Program.*


rectangular



- Bases and tops are ordered separately and must be the same size
- Depths: 23", 29"
- Widths: 52" 58" 64", 70"
- Orientations:
  - Spine Front and Centered for parallel (C) (only available for 52" wide)
  - Spine Left for Perpendicular (L)
  - Spine Right for Perpendicular (R)
- Base Mechanisms:
  - Extended electric (22.6" - 48.7")
- All configurations allow for desk edge screens
- Same Kit of Parts can adjust to fit all planning applications for:
  - Perpendicular, Frame Inset Left
  - Perpendicular, Frame Inset Right
  - Parallel, Frame Centered


Finishes:

- Worksurface Finishes:
  - Foundation Laminate
- Base Finish:
  - Ebony
  - Platinum
  - Very White
- Connection Kit Finish:
  - Ebony
  - Platinum
  - Very White



hiSpace Quick Connect Height-Adjustable Freestanding Table Mechanism for District Power Spine (YSZ)

- Switch:
  - Display with Up/Down Memory
  - Toggle Display with Memory
- Power PAK: Cable Organizer with Felt Cover
- Wire Management:
  - None
  - Vertical Wire Carrier



Rectangular Height-Adjustable Worksurface with Connection Kit for hiSpace Quick Connect with District Power Spine (WBZ)

- Grommet Style:
  - None
  - Round (2.75" Diameter)
  - Rectangular (Diamond Shaped Cutout)
- Cut Out Location: None, Center
- Edge Trim:
  - Flat Trim
  - Straight Trim
  - Bullnose Trim


power spine hispace quick connect table basics (continued)

parallelogram




Finishes:

- Worksurface Finishes:
  - Foundation Laminate
- Base Finish:
  - Ebony
  - Platinum
  - Very White



hiSpace Quick Connect Parallelogram Height-Adjustable Freestanding Table Mechanism for District Power Spine (YSB)

- Base Mechanism:
  - (9E) Extended Electric (22.6" - 48.7")
- Depth:
  - 23", 29"
- Width:
  - 60", 72"
- Handedness:
  - Left hand
  - Right hand
- Switch:
  - Display with Up /Down Memory
  - Toggle Display with Memory
- Power PAK:
  - None
  - Cable Organizer with Felt Cover
- Wire Management:
  - None
  - Vertical Wire Carrier



Parallelogram Height-Adjustable Worksurface with Connection Kit for hiSpace Quick Connect with District Power Spine (UZWP)

- Base Mechanism:
  - (9E) Extended Electric (22.6" - 48.7")
- Depth:
  - 23", 29"
- Width:
  - 60", 72"
- Handedness:
  - (LH) Left hand
  - (RH) Right Hand
- Grommet Style:
  - None
  - Round (.75" Diameter)
- Cut Out Location:
  - None
- Corner Condition:
  - (A) Four Radius Corners
- Edge Trim:
  - Flat Trim
  - Straight Trim
  - Bullnose Trim
  - Full Knife Trim


power spine hispace quick connect table basics (continued)

120 hub




Finishes:

- Worksurface Finishes:
  - Foundation Laminate
- Base Finish:
  - Ebony
  - Platinum
  - Very White



hiSpace Quick Connect 120 Hub Height-Adjustable Freestanding Table Mechanism for District Power Spine (YST)

- Base Mechanism:
  - (9E) Extended Electric (22.6" - 48.7")
- Depth:
  - 23", 29"
- Width:
  - 46", 58"
- Switch:
  - Display with Up/Down Memory
  - Toggle Display with Memory
- Power PAK:
  - Cable Organizer with Felt Cover
- Wire Management:
  - None
  - Vertical Wire Carrier
- Under surface Cable Management:
  - None
  - Dual Plastic Tray




120 Hub Height-Adjustable Worksurface with Connection Kit for hiSpace Quick Connect with District Power Spine (WBT)


- Base Mechanism:
  - (9E) Extended Electric (22.6" - 48.7")
- Depth:
  - 23", 29"
- Width:
  - 46", 58"
- Grommet Style:
  - None
  - Round (.75" Diameter)
- Cut Out Location:
  - None
  - Center
  - Left
  - Right
  - Left and Right
  - Center and Left
  - Center Right
  - Center, Left and Right
- Edge Trim:
  - Flat Trim
  - Straight Trim
  - Bullnose Trim
  - Full Knife Trim

planning with power spine hispace quick connect table


The following should be considered when planning with Power Spine hiSpace Quick Connect Height-Adjustable Freestanding Table.



- The leg of the hiSpace Quick Connect base can be repositioned to allow for reconfiguration
- It can be adjusted up to 3", to allow approximately 7" overhang on the worksurface




Adjusting the leg position will also create a 9" leg clearance to avoid interference with the power spine panel leg.




Regardless of the leg position, edge mounted screens will always fit.

planning with power spine hispace quick connect table (continued)

The following should be considered when planning with Power Spine three legged and Parallelogram hiSpace Quick Connect Height-Adjustable Freestanding Tables.



Under surface Cable Manager not available on 46" width.



Under surface Cable Manager (YSB) not available on 60" width.

screens

screens

UNDERSTANDING SCREENS 110

DESK EDGE SCREEN BASICS 112

PLANNING WITH DESK EDGE SCREENS 117

DESKTOP LATERAL SCREEN BASICS 134

DESK TOP SCREEN BASICS 137

MODESTY SCREEN BASICS 138

PLANNING WITH MODESTY SCREENS 139

FLOOR SCREEN BASICS 140

PLANNING WITH FLOOR SCREENS 141

STORAGE SCREEN BASICS 142

PLANNING WITH STORAGE SCREENS 143

STORAGE SCREEN TYPICALS 144

LATERAL FLOOR SCREENS BASICS 145

LATERAL FLOOR SCREENS WITH RETURN BASICS 146

PLANNING WITH END MOUNT LATERAL SCREENS 147

PANEL WALL ADD-ON SCREEN BASICS 155

PLANNING WITH WALL PANEL ADD-ON SCREENS 156

GLASS BLADES FOR PANELS WITH INSET BASICS 158

PLANNING WITH GLASS BLADES FOR PANELS WITH INSET 159


BLADES FOR PANELS WITH INSET BASICS 162

understanding screens

District provides a variety of screens for space division in panel wall and freestanding applications. They provide visual and territorial privacy and a lighter aesthetic than a panel wall in areas where shielded wire management is not required.


desk edge screens

Desk Edge Screens are available in five styles:
- Solid and Glass
- Infinity fabric, straight and curved
- Framed fabric
- Smooth Felt
- Desk Edge Screen with Glass




Solid and Glass Desk Edge Screens

- Mounts on- or off-module to the edge of single return worksurfaces
- Provides privacy at 42", 51" and 57" heights
- Available in glass at two modesty heights




Infinity Desk Edge Screens, Desk Edge Floor Screens and Side Desk Edge Screens

- Attaches to worksurfaces to provide a lightweight, thin upholstered fabric screen
- Provides privacy at 42" , 51" and 57" heights
- Provides a softer curvilinear aesthetic
- Creates space division and local desktop privacy at various heights




Framed Fabric Desk Edge Screens, Desk Edge Floor Screens and Side Desk Edge Screens

- Attaches to worksurfaces to provide an upholstered fabric screen
- Provides privacy at 42", 51" and 57" heights
- Is outlined by a frame
- Creates space division and local desktop privacy at various heights above and below the worksurface



Smooth Felt Desk Edge Screens


- Attaches to worksurface to provide privacy
- Create space division at 42" and 51" heights
- A smooth felt screen with an lightweight aesthetics
- Available in Complements: *Teknion's Ergonomics & Accessories Program*



Desk Edge Screen with Glass


- A screen that is solid at the bottom and glass at the top
- 42", 51" and 57" heights with options for glass starting from desk height

understanding screens (continued)




lateral screens

- Desktop Lateral screens attach to a worksurface to provide lateral space division
- Metal finish screens provides privacy at 51" high and other finishes provide privacy at 42", 51" and 57" heights
- Available in a variety of finishes:
  - Glass
  - Writable glass
  - Laminate
  - Writable laminate
  - Fabric
  - Metal
  - Smooth Felt




floor screens

- Floor Screens provide complete privacy by mounting on- or off-module to the back of a worksurface and extending to the floor
- Provides privacy at 42", 51"and 57" heights



gallery screens

- Gallery Screens provide complete privacy and architecture look by mounting to the panels with invisible brackets
- Provide Privacy at 42", 51" and 57" heights
- Solid Screen in a variety of finishes:
  -Foundation Laminate
  - Flintwood
  - Veneer
- Glass available in Clear or Frost finishes




panel wall add-on screens

- Panel Wall Add-On Screens provide light, frameless privacy by mounting on- or off-module to to a panel wall and offer an alternative to high panels with windows


desk edge screen basics

Desk Edge Screens can be used on Freestanding or Panel Mounted Worksurfaces to provide visual privacy.




Desk Edge Screen - Full-Height Glass shown

desk edge screens



Desk Edge Screen (UNSDE)


- Heights:
  - 13" for a 42" datum
- Widths: 23" to 96" in 1" increments
- Finishes:
  - Source Laminate
  - Flintwood
  - Natural Veneer



Desk Edge Screen – Glass (UNSDEG)


- Heights:
  - 13" for a 42" datum
- Widths: 23" to 96" in 1" increments
- Finishes:
  - Glass

full-height desk edge screens



Desk Edge Screen – Full-Height (UNSFDE)

- Heights:
  - 13" (Overall height 30.4") to provide a 42" datum
  - 22" (Overall height 37") to provide a 51" datum
  - 28" (Overall height 43") to provide a 57" datum
- Widths: 23" to 96" in 1" increments
- Modesty Base Heights:
  - -15" Modesty
- Finishes:
  - Source Laminate
  - Flintwood
  - Natural Veneer




Desk Edge Screen – Full-Height Glass (UNSFDG)

- Heights:
  - 13" to provide a 42" datum
  - 22" to provide a 51" datum
  - 28" to provide a 57" datum
- Widths: 23" to 96" in 1" increments
- Finishes:
  - 10mm thick etched tempered glass
  - Standard Frost


desk edge screen basics (continued)

infinity screens




Quilted Infinity Desk Edge Screen shown

- Infinity Screen Features:
  - Radius corners
  - Casual and continuous corner applications
  - 1/2" thickness
  - Non-tackable
- Available in select panel and upholstery fabric, refer to the *Teknion Textiles Program Guide*




Infinity Curved Desk Edge Screen (GXCD)

- Depths: 20"
- Heights:
  - 13" for a 42" datum
  - 22" for a 51" datum
  - 28" for a 57" datum
- Widths: 24" to 60" in 6" increments
- Modesty Base Heights:
  - 23" Partial Modesty
  - 15" Modesty
- Wire Manager is available




Infinity Desk Edge Screen (GXDD)

- Heights:
  - 13" for a 42" datum
  - 22" for a 51" datum
  - 28" for a 57" datum
- Widths: 36" to 72" in 1" increments
- Modesty Base Heights:
  - 23" Partial Modesty
  - 15" Modesty
  - 6" Elevated
- Wire Manager is available




Quilted Infinity Desk Edge Screen (GQDD)

- Heights:
  - 13" for a 42" datum
  - 22" for a 51" datum
- Widths: 36" to 72" in 6" increments
- Modesty Base Heights:
  - 23" Partial Modesty
  - 15" Modesty
- Two Quilted Patterns:
  - Diode
  - Pico
- Wire Manager is available




Infinity Side Desk Edge Screen (GXSD)

- Heights:
  - 13" for a 42" datum
  - 22" for a 51" datum
- Widths: 18" to 36" in 6" increments
- Modesty Base Heights:
  - 23" Partial Modesty
  - 15" Modesty
  - 6" Elevated



Infinity Desk Edge Floor Screen (GXFD)

- Heights:
  - 13" for a 42" datum
  - 22" for a 51" datum
- Widths: 36" to 72" in 1" increments
- Modesty Base Height: 1" Floor



Infinity Side Desk Edge Floor Screen (GXED)

- Depths: 24", 30", and 36"
- Heights:
  - 13" for a 42" datum
  - 22" for a 51" datum
- Modesty Base Height: 1" Floor




Infinity Screen Alignment Clip (GXCC)

- Used to clip Infinity screens together in side-by-side applications

desk edge screen basics (continued)


framed fabric screens

Framed Fabric Desk Edge Floor Screen shown




Framed Fabric Desk Edge Screen shown

- Framed Fabric Screen Features:
  - Square corners
  - 1" thickness
  - Tight fit corner applications
  - Tackable
- Available in select panel and upholstery fabric, refer to the *Teknion Textiles Program Guide*




Framed Fabric Desk Edge Screen (GYDD)

- Heights:
  - 13" for a 42" datum
  - 22" for a 51" datum
  - 28" for a 57" datum
- Widths: 36" to 72" in 1" increments
- Modesty Base Heights:
  - 23" Partial Modesty
  - 15" Modesty
  - 6" Elevated (not available at 57" datum)




Framed Fabric Side Desk Edge Screen (GYSD)

- Depths: 18" to 36" in 6" increments
- Heights:
  - 13" for a 42" datum
  - 22" for a 51" datum
  - 28" for a 57" datum
- Modesty Base Heights:
  - 23" Partial Modesty
  - 15" Modesty
  - 6" Elevated (not available at 57" datum)



Framed Fabric Desk Edge Floor Screen (GYFD)

- Heights:
  - 13" for a 42" datum
  - 22" for a 51" datum
- Widths: 36" to 72" in 1" increments
- Modesty Base Height: 1" Floor




Framed Fabric Side Desk Edge Floor Screen (GYED)

- Depths: 18" to 36" in 6" increments
- Heights:
  - 13" for a 42" datum
  - 22" for a 51" datum
- Modesty Base Height: 1" Floor


desk edge screen basics (continued)

smooth felt desk edge screens




Smooth Felt Desk Edge and Side Desk Edge Screen shown


The Smooth Felt Screens can be used on District worksurfaces.
They are available in Complements: *Teknion's Ergonomics & Accessories Program*.




Smooth Felt Desk Edge Screen (GZDH)



Smooth Felt Side Desk Edge Screen (GZSH)




Smooth Felt Square Corner Desk Edge Screen (GZBH)



Smooth Felt Curved Radius Desk Edge Screen (GZCH)

desk edge screen basics (continued)


desk edge screens with glass



Finishes:

- Screen:
  - Source Laminate
  - Flintwood (horizontal grain pattern)
  - Natural veneer
- Glass Options:
  - Clear
  - Frosted
- Hardware:
  - Foundation
  - Mica
  - Accent

- A screen that is solid at the bottom with glass at the top
- Two options are available:
  - Desk Edge Screen with Glass, Floor Height
  - Desk Edge Screen with Glass, Floor Height, Inset
- Designed to align with both standard panel glass add-on and inset glass blades




Desk Edge Screen with Glass (GVGD)

- Heights:
  - 31" Solid with 11" Glass to provide a 42" datum
  - 29" Solid with 13" Glass to provide a 42" inset datum
  - 44" Solid with 7" Glass to provide a 51" datum
  - 31" Solid with 20" Glass to provide a 51" datum
  - 42" Solid with 9" Glass to provide a 51" inset datum
  - 29" Solid with 22" Glass to provide a 51" inset datum
  - 44" Solid with 13" Glass to provide a 57" datum
  - 42" Solid with 15" Glass to provide a 57" inset datum
- Widths: 48" to 96" in 6" increments
- Modesty Base Height: 1" Floor

planning with desk edge screens


The following should be considered when planning with Desk Edge Screens.

Desk Edge Screens have restrictions depending on whether they are being used in panel mounted or freestanding applications.




Panel Mounted Worksurface


Desk Edge Screens can be mounted to the worksurface with no restrictions.



Freestanding Workstations with a Worksurface Return

Desk Edge Screens can be mounted to the worksurface return with no restrictions, the return surface provides adequate support.






Freestanding Table without a Worksurface Return

Desk Edge Screens can be mounted if the worksurface is 30" deep or more. It **cannot** be mounted on a 24" deep worksurface.

Desk Edge Screens mount on or off-module to the back or return edge of a worksurface to provide full width or casual fit with controlled gaps.




On-Module




Off-Module

- Desk Edge Screens can be used on height adjustable tables
- Full Height Solid Desk Edge Screens **cannot** be used due to interference when the table is lowered




- A Solid Desk Edge Screen **cannot** be used in combination with a Modesty Panel, the brackets will interference



planning with desk edge screens (continued)


solid and glass desk edge screens

Desk Edge Screens provides visual privacy above desk height to a 42" datum with minimal modesty privacy below.




Desk Edge Screens extend 6" below the worksurface to provide minimal modesty privacy.

Desk Edge Screen – Full-Height (UNSFDE) provides visual privacy above and additional modesty privacy below.



Desk Edge Screens – Full Height extend 13" below the worksurface to provide additional modesty privacy.


The Desk Edge Screen – Full Height (UNSFDE) can only be used on worksurfaces 30" and 36" deep when used in freestanding applications.




The Desk Edge Screen – Full Height (UNSFDE) can be used on all worksurface depths when worksurfaces are semi-suspended in panel wall applications.




Solid and Glass Desk Edge Screens **cannot** be used on the side of a worksurface due to interference from storage and supports.



pedestal supported




leg supported





gable supported

planning with desk edge screens (continued)

The Desk Edge Screen (UNSDE/ UNSDEG) is mounted with a 1" cable management gap from the surface.










The desk edge screen extends 6" below the worksurface providing a 2" clearance above a credenza.

The Desk Edge Screen – Full-Height (UNSFDE/ UNSFDG) provides the 1" cable management gap.








The full height desk edge screen extends 15"(UNSFDE) or 17 2/5" (UNSFDG) below the worksurface provides no clearance over a low credenza.

planning with desk edge screens (continued)


infinity screens

The following applications are available when planning with infinity screens.



Desk Edge Screen | **Side Desk Edge Screen** | **Curved Desk Edge Screen** | **Desk Edge Floor Screen** | **Side Desk Edge Floor Screen**

Infinity Desk Edge Screens can be attached to worksurfaces in the following applications:




Worksurface attached to panel

Worksurface attached to low storage


Worksurface attached to high storage with width restrictions

Worksurface attached to the side of storage

The following are all of the possible datum and modesty heights for Desk Edge Screens.
Refer to each individual screen for the list of specific heights available for that screen.




There are two types of patterns available when planning with the Quilted Infinity Desk Edge Screens:




Pico | **Diode**

planning with desk edge screens (continued)


Infinity Screen widths are nominal.
• The actual width is 1/4" less on each side



When two screens are planned side by side, there will be a 1/2" gap between the two screens.
• Screen Alignment Clips (**GXCC**) are used to align the two parallel screens




Infinity screens have no physical connection at corners. They are a casual fit.



Infinity Desk Edge Screens offer an optional wire manager that accompanies the bracket connection.


• The gap will always be 1/2"
• A continuous trough allows for cable management
• The trough can accommodate a Power Rod (YEPD) or Power Bar (YEPS). Available in Complements: *Teknion's Ergonomics & Accessories Program*
• When planning with integrated height-adjustable tables, the wire manager should not be specified due to interference with storage below



Cable Trough


planning with desk edge screens (continued)

Curved Infinity Screens (GXCD) can be used with Rectangle with Radius Corners Worksurface (UNWC).




Two types of radium corner worksurfaces are available:


- rectangular with two radius corners
- rectangular with four radius corners




Rectangle with Radius Corners Worksurface (UNWC) - two radius



Rectangle with Radius Corners Worksurface (UNWC) - four radius




Two Radius Corners is suitable when the worksurface needs to be terminated with square corners or when joined with a return worksurface.




Four Radius Corners is suitable when a radius is desired on all corners of the surface and no other furniture is being planned against it.

For more information on Rectangle with Radius Corners Worksurfaces (UNWC), see *Worksurfaces* section for more details.


The following leg styles can be used with Rectangle with Radius Corners Worksurfaces:



Interpret Leg (WWSWN)



upStage Leg (HTWD)




Leverage Leg (KLP1, KLP2, KLP3 and KLP4)

planning with desk edge screens (continued)


When planning a curved infinity screen with a District low credenza, the 23" h. modesty version must be used.

• The brackets on a 15"h. modesty will interfere with the credenza



When Infinity Curved Desk Edge Screens are specified with credenza, screen needs to stop short of the edge of the desk when used with two worksurface supports depending on storage depth. For example, if 16"deep Credenza is specified, the screen must stop 16" from the edge of worksurface.


If Screen is justified to storage side with dual supports, Infinity Curved Desk Edge Screens with 30" to 60" width has to be specified.



This application works with 23" modesty only.


If Infinity Curved Desk Edge Screen is justified to storage side with single support, any of the 24" to 60" wide screens can be specified.

When planning with a curved screen that almost fits the full width of the worksurface and the open end is facing the outside, it must stop a minimum of 4" from the edge to avoid post leg interferences.




planning with desk edge screens (continued)

When planning with Infinity Desk Edge Screens with Rectangle with Radius Corners Worksurfaces, it is recommended to specify screens 6" less than the worksurface.





Infinity Curved Desk Edge Screen and Infinity Desk Edge Screen can be planned side-by-side





There will be a 1/2" gap between the Infinity Curved Desk Edge Screen and the Infinity Desk Edge Screen

Infinity Desk Edge Screen with partial modesty (23") can be planned over low storage. With lower modesty heights (6", 15" and 19"), the screen must sit outside of the low storage to avoid interferences. Screens with 19" modesty heights are available in Complements: *Teknion's Ergonomics & Accessories Program*.












planning with desk edge screens (continued)


When planning with high storage, Infinity desk Edge Screen must stop short of storage as brackets will not be able to attach between storage and worksurface.
The high storage should be specified to have open storage instead of drawers under the worksurface due to interference with the brackets.






When planning an infinity desk edge screen perpendicular to a panel wall, the screen should extend to the panel wall to hide the 1" wire gap on the worksurface.
• It is not recommended that the screen extend past the end of the panel






planning with desk edge screens (continued)


The following outlines the gables and legs that can be used with an infinity side desk edge screen.




End Gable – Height-Adjustable (UNGEAN)




Semi-Suspended Gable – Height-Adjustable (UNGSAN)



Semi-Suspended Gable (UNGSN)




Leg – Pair (UNLGPN)




Leverage Leg (KLP)

Infinity Side Desk Edge Screens can be planned in panel or to create corridor privacy on the end of return desks




The screen provides additional privacy when used on the end of a worksurface in a panel environment.



The screen provides corridor privacy in a non panel environment.

When planning with a low credenza, an infinity side desk edge screen can be used on the storage side.


• The screen must attach to the surface so that it sits outside of the credenza



Low Credenza

planning with desk edge screens (continued)

18" deep Infinity Side Desk Edge Screens (GXSD) and Infinity Side Desk Edge Floor Screens (GXED) have re-positionable brackets, allowing these screens to be planned on either side of the worksurface.



Infinity Side Desk Edge Screens can be planned at both partial and full depth.


All screens can be planned with 24"-36" deep worksurfaces. Due to leg interference issues, this screen **cannot** be attached to 18" deep worksurfaces. An 18" side desk edge screen can be placed on a 23"/24" deep worksurface as a partial fit.




18" deep worksurface with
18" deep Infinity Side Desk Edge Screen (GXSD)



24" deep worksurface with
24" deep Infinity Side Desk Edge Screen (GXSD)



24" deep worksurface with
18" deep Infinity Side Desk Edge Screen (GXSD)




30" deep worksurface with
24" deep Infinity Side Desk Edge Screen (GXSD)


planning with desk edge screens (continued)

framed fabric screens


The following applications are available when planning with framed fabric screens.




Desk Edge Screen



Side Desk Edge Screen




Desk Edge Floor Screen




Side Desk Edge Floor Screen


Framed Fabric Desk Edge Screens can be attached to worksurfaces in the following applications:




Worksurface attached to panel



Worksurface attached to low storage




Worksurface attached to high storage with width restrictions




Worksurface attached to side of storage

Framed Fabric Screen widths are actual and will be same width as worksurface.




Framed Desk Edge Screens have a common bracket placement distance of 10-3/8" inset from the edge.




planning with desk edge screens (continued)


Framed Fabric Screen must be planned with a 1/2" wire gap in order to ensure front edge of the Framed Fabric Side Desk Edge Screen will be aligned to the front edge of the desk.





Corner detail with Framed Fabric Screens are closed and have physical connection between the Desk Edge Screen and Side Desk Edge Screen via extrusion trim.



Framed Fabric Desk Edge Screen with partial modesty (23") can be planned over low storage. With lower modesty heights (6" and 15"), the screen must sit proud of the low storage to avoid interferences.









planning with desk edge screens (continued)


When planning with high storage, Framed Fabric Desk Edge Screen must stop short of storage as brackets will not be able to attach between storage and worksurface. The high storage should be specified to have open storage instead of drawers under the worksurface due to interference with the brackets.






When planning a framed fabric desk edge screen perpendicular to a panel wall, the screen should extend to the panel wall to hide the 1" wire gap on the worksurface.


• It is not recommended that the screen extend past the end of the panel






planning with desk edge screens (continued)


The following outlines the gables and legs that can be used with a framed fabric side desk edge screen.




End Gable – Height-Adjustable (UNGEAN)




Semi-Suspended Gable – Height-Adjustable (UNGSAN)



Semi-Suspended Gable (UNGSN)




Leg – Pair (UNLGPN)




Leverage Leg (KLP)

Framed Fabric Side Desk Edge Screens can be planned in panel or to create corridor privacy on the end of return desks




The screen provides additional privacy when used on the end of a worksurface in a panel environment.



The screen provides corridor privacy in a non panel environment.

When planning with a low credenza, a framed fabric side desk edge screen can be used on the storage side.

• The screen must attach to the surface so that it sits outside of the credenza



Low Credenza

planning with desk edge screens (continued)

Framed Fabric Side Desk Edge Screens can be planned at both partial and full depth.

All screens can be planned with 24"-36" deep worksurfaces. Due to leg interference issues, this screen **cannot** be attached to 18" deep worksurfaces. An 18" side desk edge screen can be placed on a 23"/24" deep worksurface as a partial fit.



18" deep worksurface with
18" deep Framed Fabric Side Desk
Edge Screen (GYSD)



24" deep worksurface with
24" deep Framed Fabric Side Desk
Edge Screen (GYSD)



24" deep worksurface with
18" deep Framed Fabric Side Desk
Edge Screen (GYSD)




30" deep worksurface with
24" deep Framed Fabric Side Desk
Edge Screen (GYSD)

planning with desk edge screens (continued)


desk edge screens with glass

Available in heights that match the datum heights of both Panel Wall Add-On Screens - Glass and Inset Glass Blades.

The support frame on a Panel Wall Add-On Screen - Glass is 2" high therefore increasing the datum height of the actual glass by 2".
Desk Edge Screens with Glass are also available with a 2" higher glass datum height.
When used together the two will align.




- Example shown:
  42" high panel with 9" Panel Wall Add-On Screen = 51" overall height
- Recommended screen height with Glass: 44" high with 7" glass
- This allows for the 2" add-on glass frame height




- Using a 42" high solid with 9" glass will result in a 2" difference in the datum heights of the glass

There is no support frame on an Inset Glass Blade, the glass mounts directly into the panel frame so the datum height of the glass does not change.
Desk Edge Screens with Glass are available with datum heights that match the top of a panel frame.
When used together the two will align.




- Example shown:
  42" high panel with 9" Inset Glass Blade = 51" overall height
- Recommended screen height: 42" solid with 9" glass
- This allows both glass datum heights to be at 42"h




- Using a 44" solid with 7" glass will result in a 2" difference in the datum heights of the glass

desktop lateral screen basics

Lateral screens attach to the top of a worksurface to provide lateral privacy and space division at multiple heights.




- Desktop Lateral screens are applicable to 1" worksurface only
- Desktop Lateral Screens attach to the worksurface without any tools to provide lateral space division. It rests fully on the worksurface
- This screen has 1" gap for wire management
- Depths: 23", 29" and 35"




6mm Glass Lateral Screen (GNGD)

- A 6 mm glass screen with a straight profile
- Heights:
  - 13" for a 42" datum
  - 22" for a 51" datum
  - 28" for a 57" datum
- Finish:
  - Clear
  - Frost




10mm Glass Lateral Screen (GNTD)

- A 10 mm glass screen with a straight profile
- Heights:
  - 13" for a 42" datum
  - 22" for a 51" datum
  - 28" for a 57" datum
- Finish:
  - Clear
  - Frost



Writable Glass Lateral Screen (GNWD)


- A writable glass screen with a straight profile
- Heights:
  - 13" for a 42" datum
  - 22" for a 51" datum
  - 28" for a 57" datum
- Finish:
  - Specialty Glass Laminate
  - Specialty Glass Grade 7



Solid Lateral Screen (GNSD)


- A solid screen with a straight profile
- Heights:
  - 13" for a 42" datum
  - 22" for a 51" datum
  - 28" for a 57" datum
- Finish:
  - Source Laminate
  - Natural Veneer
  - Flintwood

desktop lateral screen basics (continued)




Writable Laminate Lateral Screen (GNLD)

- A writable laminate screen with a square profile
- Heights:
  - 13" for a 42" datum
  - 22" for a 51" datum
  - 28" for a 57" datum
- Finish:
  - Specialty Writable Laminate




Infinity Fabric Lateral Screen (GNXD)

- A fabric screen with a curved profile
- Heights:
  - 13" for a 42" datum
  - 22" for a 51" datum
  - 28" for a 57" datum
- Finish:
  - Select Panel and Upholstery fabrics are available - refer to the *Teknion Textiles Program Guide*




Smooth Felt Lateral Screen (GNZD)

- A felt screen with a curved profile
- Heights:
  - 13" for a 42" datum
  - 22" for a 51" datum
- Finish:
  - Strata
  - Pewter
  - Lunar



Framed Fabric Lateral Screen (GNYD)

- A framed fabric screen with a square profile
- Heights:
  - 13" for a 42" datum
  - 22" for a 51" datum
  - 28" for a 57" datum
- Finish:
  - Select Panel and Upholstery fabrics are available - refer to the *Teknion Textiles Program Guide*




Metal Lateral Screen (GNMD)

- A metal screen with a curved profile
- Heights:
  - 13" for a 42" datum
  - 22" for a 51" datum
- Metal Finish:
  - Foundation
  - Mica
  - Accent

planning with desktop lateral screens


The following should be considered when planning with desktop lateral screens.

It is important to understand the depth of worksurfaces with panels when specifying lateral screens.




- All worksurfaces have nominal depths (the actual depth is 1" less than the nominal depth) to allow for a gap at the back
- The gap is not optional, it is the standard configuration

- Lateral screens have nominal depths and can be specified to fit Rectangular Worksurfaces (UNWR)
- Actual depths of lateral screens are:
  - 24" deep is 23" deep
  - 30" deep is 29" deep
  - 36" deep is 35" deep





- The depth of Lateral Screens must always be the same depth as the worksurface



desk top screen basics

The following outlines the features of the Desk Top Casual Screen






Desk Top Casual Screen (UNSDT)


- Is a freestanding screen which sits on top of the worksurface to provide privacy
  - extends 13" above the worksurface for seated height privacy
- Height: 13"
- Widths: 24"
- Screen Finishes:
  -Source Laminate
  -Flintwood
  -Natural Veneer
- Base Finishes:
  -Foundation
  -Mica
  -Clear Anodized

modesty screen basics

The following outlines the features of the Modesty Screen.



Modesty Screen (shown)




Modesty Screen (UNSM)


- Mounts 1" below worksurfaces to provide visual privacy
- Is an off-module casual fit
- Actual width is 1" less than the nominal width
- Available in Source Laminate, Fascia Laminate, Standard Flintwood and Natural Veneer finishes
- The Modesty Screen is 14" above finished floor

planning with modesty screens


The following should be considered when planning with Modesty Screens.




- The suggested minimum recess for the Modesty Screen is 2-3/4" from the back edge of the worksurface
- The recommended distances are:
  24" worksurface 2-3/4" inset
  30" worksurface 6" inset
  36" worksurface 12" inset



The Modesty Screen should be centered in the open space between supports.



The Modesty Screen can be mounted on worksurfaces with various types of desk support options including storage – Attention must be given to reinforcement channel location (see *Supports* section for details).





A casual fit is desired, it is recommended that the modesty screen be specified 6" less than the worksurface width on both sides in the area of application.

floor screen basics

The following outlines the features of the Floor Screen.

Floor Screen (shown)








Floor Screen (UNSF)

- A 5/8" thick, 42" or 51" high visual screen that provides privacy to floor level
- Is mounted to a worksurface on- or off-module
- Available in widths from 23" to 96" in 1" increments for 42" high and 23" to 48" widths available in 1" increments for 51" and 57" high
- Provides full width or casual fit with controlled gaps
- Does **not** provide support to the worksurface
- Can only be attached to worksurfaces that are permanently affixed to at least one piece of storage, a Panel Wall, or to a freestanding desk with a return
- Aluminum top rail can accommodate the Pencil Tray (PAX94), Media Organizer (PAX96), Vertical Organizers (PAX99, PAX100) and Workstation Signage (ACWS). Available from Complements: *Teknion's Ergonomics & Accessories Program*
- Can be used with a Vertical Cable Manager (UNVC) which manages cables between the floors and the underside of the worksurface. Must be specified separately. (see *Electrics* section)


Floor Screen Extended Leveling Kit (UNSFXL)

- Available for height adjustment and leveling on uneven floors

grain direction




User's Perspective




Visitor's Perspective

- For 42" high floor screens the grain runs horizontal
- For Cathedral Flintwood and Natural Veneers the grain direction is from left to right from the user's perspective. From the visitor's perspective, outside the workstation, the grain direction is right to left



User's Perspective



Visitor's Perspective


- For 51" and 57" high floor screens the grain runs vertical
- For Cathedral Flintwood and Natural Veneers the grain direction is from bottom to top from both the user's and visitor's perspective, inside and outside the workstation

planning with floor screens


The following should be considered when planning with Floor Screens.

worksurface support


Floor screens can only be used with the following applications:



Worksurfaces that are fixed to a panel wall




When permanently attached




In freestanding applications with a worksurface return

screen widths


Screens can be installed at different widths depending on the intended result and sizes available.




Casual width for partial privacy



Full width for total privacy




Side-by-side to achieve a specific width and height



Single or multiple screens can span across two worksurfaces


gapping

The Floor Screen is mounted with a 1" gap for cable management.




storage screen basics

The following outlines the features of the Storage Screen.



Storage Screen (Shown)



Standard Elevated


Storage Screen (UNSSS)

- Mounts to 21" high and 28" high storage credenzas to provide casual space division
- Heights:
  - 42"h
  - 51"h
  - 57"h
- Widths:
  - 24", 30"-96" in 1" increments
- The screen mounts into the slots on the back of credenzas or storage
- Has a leveling range of 0.5 down and the brackets allow it to remain attached to storage
- On storage less than 60" wide, the screen should be specified to span the entire width of the cabinet and on storage 60" wide and over, the screen can mount off-module and be specified shorter


planning with storage screens

The following should be considered when planning with Storage Screens.


The Storage Screen mounts into the slots on the back of low and high credenzas and storage units.



- Mounts on credenzas less than 60" wide, the screen must span the entire width of the storage



- Mounts on storage 60" wide and over, an additional slot is provided in the center of the credenza for off-module mounting
- To mount off-module, the screen must be at least half the width of the storage and must be flush to one end of the cabinet to align with slot location. The screen can **not** extend past the end of the storage




- When a screen is used between two credenzas the screen will mount only to the back of one credenza
- A 2" gap is required between credenzas for mounting


storage screen typicals

The following typicals demonstrate planning options for the storage screen.


double storage spine (full width)



single corridor screen (full width)




double storage wing divider (off-module)



lateral floor screens basics


The Solid Lateral Screen is used with District Panels or Power Spine to provides a clean aesthetic and allows for seated privacy between users.



Left Handed Screw


Right Handed Screw

- The screen thickness is 1"
- A stability foot is included on screens 48" and wider




Lateral Floor Screen Solid (UZSS)

- A solid screen with no glass
- Height: 29", 42, 51", 57
- Depth: 24", 30", 36", 42", 48", 60", 72"



Lateral Floor Screen with Glass (UZSG)

- A solid screen with a glass top
- Height:
  - 42" Total (31" plus 11" glass) (G)
  - 51" Total (44" plus 7" glass) (K)
  - 51" Total (31" plus 20" glass) (M)
  - 57" Total (44" plus 13" glass) (N)
  - Inset 42" Total (29" plus 13" glass) (D)
  - Inset 51" Total (42" plus 9" glass) (E)
  - Inset 51" Total (29" plus 22" glass) (F)
  - Inset 57" Total (42" plus 15" glass) (H)




Left Left

- The left handed orientation will have the mounting brackets on the right
- The right handed orientation will have the mounting brackets on the left
- It is especially important at the end condition. If it is specified with the incorrect handedness, the screen will sit in 1/2" from the end

lateral floor screens with return basics

Lateral floor screens with returns attach perpendicularly to the panel frame to provide privacy at ends and between users.


- Lateral floor screens are available for end and mid run applications
- Available solid or with glass
- Provide support to panel runs
- Lateral Floor Screens are not available for Zig Zag or 120 Power Spine configurations
- Compatible with Lateral Power Spine and Floor Flush Power Spine



- Handedness:
  - Left
  - Right
  - Not applicable
  - Handedness is determined by the location of the bracket when the user is facing the workstation
- Screen Support:
  - None - available on 24, 30, 36" and 42" widths
  - Foot/Bracket -required on 48", 60" and 72" wide screens
  - Worksurface connection
- Not designed to support a worksurface
- The Solid portion of the screen must be the same or taller than the panel height to ensure proper connection


Finishes:

- Screen:
  - Solid laminate
  - Flintwood (horizontal grain pattern)
  - Natural veneer
- Hardware:
  - Foundation
  - Mica
  - Accent
- Glass Finishes:
  - Clear
  - Frost




Lateral Floor Screen with Glass, with Return (UZRG)

- A solid screen with glass and a return
- Bracket Attachments:
  - End Mounted Single
  - End Mounted Double
  - Mid Spine
- Height:
  - 42" Total (31" plus 11" glass) (G)
  - 51" Total (44" plus 7" glass) (K)
  - 51" Total (31" plus 20" glass) (M)
  - 57" Total (44" plus 13" glass) (N)
  - Inset 42" Total (29" plus 13" glass) (D)
  - Inset 51" Total (42" plus 9" glass) (E)
  - Inset 51" Total (29" plus 22" glass) (F)
  - Inset 57" Total (42" plus 15" glass) (H)
- Screen Depth: 48", 49", 50", 60", 61", 62", 72", 73", 74"
- Return Depth: 18", 20", 24", 25", 30", 31"




Lateral Floor Screen with Solid, with Return (UZRS)

- A solid screen with no glass and a return
- Bracket Attachments:
  - End Mounted Single
  - End Mounted Double
  - Mid Spine
- Height: 29", 42", 51", 57"
- Screen Depth: 48", 49", 50", 60", 61", 62", 72", 73", 74"
- Return Depth: 18", 20", 24", 25", 30", 31"



Lateral Floor Screen with Glass, with Shared Return (UZCG)

- A solid screen with glass and a shared return
- Bracket Attachments:
  - Mid Spine
- Height:
  - Inset 42" high total (29" Solid, 13" Glass) (D)
  - Inset 51" high total (42" Solid, 9" Glass) (E)
  - Inset 51" high total (29" Solid, 22" Glass) (F)
  - Inset 57" high total (42" Solid, 15" Glass) (H)
- Screen Depth: 48", 49", 50", 60", 61", 62", 72", 73", 74"
- Return Depth: 36", 40", 48", 50", 60", 62"




Lateral Floor Screen with Solid, with Shared Return (UZCS)

- A solid screen with no glass and a shared return
- Bracket Attachments:
  - Mid Spine
- Height: 29", 42", 51", 57"
- Screen Depth: 48", 49", 50", 60", 61", 62", 72", 73", 74"
- Return Depth: 36", 40", 48", 50", 60", 62"


planning with end mount lateral screens

End Mount Lateral Floor Screens are available in the following heights to provide various levels of privacy.


Solid



Solid with Glass




Panel run must be longer than the length of the screen segment.




planning with end mount lateral screens (continued)

End Mount Lateral Screens can be used with or without a support foot.




The support foot is required when
- the screen is 48" wide or wider and not attached to a worksurface



The support foot is not required when
- the screen is attached to a fixed worksurface
- the screen is 42" wide or less

Screens can be used in the following locations




EB **ED** **ES**

EB – End Mounted Double
- used on the outside of a workstation
- extends half way across the end of a panel run
- actual size = nominal size + 1-1/2"

ED – End Mounted Share
- shared on the outside of two workstations
- mounts centered to the end of a panel run
- actual size = nominal size + 3"

ES - End Mounted Single
- used on the outside of a single workstation
- extends completely across the end of a panel run
- actual size = nominal size + 3"




EB **ES**


Regardless of the type of End Mount Lateral Screen used, the nominal dimension from the panel wall remains the same, allowing for a consistent footprint on all workstations.

planning with end mount lateral screens (continued)


End Mount Lateral Screens can provide panel support in place of return panels with the following restrictions:



- The maximum number of panel sections is four and the overall length does not exceed 192" (ex. 4 x 48"sections = 192")
- The maximum number of panels sections is three when 60" wide panels are used and the overall length does not exceed 180" (ex. 3 x 60" sections - 180")
- Panel heights to do not exceed 51" high
- District panels over 60" wide are made up of two segments so a 96" wide panel is considered 2" - 48" wide segments



End Mount Lateral Floor Screens will not support a span of five or more segments, regardless of the width of each segment even if the overall length is less than 192".




This example demonstrates how additional End Mount Lateral Screens can provide the panel support required.

example: double end screens and mid run screens

- there are no unsupported runs of more than four segments and the run does not exceed 192" without an additional screen

gallery screen basics


Gallery screens attach perpendicularly to the panel frame to provide privacy at ends and between users.



- The screen thickness is 1-1/2"
- Bracket Attachments:
  - End Mounted: Single (ES), Double (EB), Shared (ED)
  - Mid Spine: On-module (MS)


Finishes:

- Screen:
  - Foundation laminate
  - Flintwood (horizontal grain pattern)
  - Natural veneer
- Leveler Finishes
  - Foundation
  - Mica
  - Accent
- Glass Finishes:
  - Clear
  - Frost



Gallery Screen (UGSSS)

- Height: 42”h, 51”
- Width: 24” - 84” (6” increments)




Gallery Screen with Glass (UGSGS)

- Height:
  - Inset 51" Total (42" plus 9" glass) (E)
  - Inset 57" Total (42" plus 15" glass) (H)
- Width: 24” - 84” (6” increments)

gallery screen with returns basics


Gallery screens with returns attach perpendicularly to the panel frame to provide privacy at ends and between users.



- The screen thickness is 1-1/2"
- Bracket Attachments:
  - End Mounted: Single (ES), Double (EB)
  - Mid Spine: On-module (MS)


Finishes:

- Screen:
  - Foundation laminate
  - Flintwood (horizontal grain pattern)
  - Natural veneer
- Leveler Finishes
  - Foundation
  - Mica
  - Accent
- Glass Finishes:
  - Clear
  - Frost



Gallery Screen with Return (UGSSL)

- Height: 42”h, 51”h
- Screen Depth: 48”, 49”, 50”, 60”, 61”, 62”, 72”, 73”, 74”, 84”, 85”, 86”
- Return Depth: 18”, 20”, 24”, 25”, 30”, 31”




Gallery Screen with Glass with Return (UGSGL)

- Height:
  - Inset 51" Total (42" plus 9" glass) (E)
  - Inset 57" Total (42" plus 15" glass) (H)
- Screen Depth: 48", 49", 50", 60”, 61”, 62”, 72”, 73”, 74”, 84”, 85”, 86”
- Return Depth: 18”, 20”, 24”, 25”, 30”, 31”

gallery screen with shared returns basics

Gallery screens with returns attach perpendicularly to the panel frame to provide privacy at ends and between users.




• The screen thickness is 1-1/2"

Finishes:

• Screen:
- Foundation laminate
- Flintwood (horizontal grain pattern)
- Natural veneer

• Leveler Finishes
- Foundation
- Mica
- Accent

• Glass Finishes:
- Clear
- Frost




Gallery Screen with Shared Return (UGSST)

• Height: 42”h, 51”h

• Screen Depth: 48”, 49”, 50”, 60”, 61”, 62”, 72”, 73”, 74”, 84”, 85”, 86”

• Return Depth: 36”, 40”, 48”, 50”, 60”, 62”

• Bracket Attachments:
- Mid Spine: On-module (MS)



Gallery Screen with Glass with Shared Return (UGSGT)

• Height:
- Inset 51" Total (42" plus 9" glass) (E)
- Inset 57" Total (42" plus 15" glass) (H)

• Screen Depth: 48”, 49”, 50”, 60”, 61”, 62”, 72”, 73”, 74”, 84”, 85”, 86”


• Return Depth: 36”, 40”, 48”, 50”, 60”, 62”

• Bracket Attachments:
- End Mounted: Single (ES), Double (EB)
- Mid Spine: On-module (MS)


planning with gallery screens

Gallery Screens are available in the following heights to provide various levels of privacy.

Solid




Solid with Glass



handedness

Handedness of the screen is determined when a user is facing the panel, what hand the screen is on



MS
mid spine
Never handed


ES
end, single
Right

EB
end, double
Right

ED
end, shared
Never handed

brackets

Brackets are designed to be hidden within the panels and screens.



MS
mid spine
Never handed

ES
end, single
Right


EB
end, double
Right

ED
end, shared
Never handed

planning with gallery screens (continued)


The following should be considered when planning with Gallery Screens.

HA tables and Desk Edge Screens



If planning parallel to spine, with Height-Adjustable Tables and Desk Edge Screens plus Gallery Screens surrounding the desk, a special request is required on both the worksurface and the desk edge screen to be at least 1" smaller in width.


Storage




If planning Storage to fit between Gallery Screens. a special is required to undersize the storage to fit. The storage can no longer hook into the panel.

panel wall add-on screen basics


The Panel Wall Add-On Screen provides a casual option for finishing the top level of panel walls.






Panel Wall Add-On Screen – Solid (UNSPS)

- Provides a light frameless alternative to a solid fascia at the top of a panel
- Available in solid finish
- Can be mounted on- or off-module, or span two panel walls but **cannot** span a 180˚ spacer or 90˚ connection
- Replaces the top trim of the same width on the panel wall
- The support frame is visible above the Top Trim




Panel Wall Add-On Screen – (UNSPG)

- Provides a light frameless alternative to a window at the top of a panel
- Glass is 10mm thick
- Can be mounted on- or off-module, or span two panel walls, cannot span a 180˚ spacer or 90˚ connection
- Replaces the top trim of the same width on the panel wall
- The support frame is visible above the Top Trim
- Available in heights of 9", 13" and 15"
- Available in widths of 24" to 96" in 6" increments
- Available in clear and specialty glass finishes



Panel Wall Add-On Screen – 6mm Glass (UNSPF)

- Provides casual space division and privacy with a slim frame less add-on screen at the top of panel
- Glass is 6mm thick
- Can be mounted on- or off-module, or span two panel walls, cannot span a 180˚ spacer or 90˚ connection
- Available in heights of 9", 13" and 15"
- Available in widths of 24" to 96" in 6" increments
- Available in clear and frosted glass finishes




Smooth Felt Add-On (UNSPZ)

- Provides casual space division and privacy with a slim frame less add-on screen at the top of panel
- Smooth Felt Screen
- Can be mounted on- or off-module, or span two panel walls, cannot span a 180˚ spacer or 90˚ connection
- Available in heights of 9", 13" and 15"
- Available in widths of 24" to 96" in 6" increments
- Available in Admiral Blue (QR), Lunar (R6), Pewter (R5), River Rock (QT), Sumac (QS)


planning with wall panel add-on screens

The following should be considered when planning with add-on screens.

on- and off-modular




add-on screen end caps




planning with wall panel add-on screens (continued)

change of height conditions




- When mounting panel add-on screens in change-of-height panel configurations, the add-on must start a minimum of 3" from the edge of the panel to allow for the Intermediate Trim thickness and a Top Trim must be ordered to fill the remaining width
- Top trim widths required below 24" are cut to size on site. The cut end should be applied against the adjoining panel, as the intermediate end trim will conceal the cut edge



- When the change of height is due only to center-mounted storage and **not** a panel height change, the panel add-on can span the width of the frame it is mounted to


spanning connectors

An add-on screen **cannot** span over a 180˚ or 90˚ connection




glass blades for panels with inset basics

The Glass Blade for Panels with Inset Glass provides a casual option for finishing the top level of panel walls. The Glass Blade recesses into the panel frame so less trim is visible.




- Ten applications are available:
  - Both Standard
  - One Side Corner
  - One Side Notch
  - One Side Extended
  - Both Side Corner
  - Both Side Notch
  - Both Side Extended
  - Extended and Notch
  - Corner and Notch
  - Corner and Extended

- Provides a light frameless alternative to a window at the top of a panel
- Can only be used on Panel Walls with Inset (UYPCR, UYPER and UYPFR)
- Available with Standard Clear and Specialty Frost, white or Cool White Glass
- Can be mounted on- or off-module or span two panel walls




Panel Glass Blade for Panels with Inset Glass (UYSPG)

- Provides a glass blade inset into a panel frame without any exposed top trim
- Glass is 10mm thick
- Top trim must be specified separately, Panel Top Trim for Panels with Inset Glass (UYTT)




Panel Glass Blade for Panels with 6mm Inset Glass (UYSPF)

- Provides a 6mm thick glass blade inset into a panel frame without any exposed top trim
- Top trim must be specified separately, Panel Top Trim for Panels with Inset Glass (UYTT)
- Screen finishes includes clear glass and frost glass



Bridged Glass Blade for Panels with Inset Glass (UYSCG)

- Provides an inset glass blade that spans over two panels being connected by a three-way connector
- Glass is 10mm thick
- Top trim must be specified separately, Bridged Top Trim for Panels with Inset Glass (UYCT)
- Widths are nominal and account for the 3" width of the three-way connector



Bridged Glass Blade for Panels with 6mm Inset Glass (UYSCF)


- Provides a 6mm thick inset glass blade that spans over two panels being connected by a three-way connector
- Top trim must be specified separately, Bridged Top Trim for Panels with Inset Glass (UYCT)
- Screen finishes includes clear glass and frost glass
- Widths are nominal and account for the 3" width of the three way connectors


planning with glass blades for panels with inset

The following should be considered when planning with Glass Blade for Panels with Inset.

panel glass blade

- Can be on- or off-module and can span across two panels
- The base of the Inset Glass must be embedded into a Panel Wall with Inset (UYPCR, UYPER and UYPFR) and must be used with the Panel Top Trim for Panels with Inset Glass (UYTT)







Spans over one panel only.

bridged glass blade

- Bridged Glass Blade for Panels with Inset Glass spans across two panels connected by a three-way connector, and can be mounted on- or -off module
- The base of the inset glass must be embedded into a Panel Wall with Inset (UYPCR, UYPER and UYPFR) and must be used with Bridged Top Trim for Panels with Inset Glass (UYCT)
- When planning off-module it is recommended that the exposed top trim be covered by Bridged Top Trim for Panels with Inset Glass (UYCT)






- Widths are nominal and account for the 3" width of the Three-Way connector. For example, 96" wide (Nominal) = 99"(Actual)


planning with glass blades for panels with inset (continued)

There are ten application available when planning with Glass Blades for Panels with Inset Glass:




Both Standard (S)

Used when beside other panels with Inset Glass Blade and no extension is required on when the panel beside it has no glass blade.




One Side Corner (G)

Used on a corner to reduce the gap between glass blades. Must be used with Two-Way 90˚ Corner Gap for Panels with Inset Glass (UYPC2).



One Side Notch (K)


Used when planned against an Intermediate End Trim.



One Side Extended (E)


Extends 1-1/2" over a Three-Way Connector. Must be used with a second Glass Blade with Side Extended to cover the full Three-Way connector. The cap on Three-Way connector is removed to have both glass blades extend over it.

planning with glass blades for panels with inset (continued)




Both Side Corner (C)

Used when both ends are on a corner to reduce the gap between glass blades. Must be used with Two-Way 90˚ Corner Gap for Panels with Inset Glass (UYPC2).




Both Side Notch (N)

Used when planned between two Intermediate End Trims.




Both Side Extended (B)

Used to run 1-1/2" over a Three-Way Connector on either end. Must be used with a second Glass Blade with side Extended to cover full the Three-Way connector on each side.




Extended and Notch (F)

Used to extend 1-1/2" over a Three-Way Connector on one end and against an Intermediate End Trim on the other. The Top cap on the Three-Way connector is removed to have both glass blades extend over it.



Corner and Notch (H)

Used when one end is on a corner to reduce the gap between glass blades and the other end is against an Intermediate End Trim. Must be used with Two-Way 90˚ Corner Gap for Panels with Inset Glass (UYPC2).





Corner and Extended (D)

Used when one end is on a corner to reduce the gap between glass blades and the other end extended 1-1/2" over a Three-Way Connector. Must be used with a second Glass Blade with side Extended to cover the full Three-Way connector. The Top cap on the Three-Way Connector is removed to have both glass blades extend over it. Must be used with Two-Way 90˚ Corner Gap for Panels with Inset Glass (UYPC2).

blades for panels with inset basics


The Smooth Felt/Infinity Blade for Panels provide a casual option for finishing the top level of panel walls and recesses into the panel frame so less trim is visible.





Smooth Felt Blade for Panels with Inset (UYSPZ)

- Provides a Smooth Felt Blade inset into a panel frame without any exposed top trim
- Smooth Felt blade is 10mm thick
- Top trim must be specified separately, Panel Top Trim for Panels with Inset Glass (UYTT)



Infinity Blade for Panels with Inset (UYXD)

- Provides an Infinity blade inset into a panel frame without any exposed top trim
- Infinity Blade is 6mm thick
- Top trim must be specified separately, Panel Top Trim for Panels with Inset Glass (UYTT)

connections & trims

connections & trims

UNDERSTANDING TRIMS & CONNECTORS 166

TOP TRIM BASICS 167

END TRIM BASICS 168


CONNECTOR BASICS 169

CONNECTOR & TRIM CONFIGURATIONS 171

PLANNING WITH CONNECTORS & TRIMS 173

understanding trims & connectors

Trims and connectors are required to finish the tops, ends and corners of District Panel Walls and Add-On Windows.





1. Corner connectors include brackets, trims and corner caps.
2. All trims are bolted to the panel wall for positive engagement and alignment.
3. Corner connectors are specified to match the panel type that they are being used with (ex. Flush/Convertible-to- Flush/Convertible, Elevated-to-Elevated, or Flush/Convertible-to-Elevated.
4. All panel wall connections are on-module.
5. Top trims are available up to 96" wide to span across all widths of panels including those made up of two sections.
6. Connectors are available for two-, three- and four-way connections as well as 180˚ connections.
7. Panel Top Trim for Panels with Inset Glass allows Panel Glass Blade for Panels with Inset Glass (UYSPG) to sit inset into a panel.

top trim basics

The following outlines the features of each of the top trims available in District.


Top Trim (Shown)






Top Trim (UNTT)

- A full width trim on the top of a panel wall or add-on window
- 7/16" thick




Panel Top Trim for Panels with Inset Glass for 6mm or 10mm (UYTT)

- Allows Panel Glass Blade for Panels with Inset Glass (UYSPG) to be inset into a panel wall
- Available in Both Extended, One Side Extended and Both Standard applications
- Must be used on Panel Wall with Inset (UYPCR, UYPER and UYPFR)
- Available in Foundation, Mica and Accent colors




Top Trim – Power Pole Access (UNTTP)

- Same as the Top Trim except with a cut out to allow a Power Pole to be installed off-module 9" from a panel end
- Non-handed



Bridged Top Trim for Panels with Inset Glass for 6mm or 10mm (UYCT)

- Allows Bridged Glass Blade for Panels with Inset Glass (UYSCG) to be inset into the panel wall while spanning over two panels attached by a three-way connector
- Optional brackets are available on one or both sides to connect to related end trim
- Available in Both Extended, One Side Extended and Both Standard applications
- Widths are nominal and account for the 3" width of the three-way connector
- Available in Foundation, Mica and Accent colors
- Non-handed




Top Trim Cover for 6mm or 10mm (UYTC)


- Used to fill exposed sections on Panel Top Trim for Panels with Inset Glass (UYTT) or Bridged Top Trim for Panels with Inset Glass (UYCT)
- Cut on site

end trim basics

The following outlines the features of each of the end trims available in District.




End Trim (Shown)



End Trim (UNTE)

- A full-height trim that conceals the end of a panel wall
- Heights matches the heights of Flush and Elevated Panel Walls and Convertible Walls
- Required to cover the full height of a panel wall, including add-on window and full-height window, if applicable
- Can be used on panel walls with or without Accessory Beam




End Trim for Freestanding District (UATE)

- Used in freestanding applications to accommodate the support foot gaps
- Available in Mica and Foundation finishes
- Can be used on panel walls with or without Accessory Beam


Intermediate End Trim (UNTM)

- Conceals an exposed portion of a panel wall, add-on window or full-height window in a change-of- height location



Transition Cover (UNTC)

- Used to provide a seamless vertical trim cover when an intermediate panel connection occurs above a full panel connection




Wall Start (UNPCW)

- Used to connect either elevated or standard Panel Walls (no corners) to reinforced drywall
- Foot is specified separately for elevated Panel Walls at the wall start connector point


connector basics

The following outlines the features of each of the connectors available in District.



Two-Way 90° (UNPCR2)

- Connection is used to connect two panel walls and windows at 90° in same panel height or varying panel height configurations
- For change of heights, the connector is specified for the lowest height panel
- Available with options for connecting Flush, Elevated or Convertible Panel Walls




Three-Way 90° (UNPCR3)

- Connection is used to connect three panel walls at 90° in same panel wall height or varying panel wall height configurations
- Used for change of heights, the connector is specified for the lowest height panel wall
- Available in two configurations:
  - (1) one vertical cover and top cap which completely finishes the connection when no Intermediate 180° Connector (UNIC3) will be used above it
  - (0) no vertical cover or top cap is used for change-of-height connections when an Intermediate 180° Connector (UNIC3) is used above it, a separate Transition Cover (UNTC) must be ordered
- Available with options for connecting Flush, Elevated or Convertible Panel Walls




Two- Way 90° Corner Cap for Panels with Inset Glass for 6mm or 10mm (UYPC2)

- Used with Two-Way 90° (UNPCR2) and replaces the cap on existing connector to accommodate Panel Top Trim for Panels with Inset Glass (UYTT) and Panel Glass Blade for Panels with Inset Glass (UYSPG) in a corner application
- Available in Clear Anodized, Foundation and Mica



Four-Way 90° (UNPCR4)

- Connection is used to connect four panel walls and full-height windows at 90° in same panel height or varying panel height configurations
- Used for change of heights, the connector is specified for the lowest height panel wall
- Available with options for connecting Flush, Elevated or Convertible Panel Walls




Two-Way 180° Spacer (UNPCCR)


- Connection is used when a spacer is required between two panel walls,
  full-height windows or add-on windows joined at 180° to match either panel wall lengths or to provide a needed space for screens etc.
- Used for change of heights, the connector is specified for the lowest height panel wall
- Available with options for connecting Flush, Elevated or Convertible Panel Walls
- In most layouts no spacer is needed, panel walls are bolted together with 0" gap

connector basics (continued)

The following outlines the features of each of the connectors available in District.


Two-Way Intermediate (Shown)






Two-Way Intermediate 90° (UNIC2)

- Connection is used to fill the exposed ends of panel walls above a three-way or four-way connection in a change-of-height configuration




Two-Way Intermediate 180° (UNICC)

- Connections is used to fill the exposed ends of panel walls or add-on windows above a 180° spacer in change-of-height configurations
- Available in two configurations;
  - (2) two vertical covers (completely finishes both sides with equal length trim covers)
  - (1) one vertical cover only (select when a two-way Intermediate 180° connection is above a three-way 90° connection a Transition Cover (UNTC) is ordered separately to cover the open side



Three-Way Intermediate 90° (UNIC3)

- Connection is used to fill the exposed ends of panel walls or add-on windows above a four-way connector in change of height configurations




Four-Way Intermediate 90° (UNIC4)

- Connection is used to fill the gap created when four add-on windows are added above an existing four-way connection


connector & trim configurations

A minimal number of connector types are required to make a large number of connections possible in District.

two-way




Two-Way 90° Connector (UNPCR2)




Two-Way 90° Connector (UNPCR2)

Intermediate End Trim (UNTM)




Two-Way 180° Spacer (UNPCCR)

three-way




Three-Way 90° Connector (UNPCR3)



Three-Way 90° Connector (UNPCR3) (no vertical trim option)


Two-Way Intermediate 180° Spacer (UNICC) (one vertical trim only option)

Transition Cover (UNTC)




Three-Way 90° Connector (UNPCR3)

Two-Way 90° Intermediate (UNPC2)



Three-Way 90° Connector (UNPCR3)

Intermediate End Trim (UNTM)



Three-Way 90° Connector (UNPCR3)


Two-Way 90° Connector (UNIC2)

Intermediate End Trim (UNTM)


connector & trim configurations (continued)

four-way


The Smooth Felt Blade for Panels with Inset Glass provides a casual option for finishing the top level of panel walls. Blade recesses into the panel frame so less trim is visible.




Four-Way 90° Connector (UNPCR4)




Four-Way 90° Connector (UNPCR4)
Three-Way Intermediate 90° (UNIC3)




Four-Way 90° Connector (UNPCR4)
Two-Way Intermediate 90° (UNIC2)




Four-Way 90° Connector (UNPCR4)
Intermediate End Trim (UNTM)




Four-Way 90° Connector (UNPCR4)
Three-Way Intermediate 90° (UNIC3)
Two-Way Intermediate 180° (UNICC)




Four-Way 90° Connector (UNPCR4)
Three-Way Intermediate 90° (UNIC3)
Two-Way Intermediate 90° (UNIC2)




Four-Way 90° Connector (UNPCR4)
Three-Way Intermediate 90° (UNIC3)
Intermediate End Trim (UNTM)



Four-Way 90° Connector (UNPCR4)
Two-Way Intermediate 180° (UNICC)
Intermediate End Trim (UNTM)



Four-Way 90° Connector (UNPCR4)
Three-Way Intermediate 90° (UNIC3)
Intermediate End Trim (UNTM)




Four-Way 90° Connector (UNPCR4)
Two-Way Intermediate 90° (UNIC2)
Intermediate End Trim (UNTM)


planning with connectors & trims

The following should be considered when planning with District trims and connectors.


trims and connectors




- The combination of panel types used must be indicated when specifying a corner connector because elevated connectors include the panel foot. In this example a UNPCR3EA is used which indicates two Flush panels or Convertible panels or one Elevated panel



- In change of height applications, the connector is specified at the height of the lowest panel
- Intermediate Connectors and Intermediate Trims are used above that height to conceal all exposed ends



- When an L-shaped corner connector meets a straight corner connector, (ex. Three-Way 90˚ (UNCPRC3) with a Two-Way Intermediate 90˚ (UNIC2) above), a seam will be visible




- When a Two-Way Intermediate 180˚ (UNICC) is mounted above a 90˚ Connector (ex. Three-Way 90˚ (UNPCR3) the connectors should be specified **without** the outside trims. A Transition Cover (UNTC) is specified to extend the full height of the connection, eliminating the seam

planning with connectors & trims (continued)


panel top trim for panels with inset glass

- Panel Top Trims for Inset Glass are required when the inset glass blade is used
- When the Extended option is specified over a three-way connector the existing top cap is removed and the Panel Top Trim for Panels with Inset Glass is run over top to conceal the three-way connector and allow for glass blades to meet




top trim cover

If an off-module application is specified, the Top Trim Cover must be specified to fill the exposed trim locations. The Top Trim Cover can be cut on site to ensure accuracy.




When Notched option is desired to accommodate an Intermediate End Trim the Panel Top Trim for Panels with Inset Glass must be specified as standard and only the Panel Glass Blade for Panels with Inset Glass will be specified Notched.




two-way 90° corner cap for panels with inset glass

When planning with Panel Glass Blade for Panels with Inset Glass (UYSPG) or Bridged Glass Blade for Panels with Inset Glass (UYSCG) on a corner application, a Two-Way 90° Corner Cap for Panels with Inset Glass must be specified to replace existing cap on two-way connector to allow inset glass to meet.




planning with connectors & trims (continued)

levelers




- When a flush corner connector is used the trim extends to the floor but the levelers may be visible



- When an elevated corner connector is used, the foot is visible but the levelers will be concealed
- The foot extends over the leveler

finish detail



- When the Anodized Aluminum finish is specified on connectors and trims, there will be a visual difference between the top and end trims and the corner caps (Extruded Aluminum vs Cast Aluminum). If a consistent finish is required, it is recommended that Mica Paint be specified

worksurfaces

worksurfaces

UNDERSTANDING WORKSURFACES. 178

WORKSURFACE BASICS. 179

PLANNING WITH WORKSURFACES 180

PLANNING WITH WORKSURFACE GAPS 181

PLANNING WITH SMALL FOOTPRINT WORKSURFACES. 183


PLANNING WITH GROMMETS. 184

WORKSURFACE GRAIN/PATTERN DIRECTION 185

EDGE TRIM STYLE OVERVIEW 187

understanding worksurfaces

District provides a variety of worksurface shapes for primary and secondary worksurfaces. The following outlines the features of District worksurfaces.



1. District surfaces are standard with a 1" gap on the back side for cable access
2. Worksurface widths are available in 1" increments to allow for an optional 1" gap on one or both sides of a worksurface and to match up with storage components (see *Storage* section)
3. Worksurfaces can be panel wall- or storage-mounted or specified with legs to create freestanding or semi-supported surfaces (see *Supports* section)
   Worksurfaces can be mounted on- or off-module
4. The orientation of worksurfaces is determined by the location of the deepest end from the users perspective


worksurface basics

The following worksurface shapes are available in District.


Worksurfaces **cannot** be mounted to 29" high Panel Walls with Inset Glass with the Panel Wall Bracket (UNBP). See *Planning with Worksurface Support – Horizontal* section for more details.

Nominal depth dimensions shown

= Grain Direction =



Rectangle Worksurface (UNWR)



Rectangle with Radius Corners Worksurface (UNWC)

Finishes


- Worksurfaces are available in Foundation Laminate, Flintwood and Natural Veneer finishes
- Edge trims are available in Acrylic, ABS, Flintwood and Natural Veneer
- Acrylic is available with Foundation Laminate
- ABS is available with Foundation Laminate
- Flintwood edge trims are finished to match the Flintwood surface
- Natural Veneer edge trims are finished to match the Natural Veneer surface

planning with worksurfaces


The following should be considered when planning with District worksurfaces.

conventional vs. district

• District allows for the re-interpretation of conventional corner oriented workstations to maximize work flow




• **Conventional planning** typically uses a deep corner surface with keyboard tray and equal depth returns



• **District planning** provides a deep primary worksurface and shallow secondary surface for clear articulation of work-zones


• Worksurface shapes are optimized for rectangular and tapered configurations



• **District planning** uses overlapping surfaces and volumes to allow more "stacking" and less filing surfaces

worksurface edge profiles


• District worksurfaces are available with flat and full knife edge profiles



• All sides of the worksurface have the same edge profile (both the user back and return edges of a full knife edge worksurface have the full knife edge profile). This reduces the instances of a worksurface becoming handed

• Worksurfaces are **not** offered with an eased edge so that gutters are **not** created when worksurfaces are butted up against each other

• The edge profile does **not** affect the placement of supports




• Worksurface outside corners are **not** radiused. Edge trims meet at 90˚ at the outside corners of a worksurface

planning with worksurface gaps

The following should be considered when planning for gapping on worksurfaces.


worksurface depths




- All worksurfaces have **nominal** depths (the actual depth is 1" less than the nominal depth) to allow for a gap at the back
- The gap is **not** optional, it is the standard configuration
- The gap is for cable management, access to electrics and alignment with storage and panel walls (International electrics may require a grommet to be specified to accommodate larger sized plugs). Grommets available in center, left or right side

worksurface widths


District worksurfaces are available in 1" increment widths to allow for a continuous gap around all sides of a workstation bounded by panel walls.




Worksurface is specified at same width as panel because no gap is required on either end



Worksurface is specified 1" less than width of panel to allow a gap on one side only




Worksurface is specified 2" less than the panel width to allow a gap on both sides



For freestanding applications, gapping is **not** an issue, so a full width worksurface should be specified.


planning with worksurface gaps (continued)

The following examples demonstrate a variety of typical gapping applications.




The depth is always nominal so the 36" depth is actually 35" with a 1" gap.


Full width worksurfaces are used because no return panel walls are used on the sides.




Both worksurfaces are 1" less than the width of the panel walls.




Only the primary surface is 1" less than the width of the panel wall, because there is no gap on the return surface.




Worksurface is 2" less than the width of the panel wall to allow for a gap on either side.




The primary worksurface is wrapped on both sides by panels so it is 2" less than the width of the panel, the return remains the full width.



The two returns meet each other in the center so no gaps are required.




The center worksurface and return remains the full panel width and the outside primary surfaces have a 1" gap.




When a semi-suspended worksurface is used, it should be aligned with the panel end. The 1" gap then moves to the corner without having to reduce the return surface by 1".

planning with small footprint worksurfaces

District provides a limited collection of Small Footprint Worksurfaces that optimize efficiency within small scale workstation layouts.




Rectangle Worksurface (UNWR)




Rectangle with Radius Corners Worksurface (UNWC)

• Worksurfaces are available in depths of 17" to allow for maximum planning capability in temporary or permanent address workstations

rectangular worksurfaces



• 17" deep surfaces provide adequate chair space in 5'x 5' workstations




• When worksurfaces are requires above a 16" deep low storage, the cabinet depths will align


planning with grommets

The following needs to be considered when selecting grommets

worksurfaces combined with supports

Grommets can be located left, right or centered. The left and right grommets are centered on the depth to avoid interference with supports. See *Supports* for more details.





- Careful attention must be given to worksurfaces with a grain direction
- For surfaces with no grommet the grain direction should be going from left to right to match surface with grommets

→ = Grain Direction =


worksurface grain/pattern direction

Attention to grain/pattern direction is important when planning worksurfaces.

- There is no user edge so care must be taken during installation to match grain/pattern direction
- Grain/patterns are **not** "centered" on worksurface or support
- Applies to Foundation Laminate (wood grain patterns), Flintwood (Standard and Cathedral) and Natural Veneer

worksurfaces





- Grain direction will appear in the same direction, from side to side
- For Cathedral Flintwoods and Natural Veneers the grain will run from left to right from the user's prospective
- Grain patterns are **not** centered on worksurface
- Includes Laminate, Flintwood (Standard and Cathedral) and Natural Veneers

→ = Grain Direction =


worksurface grain/pattern direction (continued)

Attention to grain/pattern direction is important when planning worksurfaces. The following examples demonstrate this.

- There is no user edge so care must be taken upon installation to match grain/pattern direction
- Grain/patterns are **not** "centered" on worksurface or support
- Includes Foundation Laminate, Flintwood (Standard and Cathedral) and Natural Veneer


bridge worksurfaces

District does **not** offer a bridge worksurface so grain direction changes will always occur



worksurfaces combined with supports









- Grain direction on Supports is always vertical
- For Cathedral Flintwoods and Natural Veneers the grain runs from bottom to top
- There is no matching grain across Supports (A) and Worksurfaces (B)



edge trim style overview

The chart below indicates which edge trim style can be specified with each District worksurface finish.

Both user edge and non-user edges have the same edge trim style.

	Foundation Laminate Surface	Flintwood Surface	Natural Veneer Surface
Flat (8) All Edges 		n/a	n/a
Flintwood Flat (9) All Edges 	n/a		
Flat (G) All Edges 	n/a	n/a	n/a
Full Knife (H) User Edge 	* 		* 
Full Knife (X) User Edge 	n/a	n/a	n/a

height-adjustability

height-adjustability

UNDERSTANDING HEIGHT-ADJUSTABILITY 190

NAVIGATE HEIGHT-ADJUSTABLE BUILD-IN PERPENDICULAR TABLE BASICS 191

NAVIGATE HEIGHT-ADJUSTABLE BUILD-IN PARALLEL TABLE BASICS 192

NAVIGATE HEIGHT-ADJUSTABLE FREESTANDING TABLE BASICS 193

HISPACE HEIGHT-ADJUSTABLE BUILD-IN PERPENDICULAR TABLE BASICS 194

HISPACE HEIGHT-ADJUSTABLE BUILT-IN PARALLEL TABLE BASICS 195

PLANNING WITH HEIGHT-ADJUSTABLE TABLES 196

CREDENZAS FOR HEIGHT-ADJUSTABLE TABLES OVERVIEW . . 206

CREDENZAS FOR HEIGHT-ADJUSTABLE TABLE BASICS 207

HEIGHT-ADJUSTABLE CREDENZA DRAWER WIDTHS 208

PLANNING WITH CREDENZAS FOR HEIGHT-ADJUSTABLE TABLES 210

HEIGHT-ADJUSTABLE TABLES WITH SCREEN OVERVIEW 215

PLANNING WITH HEIGHT-ADJUSTABLE TABLES AND SCREENS . 216

HEIGHT-ADJUSTABLE CREDENZA LOCK CHART 222

understanding height-adjustability

District provides a variety of height-adjustable desking options which include credenzas and height-adjustable worksurfaces.

There are two options in height-adjustable tables:

navigate

- Option of two types of base mechanisms:
  - Standard Range Electric
  - Extended-Electric-Restricted
- Leg styles:
  - Post Leg and T-Leg
  - T-Legs
  - T- Leg and Gable Leg
- Two worksurface styles:
  - Rectangular
  - Rectangular worksurface with Radius Corners
- Worksurface finishes:
  - Foundation Laminate
  - Flintwood
  - Natural Veneer
- Power and undersurface cable management options available

hiSpace

- Option of one type of base mechanism:
  - Extended Electric with Riser
- Leg styles:
  - T-Legs
- Two worksurface styles:
  - Rectangular
  - Rectangular worksurface with Radius Corners
- Worksurface finishes:
  - Foundation Laminate
- Power and undersurface cable management options available

Both Navigate and hiSpace Height-adjustable tables can be planned with credenza storage in a variety of perpendicular and parallel applications.

perpendicular height-adjustable worksurfaces

Height-adjustable tables run perpendicular to the panel spine with credenzas running parallel to the spine.



parallel height-adjustable worksurfaces

Height-adjustable tables run parallel to the panel spine with credenzas running perpendicular to the spine.



perpendicular storage

Credenza storage runs perpendicular to the panel spine with Height-Adjustable tables running parallel to the spine.



parallel storage

Credenza storage runs parallel to the panel spine with Height-Adjustable tables running perpendicular to the spine.



navigate height-adjustable built-in perpendicular table basics

District with Navigate Height Adjustable Tables offers options for planning in perpendicular applications.




Perpendicular Height-Adjustable Built-in Worksurfaces)

- Used with same sized Navigate Height-Adjustable Built-in Bases
- Depth: 30"
- Grommet Cut Out Styles
  - Round (2-3/4" diameter)
- Cut Out Location:
  - None
  - Center
  - Left
  - Right


Navigate Height-Adjustable Built-in Base Perpendicular Planning

- Used with same sized Perpendicular Height-Adjustable Worksurfaces
- Depth: 30"
- Base Mechanism:
  - Standard Range Electric (27" - 43")
  - Extended Range Electric - Restricted (25" - 48.7")
- Switch Styles:
  - Standard Up/Down
  - Display with Up/Down Memory
  - Toggle Up/Down
  - Display Toggle with Memory and Navigate GPS
- Cut out Location:
  - None
  - Center
  - Left
  - Right




Perpendicular Rectangular Height-Adjustable Built-in Worksurface (WLD)

- A worksurface with rectangular edges be used with either:
  - Built-in Bases, Perpendicular Planning
  - Built-in Gable Base - Perpendicular Planning
- Widths: 53", 59", 65", 71", 77", 83"




Perpendicular Rectangular Height-Adjustable Built-in Worksurface with Two Radius Corners (WMD)

- A worksurface with radius edges that can used with:
  - Built-in Bases, Perpendicular Planning
- Widths: 65", 71", 77", 83"



Navigate Height-Adjustable Built-in Base - Perpendicular Planning (YGD)

- A height-adjustable table base used with:
  - Rectangular Height-Adjustable Worksurface, Perpendicular Planning
  - Rectangular Height-Adjustable Worksurface with Two Radius Corners, Perpendicular Planning
- Width (to work with worksurface width):
  - 65", 71", 77", 83"
- Leg Styles:
  - T-Leg (30" deep)



Navigate Height-Adjustable Built-in Gable Base - Perpendicular Planning (YVD)

- A height-adjustable base with integrated gable leg used with:
  - Rectangular Height-Adjustable Worksurface, Perpendicular Planning
- Width (to work with worksurface width):
  - 53", 59", 65", 71", 77" 83"
- Leg Styles:
  - Gable Leg (30" deep)


navigate height-adjustable built-in parallel table basics

District offers a variety of options for height-adjustable planning in parallel applications.




Navigate Height-Adjustable Built-in Base - Parallel Planning

- Used with same sized Perpendicular Height-Adjustable Worksurfaces
- Depth:
  - 29"
- Base Mechanism:
  - Standard Range Electric (27" - 43")
  - Extended Range Electric - Restricted (25" - 48.7")
- Switch Styles:
  - Standard Up/Down
  - Display with Up/Down Memory
  - Toggle Up/Down
  - Display Toggle with Memory and Navigate GPS




Parallel Rectangular Height-Adjustable Built-in Worksurface (WHD)

- A worksurface with rectangular edges used with:
  - Built-in Bases, Parallel Planning
  - Built-in Gable Base - Parallel Planning
- Depths:
  - 29"
- Widths:
  - 52", 58", 64", 70", 76", 82"
- Grommet Cut Out Styles:
  - Round (2-3/4" diameter)
- Cut out Location:
  - None
  - Center
  - Left
  - Right



Navigate Height-Adjustable Built-in Base - Parallel Planning (YHD)

- A height-adjustable table base used with:
  - Rectangular Height-Adjustable Worksurface, Parallel Planning
- Width (to work with worksurface width):
  - 52", 58", 64", 70", 76", 82"
- Leg Styles:
  - T-Leg (30" deep)




Navigate Height-Adjustable Built-in Gable Base - Parallel Planning (YWD)

- A height-adjustable base with integrated gable leg used with:
  - Rectangular Height-Adjustable Worksurface, Parallel Planning
- Width (to work with worksurface width):
  - 46", 52", 58", 64", 70", 76", 82"
- Leg Styles:
  - Gable Leg (30" deep)

navigate height-adjustable freestanding table basics


District offers a variety of options for height-adjustable planning in freestanding applications.





Freestanding Table Rectangular Height-Adjustable Worksurface (WBD)

- A worksurface with rectangular edges used with:
  - Built-in Base, Freestanding Planning
- Depths:
  - 23", 29", 35"
- Widths:
  - 45", 51", 57", 63", 69", 75", 81"
- Grommet Cut Out Styles:
  - Round (2-3/4" diameter)
- Cut out Location:
  - None
  - Center
  - Left
  - Right



Navigate Freestanding Table, Base Only (YAD)

- A height-adjustable table base used with:
  - Rectangular Height-Adjustable Worksurface, Parallel Planning
- Depths (to work with worksurface depth):
  - 23", 29", 35"
- Width (to work with worksurface width):
  - 45", 51", 57", 63", 69", 75", 81"
- Leg Styles:
  - T-Leg (30" deep)
- Base Mechanism:
  - Counterbalance - Standard (29.5" - 49.5")
  - Counterbalance - Lower Edition (26.5" - 43.5")
  - Standard - Electric (27" - 43")
  - Extended Electric - Restricted (25" - 48.7")
  - Extended Electric - Extended (22.6" - 48.7")
- Switch Styles:
  - Standard Up/Down
  - Display with Up/Down Memory
  - Toggle Up/Dow
  - Display Toggle with Memory and Navigate GPS


hiSpace height-adjustable built-in perpendicular table basics

District offers a variety of options for height-adjustable planning in perpendicular applications.




Perpendicular Height- Adjustable Built-in Worksurfaces:

- Depths: 30"
- Widths: 65", 71"
- Grommet Cut Out Styles:
  - Round (2-3/4" diameter)
- Cut out Location:
  - None
  - Center
  - Left
  - Right




Perpendicular Rectangular Height-Adjustable Built-in Worksurface with Connection Kit for Quick Connect (WBG)

- A worksurface with rectangular edges used with:
  - Built-in Bases, Perpendicular Planning
  - Built-in Gable Base - Perpendicular Planning



Perpendicular Rectangular Height-Adjustable Built-in Worksurface with Connection Kit for Quick Connect with Radius Corners (WJE)

- A worksurface with radius edges used with:
  - Built-in Bases, Perpendicular Planning




hiSpace Quick Connect Height-Adjustable Built-in Base Perpendicular Planning (YSG)

- A height-adjustable table base used with:
  - Rectangular Height-Adjustable Worksurface, Perpendicular Planning
  - Rectangular Height-Adjustable Worksurface with Two Radius Corners, Perpendicular Planning
- Depths (to work with worksurface depth):
  - 30"
- Width (to work with worksurface width):
  - 65", 71"
- Leg Styles: T-Leg (30" deep)
- Base Mechanism:
  - Extended Electric with Riser - (25"-51.1")
- Switch Styles:
  - Display with Up/Down Memory
  - Toggle Display with Memory
- Optional Undersurface Cable Management:
  - None
  - Cable Organizer with Felt Cover
  - Dual Plastic Trays and Powerbar
  - Dual Plastic Trays
- Vertical Wire Carrier:
  - None
  - Vertical Wire Carrier Finish

hiSpace height-adjustable built-in parallel table basics


District offers a variety of options for height-adjustable planning in parallel applications.





Parallel Rectangular Height-Adjustable Built-in Worksurface (WBF)

- A worksurface with rectangular edges used with:
  - Built-in Bases, Parallel Planning
- Depths:
  - 29"
- Widths:
  - 52", 58", 64", 70"
- Grommet Cut Out Styles:
  - Round (2-3/4" diameter)
- Cut-out Location:
  - None
  - Center
  - Left
  - Right



hiSpace Height-Adjustable Built-in Base - Parallel Planning with connection kit for Quick Connect (YSP)


- A height-adjustable table base used with:
  - Rectangular Height-Adjustable Worksurface, Parallel Planning
- Depths (to work with worksurface depth):
  - 29"
- Width (to work with worksurface width):
  - 52", 58", 64", 70"
- Base Mechanism:
  - Extended Electric with Riser - (25" - 51.1")
- Switch Styles:
  - Display with Up/Down Memory
  - Toggle Display with Memory
- Undersurface Cable Management:
  - None
  - Cable Organizer with Felt Cover
  - Dual Plastic Trays and Powerbar
  - Dual Plastic Trays
- Vertical Wire Carrier:
  - None
  - Vertical Wire Carrier Finish

planning with height-adjustable tables

The following should be taken into consideration when planning with height-adjustable tables.


height-adjustment range

Navigate



Standard Electric


- Minimum Height: 27"
- Maximum Height: 43"



Extended Electric - Restricted

- Minimum Height: 25"
- Maximum Height: 48.6"
  - Minimum height is restricted so it does not interfere with a credenza.

hiSpace



Extended Electrics with Riser


- Minimum Height: 25"
- Maximum Height: 51.1"

cut outs and grommets


Cut outs with grommets are used to direct wires to the underside of the desk so they can be plugged into an under worksurface power bar or directed to a District panel.

Only the cut out is included in the worksurface, grommets must be ordered separately.


The following cut out locations can be specified:




No Cut Out




Round Cut Out, Center



UNDG (Die Cast Grommet)
(Ordered separately)




Round Cut Out, Left



Round Cut Out, Right

The following outlines the location of the grommet cut outs:



Center cut out is always centered on worksurface.


Left and right cut outs are 5" from edge for 30" deep worksurfaces and 3" for 29" deep worksurfaces.

planning with height-adjustable tables (continued)

switches


The following switches are available for upStage Navigate and hiSpace Height-Adjustable Built-In bases:

- Navigate
  - Standard Up/Down
  - Display with Up/Down Memory
  - Toggle Up/Down
  - Display Toggle with Memory and Navigate GPS
- hiSpace
  - Display with Up/Down Memory




power bars and iec connection

There is an optional Cross Channel Integrated Power Bar which is mounted under the worksurface.



Cross Channel Integrated Powerbar - 4 Outlets (I)



Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C)


- Available on worksurfaces with 53" - 83" widths

If no Cross Channel Integrated Power Bar is specified, a cover plate will be provided.

For more information about planning with IEC connection and height-adjustability, refer to Complements: *Teknion's Ergonomics & Accessories Program*.

power pack on hiSpace

There is an optional power pack integrated with Cable Organizer with felt cover.




- Available on worksurfaces 53" - 71"

planning with height-adjustable tables (continued)


undersurface cable management

The following under surface are available for upStage Navigate and hiSpace Height-Adjustable Built-In bases:


- Navigate
  - None
  - Cable organization with felt cover (Only available on worksurface depths 30')
  - Cable organization with no cover
  - Dual Plastic Trays & Power Bar
  - Dual Plastic Trays
- hiSpace
  - None
  - Dual Plastic Trays & Power Bar
  - Dual Plastic Trays




None



Cable organization with felt cover (Only available on worksurface depths 31')



Dual plastic trays, power bar and under surface mount




Dual plastic trays


planning with height-adjustable tables (continued)

vertical wire carrier


Vertical Wire Carriers can be specified on Height-Adjustable Built-in Bases and come with a mounting bracket.



If an Vertical Wire Carrier is specified, it is recommended that it be planned within a credenza.




Vertical Wire Carriers cannot be planned within a Parallel Corridor Credenza (UPCC).




planning with height-adjustable tables (continued)

perpendicular planning with worksurfaces




Planning with Perpendicular Rectangular Height-Adjustable Built-in Worksurfaces to the panel spine




Planning with Perpendicular Rectangular Height-Adjustable Built-in Worksurfaces with Two Radius Corners to the panel spine

parallel planning with worksurfaces



When planning with worksurfaces parallel to the spine, only Parallel Rectangular Height-Adjustable Built-in Worksurface can be specified.




It is not recommended to use Perpendicular Rectangular Height-Adjustable Built-in Worksurface with Two Radius Corners parallel to the panel spine.

planning with height-adjustable tables (continued)


navigate perpendicular worksurfaces and height-adjustable table bases

District Navigate height-adjustable table bases have options for the leg location in order to accommodate the applications they are being used in.
In order to specify the correct worksurface to match the height-adjustable base, it is required to know the leg application of the workstation beforehand.




TSL
Left Leg in Corridor, Right Leg in Parallel Spine Credenza

TSR
Right Leg in Corridor, Left Leg in Parallel Spine Credenza




TCL
Left Leg in Parallel Corridor Credenza, Right Leg along Panel

TCR
Right Leg in Parallel Corridor Credenza, Left Leg along Panel



TBL
Left Leg in Parallel Corridor Credenza, Right Leg in Parallel Spine Credenza


TBR
Right Leg in Parallel Corridor Credenza, Left Leg in Parallel Spine Credenza




GSL
Left Leg is Gable Leg in Corridor, Right Leg in Parallel Spine Credenza

GSR
Right Leg is Gable Leg in Corridor, Left Leg in Parallel Spine Credenza

Once the application has been chosen, the worksurface is then specified to match the height-adjustable table base.
The following is an example of how to specify a height-adjustable table that is perpendicular to the spine.
Make certain that 3-digit Leg Application codes match to ensure proper fit.





TSL (Leg Application code)
Left Leg in Corridor, Right Leg in Parallel Spine Credenza

Navigate Height-Adjustable Built-in Base Perpendicular Planning - YGDTSL7S31711

Height-Adjustable Base Type	Leg Application	Base Mechanism	Base Depth	Base Width	Undersurface Cable Manager
YGD	**TSL** / TSR	**7S**	**31"**	65"	**1**
	TCL / TCR	9C		**71"**	
	TBL / TBR			77"	
	GSL / GSR			83"	

Perpendicular Rectangular Height-Adjustable Built-in Worksurface - WBGTSL9U3071NN


Worksurface Type	Leg Application	Base Mechanism	Worksurface Depth	Worksurface Width	Undersurface Cable Manager
WBG	**TSL** / TSR	**7S**	**31"**	53"	GC (Grommet, Center)
	TCL / TCR	9C		59"	GL (Grommet, Left)
	TBL / TBR			65"	GR (Grommet, Right)
	GSL / GSR			**71"**	NN (Grommet, None)
				77"	

planning with height-adjustable tables (continued)

hispace parallel worksurfaces and height-adjustable table bases


District hiSpace height-adjustable table bases have options for the leg location in order to accommodate the applications they are being used in.

In order to specify the correct worksurface to match the height-adjustable base, it is required to know the leg application of the workstation beforehand.




TZL
Left Leg in Credenza, Right Leg in the Middle

TZR
Right Leg in Credenza, Left Leg in the Middle




TDL
Left Leg Outside, Right Leg in Shared Perpendicular Credenza

TDR
Right Leg Outside, Left Leg in Shared Perpendicular Credenza




THL
Left Leg in Perpendicular Credenza, Right Leg in Shared Perpendicular Credenza

THR
Right Leg in Perpendicular Credenza, Left Leg in Shared Perpendicular



GDL
Left Gable Leg toward the outside, Right T-Leg in Shared Perpendicular Credenza

GDR
Right Gable Leg toward the outside, Left T-Leg in Shared Perpendicular Credenza




GZL
Left T-Leg in Perpendicular Credenza, Right Gable Leg toward the middle

GZR
Right T-Leg in Perpendicular Credenza, Left Gable Leg toward the middle

Once the application has been chosen, the worksurface is then specified to match the height adjustable table base.

The following is an example of how to specify a height-adjustable table that is parallel to the spine.

Make certain that 3-digit Leg Application codes match to ensure proper fit.



TDL (Leg Application code)
Left T-Leg in Perpendicular Credenza, Right Gable Leg toward the middle

Navigate Height-Adjustable Built-in Base Parallel Planning - YHDTDL7S29701

Height-Adjustable Base Type	Leg Application	Base Mechanism	Base Depth	Base Width	Undersurface Cable Manager
YHD	TZL / TZR	**7S**	**29"**	52"	**1**
	TDL / TDR	9C		58"	
	THL / THR			64"	
	GDL / GDR			**70"**	
	GZL / GZR			78"	
				82"	

Parallel Rectangular Height-Adjustable Built-in Worksurface - WBFTZL9U2970NN


Worksurface Type	Leg Application	Base Mechanism	Worksurface Depth	Worksurface Width	Undersurface Cable Manager
WBF	TZL / TZR	**7S**	**29"**	52"	GC (Grommet, Center)
	TDL / TDR	9C		58"	GL (Grommet, Left)
	THL / THR			64"	GR (Grommet, Right)
	GDL / GDR			**70"**	NN (Grommet, None)
	GZL / GZR			78"	
				82"	

planning with height-adjustable tables (continued)

hiSpace perpendicular worksurfaces and height-adjustable table bases


District hiSpace height-adjustable table bases have options for the leg location in order to accommodate the applications they are being used in.

In order to specify the correct worksurface to match the height-adjustable base, it is required to know the leg application of the workstation beforehand.




TSL
Left Leg in Corridor, Right Leg in Parallel Spine Credenza

TSR
Right Leg in Corridor, Left Leg in Parallel Spine Credenza



TCL
Left Leg in Parallel Corridor Credenza, Right Leg along Panel


TCR
Right Leg in Parallel Corridor Credenza, Left Leg along Panel



TBL
Left Leg in Parallel Corridor Credenza, Right Leg in Parallel Spine Credenza

TBR
Right Leg in Parallel Corridor Credenza, Left Leg in Parallel Spine Credenza

Once the application has been chosen, the worksurface is then specified to match the height-adjustable table base.
The following is an example of how to specify a height-adjustable table that is perpendicular to the spine.
Make certain that 3-digit Leg Application codes match to ensure proper fit.



TSL (Leg Application code)
Left Leg in Corridor, Right Leg in Parallel Spine Credenza

hiSpace Height-Adjustable Built-in Base Perpendicular Planning - YSGTSL9U30711

Height-Adjustable Base Type	Leg Application	Base Mechanism	Base Depth	Base Width	Undersurface Cable Manager
YSG	**TSL** / TSR	**9U**	**30"**	65"	**1**
	TCL / TCR			**71"**	
	TBL / TBR				


hiSpace Perpendicular Rectangular Height-Adjustable Built-in Worksurface - WLDTSL9U3071NN

Worksurface Type	Leg Application	Base Mechanism	Worksurface Depth	Worksurface Width	Undersurface Cable Manager
WLD	**TSL** / TSR	**9U**	**30"**	71"	GC (Grommet, Center)
	TCL / TCR				GL (Grommet, Left)
	TBL / TBR				GR (Grommet, Right)
					NN (Grommet, None)

planning with height-adjustable tables (continued)


navigate parallel worksurfaces and height-adjustable table bases

District Navigate height-adjustable table bases have options for the leg location in order to accommodate the applications they are being used in.
In order to specify the correct worksurface to match the height-adjustable base, it is required to know the leg application of the workstation beforehand.




TZL
Left Leg in Credenza, Right Leg in the Middle

TZR
Right Leg in Credenza, Left Leg in the Middle



TDL
Left Leg Outside, Right Leg in Shared Perpendicular Credenza


TDR
Right Leg Outside, Left Leg in Shared Perpendicular Credenza



THL
Left Leg in Perpendicular Credenza, Right Leg in Shared Perpendicular Credenza

THR
Right Leg in Perpendicular Credenza, Left Leg in Shared Perpendicular

Once the application has been chosen, the worksurface is then specified to match the height adjustable table base.
The following is an example of how to specify a height-adjustable table that is parallel to the spine.
Make certain that 3-digit Leg Application codes match to ensure proper fit.



TDL (Leg Application code)
Left T-Leg in Perpendicular Credenza, Right Gable Leg toward the middle

hiSpace Height-Adjustable Built-in Base Parallel Planning - YSPTDL9U29701

Height-Adjustable Base Type	Leg Application	Base Mechanism	Base Depth	Base Width	Undersurface Cable Manager
YSP	TZL / TZR	**9U**	**29"**	52"	**1**
	TDL / TDR			58"	
	THL / THR			64"	
				70"	


hiSpace Parallel Rectangular Height-Adjustable Built-in Worksurface - WLDTDL7S2970NN

Worksurface Type	Leg Application	Base Mechanism	Worksurface Depth	Worksurface Width	Undersurface Cable Manager
WLD	TZL / TZR	**9U**	**29"**	52"	GC (Grommet, Center)
	TDL / TDR			58"	GL (Grommet, Left)
	THL / THR			64"	GR (Grommet, Right)
				70"	NN (Grommet, None)


planning with height-adjustable tables (continued)

gapping


When planning with height-adjustable tables there will be a 1" gap between the worksurfaces and panels to avoid any pinch points.




Perpendicular to spine Navigate or hiSpace Height-Adjustable Table wrapped with screens.



Perpendicular to spine Navigate or hiSpace Height-Adjustable Table wrapped with a Freestanding District Panel.



Perpendicular to spine Navigate or hiSpace Height-Adjustable Table with Screen.




Parallel to spine Navigate or hiSpace Height-Adjustable Table.

credenzas for height-adjustable tables overview

When choosing a credenza for height-adjustable tables in District, there are two styles, perpendicular and parallel which are defined by the relationship of the credenza to the panel spine.

perpendicular credenzas


Credenzas run perpendicular to the panel spine with height-adjustable tables running parallel to the spine.




1. Perpendicular Credenza for Height-Adjustable Table - Full Drawer (UPPC)
2. Shared Perpendicular Credenza for Height-Adjustable Table (UPCS)

parallel credenzas


Credenzas run parallel to the panel spine with height-adjustable tables running perpendicular off of the spine.



1. Parallel Spine Credenza for Height-Adjustable Table - Open with Drawer (UPSC)
2. Parallel Corridor Credenza for Height-Adjustable Table (UPCC)



District Handle Pull




Rectangular Handle Pull

Two handle styles are available on District credenzas for height-adjustability.


credenzas for height-adjustable table basics

District offers a variety of credenza options for height-adjustable planning in parallel and perpendicular applications.




- District Navigate and hiSpace Height-Adjustable Tables can be used with credenzas for height-adjustable tables
- Provides storage with the capability to integrate height-adjustable tables and support stackers and panels
- Height:
  - 21"
- Depth:
  - 16"
- Leveling Range is -0.625" to +0.375"
- Lock option is standard locks
- Storage extended leveling kit (UNSXLC) can be ordered *from the District Storage Price & Application Guide* to reach +0.750"

Finishes:
- Laminate
- Flintwood
- Wood Veneer




Perpendicular Credenza for Height-Adjustable Table (UPPC)

- Configurations:
  - Full Drawer
  - File with Hinged Door
- Can be used with:
  - Navigate Height-Adjustable Built-in Base - Parallel Planning
  - Navigate Height-Adjustable Built-in Gable Base -Parallel Planning
  - hiSpace Height-Adjustable Built-in Base Quick Connect - Parallel Planning
- Widths:
  - 48", 54", 60", 66", 72"




Shared Perpendicular Credenza for Height-Adjustable Table (UPCS)

- Can be used with:
  - Navigate Height-Adjustable Built-in Base - Parallel Planning
  - Navigate Height-Adjustable Built-in Gable Base -Parallel Planning
  - hiSpace Height-Adjustable Built-in Base Quick Connect - Parallel Planning
- Widths:
  - 66", 72"



Parallel Spine Credenza for Height-Adjustable Table (UPSC)

- Configurations:
  - Full Drawer
  - Open with Drawer
- Can be used with:
  - Navigate Height-Adjustable Built-in Base - Perpendicular Planning
  - Navigate Height-Adjustable Built-in Gable Base - Perpendicular Planning
  - hiSpace Height-Adjustable Built-in Base Quick Connect - Perpendicular Planning
- Widths:
  - 72", 78", 84"



Parallel Corridor Credenza for Height-Adjustable Table (UPCC)


- Configurations:
  - Full Drawer
  - File with Hinged Door
- Can be used with:
  - Navigate Height-Adjustable Built-in Base - Perpendicular Planning
  - Navigate Height-Adjustable Built-in Gable Base - Perpendicular Planning
  - hiSpace Height-Adjustable Built-in Base Quick Connect - Perpendicular Planning
- Widths:
  - 48", 54", 60"

height-adjustable credenza drawer widths

The following illustrates District height-adjustable credenza drawer and open section widths.


Perpendicular Credenza for Height-Adjustable Table (UPPC)

48" Width - Full Drawer (F)




UPPCF - Left UPPCF - Right

54" Width - Full Drawer (F)




UPPCF - Left UPPCF - Right

60" Width - Full Drawer (F)




UPPCF - Left UPPCF - Right

60" Width - File with Hinged Door (H)




UPSCH- Left UPSCH - Right

66" Width - Full Drawer (F)




UPPCF - Left UPPCF - Right

66" Width - File with Hinged Door (H)




UPSCH - Left UPSCH - Right

72" Width - Full Drawer (F)



UPPCF - Left UPPCF - Right


72" Width - File with Hinged Door (H)



UPSCH - Left UPSCH - Right


Shared Perpendicular Credenza for Height-Adjustable Table (UPCS)

66" Width



UPCS - Left UPCS - Right

72" Width




UPCS - Left UPCS - Right

height-adjustable credenza drawer widths (continued)

The following illustrates District height-adjustable credenza drawer and open section widths.


Parallel Spine Credenza for Height-Adjustable Table (UPSC)

72" Width - Full Drawer (F)




UPSCF - Left | UPSCF - Right

72" Width - Open with Drawer (P)




UPSCP - Left | UPSCP - Right

78" Width - Full Drawer (F)




UPSCF - Left | UPSCF - Right

78" Width - Open with Drawer (P)




UPSCP - Left | UPSCP - Right

84" Width - Full Drawer (F)



UPSCF - Left | UPSCF - Right


84" Width - Open with Drawer (P)



UPSCP - Left | UPSCP - Right


Parallel Corridor Credenza for Height-Adjustable Table (UPCC)

48" Width - Full Drawer (F)




UPCCF - Left | UPCCF - Right

60" Width - File with Hinged Door (H)



UPCCH - Left | UPCCH - Right

54" Width - Full Drawer (F)




UPCCF - Left | UPCCF - Right

planning with credenzas for height-adjustable tables


When planning with credenzas for height-adjustable tables, the following should be taken into consideration.

planning with credenzas perpendicular to the panel spine


Credenzas and height-adjustable tables can be planned in the following configurations.




Navigate or hiSpace height-adjustable tables with credenzas and freestanding panels along spine.




Navigate or hiSpace height-adjustable tables with credenzas attached to fixed panels along the spine.




Navigate or hiSpace height-adjustable tables with credenzas attached to freestanding panels and fixed return panels.




Navigate or hiSpace height-adjustable tables with credenzas attached to fixed panels and freestanding panels along the corridor.




Navigate or hiSpace height-adjustable tables with credenzas attached to fixed panels.



Navigate or hiSpace height-adjustable tables with credenzas attached to fixed panels.




Navigate or hiSpace height-adjustable tables cannot be planned in three-packs of shared credenzas.




This is an alternative planning solution for a run of three height-adjustable workstations and perpendicular credenzas

planning with credenzas for height-adjustable tables (continued)


planning with credenzas parallel to panel spine




Navigate or hiSpace height-adjustable tables wrapped with screens will allow for the required gaps.




Back-to-back Navigate or hiSpace height-adjustable tables wrapped with screens will allow for the required gaps.




Back-to-back Navigate or hiSpace height-adjustable tables with a freestanding panel will allow for the required gaps.



Panels wrapped around Navigate or hiSpace height-adjustable tables will not allow for the required 1" gaps.



Return panels off of the spine cannot attach to a Parallel Corridor Credenza for Height-Adjustable Table (UPCC) or Navigate or hiSpace height-adjustable table.




Freestanding panels are unable to attach to Navigate or hiSpace height-adjustable tables.

planning with credenzas for height-adjustable tables (continued)


stackers

The width of the storage section on a height-adjustable credenza will vary depending on the overall width of the credenza. District stackers are available in widths to match the width of the storage section of each credenza.


The following is recommended if stacker widths are to match with Perpendicular Credenzas for Height-Adjustable Tables (UPPC).



60" wide credenza with 24" wide stacker
(Full drawer right shown)




66" wide credenza with 30" wide stacker
(Full drawer right shown)




72" wide credenza with 36" wide stacker
(Full drawer right shown)

The following is recommended if stacker widths are to match with Shared Perpendicular Credenzas for Height-Adjustable Tables (UPCS).




66" wide credenza with 36" wide stacker
(Full drawer right shown)




72" wide credenza with 36" wide stacker
(File with hinged door right shown)


The following is recommended if stacker widths are to match Parallel Spine Credenzas for Height-Adjustable Tables (UPSC).




72" wide credenza with 36" wide stacker
(Full drawer right shown)



78" wide credenza with 42" wide stacker
(Full drawer right shown)




84" wide credenza and 48" wide stacker
(Full drawer right shown)




Always ensure there is a minimum 1" gap between Height-Adjustable table and stackers to avoid any pinch points.

planning with credenzas for height-adjustable tables (continued)


electrics and credenzas for height-adjustable tables




- Parallel Spine Credenzas for Height-Adjustable Tables (UPSC) are the only credenzas that can be specified with a cut out in the back
- The grommet into the Vertical Wire Carrier and then to the credenza to power box in panel




- Perpendicular Credenzas for Height-Adjustable Tables (UPPC) do not have the option of specifying a cut out
- Wires will be routed through the grommet to the power box in the panel



- Shared Perpendicular Credenzas for Height-Adjustable Tables (UPCS) do not have the option of specifying a cut out
- Wires will be routed through the grommet to the power box in panel



- Parallel Corridor Credenzas for Height-Adjustable Tables (UPCC) do not have the option of specifying a cut out
- There is no option to specify a Vertical Wire Carrier
- Wires will be routed through the grommet through to the Parallel Spine Credenza for Height-Adjustable Table (UPSC)




- If Parallel Corridor Credenzas for Height-Adjustable Tables (UPCC) are specified without a Parallel Spine Credenza for Height-Adjustable Table, a Vertical Wire Carrier (YEEE) should be specified separately
- Vertical Wire Carrier (YEEE) is available in Complements: *Teknion's Ergonomics & Accessories Program*

planning with credenzas for height-adjustable tables (continued)


fascias

When specifying fascias on District panels to accommodate power, it is important to consider the location of the fascia with cut out to avoid interference with the height-adjustable table and/or credenza.




51" high District Panel with Fascias for Freestanding District with Power/Communication cut out bottom.

There is no interference with power cables plugged into the power box on the panel.



51" high District Panel with Fascias for Freestanding District with Power/Communications cut out top.

Location will cause interference with power cables plugged into the power box on the panel.




51" high District Panel with Fascias for Freestanding District with Power/Communications cut out Bottom

Location will cause interference with power cables plugged into the power box on the panel.

height-adjustable tables with screens overview


District Screens can be planned with height-adjustable tables and credenzas in both parallel and perpendicular applications.

perpendicular planning with height-adjustable tables and screens



1. Framed Fabric Desk Edge Screen (GYDD)
2. Framed Fabric Side Desk Edge Screen (GYSD)
3. Infinity Desk Edge Screen (GXDD)
4. Infinity Side Desk Edge Screen (GXSD)

parallel planning with height-adjustable tables and screens




1. Infinity Side Desk Edge Screen (GXSD)
2. Storage Screen (UNSSS)

planning with height-adjustable tables and screens

The following should be considered when planning with navigate height-adjustable tables and screens.


The following chart outlines the screens that can be used with height-adjustable tables when planning perpendicular to the panel spine



Screen Type	Perpendicular Planning
ALL Desk Edge Screens	✔
Curved Desk Edge Screens	✔
Desktop Casual Screen	✔
HAB Study Carrel	
Modesty Screens	✔
ALL Desk Edge Floor Screens	
Storage Screens	
Lateral Floor Screens	
Desktop Lateral Screens	
Glass Desk Edge Screens	

✔ **Applicable**

The following chart outlines the screens that can be used with height-adjustable tables when planning parallel to the panel spine



Screen Type	Parallel Planning
ALL Desk Edge Screens	
Curved Desk Edge Screens	
Desktop Casual Screen	✔
HAB Study Carrel	
Modesty Screens	
ALL Desk Edge Floor Screens	
Storage Screens	✔
Lateral Floor Screens	
Desktop Lateral Screens	✔
Glass Desk Edge Screens	


✔ **Applicable**

planning with height-adjustable tables and screens (continued)


gapping

When planning with screens on perpendicular worksurfaces, ensure that there are proper pinch gaps between credenzas and screens.

The cut out is wide enough to accommodate various planning configurations.




Height-adjustable table can shift back 3" to allow for the recommended pinch gap when specifying desk edge screens in face-to-face applications.



Height-adjustable table can shift forward to allow for screen to overlap credenza.

When specifying screens attached to height-adjustable tables, there should always be a 1" gap to avoid pinch points.




planning with navigate height-adjustable tables and screens (continued)


desk edge screens

The following screen types can be specified on height-adjustable tables, either full or partial width:
- Desk Edge Screen (UNSDE)
- Infinity Desk Edge Screen (GXDD)
- Framed Fabric Desk Edge Screen (GYDD)


Glass screens should not be used on height-adjustable tables.




Desk Edge Screens can span entire width of worksurface.



Height-adjustable tables can be pushed back in spine credenza with Desk Edge Screens spanning only part of the width of the worksurface.




Infinity Curved Desk Edge Screen (GXCD) can span along the front edge of the worksurface.



Height-adjustable tables can be pushed back in spine credenza with Infinity Curved Desk Edge Screen (GXCD) screen spanning only part of the worksurface.

side desk edge screens

The following screen types can be specified on height-adjustable tables with T-Legs:
- Framed Fabric Side Desk Edge Screen (GYSD)
- Infinity Side Desk Edge Screen (GXSD)




Side Desk Edge Screen on a Navigate Height-Adjustability Built-in Base - Perpendicular Planning with T-Legs.

planning with navigate height-adjustable tables and screens (continued)


curved infinity desk edge screens

Curved Infinity Desk Edge Screens are available with and without wire management.

The option of no wire management must be specified if there is a Parallel Corridor Credenza for Height-Adjustable Table (UPCC) with a Curved Infinity Desk Edge Screen (GXCD).




No wire management.




Wire management interferes with credenza if Height-adjustable table is moved up/down.

modesty screens




Allow minimum 1" gap between Modesty Screen (UNSM) and credenzas.

When planning with modesty screens, there could be interference with cut outs and credenzas for height-adjustable tables.




Modesty panel interferes with cut out when centered between the edge of the worksurface and credenzas.



There is a 1" pinch gap between the modesty panel and credenza. There is interference between the modesty panel and cut out.

planning with navigate height-adjustable tables and screens (continued)



Modesty panel is centered on the worksurface and does not interfere with cut out.


planning with navigate height-adjustable tables and screens (continued)

lateral screens


All lateral screens can only be planned with height-adjustable worksurfaces that are parallel to the panel spine.

• Lateral screens have nominal depths and can be specified to parallel worksurfaces.


• Actual depths of lateral screens are:
- 24" deep is 23" deep
- 30" deep is 29" deep
- 36" deep is 35" deep



Parallel Rectangular Height-Adjustable Built-In Worksurfaces (WHD) can accommodate all lateral screens.






When specifying a lateral screen on a Height-Adjustable Built-in Gable Base - Parallel Planning (YHD), the screen must be inserted so it does not interfere with the base.







Lateral screen depths are 29" and **cannot** be planned with 30" deep Perpendicular Rectangular Height-Adjustable Built-In Worksurfaces.



height-adjustable credenza lock chart

	number of locks
Full Drawer 	1 x
Line 1 File with Hinged Door 	2 x
UPPC	

	number of locks
	2 x
UPCS	

	number of locks
Full Drawer 	1 x
File with Hinged Door 	2 x
UPCC	

	number of locks
Full Drawer 72" 	1 x
Full Drawer 78" 	2 x
UPSC	

	number of locks
Full Drawer 84" 	2 x
Open with Drawer 	1 x
UPSC	

supports

supports

UNDERSTANDING DISTRICT SUPPORT 226

WORKSURFACE SUPPORT BASICS – HORIZONTAL 227

PLANNING WITH WORKSURFACE SUPPORTS – HORIZONTAL . . 228

WORKSURFACE SUPPORT BASICS – VERTICAL 232

PLANNING WITH PANEL-MOUNTED CANTILEVERED SUPPORTS . . 233

WORKSURFACE SUPPORT, FREESTANDING BASICS 234

PLANNING WITH WORKSURFACE SUPPORTS, FREESTANDING 235

PLANNING WITH SEMI-SUSPENDED SUPPORTS 236

WORKSURFACE-TO-STORAGE SUPPORT BASICS 237

PLANNING WITH WORKSURFACE TO STORAGE SUPPORTS . . . 238

STORAGE-TO-PANEL SUPPORT BASICS 240

SELECTING THE CORRECT STORAGE-TO-PANEL BRACKET . . . 241


PLANNING WITH KEYBOARD TRAYS 243

understanding district support


The following outlines the guidelines for supporting panels and worksurfaces in panel-mounted applications.

- When planning with District panels, the end of run conditions must be supported at 6" and 29" high and at the front of a worksurface or storage. There are different ways of providing support, depending on whether storage or end gables are used
- When properly supported, the method of support forms a triangle


end of run with no storage



end of run with low storage





end of run with high storage



worksurface support basics – horizontal


The following outlines the features of supports that connect horizontally, either below worksurfaces, or for connecting worksurface to panel walls.






Flush Plate (UNRF)

- Used in conjunction with other supports to maintain alignment of worksurfaces
- **Cannot** be used in freestanding applications, is used in panel wall application only
- **Not** required when cantilevers are used




Worksurface Panel Wall Brackets (UNBP)

- Off-module connectors that attach the worksurface to a Panel Wall
- Are mounted in the 29" high horizontal rail and can be connected at any point along the width of the worksurface and Panel Wall but must be spaced minimally every 48"
- Are **not** height-adjustable
- **Cannot** be used on Elevated or Convertible Panel Walls with Inset (UYPER, UYPCR)




Worksurface Reinforcement Channel (UNRC)

- Adds rigidity to worksurface to reduce deflection in the worksurface
- Required for all worksurfaces with an unsupported span over 48"




Mid Gable (UNGMF) and Mid Gable – Height-Adjustable (UNGMFA)


- Used on worksurface spans larger than 72" to provide additional floor support or to join two worksurfaces, also includes a bracket at the 6" high level to provide support to the panel wall if required
- (UNGMFA) offers a height-adjustable leveling option with a range of 3" (2" above and 1" below worksurface)



Flush End Gable (UNGEF) and Flush End Gable – Height-Adjustable (UNGEFA)

- Consists of a solid gable and a support to allow to be attached to the underside of a worksurface and to a panel available in depths to match 17", 20", 24", 30", 36" deep worksurfaces
- Available in depths to match 17", 20" 24" 30" and 36" deep worksurfaces
- (UNGEFA) offers a height-adjustable leveling option with a range of 3" (2" above and 1" below worksurface)
- Provides floor support to a panel wall at the end of worksurface run and also has a bracket at the 6" high level to provide panel support





End Gable (UNGEN) and End Gable – Height-Adjustable (UNGEAN)


- Consists of a single leg and a support to allow it to be attached to the underside of a worksurface and to the panel to provide floor support to a panel wall at the end of a worksurface run available in depths to match 17", 20", 24", 30", 36" deep worksurfaces
- Available in depths to match 17", 20" 24" 30" and 36" deep worksurfaces
- Available open or with an infill panel
- The infill has a bracket at the 6" high level and is used when panel support is required at the 6" level - the no infill option **cannot** be used for supporting panels as it does **not** include the bracket
- (UNGEAN) offers a height-adjustable leveling option with a range of 6" (3" above and 3" below worksurface) and is available with or without an infill
- **Cannot** be used on Elevated or Convertible Panel Walls with Inset (UYPER, UYPCR)

planning with worksurface supports – horizontal


The following should be considered when planning with worksurface horizontal supports.

Worksurface Panel Wall Brackets


• Panel wall brackets mount into the 29" high horizontal rail of the panel wall, to support worksurface on- or off-module



On-Module worksurface shown



Off-Module worksurface shown




• A corner bracket located at the side edge can support worksurface end when it **cannot** be located along the back edge

• Typically worksurface ends only require one bracket towards the user edge for support

• Brackets are required at every 48" along a worksurface

• At least one left and one right bracket should be used for anti-dislodgement – brackets are packaged in pairs, one right and one left




When mounting a worksurface to a freestanding panel with an accessory rail, the Worksurface Panel Wall Bracket (UNBP) must be rotated 180˚ to have the worksurface reach a 28" datum.

planning with worksurface supports – horizontal (continued)

Mid Gable and Mid Gable – Height-Adjustable

• The 12" deep mid gable is used for 20" and 24" deep worksurfaces and the 18" deep half gable is used for 30" and 36" deep worksurfaces




• The mid gable provides support to the panel by mounting to the 6" rail


• A 22" high and 6" high fascia must be specified for use with the gable (See Fascias section for details)

• Worksurface panel wall brackets are required on either side of the mid gable when connecting two worksurfaces

• A Structural Flush Plate is required at the front of the surfaces to maintain alignment



• Worksurfaces on- or off-module in straight runs or in L-shaped configurations are used to connect or support




• If the mid gable is used for additional floor support on worksurface runs over 72" panel wall brackets must still be used every 48"

planning with worksurface supports – horizontal (continued)

End Gable and End Gable – Height-Adjustable

• End gables mount into the 6" and 29" high levels to provide support to the end of a panel run




• The infill panel option includes a mounting bracket at the 6" high level so must be used when support is required at the 6" horizontal level


• The bottom edge of the infill panel aligns with the 6" high horizontal rail

• On the height-adjustable option, it has a different bracket which attaches to the vertical channel of the frame and travels up and down with the infill


Flush End Gable and Flush End Gable – Height-Adjustable

• Provides the same support as an end gable, but is solid to provide an alternative aesthetic





Worksurfaces **cannot** be mounted to 29" high Panel Walls with Inset Glass using Worksurface Panel Wall Bracket (UNBP) due to restricted access to the top horizontal rails.




To accommodate 29" high Panels with Inset Glass with a worksurface mounted you must specify a Worksurface Panel Wall Bracket – Height Adjustable (UNBPA) on either end of the worksurface. If the Panel width is greater than 72" a Mid Gable (UNGMF) must also be specified every 72".


planning with worksurface supports – horizontal (continued)

reinforcement channel requirements


- When a worksurface has an unsupported span of a 48" or more reinforcement channels are required
- The unsupported span is the distance between two supports or storage units



For unsupported spans 48" or less, no reinforcement channels are required for all depths of worksurfaces.




For unsupported spans from 49" to 65", one reinforcement channel only is required for all depths of worksurfaces.




- Worksurfaces 30" or 36" deep two reinforcement channels are required
- One reinforcement channel is required on worksurfaces 24" deep




- A deduction allowance can be given for the mounting plates on supports
- Allow 6" for all supports except: for the low credenza worksurface support 10"
- The reconfigurable low credenza worksurface bracket which is either 16" or 19"




- Example: a 78" wide worksurface supported by a pedestal and a 19" deep credenza has an unsupported span of 44"
- No reinforcement channel is required because the unsupported span is less than 48"



- When planning with surfaces wider than 72" that will require secondary floor support, consider placing the support where it will shorten the unsupported distance on each side to 48" or less
- No reinforcement channel will be required, this is important to consider when planning with keyboard trays




- Example: a 78" wide worksurface supported by a pedestal and panel brackets has a unsupported span of 61"
- One reinforcement channel is required




- Example: a 78" wide worksurface supported by a gable and panel brackets has an unsupported span at 66"
- 2 reinforcement channels are required if the surface is 30" or 36" deep

worksurface support basics – vertical


The following outlines the features of vertical supports that allow for height-adjustable worksurface mounting.






Cantilever (UNLVR)

- Mounts into the center vertical channel of a panel wall over 60" wide to provide on module height-adjustable worksurface support at 1" increments available in depths of 11" and 14"
- Available in depths to match 11" and 14"




Worksurface Panel Wall Bracket – Height-Adjustable (UNBPA)

- Mounts into the vertical channel at the end of a Panel Wall to provide on-module height-adjustable support for worksurfaces
- Used with Flush Full-Height Windows – Single and Double Glazed (UNPFWS, UNPFWD) to support worksurfaces as no horizontal channel is available at 29" high



Off-Module Cantilever (UNLVFN)

- Mounts in the 6" and 29" horizontal channels of the Panel Wall to allow for height-adjustable off-module applications
- Can be used in place of the Mid Gable (UNGMF) and Height-Adjustable Mid Gable (UNGMFA), height-adjustable on an elevated panel as it does **not** extend below the 6" horizontal rail available in depths of 11" and 14"
- Available in depths to match 11" and 14"
- **Cannot** be used on Elevated or Convertible Panel Walls with Inset (UYPER, UYPCR)



Off-Module Cantilever for Panels with Accessory Beam (UALVFN)


- Available in depths to match 11" and 14"
- Left or Right handed available
- Mounts to the horizontal channel of the panel to provide on-module height-adjustable worksurface support at 1" increments
- Used only when using a panel frame with accessory rail in order to accommodate the gap from the beam

planning with panel-mounted cantilevered supports


The following should be considered when planning with cantilevered height-adjustable supports.

- On worksurfaces attached to panel walls, support is required every four feet and secondary floor support every six feet
- Cantilevers are **not** considered floor support


Cantilever (UNLVR)




- Cantilevers mount vertically so are used only in the middle of a panel run where there is a vertical break in the panel (including one panel wider than 66" with split fascias)




- **Cannot** be used as an end-of-run support




- **Cannot** be used on panels less than 60" wide because there is no center vertical frame to attach to






Off-Module Cantilever (UNLVF)

- Placed directly below a worksurface or the connection of two worksurfaces and can be mounted anywhere along the length of a panel
- Is mounted into the horizontal rails of the panel (6" and 29")
- The flange is wide enough to span the connection (with or without knife-edge worksurfaces)
- A Flush Plate should be used for added alignment if used at the intersection of two surfaces
- A 22" and 6" lower fascia are required for use with this cantilever if a flush panel is used
- Recommended for use with Elevated Panel Walls because the bracket does **not** extend below the 6" horizontal rail







Worksurface Panel Wall Bracket – Height-Adjustable (UNBPA)

- Hooks into the vertical channel at the end of a panel wall only to provide height-adjustable support
- Is an on-module bracket only
- Can be used for non height-adjustable mounting with Flush Full-Height Windows – Single and Double Glass (UNPEWSR, UNPFWDR) where no horizontal channel is available at 29" high

worksurface support, freestanding basics


The following outlines the features of supports that are typically used in freestanding or semi-supported environments.






Semi-Suspended Gable (UNGSN) and Semi-Suspended Gable – Height-Adjustable (UNGSAN)

- Consists of two legs and a support, and is used at the open end of a panel wall mounted semi-suspended worksurface
- Available with or without an infill, standard or height-adjustable
- Have a height-adjustable range of 6" (3" above and 3" below)



Leg – Single (UNLGN), Leg – Height- Adjustable Single (UNLGA), Leg – Pair (UNLGPN) and Leg – Height-Adjustable Pair (UNLGPA)

- Used primarily in freestanding applications to provide worksurface support but can also be used for intermediate support in panel wall applications
- Available in single or pairs, standard or height-adjustable
- Have a height-adjustable range of 6" (3" above and 3" below)




Structural Flush Plate (UNRFS)


- Used to join two worksurfaces in freestanding application
- Two Structural Flush Plates used with a leg provides the required stability to create freestanding desks

planning with worksurface supports, freestanding


The following should be considered when planning with freestanding supports.




When post legs are used at the end of a worksurface the legs are inset from each end by 3" and the angled face is always on the inside



Freestanding desks can be created using a District worksurface and either two pairs or four single legs.




When an "L" shaped freestanding workstation is created the leg between the two worksurfaces is **not** shared, it mounts to one worksurface and two Structural Flush Plates are used to connect the two surfaces.



Leg as an Intermediate Support

- A leg can be used as an intermediate support to provide floor support
- The position on the leg is the same regardless of the worksurface edge profile, and is always 17" from the user edge of the worksurface




Leg as a Shared Intermediate Support

- When used in a shared position one leg supports both worksurfaces, and the 3" flat worksurface of the Post Leg is oriented toward the user
- A Flush Plate is required to align the two surfaces


planning with semi-suspended supports

The following should be considered when planning with semi-suspended supports.

Semi-Suspended Gable (UNGSN) and Height–Adjustable Semi-Suspended Gable (UNGSAN)




- Has a horizontal bar connecting the two legs for added support in semi panel-mounted applications



- An infill is **not** necessary for rigidity of a Semi-Suspended Gable. It is an aesthetic option for matching panel-mounted gables with infills


mounting semi-suspended surfaces to panel walls


- Two Worksurface Panel Wall Brackets (UNBP) are required on any panel supported worksurface end



- The maximum width of the worksurface is 72" unless additional floor support is added

- The size of the semi-supported worksurface can be increased using a half depth gable to reduce the unsupported span







- Mid Gables (UNGMF) or Cantilevers should be used at connections between panel supported and semi-supported worksurfaces


worksurface-to-storage support basics

The following outlines the features of supports that connect storage to panel walls, worksurfaces and walls.







2 Brackets



2 Brackets/One Hook




1 Bracket/1 Flush Plate



1 Bracket/1 Flush Plate/
One Hook


Worksurface-to-Tower Bracket Kit (UWBT)

- Used to attach worksurfaces to storage components
- Available with four options:
  - (BB) two brackets, which are used with storage with no cubbies – the brackets attach to the underside of the worksurface and the side of the storage
  - (HB) two brackets, one hook, which are used with storage with no cubbies – the brackets attach to the underside of the worksurface and the side of the storage, and the hook attaches to the bracket to hang personal items
  - (BF) one bracket, one flush plate, which are used with storage with cubbies – the bracket attaches to the underside of the worksurface and the side of the storage, and the flush plate attaches the worksurfaces and a shelf in the cubby section of the storage
  - (HF) one bracket, one flush plate, one hook, which are used with storage with cubbies – the bracket attaches to the underside of the worksurface and the side of the storage, the flush plate attaches the worksurfaces and a shelf in the cubby section of the storage, and the hook attaches to the bracket to hang personal items




Height-Adjustable Worksurface-to-Tower Bracket Kit (UWBTH)

- **Cannot** be used on a Pedestal Tower with Cubby Back (UTDC), see the *District Storage Price & Application Guide*.




Mini Leg (UNCLN)

- Used in place of the Low Credenza Worksurface Support (UNCPWN) when panel support and height-adjustability is **not** required because it does **not** attach the storage, it simply rests on it
- **Cannot** be used in freestanding desking applications
- Must be used with Worksurface Panel Wall Bracket (UNBP) and Storage-to-Panel Bracket (UWSPB). This combination provides support to panels




Fixed-Height



Height-Adjustable

Low Credenza-to-Worksurface Supports (UNCPWN)

- Mount to the underside of a worksurface and to the top of a Low Credenza to provide support to the worksurface
- When used in combination with the Worksurface Panel Wall Bracket (UNBP) and Storage-to-Panel Bracket (UWSPB), support is provided for panels
- Offer a height-adjustable leveling option with a range of 4" (3" above the fixed height of 7" or 1" below the fixed height of 7")




Reconfigurable Low Credenza-to-Worksurface Support (UWCPWN)

- Mounts to the underside of the worksurface, wraps around the top of an open compartment on low storage and attach to the underside of the open section
- Does **not** attach to the top of a storage unit, therefore **not** making it to allow for reconfigurability
- Is **not** height-adjustable

planning with worksurface to storage supports


The following should be considered when planning with worksurface to storage supports.

Low Credenza-to-Worksurface Supports (UNCPWN)




panel-mounted


- Can be used in panel-mounted applications to support the front of the worksurface
- Attaches the bottom of a worksurface to the top of a low credenza
- Does **not** add rigidity to the panel on its own; worksurface and storage supports must be specified at the 6", at 29" to give adequate support



freestanding


- Can be used in freestanding applications to attach the bottom of a worksurface to the top of a low credenza
- Is available in a height-adjustable option






Worksurface-to-Tower Bracket Kit (UWBTBB) – (2 brackets)
Height-Adjustable Worksurface-to-Tower Bracket Kit (UNBTHBB) – (2 brackets)

- When mounting worksurfaces to storage, two brackets are required for support
- **Cannot** be used with storage with cubbies



Mini Leg (UNCLN)

- Is an alternative support used to support the front of a worksurface over a low credenza in panel-mounted applications
- **Cannot** be used in freestanding desking applications because the support rests on top of the credenza without being fastened to it
- Is **not** height-adjustable





Worksurface-to-Tower Bracket Kit (UWBTBF) – (1 bracket, flush plate)
Height-Adjustable Worksurface-to-Tower Bracket Kit (UNBTHBF) –

- When mounting worksurfaces to storage with cubbies, the option for bracket with flush plate must be selected – the flush plate attaches the worksurface to a shelf in the storage


planning with worksurface to storage support (continued)

Reconfigurable Low Credenza-to-Worksurface Support (UWCPWN)







- The brackets are mounted towards the edges of the worksurface
- The open section of the storage below **cannot** be more than 6" wider than the worksurface to which it is attached to provide adequate support, therefore, a 24" deep worksurface **cannot** mount to the 36" wide open cubby of a 72", 84" or 96" wide credenza; the width difference is more than 6"



The sliding door credenza **cannot** be used with the reconfigurable low credenza-to-worksurface support because the track obstructs mounting




- When a high credenza or storage unit is mounted below a worksurface, it does not allow room for a Worksurface Panel Wall Bracket (UNBP) in the same location, therefore, in panel mounted applications (particularly when overhead storage is used) proper panel support is required
- The storage is attached to the underside of the worksurface, the worksurface is attached to the panel as closely as possible to the storage with the Worksurface Panel Wall Bracket (UNBP), and the storage is mounted to the panel with the Storage-to-Panel Bracket (UWSPB). If a return panel is used, the Storage-to-Panel Bracket (UWSPB) is not required, the return panel will support the spine. The storage needs to be attached to the worksurface only





- High storage, mounted to the underside of a worksurface will obstruct the ability to flush plate a return worksurface to the primary worksurface
- In this application the Worksurface-to-Tower Bracket Kit (UWBT), must be used, to mount the return worksurface to the side of the storage, and then the storage is attached to the bottom of the primary worksurface

storage-to-panel support basics

The following outlines the features the supports that connect storage-to-panels.








Centermount Cabinet Support Posts & Top Trim (UNOPT)

- Used to support upmount cabinets on-module
- Include the top trim and posts, so replaces a standard top trim
- Available 9" high or 13" high posts and 30"- 60" wide
- To maintain District datum heights it is recommended on a panel 42" high use a 9" post and a 15" cabinet for 66" high datum, and on a panel 29" high use 13" post and a 9" cabinet for a 51" high datum

Centermount Cabinet Support Brackets & Top Trim (UNOBT)

- Similar to Centermount Cabinet Support Posts & Top Trim (UNOPT) except that there are no posts
- Are available from 30" - 96" wide
- Cannot be used to attach a transaction counter





Storage-to-Panel Bracket (UWSPB)



- Attaches to the back or side of a storage component and mounts into the vertical channel of a District panel, to provide support to a panel wall
- Options are available for parallel and perpendicular mounting at either the front or back of the cabinet, and for elevated and standard credenza heights
- Available with wire gap options
- Must be specified left or right handed, handedness being determined by the side of the panel to which storage is attached

selecting the correct storage-to-panel bracket



All storage units attach to panels with either parallel, perpendicular front or perpendicular back brackets. The following outlines each option, and which cabinets use each individual option.



parallel mounting

<table>
<tr>
<td rowspan="4">
</td>
<td></td>
<td>• 3/8" offset (no gap)
Elevated Storage</td>
<td rowspan="4">• Used on storage with a closed back that fits flush or parallel to a panel wall
• Bracket will attach to the storage unit through the slot located on the back of the unit
• Available with 3/8" offset when no gap is required between the storage and panel wall, and 1" offset when a gap is required
• Available for elevated and standard storage heights
• Bracket fits into the vertical slots of the District panel wall
• Handedness is determined by the side of the panel when facing it onto which the storage is mounted

Parallel mounting is used on the following storage units:
UBKE, UBKS, UFLS, UKC, UKQ, UTLE, UTLS, UTCE, UTCS, UPFD, UPSE, UPSS, UKSD, UTDD, UTDK all credenzas. These products can be found in the District Storage Price & Application Guide.</td>
</tr>
<tr>
<td></td>
<td>• 1" offset (with gap)
Elevated Storage</td>
</tr>
<tr>
<td></td>
<td>• 3/8" offset (no gap)
Standard Storage</td>
</tr>
<tr>
<td></td>
<td>• 1" offset (with gap)
Standard Storage</td>
</tr>
</table>


perpendicular mounting, front



<table>
<tr>
<td rowspan="4">
</td>
<td></td>
<td>• 3/8" offset (no gap)
Elevated Storage</td>
<td rowspan="4">• Used when bracket is being attached to the inside of an open cubby space (not through a slot in the back). This mounting option is appropriate for units that have:
- open section (open credenzas, bookcases, etc),
- cubby back (single lockers, pedestals) and
- door in the mounting location (dual lockers etc)
• Available with 3/8" offset when no gap is required between the storage and panel wall, and 1" offset when a gap is required
• Available for elevated and standard storage heights
• Bracket fits into the vertical slots of the District panel wall
• Handedness is determined by the side of the panel when facing it onto which the storage is mounted

Perpendicular mounting, front is used on the following storage units:
UBKE, UBKS, UHHE, UHHS, UHOE, UHOS, ULHE, ULHS, ULOE, ULOS, UTCE, UTCS, UTDC, UTLE, UTLS. These products can be found in the District Storage Price & Application Guide.</td>
</tr>
<tr>
<td></td>
<td>• 1" offset (with gap)
Elevated Storage</td>
</tr>
<tr>
<td></td>
<td>• 3/8" offset (no gap)
Standard Storage</td>
</tr>
<tr>
<td></td>
<td>• 1" offset (with gap)
Standard Storage</td>
</tr>
</table>

selecting the correct storage-to-panel bracket (continued)

perpendicular mounting, back


<table>
<tr>
<td></td>
<td></td>
<td>• 3/8" offset (no gap)
Elevated Storage</td>
<td rowspan="2">• Used on storage that sits perpendicular to the panel but attachment is through the back of the storage unit through the slots
• Available with 3/8" offset only (no gap)
• Available for flush and elevated configurations
• Bracket fits into the vertical slots of the Leverage panel
• Handedness is determined by the side of the panel when facing it onto which the storage is mounted

Perpendicular mounting, back is used on the following storage units:
UBKE, UBKS, UFLS, UKQ, UPSE, UPSS, UTCE, UTCS, UTLE, UTLS all credenzas. These products can be found in the District Storage Price & Application Guide.</td>
</tr>
<tr>
<td></td>
<td></td>
<td>• 3/8" offset (no gap)
Standard Storage</td>
</tr>
</table>


planning with keyboard trays

The following keyboard trays and components can be used on District worksurfaces with Reinforcement Channels.


- When mounting a keyboard tray to worksurfaces where a support is located, certain conditions apply, consult Complements: *Teknion's Ergonomics & Accessories Program* for details and Application Matrices
- When the unsupported worksurface span is 48" or less, no reinforcement channels are required thus facilitating keyboard tray installation




Tiers "T1" Aluminum Complete Keyboard Solution (YKT1)




Tiers "T2" HDPE Complete Keyboard Solution (YKT2)




Tiers "T3" Small Phenolic Complete Keyboard Solution (YKT3)




Tiers "T4" Large Phenolic Complete Keyboard Solution (YKT4)



Rectangular Keyboard Tray (YKKW)




Retractable Keyboard Tray (YKRT)




Accessories Offset Mount (YKMT-150)

planning with keyboard trays (continued)


compatibility with cantilevers



Rectangular Keyboard Tray (YKKW)
Fits on worksurface depths 24", 30", 36" and must sit 4" from cantilever




Accessories Offset Mount (YKMT-150)
Compatible with worksurface depths 24", 30", 36"




Retractable Keyboard Tray (YKRT)
Fits on worksurface depths 24" and 30"


worksurfaces supported by a mid-gable



Rectangular Keyboard Tray (YKKW)
Compatible with all worksurface depths when the proper mid gable depth is specified



Accessories Offset Mount (YKMT-150)
- Fits on worksurface depths 30" and 36"
- Fits on 24" worksurface if keyboard tray handle does **not** interfere with half gable




Retractable Keyboard Tray (YKRT)
Fits on worksurface depths 24", 30", 36"

planning with keyboard trays (continued)


The following charts outline keyboard compatibility with reinforcement channels.

Keyboard Tray (YKKW) used on rectangular worksurfaces


10.5" is required to the first reinforcement channel




20" deep Rectangular Worksurface without Worksurface Reinforcement Channels




20" deep Rectangular Worksurface with Worksurface Reinforcement Channels




24" deep Rectangular Worksurface with one Worksurface Reinforcement Channel



30" deep Rectangular Worksurface with one Worksurface Reinforcement Channel




36" deep Rectangular Worksurface with one Reinforcement Channels




36" deep Rectangular Worksurface with two Reinforcement Channels

Keyboard Tray (YKKW) used on angled worksurfaces


Can be used on Wedge, Extended Wedge and Wing Worksurfaces




24" - 30" deep Transition Worksurface with one Worksurface Reinforcement Channel



24" - 30" deep Transition Worksurface with two Worksurface Reinforcement Channels – keyboard tray **cannot** be installed here



30" - 36" deep Transition Worksurface with one Worksurface Reinforcement Channel




30" - 36" deep Transition Worksurface with two Worksurface Reinforcement Channels

planning with keyboard trays (continued)


The following charts outline keyboard compatibility.

Keyboard Tray (YKRT) used on Rectangular Worksurfaces (UNWR)


- Can be used with all worksurface depths regardless of the need for Worksurface Reinforcement Channels
- The brackets extend over the Worksurface Reinforcement Channels




20" deep Rectangular Worksurface with one Worksurface Reinforcement Channel




24" deep Rectangular Worksurface with one Worksurface Reinforcement Channel




30" deep Rectangular Worksurface with one Worksurface Reinforcement Channel



30" deep Rectangular Worksurface with two Worksurface Reinforcement Channels




36" deep Rectangular Worksurface with one Worksurface Reinforcement Channel




36" deep Rectangular Worksurface with two Worksurface Reinforcement Channels

Keyboard Tray (YKRT) used on Transition Worksurface (UNWT)


Can be used on Wedge, Extended Wedge and Wing Worksurfaces




24" - 30" Deep Transition Worksurface with one Worksurface Reinforcement Channel



24" - 30" deep Transition Worksurface with two Worksurface Reinforcement Channels – keyboard tray **cannot** be installed here



30" - 36" deep Transition Worksurface with one Worksurface Reinforcement Channel



30" - 36" deep Transition Worksurface with two Worksurface Reinforcement Channels

accessories

accessories

UNDERSTANDING ACCESSORIES. 251

STORAGE MOUNTED FASCIA BASICS. 252

PLANNING WITH STORAGE MOUNTED FASCIAS 253

SCREEN & PANEL MOUNTED FASCIA BASICS 254

PLANNING WITH SCREEN-MOUNTED & PANEL-MOUNTED FASCIAS. 255

TOWER & LOCKER INFILL BASICS. 256


PLANNING WITH TOWER & LOCKER INFILLS 257

SEAT CUSHION BASICS. 258

COMPLEMENTS ACCESSORY BASICS 259

understanding accessories

A variety of accessories are available to enhance the functionality to District workstations.




1. **Screen- and Panel-Mounted Tackboards** provide additional functionality to screens and panel walls.

   The **Tackboard** provides a framed tackable surface and the whiteboard provides an erasable writing surface.
2. **Tackable and Whiteboard Storage Fascias** are available for mounting to Standing Storage and Stacking Storage in heights that correspond with Elevated and Standard storage heights.
3. **Seat cushions** provide additional guest seating in a workstation and are available for low credenzas or rolling pedestals.
4. **Storage Infills** provide the ability to enclose and add functionality to open cubbies with options for solid whiteboard and tackboard depending on format.
5. Complements: *Teknion's Ergonomics & Accessories Program* offers additional accessories such as desk pads, binder dividers organizing trays for storing smaller items, and Podium


storage mounted fascia basics

The following mounted fascias are available for use with Standing and Stacking Storage and for screen and Panel Wall mounting.




Finishes

- Frames are available in Clear Anodized and Espresso or Storm White paint finishes
- Brackets are Black
- All standard Teknion panel fabrics are available, however Architectural Fabrics are available on widths up to 48" only



Standing Storage Fascia (UNPSF)

- Mounts to storage units that are freestanding and **not** stacked onto other storage units
- Available in tackable and whiteboard finishes
- Can be mounted onto a single unit only, and **cannot** span across two units
- Available in heights from 12" to 60" in 1" increments and widths from 12" to 48" in 1" increments
- Whiteboard sizes are restricted to widths of 48"
- Can be mounted to the back or side of units
- Sizes are available to accommodate lockers with open cubbies at the back –the fascia will cover only the closed portion of the cabinet




Stacking Storage Fascia (UNPSS)

- Mounts to storage units that are stacked onto a credenza or other base unit
- Available in tackable and whiteboard finishes
- Can be mounted onto a single unit only and **cannot** span across two units
- Available in heights from 15" to 45" in 1" increments and width from 24" to 96" in 6" increments
- Whiteboard sizes are restricted to widths of 48"


planning with storage mounted fascias

The following should be taken into consideration when planning with mounted fascias on standing and stacking storage.


determining fascia sizes required for standing storage




- For standard storage, the storage fascias must be ordered 1" shorter than the nominal height of the cabinet to allow for the gap at the base of all cabinets
- The width should match either the width or depth of the cabinet, depending on whether the fascia is being mounted to the back or side of the unit



- For elevated storage, the storage fascias must be ordered 6" shorter than the nominal height of the cabinet to allow for the ht. of the feet
- The width should match either the width or depth of the cabinet, depending on whether the fascia is being mounted to the back or side of the unit




- For standard and elevated storage, where the storage fascia is required to be above the worksurface only, the tackable fascia must be ordered 30" shorter than the nominal height of the cabinet




- For single lockers and pedestal towers with cubbies that are 29" and 35" deep and have an open section at the back, the storage fascia should be ordered 9" narrower than the overall depth of the cabinet

determining mounted fascias for stacking storage



- Mounted fascias for stacking storage are specified the same width and height as the stacking cabinet


whiteboard widths




- Whiteboards widths are restricted to 48"


screen & panel mounted fascia basics

The following mounted fascias are available for use with Standing and Stacking Storage and for screen and Panel Wall mounting.






Tackboard



Whiteboard



Tackboard – Screen Mount (UNTBS) and Whiteboard – Screen Mount (UNTBW)

- Mounts to a floor desk-edge or storage screen
- Can be mounted on- or off-module and can be user relocated
- Covers the mounting rail of a floor screen, so mounting personal accessories **cannot** be used when the tackboard is used
- Available in heights of 13" and 22" to match above worksurface datum heights in
- Tackboards available in widths from 23"- 96" and the Whiteboard available from 23" - 48"
- Mounting brackets are available in the same finishes as the top rail on the floor screen
- Mounting brackets are available in the same finishes as the top rail on the floor screen


Tackboard – Panel Wall Mount (UNTBP)


- Mounts to the top rail of a panel wall to provide a panel-mounted tackboard
- Can be mounted anywhere along the panel wall and can be user relocated
- Available in heights of 13", 22" and 37" to match above worksurface datum heights and in widths from 23" to 96" in 1" increments

planning with screen-mounted & panel-mounted fascias

The following should be taken into consideration when planning with tackboards, screen mounted.


screen mount tackboard and whiteboard






- Can be mounted on Floor Screens and Storage Screens
- Actual height will be 1" less than nominal height to allow clearance for cable management
- Nominal widths = actual widths, the tackboard will match that actual width of the screen
- **Cannot** be used with Casual Lateral Screens

panel-mounted tackboard



- The panel wall mounted tackboard is an ideal solution when planning with "D-Style" hard surface fascias and only a small area of tackboard is required
- The tackboard mounts onto the face of a hard surface fascia and can be any width, allowing for on- or off-module planning




- Tackboard panel wall mount is ideal for use when a framed tackboard is required on the back side of a single-sided power application (a standard framed tackable fascia will **not** fit in this application, see Fascia section). The framed tackboard can mount onto a solid fascia, and maintain similar aesthetic to adjoining workstations

tower & locker infill basics

Infills are used with towers and lockers to convert open formats to fully enclosed and secure cabinets. The following outlines the features of each type.

lateral tower, combo tower, pedestal tower with cubby and single locker infills

- Mount into either Elevated or Standard height cabinets
- Available in heights of 36", 42", 51" and 66"
- Height and width is determined by the size of the cabinet, **not** the size of the opening into which is it mounting
- Solid finishes are available in Source Laminate, Flintwood and Natural Veneer




Single Locker with Cubby Infill (UKSCIS)

- A solid finish on the inside and outside to provide a closed back

Pedestal Tower with Cubby Infill (UTDCIS)

- A solid finish on the inside and outside to provide a closed back



Combo Tower Infill (UTCXIS)
Cannot be used on Combo Tower with Source Laminate Case

Source Laminate Combo Tower Infill (UTCXIX)
Can only be used on Combo Tower with Source Laminate Case

Solid Outside


- A solid finish on the inside and outside to provide a closed back

Fabric Outside

- Provides a fabric tackboard on the outside of the cabinet; inside is a painted finish

Whiteboard Outside

- Provides a whiteboard on the outside of the cabinet; inside is a painted finish



Lateral Tower Infill (UTLXIS)

- There is no 35" high elevated option

Solid Outside

- A solid finish on the inside and outside to provide a closed back

Fabric Outside


- Provides a fabric tackboard on the outside of the cabinet; inside is a solid finish

Whiteboard Outside


- Provides a whiteboard on the outside of the cabinet; inside is a solid finish

planning with tower & locker infills

The following should be considered when planning with infills




- All towers and lockers that accommodate infills are handed; handedness being determined by the hinge location of the storage section
- The cubby shelf is inset on the same side to accommodate the infill
- On 36" high cabinets with no storage section, the unit is still considered handed because of the shelf inset




- When specifying the infills the size is determined by the actual size of the cabinet it is being used on, **not** the size of the opening


seat cushion basics

The following options are available for District seat cushions.






Pedestal



Credenza



Credenza

Seat Cushion (UWLC)


- Provides space saving casual guest seating in a workstation
- Available in two options:
  - C - used on low credenzas (placed upon but **not** affixed)
  - R - mounted onto rolling pedestals only
- Can be specified on the Rolling Pedestal (UPR) at the time of order, or can be ordered separately and retrofitted onto an existing Rolling Pedestal. For more information, see *District Storage Price & Application Guide*.
- The credenza option is sized to be used on 16" and 19" deep credenzas
- Available in all of Teknion's standard Seating fabrics


Fitted Seat Cushion (UWLF)

- Sized to fit precisely onto credenza tops
- Match depths of credenzas and the widths match drawer widths of credenzas
- Available in all Teknion standard seating fabrics except leather

complements accessory basics


Complements: *Teknion's Ergonomics & Accessories Program*, **offers a number of accessories that are designed for use with District.**






Desk Pad (YPDP)

- Lays onto any thickness of worksurface with a flat or knife edge style without tools
- Can span the corner between two worksurfaces to create a conventional angled computer corner
- Includes an integral cable management retainer for easy laptop plug in




tn Accessories

- A series of Desktop and Freestanding Storage items that complement any workspace



Podium

- A collection of shelves and accessories to organize laptops, flat screen monitors, and multiple hand-held electronic peripherals



- The desk pad is typically used on the primary worksurface, however it can also span across the corner of two worksurfaces to create a conventional angled computer corner – the steel inner construction provides the stability required to support a keyboard tray – **cannot** be used if the two surfaces are at different heights

electrics

electrics

ELECTRICS & COMMUNICATIONS OVERVIEW 262

POWER ENTRY BASICS – PANEL-MOUNTED WORKSTATIONS . . 265

PLANNING WITH POWER POLES 264

POWER & COMMUNICATIONS BASICS –
PANEL-MOUNTED WORKSTATIONS. 265

PLANNING WITH POWER BOXES & OUTLETS. 266

WIRING SYSTEMS. 268

POWER DISTRIBUTION BASICS –
PANEL-MOUNTED WORKSTATIONS. 269

PLANNING WITH HARNESSES 270

DETERMINING HARNESSES LENGTHS 271

CASUAL ELECTRICS BASICS –
PANEL-MOUNTED WORKSTATIONS. 272

STORAGE ELECTRICS BASICS 273

PLANNING WITH STORAGE 276


POWER CONSERVATION SYSTEM BASICS. 279

PLANNING WITH POWER CONSERVATION SYSTEM 280


electrics & communications overview

District offers a non-directional wiring system that allows for maximum flexibility and simple reconfiguration.

Power must be turned off during all installations and reconfigurations.




1. Power is provided to workstations by either a power pole or through a base feed.
2. Power boxes can be mounted above or below worksurface height.
3. When panels are **not** available for routing cables, casual wire management is available.
4. Power is distributed by harnesses connected by power boxes – the power box can accommodate up to four outlets, two on either side of the box, and the power can run in either direction from the box.
5. Power is provided to workstations by either a power pole or through a base feed.




- A compatibility harness is available to connect the new style of power with the previous version of District electrics

power entry basics – panel-mounted workstations


Power and communications cables enter a workstation either through a base feed or a ceiling feed. The options are detailed below. The following outlines the features of the electrical and communication components available for use in District panel environments.






Base Feed (UNQBFR)

- A hard wired connection that supplies power into a panel from the building power source
- Both base feeds and harnesses can be used in the same panel
- Available in 8T, 7T, 8K and 7K wiring options to allow for most common Teknion wiring configurations
- Available in options for mounting into either solid fascias or metal or fabric fascias
- Available in a PVC free option
- If a base feed kit is mounted onto an elevated panel, it will be below the rail, therefore will be exposed.




Chicago Base Feed (UNQBFRCH)

- Provides the conduit only for Chicago electrics wiring restrictions that require that all wiring and connections be supplied and connected by a licensed electrician
- Supplied with three wires for a single circuit only
- Available 72" long only
- Box painted Platinum



Split Base Feed (UNQBFSR)

- Same as the base feed except that it is hard wired to the building power supply in two places for New York City wiring restrictions
- Accommodates hard wiring within the floor monument and in the wiring junction box
- Box painted Platinum



(UNQEP)



(UNQEPR)

Power Pole (UNQEP) and End of Run Power Pole (UNQEPR)

- Used to house the ceiling feed and includes a pole divider for separating the ceiling power feed from the communications and data cables
- Available in 48", 72" and 96" heights for up to 10' ceilings
- Available in options for corner mounting and off-module mounting
- End of Run Power Pole (UNQEPR) **cannot** be installed off-module or on a corner



Ceiling Feed (UNQCFR)

- Routes power into the panel from the ceiling through the power pole
- Includes a junction box to connect to the building power supply at the ceiling
- Also connects to a power harness
- Available in 8T, 7T, 8K and 7K wiring options to allow for most common Teknion wiring configurations
- Length of the feed represents the length of the harness encased in flexible conduit – an additional 6" of cable is provided for connection the ceiling junction box




Chicago Ceiling Feed (UNQCFRCH)

- Same as ceiling feed except that there is no connector on the bottom end due to Chicago electrics wiring restrictions
- Supplied with three wires for a single circuit only

planning with power poles


The following should be considered when planning with the Ceiling Feed Harness, Power Pole, End of Run Power Pole and Off-Module Power Pole




- The Power Pole can be located at Two and Three-Way 90° corners and at end of run and off-module locations

Power Poles located at corners:

- Always terminates at the top of a corner assembly
- Connectors are specified to the highest height, and then the Power Pole is installed
- **Cannot** extend below highest panel




- Available in 48", 72" and 96" heights, and can be cut on site to required height
- Required height is the distance between finished ceiling height and top of the panel plus 4"
- Ceiling harness (120") is compatible for ceilings up to 10'
- Removable cover on one side gives access to the inside of the pole




end of run power pole

- Is typically used when no corner location is available for the Power Pole
- Available in two heights. 29" high for 29" high Panel Walls or where only below worksurface panel entry for Power Harness is required and 42" high for Panel Walls 42" or higher, entry for Power Harness can be either above or below the worksurface
- An additional Power Pole to ceiling height must be specified above that



ceiling feed

- Available hardwired for building connection
- The other end of the harness is a female connection
- A power harness is required to route ceiling harness to a power box
- Chicago version must connect to a distribution box





off-module power pole

- The Off-Module Power Pole Top Trim (UNTTP) is complete with a cutout to accommodate the Power Pole (ordered separately) at 9" from any Panel Wall End


power & communications basics – panel-mounted workstations

Power can be accessed at various heights within a panel wall through the use of power boxes and receptacles.







Single Length



Double Length




Single Length



Double Length

Power Box (UNQPR)

- A module for mounting receptacles (specified separately)
- Mounts to the panel frame below or above panel wall rails but does **not** clip to light block rails
- Available in single (S) or double (D) lengths – the 24" and 30" wide panels can only accommodate the single box
- Single length power box is 12" long and includes a bezel with one receptacle and one data opening
- Double length power box is 16" long and includes a bezel with two receptacle and one data opening
- Either a one-sided or back-to-back application must be specified (even though it is the same box), so that the proper amount of bezels will be included
- Available in a PVC free option



Data Extender Plate (UNQDE)

- The Data Extender Plate is placed over a communication opening to provide extended depth for data jacks which may be required in some applications. Consult your data cabling supplier for clearance requirements

Chicago Power Box (UNQPRCH)

- Same as the power box except for Chicago electrics applications
- Includes the outlets and faceplates, but does **not** include any connectors – electrical connections must be done on site by a certified electrician
- Must be specified single or double length, and one-sided or back-to-back
- When placing the Power Box at the Base (Bottom Level 1), the "U" Above Worksurface Height (Upper Fascia) mounting location should be used



Receptacle Outlet (UNQRO)


- A single duplex receptacle that slides onto the power box module to provide power
- Specified individually for maximum circuit flexibility
- Styles include Standard 15 amp, T-Slot 20 amp, Controlled 15 and 20 amp
- Outlet configurations consist of Circuit 1, Circuit 2, Circuit 3 (use 7T and 8T only), Circuit 5 (8T and 8K only), Circuit 6 (use 8K only), Circuit A (7T and 7K only) and Circuit B (7K only)

planning with power boxes & outlets

The following should be considered when planning with District power boxes and outlets.


- Panel data capacity: minimum 24 cat. 5 cables at 60% fill
- Power Pole capacity: minimum 24 cat. 5 cables at 60% fill
- Frame openings for vertical routing are present on all panel frames. Each frame opening can accommodate a minimum of two harnesses

above and below worksurface power




power cut out locations


- Power boxes can be placed at the top or bottom of a fascia with electrical cut outs depending on the height of the fascia




- Top cut outs are available in 13", 22" and 28" high fascias



- Bottom cut outs are available in 7", 13", 22" and 37" high fascias




- Flush cut outs are available 28" high for use only on the base of the panel, and will be at the bottom




- Cut outs are available left, right or centered depending on panel width (See Fascia section)

planning with power boxes & outlets (continued)

data access




- Data access is in the center of the module and symmetrical on both sides of the panel




- Data access is provided in the cut outs on power/communications fascias, and on the faceplates included with power boxes
- Cut Outs will accommodate most standard communication faceplates
- The depth available for data jacks is 1.35" when using data faceplates

single-sided power



- When single-sided electrics are used, the fascia on the back side **cannot** be a D-Style fascia with a frame and clips except for the solid fascia; a slot-mounted fascia must be used to allow sufficient space for the power box



- The depth can be increased to 2" by using the Data Extender Plate (UNQED)

wiring systems

Four wiring systems are available for Interpret 8-Wire Isolated (8T), 7-Wire Non Isolated (7T), 8-Wire Dual Isolated (8K) and 7-Wire Dual Non Isolated (7K). Most common Teknion wiring configurations are achieved with these wiring systems.

For sites where Isolated Ground is not available, Teknion offers Non-Isolated Ground options for furniture wiring. The site electrician or electrical contractor/ consultant can identify sites where Isolated Ground is not available. For those sites, specify Teknion 7T or 7K wiring systems.

	No. Regular Circuits	No. Isolated Circuits
8-Wire Isolated (8T) (3+1) Neutral (White) Circuit 1 (Black) Circuit 2 (Red) Circuit 3 (Blue) Ground (Green) Isolated Circuit 5 (Orange) Isolated Neutral (White/Orange) Isolated Ground (Green/Orange)	3	1
8-Wire Dual Isolated (8K) (2+2) Neutral (White) Circuit 1 (Black) Circuit 2 (Red) Ground (Green) Isolated Circuit 5 (Orange) Isolated Circuit 6 (Blue) Isolated Neutral (White/Orange) Isolated Ground (Green/Orange)	2	2
7-Wire Non Isolated (7T) (3+1) Neutral (White) Circuit 1 (Black) Circuit 2 (Red) Circuit 3 (Blue) Ground (Green) Neutral (White/Orange) Circuit A (Orange)	4	0
7-Wire Dual Non Isolated (7K) (2+2) Neutral (White) Circuit 1 (Black) Circuit 2 (Red) Isolated Neutral (White/Orange) Circuit A (Orange) Circuit B (Blue) Ground (Green)	4	0

wiring system/receptacles

	Wiring System			
	8T	**8K**	**7T**	**7K**
Regular Ground Receptacles	1, 2, 3	1, 2	1, 2	1, 2, A, B
Isolated Ground Receptacles	5	5, 6	n/a	n/a


- All receptacles except Circuit 6 can be used with the 8T wiring system (**cannot** accept a 2nd Isolated Circuit)
- All receptacles except Circuit 3 can be used with the 8K wiring system (**cannot** accept a 3rd Regular Circuit)
- Circuit A is compatible with 7T and 7K. Circuit B is compatible with 7K only

wiring system/related circuit


	Wiring System			
	8T	**8K**	**7T**	**7K**
Regular Circuit 1 Receptacle	✔	✔	✔	✔
Regular Circuit 2 Receptacle	✔	✔	✔	✔
Regular Circuit 3 Receptacle	✔		✔	
Isolated Circuit 5 IG Receptacle	✔	✔		
Isolated Circuit 6 IG Receptacle		✔		
Regular Circuit A Receptacle			✔	✔
Regular Circuit B Receptacle				✔

✔ **Applicable**

15 Amp




20 Amp




- Outlets are available 15, 20 amp
- The 20 Amp is only available in Black
- Outlets are available with marking indicating it is connected to a control system in both 15 and 20 amp options.

power distribution basics – panel-mounted workstations

Power is routed through panel walls with harnesses. The options are listed below.





Power Harness (UNQBHR)

- Routes power from one power box to another and is non directional
- Also connects to base feeds and ceiling feeds
- Available in various lengths from 9" to 144" and can be used within any panel
- 9", 12" and 24" conduit is mesh, providing a greater bend radius, and all conduits are oval to be able to pass between panels
- Available in a PVC free option




I-Connector (EWIC)

- Used to join two harnesses when a single harness length is **not** long enough

planning with harnesses


Power boxes allow for non-directional routing, so power can enter and exit from the same end of the power box. Up to four power harnesses can be used on one power box.



determining harness lengths


The following outlines the harness lengths required for connecting power boxes.


harness length requirements



casual electrics basics – panel-mounted workstations


District offers options for adding casual power to worksurfaces, without the use of panels.





Vertical Cable Manager (UNVC)

- Used to conceal and route cables vertically below the desk
- Mounts to a floor screen or to storage
- Two heights to accommodate North American and International electrics
- The International version allows space to mount an International Outlet Box (VED)




Cable Trough (UNQCT)


- An ABS cable trough is mounted below a worksurface to manage wires coming from the worksurface level on to Panel Wall electrics or floor monuments
- The 30" wide is the optimum size to fit between worksurface brackets

Grommets


- Available as an option for worksurfaces, credenzas and elevated high credenzas
- Available from Complements: *Teknion's Ergonomics & Accessories Program*




Desk Clamp with Self-Tapping Screws



Under-Worksurface Mount




Lyft Base Mount



Accessories Element Mount

Power Bar (YEPD)

- Available from Complements: *Teknion's Ergonomics & Accessories Program*
- Attaches to a desk or the underside of a worksurface or to a modesty panel to provide casual power
- Does **not** include data capability




Worksurface Wire Clips (YESW)

- Available from Complements: *Teknion's Ergonomics & Accessories Program*
- Package of six undersurface cable clips that can be installed on the underside of a worksurface
- Provide two separate channels, one to run electrical and another to run communications cables
- The communications channel has a built-on soft sponge to protect the cables

storage electrics basics


Power can be routed through elevated District storage to provide power to workstations with no panel walls.





Storage Base Feed (EWBF)

- Provides power from the floor to the underside of the storage cabinet and connects to harnesses
- Available in 72" and 144" lengths in 8T, 7T, 8K and 7K wiring systems



Storage Power Harness (EWBH)

- Carries power along the base of the cabinet to power and data box in the storage unit
- Available in lengths of 24", 48", 72", 120" and 144"
- 24" length is mesh, other sizes are a hybrid of mesh and metal conduit




Storage Chicago Base Feed (EWBFCH)

- Same as the Base Feed (EWBF) except for Chicago electrics application
- Only the conduit is provided
- All wiring and connections must be supplied and connected by a certified electrician




I-Connector (EWIC)

- Used to join two harnesses when a single harness length is **not** long enough



Storage Split Base Feed (EWBFS)

- Same as the Base Feed (EWBF) except it is hard wired to the building power supply in two places in New York wiring restrictions




Four-Way Splitter (EWDB)

- Attaches to a harness to split power in four different directions

storage electrics basics (continued)


Power can be brought into the storage unit from the floor via a Base Feed or from the ceiling via a Power Pole Ceiling Feed. Build in feeds always route power and date to the underside of the elevated storage.





Storage Ceiling Feed (EWCF)

- Routes power to the underside of the storage cabinet from the ceiling through the storage power pole
- Can be directly connected to the Flush Mounted Power and Data (EWQP) unit once I-connector is removed




Storage Power Pole (EWEP)

- The Storage Power Pole (EWEP) can route power and data to two storage units.
- Houses the Storage Ceiling Feed and divides the ceiling feed from communication and data cables
- It is used to feed power and data to the underside of the storage units



Storage Chicago Ceiling Feed (EWCFCH)


- Same as Storage Ceiling Feed (EWCF) except for Chicago electrics application
- The Storage Chicago Ceiling Feed (EWCFCH) comes with a 3-wire. No connector is found on the bottom end due to Chicago electrics wiring restrictions
- Chicago electrics wiring restrictions require that all wiring and connections be supplied and connected by a licensed electrician




Under Cabinet Wire Tray (EWWT)

- A tray for managing wires below the storage cabinet
- Available in lengths of 12", 24", 36", 48", 60", 72" and 84"
- Tray **cannot** span across two storage units. Specify at least 12" less than the width of the cabinet onto which it is being mounted


storage electrics basics (continued)






Flush Mount Power & Data (EWQP)

- A module for mounting receptacles (specified separately) to storage
- Mounts to the back of a storage cabinet at either base height or belt-line height
- Each unit supplies power and data access to user on opposite (backside) of cabinet




Chicago Flush-Mounted Power Box (EWQPCH)

- Same as Flush Mount Power and Data (EWQP) except for Chicago electrics application
- Data and communications must be sourced separately
- Chicago electrics wiring restrictions require that all wiring and connections be supplied and connected by a licensed electrician



Storage Receptacles Outlet (EWRO)


- A single duplex receptacle that mounts into the Flush Mount Power and Data (EWQP) unit to provide power
- Specified individually for maximum circuit flexibility
- Styles include Standard 15 amp, T-Slot 20 amp, Controlled 15 and 20 amp
- Outlet configurations consist of Circuit 1, Circuit 2, Circuit 3 (use 8T only), Circuit 5 (8T and 8K only), Circuit 6 (use 8K only), Circuit A (7T and 7K only), Circuit B (7K only)



2 Data | 1 Data, 1 Duplex | 2 Duplex

Cubby Power Monument (EWQPM)

- Provides access to power and data in open cubby sections of credenzas or the back cubby sections of pedestals and pedestal towers
- Cubby Power Monument must plug directly into a Four-Way Splitter (EWDB) or an I-Connector (EWIC). It plugs directly into a Storage Power Harness (EWBH).
- T-Slot 20 amp receptacle style is finished in Ebony



2 Data | 1 Data, 1 Duplex | 2 Duplex


Chicago Cubby Power Monument (EWQPMCH)

- Same as Cubby Power Monument (EWQPM) except for Chicago electrics application
- T-Slot 20 amp receptacle style is finished in Ebony

planning with storage


The following should be taken into consideration when planning with spine storage electrics.

electrical capability




Standard, No Feet

- Standard storage has no electrics or cable management capabilities



Elevated, District Feet

- Elevated storage with District feet has no electrics or cable management capabilities



Flush Mount Power and Data (EWQP)


Elevated, Angled Feet

- Angled feet allow for a full electrified system by providing undersurface wire troughs and harnesses for routing power to Flush-Mounted Power and Data Boxes or the Cubby Power Monument
- Also grommets may be specified in the open cubby section for light cable management


planning with storage (continued)

power locations

credenzas




- Flush-Mounted Power and Data modules are always at base height, located behind the drawer when added to credenzas
- Base cut out must be specified when ordering the credenza




- **Cubby Power Monument (EWQPM)** can be located in the open cubby section of a credenza. It will fit into the grommet hole, therefore grommet must be selected when specifying the storage unit

towers and lockers



- For Lateral File, Lateral Tower or Combo Tower application, Flush Mounted Power and Data modules can be mounted at base or belt-line height
- Base or Belt-line back cut out must be specified when ordering the storage unit




Cubby Power Monument can be mounted in grommet hole.


Flush-Mounted Power and Data unit can be mounted into base or belt back cut outs.

- For Single Lockers, Pedestal Towers or Pedestals with Cubby back, several options are available. Grommets can be used for casual power, or Flush-Mounted Power and Data units or Cubby Power Monuments may be used for multi-circuit power and data application

planning with storage (continued)




- Power does **not** have to be on one side only of a storage run – storage can be alternated to allow for maximum planning flexibility
- Flush-Mounted Power and Data (EWQP) module unit is always centered on the back of the drawer section of the unit
- To specify the correct lengths of power harness, determine the distance from the center of one cut out to the center of the next cut out, then add 24"
- Power outlets will be centered behind the filing section of a combo tower




- When planning with a low storage unit in a freestanding environment, Cubby Power Monuments can be mounted into credenzas to provide multi-circuit power and data to the workstation
- Power can be routed from the building to the storage unit through Base or Ceiling Feeds then horizontally routed under the storage units along Under Cabinet Wire Trays
- Cubby Power Monuments must plug directly into a Four-Way Splitter (EWDB) or an I-Connector (EWIC). It **cannot** plug directly into a Storage Power Harness (EWBH).
- Power Poles can feed two storage units

power conservation system basics

Furniture based solution for the controlling function that addresses the ASHRAE/Title 24 electrical requirements.





Power Conservation System (UNQPC)

- Up to two circuits can be controlled by occupancy sensors (included)
- Maximum of four sensors can be connected to each individual controlled circuit
- When using the Power Conservation System, circuits 3, 5, 6, A and B will always stay powered on (uncontrolled)
- To get individually controlled stations, specify the Power Conservation System with two sensors
- Available with option of two, four or eight sensors (Maximum of four sensors per run)
- Sensors mount to the underside of the worksurface
- A hard wired connection supplies power into a panel from the building power source


planning with power conservation system


The following should be considered when planning with the Power Conservation System.

The following are two ways of planning with the Power Conservation System.

scenario A: Multiple sensor planning

The connection between two power modules only applies on the installation for four sensors and eight sensors.







- Power Conservation Wiring
- Power Harness
- Control Box
- Sensor

1. Control Box
2. Power Conservation Wiring
3. Power Harness
4. Base Feed

scenario B: Single Sensor planning





- Power Conservation Wiring
- Power Harness
- Control Box
- Sensor

1. Control Box
2. Power Conservation Wiring
3. Power Harness
4. Base Feed

- Always specify one sensor per workstation
- Only one controlled circuit per workstation (do not specify two controlled circuits in one single workstation)
- Do not specify mix receptacles for both circuit 1 and 2 in a single workstation
- If the control box and power module are in the same panel, the output arm from the control box can directly connect to the power module, no extra jumper required

international electrics

international electrics


INTERNATIONAL ELECTRICS BASICS 283


PLANNING WITH INTERNATIONAL ELECTRICS 287

international electrics basics

District is available with electrical components specific to District, including CALA electrics.

- International Electrics are a single circuit, 3 wire directional system
- Power outlet types are available for different regions and have options for fuses and switches





CALA Power Module (VBCD)

Provides access to power in CALA applications

-Includes the attachment bracket

Applications:

DA Double Duplex, One Sided

DB Double Duplex, Back to Back

SA Single Duplex, One Sided


SB Single Duplex, Back to Back

Outlet Configurations


- Single Duplex
  003 Three Data
  200 Two Power
  120 One Power and One USB
- Double Duplex
  203 Two Power and Three Data
  400 Four Power
  320 Three Power and One USB

Country of Installation:

R Argentina
N Brazil
L Chile




Four Shutters




Four Blank Fascias

Voice & Data Box (VVD) and Voice & Data Box Outlets (VDO)

- The voice data box provides the user with access to communications and data cable
- Comes complete with blanks and shutters
- The data box outlets are inserted into the voice and data box
- Mounts to a Power Mounting Bracket (UNXB)





Screen Mounted Outlet Box Bracket (UNXSE)

- Used to casually mount an outlet box to a screen, a modesty panel, storage or underside of worksurface
- Used in combination with an Input Power Cable (VEP)




District CALA Jumper Power Harness (VBPH)

Routes power between CALA power modules

Length


200 mm




Interconnecting Power Cable (VCC)

- Routes power between outlet boxes or distribution block in panel and carries to next panel wall

international electrics basics (continued)






Distribution Block



Cover Cap

Distribution Block (VACEB) and Cover Cap (VACEC)


- The distribution box redirects power distribution in up to three directions
- Complete with one male connector (in) and three female connectors (out)
- Is placed inside panel wall without fasteners
- The Cover Cap is a safety cover for non utilized female terminals on an Outlet Box (VED) or Distribution Block (VAC EB)



Hard Wired Plug


Input Power Cable (VEP)

- Brings power from the building or ceiling to either a panel wall where it is routed to an outlet box or to a desk where it is routed through wire managers to casually mounted power
- Available with two cable ends, hardwire or plug



Base Feed Mounting Kit (UNXPFR)

- Includes a strain relief bracket and a cover plate that is attached to the panel and conceals the opening where an Input Power Cable (VEP) or voice/data enters the panel wall




CALA Power In Feed (VBPD)

- Routes power from the building or ceiling in CALA applications

Length:
1800 mm

Country of Installation:
R Argentina
N Brazil
L Chile



CALA Power Station (VBWB)

Mounts to a worksurface to provide power

Outlet Configurations:

Double duplex
(202) Two Power and Two Data
(400) Four Power
(320) Three Power and One USB

Country of Installation:
R Argentina
N Brazil
L Chile

Cord Length:
1800 mm

Finishes


Receptacle Finish:
Ebony Coordinate
Very White Coordinate


Clamp Finish:
Clear Anodized Aluminum

international electrics basics (continued)

District utilizes standard International Electric components, as well as District specific components


- International Electrics are a single circuit, 3 wire directional system
- Power outlet types are available for different regions and have options for fuses and switches





Panel Mount Outlet Box Bracket (UNXBR)


- Used to attach an Outlet Box (VED) and Voice & Data Box (VVD) to a panel wall
- Available in above and below worksurface versions
- Available for two outlets, for four outlets or for two outlets and a data box
- The same bracket allows for single or double-sided mounting of outlet brackets (specify fascias accordingly)
- Compatible with a standard or elevated panel
- A 1" gap along the worksurface and grommets permit component wire passage to outlets below the worksurface



Two Outlets Four Outlets

Outlet Box (VED)

- Provides access to power above and below worksurface
- Can be mounted onto a panel with a Power Mounting Bracket (UNXB) or to the edge of a worksurface, see Desk Mounting Clips (VACB6)
- Power outlets have a socket angle of 15˚
- Panel mounted access is below worksurface height at 25", flush with the panel wall face
- Faceplates are included with outlets and voice/data boxes
- The bottom of the faceplate aligns with the top of a low credenza
- Outlets are available; 2x power, 4x data or 4x power



Desk-Mounted Clips for Outlet Box

Desk Mounting Clips (VACB6)











- Used to attach an Outlet Box (VED) or Voice & Data Box (VVD) to the edge of a worksurface
- Fits all sizes of Outlet Boxes (VED) or Voice & Data Boxes (VVD)

planning with international electrics

International power and data has some unique features that are not found in North American electrics. The examples below demonstrate this.

panel wall

• Outlet locations are located in panel wall centers or at panel edges according to size and fascia specifications

Outlet type:	Outlet location: Center	Left or Right Side	Left and Right Side
 2 x Power	 24" - 36"	 42" - 96"	 66" - 96"
 4 x Power	 36"	 42" - 96"	 66" - 96"
 2 x Power + 4x Data/Com	 36"	 42" - 96"	 66" - 96"


mounting to floor screens

• When outlets are mounted to floor screens, they are below worksurface height


• Should be installed 2" below the surface, centered on the floor screen width where possible and **not** wider than a 4x power outlet box


• They are attached with the Screen Mount Outlet Box Brackets (UNXSE) or with screws


without clips



with clips








planning with international electrics (continued)

International power and data has some unique features that are not found in North American electrics. The examples below demonstrate this.

base feed

- The Input Power Cable (VEP) enters and is secured to a Base Feed Bracket (UNXPF) fastened to the panel wall rail (either standard or elevated)
- On flush panel walls entry is through a cut out to the fascia made on site and finished with the supplied cover plate
- On elevated panel walls the cable enters through an opening in the bottom of the panel wall frame
- Accepts one circuit per cable


Flush Panel Wall



International Base Feed mounting bracket Max. capacity three power cables

Enter Input Power Cable VEP through fascia cutout and cover plate, locate cutout where desired. Voice/data cables can be accommodated in the same cutout

Elevated Panel Wall




International Base Feed mounting bracket Max. capacity three power cables

Enter Input Power Cable VEP and voice/ data cables through bottom of the panel wall frame

ceiling feed

- Is available hard wired or with a plug for building connection
- The other end is a female connection
- Compatible with the Off-Module Power Pole and End of Run Power Pole (See Electrics section for more details)



price & product guide

price & product guide

PANEL WALLS 292

FASCIAS 315

POWER SPINE 417

SCREENS 475

CONNECTIONS & TRIMS 609

WORKSURFACES 633

HEIGHT-ADJUSTABILITY 641

SUPPORTS 681

ACCESSORIES 711

ELECTRICS 747


INTERNATIONAL ELECTRICS 783

panel walls product map

UNPFR Flush Panel Wall

Xpress


Page 294



UYPFR Flush Panel Wall with Inset

Xpress


Page 295



UNPER Elevated Panel Wall

Xpress


Page 296



UYPER Elevated Panel Wall with Inset

Xpress


Page 297



UNPC Convertible Panel Wall

Xpress


Page 298



UYPCR Convertible Panel Wall with Inset


Xpress

Page 299




UNPWSR Add-On Window (D-Style) – Single Glass

Page 300




UNPWDR Add-On Window (D-Style) – Double Glass

Page 302




UNPFWSR Flush Full-Height Window (D-Style) – Single Glass

Page 304




UNPFWDR Flush Full-Height Window (D-Style) – Double Glass

Page 305




UNPEWSR Elevated Full-Height Window (D-Style) – Single Glass

Page 306



UNPEWDR Elevated Full-Height Window (D-Style) – Double Glass

Page 307



panel walls product map

UNPCF Convertible Panel Wall Base and Foot Trim

Xpress


Page 308



UNPEFR Elevated Panel Wall Foot


Xpress

Page 309



UAFFN Support Foot for Freestanding District


Page 310



UNPHN Panel Wall Rail

Xpress


Page 311



UNEX Light Block Rail


Xpress

Page 312



Xpress

U N P F R
Flush Panel Wall



The Flush Panel Wall is flush to the floor when finished.

WHAT'S INCLUDED
1 frame (widths 24"-60") or 2 frames (widths over 60"), hardware for straight connections, levelers.

WHAT'S EXCLUDED
Fascia applied to base must be specified separately, see *Fascia* section.

NOTES
Top trim is optional (not needed when window is applied to top of panel or requires unique trim when center mount storage is specified).

Panel wall frame has a Black finish.

Xpress Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Height	Width (6" increments)	Fascia & Top Trim
29, 42, 51, 66	24 - 96	To order finished panel walls, a Panel Matrix is available to identify placement of specific fascias and top trim.

SAMPLE ORDER CODE

UNPFR 51	60	PANEL MATRIX

DIMENSIONS INCHES / MM		PRICING
H	W	
29 / 737	24 / 610	228
29 / 737	30 / 762	243
29 / 737	36 / 914	256
29 / 737	42 / 1067	273
29 / 737	48 / 1219	286
29 / 737	54 / 1372	302
29 / 737	60 / 1524	311
29 / 737	66 / 1676	472
29 / 737	72 / 1829	489
29 / 737	78 / 1981	511
29 / 737	84 / 2134	522
29 / 737	90 / 2286	534
29 / 737	96 / 2438	545
42 / 1067	24 / 610	287
42 / 1067	30 / 762	308
42 / 1067	36 / 914	326
42 / 1067	42 / 1067	342
42 / 1067	48 / 1219	367
42 / 1067	54 / 1372	391
42 / 1067	60 / 1524	401
42 / 1067	66 / 1676	602
42 / 1067	72 / 1829	623
42 / 1067	78 / 1981	643
42 / 1067	84 / 2134	665
42 / 1067	90 / 2286	686
42 / 1067	96 / 2438	705

DIMENSIONS INCHES / MM		PRICING
H	W	
51 / 1295	24 / 610	323
51 / 1295	30 / 762	341
51 / 1295	36 / 914	361
51 / 1295	42 / 1067	384
51 / 1295	48 / 1219	402
51 / 1295	54 / 1372	424
51 / 1295	60 / 1524	436
51 / 1295	66 / 1676	661
51 / 1295	72 / 1829	681
51 / 1295	78 / 1981	705
51 / 1295	84 / 2134	731
51 / 1295	90 / 2286	751
51 / 1295	96 / 2438	766
66 / 1676	24 / 610	364
66 / 1676	30 / 762	383
66 / 1676	36 / 914	400
66 / 1676	42 / 1067	425
66 / 1676	48 / 1219	445
66 / 1676	54 / 1372	464
66 / 1676	60 / 1524	480
66 / 1676	66 / 1676	737
66 / 1676	72 / 1829	755
66 / 1676	78 / 1981	793
66 / 1676	84 / 2134	807
66 / 1676	90 / 2286	827
66 / 1676	96 / 2438	843

Xpress

UYPFR
Flush Panel Wall with Inset

The Flush Panel Wall with Inset is designed for Inset Blade add-ons and is flush to the floor when finished.


WHAT'S INCLUDED
1 frame (widths 24" - 60") or 2 frames (widths over 60"), hardware for straight connections, levelers.

WHAT'S EXCLUDED
Fascia applied to base must be specified separately, see *Fascia* section.

NOTES
Top trim must be specified (needed when window is applied to top of panel or requires a top trim cover when mounted storage or off-module glass is specified).

Panel wall frame has a Black finish.

Xpress Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Height	Width (6" increments)	Fascia & Top Trim
29, 42, 51	24 - 96	To order finished panel walls, a Panel Matrix is available to identify placement of specific fascias and top trim.

SAMPLE ORDER CODE


UYPFR 51	**60**	**PANEL MATRIX**

DIMENSIONS INCHES / MM		PRICING
H	W	
29 / 737	24 / 610	304
29 / 737	30 / 762	325
29 / 737	36 / 914	340
29 / 737	42 / 1067	368
29 / 737	48 / 1219	391
29 / 737	54 / 1372	415
29 / 737	60 / 1524	430
29 / 737	66 / 1676	642
29 / 737	72 / 1829	666
29 / 737	78 / 1981	687
29 / 737	84 / 2134	710
29 / 737	90 / 2286	734
29 / 737	96 / 2438	758
42 / 1067	24 / 610	345
42 / 1067	30 / 762	372
42 / 1067	36 / 914	399
42 / 1067	42 / 1067	421
42 / 1067	48 / 1219	446
42 / 1067	54 / 1372	474
42 / 1067	60 / 1524	502
42 / 1067	66 / 1676	729
42 / 1067	72 / 1829	756
42 / 1067	78 / 1981	783
42 / 1067	84 / 2134	810
42 / 1067	90 / 2286	837
42 / 1067	96 / 2438	872

DIMENSIONS INCHES / MM		PRICING
H	W	
51 / 1295	24 / 610	379
51 / 1295	30 / 762	406
51 / 1295	36 / 914	434
51 / 1295	42 / 1067	459
51 / 1295	48 / 1219	488
51 / 1295	54 / 1372	517
51 / 1295	60 / 1524	540
51 / 1295	66 / 1676	790
51 / 1295	72 / 1829	820
51 / 1295	78 / 1981	849
51 / 1295	84 / 2134	876
51 / 1295	90 / 2286	906
51 / 1295	96 / 2438	932

Xpress

UNPER
Elevated Panel Wall



The Elevated Panel Wall provides a 6" high opening from floor level at the base when finished with legs.

WHAT'S INCLUDED
1 frame (widths 24"-60") or 2 frames (widths over 60"), hardware for straight connections, base trim with hardware for attachment.

WHAT'S EXCLUDED
Elevated Panel Wall Foot (UNPEFR) must be ordered separately and can be found in this section.

NOTES
Top trim is optional (not needed when window is applied to top of panel or requires unique trim when center mount storage is specified).

Panel wall frame has a Black finish.

Xpress Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Height	Width (6" increments)	Base Trim Finish	Fascia & Top Trim
29, 42, 51, 66	24 - 96	**AC** Clear Anodized Foundation Mica	To order finished panel walls, a Panel Matrix is available to identify placement of specific fascias and top trim.

SAMPLE ORDER CODE

UNPER 66	96	7	PANEL MATRIX

DIMENSIONS INCHES / MM		PRICING
H	W	
29 / 737	24 / 610	243
29 / 737	30 / 762	265
29 / 737	36 / 914	284
29 / 737	42 / 1067	312
29 / 737	48 / 1219	340
29 / 737	54 / 1372	368
29 / 737	60 / 1524	395
29 / 737	66 / 1676	527
29 / 737	72 / 1829	542
29 / 737	78 / 1981	556
29 / 737	84 / 2134	571
29 / 737	90 / 2286	585
29 / 737	96 / 2438	602
42 / 1067	24 / 610	298
42 / 1067	30 / 762	330
42 / 1067	36 / 914	361
42 / 1067	42 / 1067	384
42 / 1067	48 / 1219	417
42 / 1067	54 / 1372	450
42 / 1067	60 / 1524	481
42 / 1067	66 / 1676	646
42 / 1067	72 / 1829	670
42 / 1067	78 / 1981	692
42 / 1067	84 / 2134	715
42 / 1067	90 / 2286	738
42 / 1067	96 / 2438	748

DIMENSIONS INCHES / MM		PRICING
H	W	
51 / 1295	24 / 610	330
51 / 1295	30 / 762	359
51 / 1295	36 / 914	384
51 / 1295	42 / 1067	419
51 / 1295	48 / 1219	451
51 / 1295	54 / 1372	483
51 / 1295	60 / 1524	515
51 / 1295	66 / 1676	703
51 / 1295	72 / 1829	726
51 / 1295	78 / 1981	748
51 / 1295	84 / 2134	771
51 / 1295	90 / 2286	796
51 / 1295	96 / 2438	807
66 / 1676	24 / 610	368
66 / 1676	30 / 762	397
66 / 1676	36 / 914	423
66 / 1676	42 / 1067	455
66 / 1676	48 / 1219	487
66 / 1676	54 / 1372	521
66 / 1676	60 / 1524	552
66 / 1676	66 / 1676	773
66 / 1676	72 / 1829	792
66 / 1676	78 / 1981	810
66 / 1676	84 / 2134	828
66 / 1676	90 / 2286	849
66 / 1676	96 / 2438	859

Xpress

UYPER

Elevated Panel Wall with Inset

The Elevated Panel Wall with Inset is designed for Inset Blade add-ons with a 6" high opening from floor level at the base when finished with legs.


WHAT'S INCLUDED
1 frame (widths 24" - 60") or 2 frames (widths over 60"), hardware for straight connections, levelers.

WHAT'S EXCLUDED
Elevated Panel Wall Foot (UNPEFR) must be ordered separately. Fascia applied must be specified separately.

NOTES
Top trim must be specified (needed when window is applied to top of panel or requires a top trim cover when mounted storage or off-module glass is specified).

Panel wall frame has a Black finish.

Xpress Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Height	Width (6" increments)	Base Trim Finish	Fascia & Top Trim
29, 42, 51	24 - 96	**AC** Clear Anodized Foundation Mica	To order finished panel walls, a Panel Matrix is available to identify placement of specific fascias and top trim.

SAMPLE ORDER CODE


UYPER 51	96	7	PANEL MATRIX

DIMENSIONS INCHES / MM		PRICING
H	W	
29 / 737	24 / 610	317
29 / 737	30 / 762	345
29 / 737	36 / 914	371
29 / 737	42 / 1067	405
29 / 737	48 / 1219	429
29 / 737	54 / 1372	487
29 / 737	60 / 1524	513
29 / 737	66 / 1676	692
29 / 737	72 / 1829	715
29 / 737	78 / 1981	737
29 / 737	84 / 2134	761
29 / 737	90 / 2286	783
29 / 737	96 / 2438	807
42 / 1067	24 / 610	358
42 / 1067	30 / 762	394
42 / 1067	36 / 914	428
42 / 1067	42 / 1067	461
42 / 1067	48 / 1219	489
42 / 1067	54 / 1372	548
42 / 1067	60 / 1524	582
42 / 1067	66 / 1676	781
42 / 1067	72 / 1829	806
42 / 1067	78 / 1981	833
42 / 1067	84 / 2134	860
42 / 1067	90 / 2286	897
42 / 1067	96 / 2438	927

DIMENSIONS INCHES / MM		PRICING
H	W	
51 / 1295	24 / 610	391
51 / 1295	30 / 762	427
51 / 1295	36 / 914	461
51 / 1295	42 / 1067	495
51 / 1295	48 / 1219	523
51 / 1295	54 / 1372	582
51 / 1295	60 / 1524	616
51 / 1295	66 / 1676	836
51 / 1295	72 / 1829	868
51 / 1295	78 / 1981	899
51 / 1295	84 / 2134	931
51 / 1295	90 / 2286	962
51 / 1295	96 / 2438	984

Xpress

U N P C
Convertible Panel Wall



The Convertible Panel Wall frame can be used in flush-to-the-floor applications or in elevated applications by adding the Convertible Panel Wall Base and Foot Trim (UNPCF).

WHAT'S INCLUDED
1 frame (widths 24"-60") or 2 frames (widths over 60"), hardware for straight connections, levelers.

WHAT'S EXCLUDED
Wall Base and Foot Trim (UNPCF) must be specified separately and can be found in this section.

Clips are not included to mount Wood Fascia and Fascia Clip Kit (UNELK) must be ordered separately as per quantity of the Solid Fascia.

NOTES
Top trim is optional (not needed when window is applied to top of panel or requires unique trim when center mount storage is specified).

Panel wall frame has a Black finish.

Xpress Available through *Teknion's Xpress Program*.

PRODUCT OPTIONS

Height	Width (6" increments)	Fascia & Top Trim
29, 42, 51, 66	24 - 96	To order finished panel walls, a Panel Matrix is available to identify placement of specific fascias and top trim.

SAMPLE ORDER CODE

UNPC 51	60	PANEL MATRIX

DIMENSIONS INCHES / MM		PRICING
H	W	
29 / 737	24 / 610	221
29 / 737	30 / 762	236
29 / 737	36 / 914	247
29 / 737	42 / 1067	263
29 / 737	48 / 1219	274
29 / 737	54 / 1372	289
29 / 737	60 / 1524	300
29 / 737	66 / 1676	459
29 / 737	72 / 1829	472
29 / 737	78 / 1981	484
29 / 737	84 / 2134	496
29 / 737	90 / 2286	510
29 / 737	96 / 2438	522
42 / 1067	24 / 610	272
42 / 1067	30 / 762	285
42 / 1067	36 / 914	300
42 / 1067	42 / 1067	323
42 / 1067	48 / 1219	340
42 / 1067	54 / 1372	361
42 / 1067	60 / 1524	374
42 / 1067	66 / 1676	567
42 / 1067	72 / 1829	585
42 / 1067	78 / 1981	605
42 / 1067	84 / 2134	620
42 / 1067	90 / 2286	641
42 / 1067	96 / 2438	670

DIMENSIONS INCHES / MM		PRICING
H	W	
51 / 1295	24 / 610	301
51 / 1295	30 / 762	321
51 / 1295	36 / 914	339
51 / 1295	42 / 1067	353
51 / 1295	48 / 1219	371
51 / 1295	54 / 1372	393
51 / 1295	60 / 1524	406
51 / 1295	66 / 1676	617
51 / 1295	72 / 1829	638
51 / 1295	78 / 1981	655
51 / 1295	84 / 2134	673
51 / 1295	90 / 2286	694
51 / 1295	96 / 2438	703
66 / 1676	24 / 610	334
66 / 1676	30 / 762	355
66 / 1676	36 / 914	370
66 / 1676	42 / 1067	389
66 / 1676	48 / 1219	405
66 / 1676	54 / 1372	427
66 / 1676	60 / 1524	443
66 / 1676	66 / 1676	677
66 / 1676	72 / 1829	698
66 / 1676	78 / 1981	715
66 / 1676	84 / 2134	734
66 / 1676	90 / 2286	752
66 / 1676	96 / 2438	768

Xpress

UYPCR
Convertible Panel Wall with Inset

The Convertible Panel Wall with Inset is designed for Inset Blade add-ons and can be used in flush-to-the-floor applications or in elevated applications by adding the Convertible Panel Wall Base and Foot Trim (UNPCF).


WHAT'S INCLUDED
1 frame (widths 24" - 60") or 2 frames (widths over 60"), hardware for straight connections, levelers.

WHAT'S EXCLUDED
Wall Base and Foot Trim (UNPCF) must be specified separately. Fascia applied must be specified separately, see *Fascia* section.

NOTES
Top trim must be specified (needed when window is applied to top of panel or requires a top trim cover when mounted storage or off-module glass is specified).

Panel wall frame has a Black finish.

Xpress Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Height	Width (6" increments)	Fascia & Top Trim
29, 42, 51	24 - 96	To order finished panel walls, a Panel Matrix is available to identify placement of specific fascias and top trim.

SAMPLE ORDER CODE

UYPCR 51	**60**	**PANEL MATRIX**

DIMENSIONS INCHES / MM		PRICING
H	W	
29 / 737	24 / 610	302
29 / 737	30 / 762	321
29 / 737	36 / 914	339
29 / 737	42 / 1067	361
29 / 737	48 / 1219	379
29 / 737	54 / 1372	401
29 / 737	60 / 1524	423
29 / 737	66 / 1676	633
29 / 737	72 / 1829	655
29 / 737	78 / 1981	676
29 / 737	84 / 2134	700
29 / 737	90 / 2286	724
29 / 737	96 / 2438	739
42 / 1067	24 / 610	332
42 / 1067	30 / 762	356
42 / 1067	36 / 914	376
42 / 1067	42 / 1067	401
42 / 1067	48 / 1219	429
42 / 1067	54 / 1372	458
42 / 1067	60 / 1524	481
42 / 1067	66 / 1676	701
42 / 1067	72 / 1829	729
42 / 1067	78 / 1981	756
42 / 1067	84 / 2134	783
42 / 1067	90 / 2286	810
42 / 1067	96 / 2438	833

DIMENSIONS INCHES / MM		PRICING
H	W	
51 / 1295	24 / 610	363
51 / 1295	30 / 762	387
51 / 1295	36 / 914	406
51 / 1295	42 / 1067	432
51 / 1295	48 / 1219	460
51 / 1295	54 / 1372	489
51 / 1295	60 / 1524	512
51 / 1295	66 / 1676	753
51 / 1295	72 / 1829	781
51 / 1295	78 / 1981	807
51 / 1295	84 / 2134	834
51 / 1295	90 / 2286	860
51 / 1295	96 / 2438	886

U N P W S R

Add-On Window (D-Style) – Single Glass


The Add-On Window (D-Style) – Single Glass is applied on top of panel walls as an add-on providing uninterrupted glass spans of up to 8' in width.

WHAT'S INCLUDED
Structural frame, framed window insert, hardware for attachment, top trim (if specified).

NOTES
Standard Glass, Clear is a clear tempered glass.

Specialty Glass Vanceva is a laminated glass.

Glass is oriented to one side of the frame.



PRODUCT OPTIONS

Height	Width (6" increments)	Glass Finish	Frame Finish	Top Trim	Top Trim Finish (If applicable)
09, 13, 15, 22, 24, 37	24 - 96	**5** Clear Standard Glass	**AC** Clear Anodized	**0** No Top Trim	**AC** Clear Anodized
		Specialty Glass Frost	**BP** Espresso Painted	**1** With Top Trim	Foundation
			BH Storm White Painted		Mica

SAMPLE ORDER CODE

UNPWSR 22	48	5	AC	1	AC

DIMENSIONS INCHES / MM

PRICING

H	W	NO TOP TRIM (0) Standard Glass Clear	Specialty Glass Frost	Specialty Glass Gr. 7	WITH TOP TRIM (1) Standard Glass Clear	Specialty Glass Frost	Specialty Glass Gr. 7
9 / 229	24 / 610	725	882	902	798	955	974
9 / 229	30 / 762	794	966	995	874	1046	1075
9 / 229	36 / 914	863	1049	1090	951	1138	1177
9 / 229	42 / 1067	934	1137	1180	1031	1233	1276
9 / 229	48 / 1219	1019	1234	1283	1122	1336	1386
9 / 229	54 / 1372	1085	1320	1373	1202	1437	1490
9 / 229	60 / 1524	1158	1408	1468	1282	1531	1592
9 / 229	66 / 1676	1232	1496	1564	1364	1628	1696
9 / 229	72 / 1829	1299	1581	1652	1443	1725	1795
9 / 229	78 / 1981	1376	1672	1750	1528	1824	1903
9 / 229	84 / 2134	1459	1771	1854	1619	1932	2014
9 / 229	90 / 2286	1531	1860	1950	1705	2033	2124
9 / 229	96 / 2438	1602	1945	2042	1780	2124	2220
13 / 330	24 / 610	783	966	1000	856	1039	1071
13 / 330	30 / 762	857	1061	1102	936	1140	1182
13 / 330	36 / 914	932	1158	1207	1019	1246	1296
13 / 330	42 / 1067	1021	1273	1329	1117	1369	1426
13 / 330	48 / 1219	1113	1384	1455	1215	1486	1557
13 / 330	54 / 1372	1182	1475	1551	1299	1592	1668
13 / 330	60 / 1524	1268	1588	1672	1392	1711	1795
13 / 330	66 / 1676	1379	1721	1815	1512	1854	1948
13 / 330	72 / 1829	1459	1823	1925	1602	1967	2069
13 / 330	78 / 1981	1528	1914	2025	1681	2067	2178
13 / 330	84 / 2134	1643	2046	2168	1803	2206	2328
13 / 330	90 / 2286	1720	2148	2277	1893	2321	2451
13 / 330	96 / 2438	1799	2254	2389	1976	2432	2567

Pricing is continued on the following page.

U N P W S R

Add-On Window (D-Style) – Single Glass (Continued)

DIMENSIONS INCHES / MM

PRICING

H	W	NO TOP TRIM (0) Standard Glass Clear	Specialty Glass Frost	Gr. 7	WITH TOP TRIM (1) Standard Glass Clear	Specialty Glass Frost	Gr. 7
15 / 381	24 / 610	797	995	1035	869	1068	1108
15 / 381	30 / 762	872	1097	1145	951	1176	1225
15 / 381	36 / 914	947	1196	1256	1034	1283	1343
15 / 381	42 / 1067	1040	1316	1381	1137	1413	1477
15 / 381	48 / 1219	1131	1431	1510	1234	1534	1613
15 / 381	54 / 1372	1197	1527	1615	1313	1644	1732
15 / 381	60 / 1524	1282	1635	1735	1407	1760	1860
15 / 381	66 / 1676	1400	1780	1886	1531	1913	2019
15 / 381	72 / 1829	1475	1883	1998	1619	2026	2141
15 / 381	78 / 1981	1547	1980	2107	1701	2133	2260
15 / 381	84 / 2134	1658	2119	2255	1818	2280	2416
15 / 381	90 / 2286	1737	2222	2370	1911	2396	2543
15 / 381	96 / 2438	1815	2328	2484	1994	2507	2662
22 / 559	24 / 610	920	1153	1206	992	1226	1279
22 / 559	30 / 762	1002	1276	1340	1082	1356	1419
22 / 559	36 / 914	1084	1396	1475	1172	1485	1564
22 / 559	42 / 1067	1206	1553	1649	1303	1650	1746
22 / 559	48 / 1219	1305	1687	1793	1408	1790	1896
22 / 559	54 / 1372	1393	1815	1936	1510	1932	2052
22 / 559	60 / 1524	1477	1937	2072	1602	2061	2196
22 / 559	66 / 1676	1572	2071	2220	1704	2203	2352
22 / 559	72 / 1829	1658	2191	2356	1802	2335	2500
22 / 559	78 / 1981	1740	2312	2485	1893	2465	2638
22 / 559	84 / 2134	1896	2502	2690	2056	2662	2850
22 / 559	90 / 2286	1981	2623	2826	2155	2797	3000
22 / 559	96 / 2438	2064	2743	2960	2243	2922	3139
24 / 610	24 / 610	934	1183	1242	1007	1256	1313
24 / 610	30 / 762	1015	1310	1380	1094	1389	1460
24 / 610	36 / 914	1099	1431	1520	1188	1519	1607
24 / 610	42 / 1067	1223	1594	1696	1320	1689	1792
24 / 610	48 / 1219	1315	1731	1845	1417	1833	1948
24 / 610	54 / 1372	1409	1863	1995	1526	1980	2111
24 / 610	60 / 1524	1492	1989	2132	1617	2112	2257
24 / 610	66 / 1676	1591	2126	2287	1724	2259	2419
24 / 610	72 / 1829	1672	2250	2426	1815	2394	2569
24 / 610	78 / 1981	1755	2374	2563	1908	2528	2717
24 / 610	84 / 2134	1909	2564	2774	2070	2725	2935
24 / 610	90 / 2286	1998	2695	2916	2172	2869	3090
24 / 610	96 / 2438	2082	2822	3058	2261	3000	3236
37 / 940	24 / 610	1133	1477	1572	1205	1550	1644
37 / 940	30 / 762	1230	1643	1758	1310	1723	1838
37 / 940	36 / 914	1328	1809	1946	1416	1897	2034
37 / 940	42 / 1067	1491	2031	2193	1588	2127	2290
37 / 940	48 / 1219	1605	2217	2403	1708	2320	2506
37 / 940	54 / 1372	1709	2387	2593	1826	2503	2711
37 / 940	60 / 1524	1814	2554	2788	1938	2679	2912
37 / 940	66 / 1676	1928	2736	2990	2061	2869	3123
37 / 940	72 / 1829	2028	2906	3183	2172	3049	3327
37 / 940	78 / 1981	2126	3070	3372	2280	3223	3524
37 / 940	84 / 2134	2300	3302	3628	2461	3463	3788
37 / 940	90 / 2286	2407	3480	3827	2581	3653	4000
37 / 940	96 / 2438	2510	3646	4017	2689	3825	4195

U N P W D R

Add-On Window (D-Style) – Double Glass


The Add-On Window (D-Style) – Double Glass is applied on top of panel walls as an add-on providing uninterrupted glass spans of up to 8' in width.

WHAT'S INCLUDED
Structural frame, framed window insert, hardware for attachment, top trim (if specified).

NOTES
Standard Glass, Clear is a clear tempered glass.

Standard Glass, Frost is a sandblasted tempered glass that is applied to one side of the window. Clear tempered glass will be applied on the opposite side of the window.

Specialty Glass Vanceva is a laminated glass that is applied to one side of the window. Clear tempered glass will be applied on the opposite side of the window.



PRODUCT OPTIONS

Height	Width (6" increments)	Glass Finish	Frame Finish	Top Trim	Top Trim Finish (If applicable)
09, 13, 15, 22, 24, 37	24 - 96	**5** Clear Standard Glass	**AC** Clear Anodized	**0** No Top Trim	**AC** Clear Anodized
		6 Frost Standard Glass	**BP** Espresso Painted	**1** With Top Trim	Foundation
		Specialty Glass Frost	**BH** Storm White Painted		Mica

SAMPLE ORDER CODE

UNPWDR 15	60	5	AC	1	AC

DIMENSIONS INCHES / MM

PRICING

H	W	NO TOP TRIM (0) Standard Glass Clear	Standard Glass Frost	Specialty Glass Frost	Specialty Glass Gr. 7	WITH TOP TRIM (1) Standard Glass Clear	Standard Glass Frost	Specialty Glass Frost	Specialty Glass Gr. 7
9 / 229	24 / 610	872	895	1012	1035	943	966	1085	1108
9 / 229	30 / 762	963	988	1115	1144	1042	1068	1195	1223
9 / 229	36 / 914	1051	1082	1219	1250	1139	1169	1306	1338
9 / 229	42 / 1067	1142	1176	1320	1363	1237	1273	1416	1460
9 / 229	48 / 1219	1242	1282	1434	1480	1343	1385	1537	1582
9 / 229	54 / 1372	1332	1378	1542	1594	1448	1494	1658	1710
9 / 229	60 / 1524	1421	1471	1644	1703	1545	1596	1768	1828
9 / 229	66 / 1676	1513	1570	1750	1814	1645	1703	1883	1946
9 / 229	72 / 1829	1602	1663	1853	1925	1746	1807	1996	2069
9 / 229	78 / 1981	1697	1763	1961	2039	1850	1916	2114	2191
9 / 229	84 / 2134	1799	1870	2074	2160	1959	2031	2235	2320
9 / 229	90 / 2286	1891	1969	2183	2272	2064	2142	2356	2446
9 / 229	96 / 2438	1981	2064	2287	2380	2160	2243	2465	2559
13 / 330	24 / 610	943	974	1105	1142	1016	1046	1177	1214
13 / 330	30 / 762	1040	1075	1225	1267	1120	1154	1304	1347
13 / 330	36 / 914	1135	1177	1338	1387	1222	1266	1426	1475
13 / 330	42 / 1067	1248	1295	1474	1529	1343	1391	1570	1626
13 / 330	48 / 1219	1365	1419	1607	1674	1468	1522	1710	1777
13 / 330	54 / 1372	1449	1513	1715	1793	1567	1629	1832	1911
13 / 330	60 / 1524	1562	1632	1846	1930	1686	1756	1971	2055
13 / 330	66 / 1676	1710	1786	2016	2104	1843	1919	2148	2237
13 / 330	72 / 1829	1810	1891	2132	2232	1953	2034	2275	2375
13 /330	78 / 1981	1900	1992	2245	2352	2054	2146	2398	2506
13 / 330	84 / 2134	2042	2142	2408	2522	2202	2303	2568	2682
13 / 330	90 / 2286	2144	2250	2526	2652	2318	2424	2699	2825
13 / 330	96 / 2438	2243	2357	2649	2781	2421	2536	2827	2960

Pricing is continued on the following page.

U N P W D R

Add-On Window (D-Style) – Double Glass (Continued)


DIMENSIONS INCHES / MM

PRICING

H	W	NO TOP TRIM (0) Standard Glass Clear	Standard Glass Frost	Specialty Glass Frost	Specialty Glass Gr. 7	WITH TOP TRIM (1) Standard Glass Clear	Standard Glass Frost	Specialty Glass Frost	Specialty Glass Gr. 7
15 / 381	24 / 610	961	991	1136	1176	1033	1063	1207	1249
15 / 381	30 / 762	1054	1095	1256	1306	1133	1175	1335	1386
15 / 381	36 / 914	1150	1196	1376	1431	1237	1283	1463	1519
15 / 381	42 / 1067	1268	1323	1516	1580	1364	1418	1613	1677
15 / 381	48 / 1219	1379	1446	1652	1731	1482	1549	1755	1833
15 / 381	54 / 1372	1467	1540	1763	1848	1583	1657	1881	1966
15 / 381	60 / 1524	1577	1659	1899	1995	1702	1784	2024	2119
15 / 381	66 / 1676	1728	1815	2072	2175	1861	1948	2205	2307
15 / 381	72 / 1829	1826	1920	2191	2305	1969	2063	2335	2448
15 / 381	78 / 1981	1918	2022	2310	2430	2071	2176	2462	2583
15 / 381	84 / 2134	2059	2173	2471	2604	2220	2334	2631	2764
15 / 381	90 / 2286	2160	2280	2599	2741	2334	2453	2772	2914
15 / 381	96 / 2438	2258	2387	2721	2873	2435	2564	2900	3052
22 / 559	24 / 610	1112	1155	1326	1378	1183	1228	1398	1449
22 / 559	30 / 762	1222	1279	1467	1529	1302	1358	1546	1609
22 / 559	36 / 914	1327	1393	1605	1687	1415	1482	1694	1776
22 / 559	42 / 1067	1489	1569	1802	1891	1584	1666	1898	1988
22 / 559	48 / 1219	1609	1697	1957	2061	1711	1800	2059	2163
22 / 559	54 / 1372	1728	1828	2114	2224	1845	1944	2231	2342
22 / 559	60 / 1524	1837	1946	2255	2381	1961	2071	2379	2506
22 / 559	66 / 1676	1964	2084	2416	2554	2096	2216	2548	2687
22 / 559	72 / 1829	2071	2206	2554	2710	2214	2349	2697	2853
22 / 559	78 / 1981	2176	2318	2696	2862	2328	2471	2849	3015
22 / 559	84 / 2134	2377	2531	2929	3109	2537	2691	3089	3269
22 / 559	90 / 2286	2487	2654	3074	3270	2661	2827	3248	3443
22 / 559	96 / 2438	2598	2775	3218	3422	2775	2954	3396	3601
24 / 610	24 / 610	1128	1176	1356	1409	1200	1249	1429	1482
24 / 610	30 / 762	1233	1293	1498	1569	1312	1371	1577	1649
24 / 610	36 / 914	1338	1414	1644	1731	1426	1501	1732	1818
24 / 610	42 / 1067	1499	1588	1840	1938	1596	1684	1937	2034
24 / 610	48 / 1219	1621	1715	1997	2109	1724	1817	2100	2212
24 / 610	54 / 1372	1740	1848	2155	2283	1858	1966	2272	2400
24 / 610	60 / 1524	1846	1969	2300	2443	1971	2094	2425	2567
24 / 610	66 / 1676	1976	2109	2468	2620	2109	2242	2600	2752
24 / 610	72 / 1829	2084	2230	2612	2785	2228	2373	2755	2928
24 / 610	78 / 1981	2189	2344	2752	2940	2342	2498	2906	3094
24 / 610	84 / 2134	2390	2560	2988	3189	2551	2720	3148	3350
24 / 610	90 / 2286	2509	2689	3142	3360	2683	2862	3315	3534
24 / 610	96 / 2438	2612	2805	3287	3516	2790	2984	3466	3694
37 / 940	24 / 610	1409	1485	1723	1814	1482	1557	1794	1886
37 / 940	30 / 762	1540	1634	1914	2027	1620	1714	1994	2107
37 / 940	36 / 914	1674	1786	2114	2244	1762	1874	2202	2333
37 / 940	42 / 1067	1892	2028	2391	2549	1989	2125	2487	2645
37 / 940	48 / 1219	2049	2206	2606	2785	2152	2308	2709	2886
37 / 940	54 / 1372	2191	2364	2807	3011	2308	2480	2924	3127
37 / 940	60 / 1524	2330	2519	3010	3231	2455	2643	3134	3355
37 / 940	66 / 1676	2485	2695	3225	3470	2618	2827	3358	3602
37 / 940	72 / 1829	2620	2853	3425	3696	2764	2996	3568	3839
37 / 940	78 / 1981	2752	3005	3619	3911	2906	3158	3773	4065
37 / 940	84 / 2134	2983	3252	3911	4218	3143	3412	4071	4378
37 / 940	90 / 2286	3127	3414	4112	4445	3301	3588	4286	4618
37 / 940	96 / 2438	3262	3569	4310	4668	3441	3747	4488	4846

U N P F W S R

Flush Full-Height Window (D-Style) – Single Glass



The Flush Full-Height Window (D-Style) – Single Glass provides uninterrupted vertical glass spans above the base rail.

WHAT'S INCLUDED
Structural frame, framed window insert, hardware for straight connections, levelers, top trim (if specified).

WHAT'S EXCLUDED
Fascia applied to base must be specified separately, see *Fascia* section.

NOTES
The 66" height is available up to 48" in width only.

Standard Glass, Clear is a clear tempered glass.

Specialty Glass Vanceva is a laminated glass.

Glass is oriented to one side of the frame.

PRODUCT OPTIONS

Height	Width (6" increments)	Glass Finish	Frame Finish	Top Trim	Top Trim Finish (If applicable)
29, 42, 51, 66	24 - 60	**5** Clear Standard Glass	**AC** Clear Anodized	**0** No Top Trim	**AC** Clear Anodized
		Specialty Glass Frost	**BP** Espresso Painted	**1** With Top Trim	Foundation
			BH Storm White Painted		Mica

SAMPLE ORDER CODE

UNPFWSR 51	60	5	AC	1	AC


DIMENSIONS INCHES / MM

PRICING

H	W	NO TOP TRIM (0) Standard Glass Clear	Specialty Glass Frost	Specialty Glass Gr. 7	WITH TOP TRIM (1) Standard Glass Clear	Specialty Glass Frost	Specialty Glass Gr. 7
29 / 737	24 / 610	1446	1776	1853	1519	1847	1925
29 / 737	30 / 762	1552	1908	1994	1632	1988	2073
29 / 737	36 / 914	1662	2042	2132	1750	2130	2220
29 / 737	42 / 1067	1773	2177	2272	1869	2273	2368
29 / 737	48 / 1219	1883	2310	2413	1986	2412	2515
29 / 737	54 / 1372	2024	2485	2594	2140	2602	2712
29 / 737	60 / 1524	2164	2655	2775	2289	2779	2900
42 / 1067	24 / 610	1651	2133	2247	1724	2206	2320
42 / 1067	30 / 762	1778	2297	2418	1858	2377	2498
42 / 1067	36 / 914	1899	2455	2584	1988	2543	2672
42 / 1067	42 / 1067	2021	2611	2747	2117	2707	2843
42 / 1067	48 / 1219	2142	2769	2913	2245	2871	3015
42 / 1067	54 / 1372	2079	2685	2826	2196	2802	2943
42 / 1067	60 / 1524	2343	3029	3188	2468	3153	3312
51 / 1295	24 / 610	1946	2605	2755	2019	2676	2827
51 / 1295	30 / 762	2092	2797	2960	2170	2877	3040
51 / 1295	36 / 914	2239	2996	3170	2327	3084	3257
51 / 1295	42 / 1067	2382	3191	3375	2479	3286	3471
51 / 1295	48 / 1219	2529	3385	3582	2631	3488	3684
51 / 1295	54 / 1372	2655	3556	3761	2772	3674	3879
51 / 1295	60 / 1524	2785	3727	3961	2908	3851	4084
66 / 1676	24 / 610	2061	2796	2998	2133	2869	3070
66 / 1676	30 / 762	2232	3030	3249	2312	3110	3329
66 / 1676	36 / 914	2404	3262	3498	2493	3351	3587
66 / 1676	42 / 1067	2574	3495	3747	2669	3592	3843
66 / 1676	48 / 1219	2743	3726	3991	2846	3828	4093

UNPFWDR
Flush Full-Height Window (D-Style) – Double Glass

The Flush Full-Height Window (D-Style) – Double Glass provides uninterrupted vertical glass spans above the base rail.



WHAT'S INCLUDED
Structural frame, framed window insert, hardware for straight connections, levelers, top trim (if specified).

WHAT'S EXCLUDED
Fascia applied to base must be specified separately, see *Fascia* section.

NOTES
The 66" height is available up to 48" in width only.

Standard Glass, Clear is a clear tempered glass.

Standard Glass, Frost is a sandblasted tempered glass that is applied to one side of the window. Clear tempered glass will be applied on the opposite side of the window.

Specialty Glass Vanceva is a laminated glass that is applied to one side of the window. Clear tempered glass will be applied on the opposite side of the window.

PRODUCT OPTIONS

Height	Width (6" increments)	Glass Finish	Frame Finish	Top Trim	Top Trim Finish (If applicable)
29, 42, 51, 66	24 - 60	**5** Clear Standard Glass	**AC** Clear Anodized	**0** No Top Trim	**AC** Clear Anodized
		6 Frost Standard Glass	**BP** Espresso Painted	**1** With Top Trim	Foundation
		Specialty Glass Frost	**BH** Storm White Painted		Mica

SAMPLE ORDER CODE

UNPFWDR 42	60	5	AC	1	AC


DIMENSIONS INCHES / MM

PRICING

H	W	NO TOP TRIM (0) Standard Glass Clear	Standard Glass Frost	Specialty Glass Frost	Specialty Glass Gr. 7	WITH TOP TRIM (1) Standard Glass Clear	Standard Glass Frost	Specialty Glass Frost	Specialty Glass Gr. 7
29 / 737	24 / 610	1637	1721	1968	2044	1710	1793	2041	2116
29 / 737	30 / 762	1771	1860	2125	2209	1851	1939	2205	2289
29 / 737	36 / 914	1904	1998	2283	2374	1992	2086	2371	2462
29 / 737	42 / 1067	2048	2152	2455	2549	2144	2247	2552	2645
29 / 737	48 / 1219	2182	2290	2611	2712	2284	2393	2713	2815
29 / 737	54 / 1372	2350	2469	2815	2922	2468	2585	2931	3038
29 / 737	60 / 1524	2515	2642	3010	3125	2639	2766	3134	3249
42 / 1067	24 / 610	1949	2086	2431	2547	2021	2159	2503	2619
42 / 1067	30 / 762	2109	2257	2632	2748	2189	2336	2712	2827
42 / 1067	36 / 914	2267	2426	2823	2951	2355	2514	2910	3038
42 / 1067	42 / 1067	2446	2614	3036	3172	2541	2711	3133	3269
42 / 1067	48 / 1219	2605	2787	3230	3375	2707	2889	3332	3478
42 / 1067	54 / 1372	2586	2763	3191	3330	2703	2879	3307	3447
42 / 1067	60 / 1524	2883	3086	3568	3727	3007	3209	3692	3851
51 / 1295	24 / 610	2334	2519	2990	3142	2405	2591	3063	3215
51 / 1295	30 / 762	2523	2728	3231	3394	2602	2808	3311	3473
51 / 1295	36 / 914	2721	2936	3480	3651	2809	3023	3568	3738
51 / 1295	42 / 1067	2937	3171	3744	3927	3034	3268	3840	4024
51 / 1295	48 / 1219	3132	3383	3985	4187	3233	3486	4087	4289
51 / 1295	54 / 1372	3313	3577	4212	4419	3430	3694	4330	4535
51 / 1295	60 / 1524	3487	3765	4429	4661	3611	3889	4553	4785
66 / 1676	24 / 610	2612	2823	3350	3549	2684	2895	3421	3622
66 / 1676	30 / 762	2852	3079	3649	3869	2931	3158	3729	3948
66 / 1676	36 / 914	3089	3336	3948	4187	3177	3425	4037	4275
66 / 1676	42 / 1067	3364	3635	4284	4535	3460	3731	4379	4632
66 / 1676	48 / 1219	3606	3889	4586	4854	3708	3992	4688	4957

U N P E W S R

Elevated Full-Height Window (D-Style) – Single Glass



The Elevated Full-Height Window – Single Glass provides uninterrupted vertical glass spans above the base rail.

WHAT'S INCLUDED
Structural frame, framed window insert, hardware for straight connections, base trim with hardware for attachment, top trim (if specified).

WHAT'S EXCLUDED
Elevated Panel Wall Foot (UNPEFR) must be ordered separately and can be found in this section.

NOTES
The 66" height is available up to 48" in width only.

Standard Glass is a clear tempered glass finish.

Specialty Glass Vanceva is a laminated glass.

Glass is oriented to one side of the frame.

PRODUCT OPTIONS

Height	Width (6" increments)	Glass Finish	Frame Finish	Base Trim Finish	Top Trim	Top Trim Finish (If applicable)
29, 42, 51, 66	24 - 60	**5** Clear Standard Glass Specialty Glass Frost	**AC** Clear Anodized **BP** Espresso Painted **BH** Storm White Painted	**AC** Clear Anodized Foundation Mica	**0** No Top Trim **1** With Top Trim	**AC** Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNPEWSR 29	48	5	AC	AC	1	AC

DIMENSIONS INCHES / MM

PRICING

H	W	NO TOP TRIM (0) Standard Glass Clear	Specialty Glass Frost	Specialty Glass Gr. 7	WITH TOP TRIM (1) Standard Glass Clear	Specialty Glass Frost	Specialty Glass Gr. 7
29 / 737	24 / 610	1485	1814	1890	1557	1886	1962
29 / 737	30 / 762	1597	1950	2036	1677	2029	2116
29 / 737	36 / 914	1715	2094	2185	1803	2182	2273
29 / 737	42 / 1067	1835	2237	2334	1930	2334	2430
29 / 737	48 / 1219	1950	2379	2483	2052	2481	2585
29 / 737	54 / 1372	2102	2563	2675	2219	2681	2793
29 / 737	60 / 1524	2252	2743	2862	2375	2868	2986
42 / 1067	24 / 610	1693	2176	2287	1764	2247	2359
42 / 1067	30 / 762	1817	2337	2460	1897	2417	2539
42 / 1067	36 / 914	1950	2507	2637	2039	2594	2725
42 / 1067	42 / 1067	2082	2674	2808	2179	2771	2905
42 / 1067	48 / 1219	2210	2835	2982	2313	2938	3084
42 / 1067	54 / 1372	2159	2765	2906	2275	2882	3022
42 / 1067	60 / 1524	2428	3116	3274	2553	3240	3398
51 / 1295	24 / 610	1987	2644	2795	2058	2717	2868
51 / 1295	30 / 762	2133	2841	3005	2213	2921	3084
51 / 1295	36 / 914	2290	3051	3224	2378	3139	3312
51 / 1295	42 / 1067	2446	3252	3437	2541	3348	3534
51 / 1295	48 / 1219	2600	3456	3652	2702	3558	3754
51 / 1295	54 / 1372	2736	3636	3842	2853	3753	3960
51 / 1295	60 / 1524	2872	3811	4046	2996	3935	4171
66 / 1676	24 / 610	2100	2835	3038	2172	2908	3111
66 / 1676	30 / 762	2275	3072	3293	2355	3151	3373
66 / 1676	36 / 914	2458	3316	3553	2547	3405	3641
66 / 1676	42 / 1067	2638	3556	3807	2735	3653	3904
66 / 1676	48 / 1219	2815	3794	4062	2916	3896	4165

UNPEWDR
Elevated Full-Height Window (D-Style) – Double Glass

The Elevated Full-Height Window – Double Glass provides uninterrupted vertical glass spans above the base rail.

WHAT'S INCLUDED
Structural frame, framed window insert, hardware for straight connections, base trim with hardware for attachment, top trim (if specified).


WHAT'S EXCLUDED
Elevated Panel Wall Foot (UNPEFR) must be ordered separately and can be found in this section.

NOTES
The 66" height is available up to 48" in width only.

Standard Glass is a clear tempered glass finish.

Standard Glass, Frost is a sandblasted tempered glass that is applied to one side of the window. Clear tempered glass will be applied on the opposite side of the window.

Specialty Glass Vanceva is a laminated glass that is applied to one side of the window. Clear tempered glass will be applied on the opposite side of the window.



PRODUCT OPTIONS

Height	Width (6" increments)	Glass Finish	Frame Finish	Base Trim Finish	Top Trim	Top Trim Finish (If applicable)
29, 42, 51, 66	24 - 60	**5** Clear Standard Glass **6** Frost Standard Glass Specialty Glass Frost	**AC** Clear Anodized **BP** Espresso Painted **BH** Storm White Painted	**AC** Clear Anodized Foundation Mica	**0** No Top Trim **1** With Top Trim	**AC** Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNPEWDR 42	**60**	**5**	**AC**	**AC**	**1**	**AC**

DIMENSIONS INCHES / MM

PRICING

H	W	NO TOP TRIM (0) Standard Glass Clear	Standard Glass Frost	Specialty Glass Frost	Specialty Glass Gr. 7	WITH TOP TRIM (1) Standard Glass Clear	Standard Glass Frost	Specialty Glass Frost	Specialty Glass Gr. 7
29 / 737	24 / 610	1677	1761	2006	2086	1749	1833	2079	2159
29 / 737	30 / 762	1814	1904	2167	2253	1893	1983	2246	2333
29 / 737	36 / 914	1956	2051	2335	2426	2044	2139	2423	2514
29 / 737	42 / 1067	2109	2212	2514	2608	2206	2308	2611	2705
29 / 737	48 / 1219	2253	2363	2682	2782	2355	2465	2785	2885
29 / 737	54 / 1372	2430	2549	2893	3000	2547	2666	3010	3117
29 / 737	60 / 1524	2602	2728	3095	3211	2726	2853	3219	3335
42 / 1067	24 / 610	1991	2125	2471	2588	2063	2197	2543	2660
42 / 1067	30 / 762	2154	2300	2674	2792	2233	2380	2754	2871
42 / 1067	36 / 914	2319	2477	2875	3005	2407	2564	2962	3093
42 / 1067	42 / 1067	2509	2680	3098	3233	2606	2775	3195	3330
42 / 1067	48 / 1219	2675	2856	3300	3444	2778	2959	3403	3547
42 / 1067	54 / 1372	2660	2842	3271	3410	2777	2959	3388	3526
42 / 1067	60 / 1524	2968	3170	3653	3811	3093	3294	3777	3935
51 / 1295	24 / 610	2374	2560	3033	3181	2447	2632	3105	3254
51 / 1295	30 / 762	2567	2772	3275	3437	2646	2852	3354	3517
51 / 1295	36 / 914	2773	2988	3531	3703	2861	3075	3618	3790
51 / 1295	42 / 1067	2998	3232	3803	3988	3094	3329	3899	4084
51 / 1295	48 / 1219	3202	3453	4059	4254	3305	3555	4161	4355
51 / 1295	54 / 1372	3392	3655	4291	4496	3510	3773	4407	4612
51 / 1295	60 / 1524	3573	3851	4514	4746	3698	3975	4639	4871
66 / 1676	24 / 610	2652	2862	3389	3591	2724	2935	3462	3662
66 / 1676	30 / 762	2894	3121	3694	3912	2974	3201	3774	3992
66 / 1676	36 / 914	3142	3389	4004	4240	3230	3478	4092	4328
66 / 1676	42 / 1067	3426	3697	4345	4597	3522	3793	4442	4693
66 / 1676	48 / 1219	3673	3962	4653	4924	3775	4065	4754	5026

Xpress

U N P C F

Convertible Panel Wall Base and Foot Trim

The Convertible Panel Wall Base and Foot Trim is used with Convertible Panel Walls to finish elevated applications.

WHAT'S INCLUDED

1 base trim and trim for 2 feet (60" and less)

2 base trims and trims for 4 feet (66" and wider)

NOTES

Xpress Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Width (6" increments)	Foot Finish
24 - 96	Foundation Mica

SAMPLE ORDER CODE

UNPCF 60	N

DIMENSIONS INCHES / MM

W	PRICING
24 / 610	94
30 / 762	97
36 / 914	100
42 / 1067	104
48 / 1219	114
54 / 1372	124
60 / 1524	128
66 / 1676	204
72 / 1829	206
78 / 1981	212
84 / 2134	216
90 / 2286	220
96 / 2438	228

Xpress


UNPEFR
Elevated Panel Wall Foot

The Elevated Panel Wall Foot provides support with leveling capability to Elevated Panel Walls and Elevated Full-Height Windows.

WHAT'S INCLUDED
1 foot, leveler, hardware for connection.

NOTES
The Elevated Panel Wall Foot is used in two-way 180° (no spacer), end of panel wall run applications or when added support is required for 66"-96" panels.

Xpress Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Foot Finish

AC Clear Anodized

Foundation

Mica

SAMPLE ORDER CODE

UNPEFR AC

PRICING

94

U A F F N


Support Foot for Freestanding District

The Support Foot is added to flush or convertible District panels to allow them to become freestanding.

WHAT'S INCLUDED
1 double-sided metal freestanding foot and panel attachment brackets.

NOTES
Freestanding Foot can be applied to both the Flush or Convertible Panels either with or without Accessory Beam.

The unique element program required when foot is added. See Application Guide for more details.



PRODUCT OPTIONS

Orientation	Foot Finish
D Double	Foundation
	Mica

SAMPLE ORDER CODE

UAFFN D	**60**

PRICING

496

Xpress


UNPHN
Panel Wall Rail

The Panel Wall Rail provides horizontal support when additional segmentation is required above worksurface level.

WHAT'S INCLUDED
Panel wall rail, fascia clips and attachment hardware.

NOTES
Finished in Black to match the panel wall frame.

Xpress Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Width (6" increments)
24 - 60

SAMPLE ORDER CODE

UNPHN 60

DIMENSIONS INCHES / MM	PRICING
W	
24 / 610	57
30 / 762	74
33 / 838	83
36 / 914	90
39 / 991	97
42 / 1067	101
45 / 1143	111
48 / 1219	122
54 / 1372	134
60 / 1524	153

Xpress


UNEX
Light Block Rail

The Light Block Rail provides light block above the worksurface for fascias without clips.

WHAT'S INCLUDED
Rail and attachment hardware.

NOTES
Finished in Black to match the panel wall frame.

Xpress Available through *Teknion's Xpress Program*.



PRODUCT OPTIONS

Width (6" increments)
24 - 60

SAMPLE ORDER CODE


UNEX 60

DIMENSIONS INCHES / MM	PRICING
W	
24 / 610	50
30 / 762	58
33 / 838	63
36 / 914	78
39 / 991	82
42 / 1067	87
45 / 1143	90
48 / 1219	97
54 / 1372	113
60 / 1524	127


fascias

fascias product map


UNESD Solid Fascia (Clip Mount)
Xpress
Page 318




UAESD Solid Fascia for Freestanding District (Clip Mount)
Xpress
Page 320




UNYSD Stretch Solid Fascia
Xpress
Page 322




UAYSD Stretch Solid Fascia for Freestanding District
Xpress
Page 324




UNESF Solid Fascia – Full-Height
Xpress
Page 326




UNELM Metal Fascia (Slot Mount)
Xpress
Page 328




UAELM Metal Fascia for Freestanding District (Slot Mount)
Xpress
Page 330




UNELF Tackable Fabric Fascia (Slot Mount)
Xpress
Page 332




UAELF Tackable Fabric Fascia for Freestanding District (Slot Mount)
Xpress
Page 336




UNEMB Whiteboard Fascia (Slot Mount)
Xpress
Page 338



UNELA Accessory Fascia (Slot Mount)
Xpress
Page 339




UNECL Solid Power/ Communications Fascia (Clip Mount)
Xpress
Page 340



fascias product map


UAECL Xpress **Solid Power/ Communications Fascia for Freestanding District (Clip Mount)**

Page 344




UNEIL Xpress **Solid International Power/ Communications Fascia (Clip Mount)**

Page 346




UAEIL Xpress **Solid International Power/ Communications Fascia for Freestanding District (Clip Mount)**

Page 356




UNELCM Xpress **Metal Power/ Communications Fascia (Slot Mount)**

Page 360




UAELCM Xpress **Metal Power/ Communications Fascia for Freestanding District (Slot Mount)**

Page 364




UNELIM Xpress **Metal International Power/Communications Fascia (Slot Mount)**

Page 366




UAELIM Xpress **Metal International Power/Communications Fascia for Freestanding District (Slot Mount)**

Page 374




UNELCF Xpress **Tackable Fabric Power/ Communications Fascia (Slot Mount)**

Page 378




UAELCF Xpress **Tackable Fabric Power/ Communications Fascia for Freestanding District (Slot Mount)**

Page 384




UNELIF Xpress **Tackable Fabric International Power/ Communications Fascia (Slot Mount)**

Page 386




UAELIF Xpress **Tackable Fabric International Power/ Communications Fascia for Freestanding District (Slot Mount)**

Page 404



UNELMB Xpress **Metal Base Feed Fascia (Slot Mount)**

Page 410




fascias product map

UAELMB **Metal Base Feed Fascia for Freestanding District (Slot Mount)**

Xpress


Page 411



UNELFB **Fabric Base Feed Fascia (Slot Mount)**

Xpress


Page 412



UAELFB **Fabric Base Feed Fascia for Freestanding District (Slot Mount)**

Xpress


Page 413



UNELK **Fascia Clip Kit**

Xpress

Page 414



Xpress


UNESD
Solid Fascia (Clip Mount)

The Solid Fascia provides a solid panel wall finish above worksurface height.

WHAT'S INCLUDED
1 fascia, fascia connectors.

WHAT'S EXCLUDED
Panel Wall Rail (UNPHN) is required for additional panel segmentation and must be specified separately. Can be found in the *Panel Walls* section.

NOTES
Xpress Fascia finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.



PRODUCT OPTIONS

Height	Width (6" increments)	Fascia Finish
06, 07, 09, 13, 15, 22, 24, 26, 28, 30, 37	24 - 96	Element Source Laminate Flintwood (Standard) Natural Veneer

SAMPLE ORDER CODE

UNESD 28	60	FX

DIMENSIONS INCHES / MM / **PRICING**

H	W	Element Source Laminate	Flintwood	Natural Veneer
6 / 152	24 / 610	85	179	187
6 / 152	30 / 762	94	195	208
6 / 152	36 / 914	100	210	218
6 / 152	42 / 1067	112	221	235
6 / 152	48 / 1219	126	242	251
6 / 152	54 / 1372	134	263	273
6 / 152	60 / 1524	143	272	285
6 / 152	66 / 1676	154	287	302
6 / 152	72 / 1829	160	300	314
6 / 152	78 / 1981	178	325	339
6 / 152	84 / 2134	183	335	351
6 / 152	90 / 2286	190	346	364
6 / 152	96 / 2438	197	359	375
7 / 178	24 / 610	87	187	194
7 / 178	30 / 762	94	202	210
7 / 178	36 / 914	101	213	221
7 / 178	42 / 1067	113	228	240
7 / 178	48 / 1219	129	255	269
7 / 178	54 / 1372	140	269	281
7 / 178	60 / 1524	148	281	295
7 / 178	66 / 1676	159	303	317
7 / 178	72 / 1829	167	316	332
7 / 178	78 / 1981	181	334	349
7 / 178	84 / 2134	188	346	364
7 / 178	90 / 2286	202	368	387
7 / 178	96 / 2438	209	379	399

DIMENSIONS INCHES / MM / **PRICING**

H	W	Element Source Laminate	Flintwood	Natural Veneer
9 / 229	24 / 610	96	203	211
9 / 229	30 / 762	104	216	225
9 / 229	36 / 914	118	241	250
9 / 229	42 / 1067	129	258	270
9 / 229	48 / 1219	149	279	295
9 / 229	54 / 1372	159	303	317
9 / 229	60 / 1524	171	319	335
9 / 229	66 / 1676	182	338	353
9 / 229	72 / 1829	193	362	376
9 / 229	78 / 1981	209	381	399
9 / 229	84 / 2134	218	397	417
9 / 229	90 / 2286	228	412	431
9 / 229	96 / 2438	240	428	450
13 / 330	24 / 610	114	235	244
13 / 330	30 / 762	127	254	268
13 / 330	36 / 914	145	284	299
13 / 330	42 / 1067	159	308	323
13 / 330	48 / 1219	183	344	362
13 / 330	54 / 1372	195	365	383
13 / 330	60 / 1524	211	389	404
13 / 330	66 / 1676	225	409	429
13 / 330	72 / 1829	246	449	468
13 / 330	78 / 1981	265	473	495
13 / 330	84 / 2134	277	495	518
13 / 330	90 / 2286	292	515	541
13 / 330	96 / 2438	307	537	560

Pricing is continued on the following page.

Xpress

UNESD

Solid Fascia (Clip Mount) (Continued)


DIMENSIONS INCHES / MM		PRICING		
H	W	Element Source Laminate	Flintwood	Natural Veneer
15 / 381	24 / 610	121	244	255
15 / 381	30 / 762	140	276	289
15 / 381	36 / 914	154	301	314
15 / 381	42 / 1067	175	335	349
15 / 381	48 / 1219	195	367	383
15 / 381	54 / 1372	212	391	406
15 / 381	60 / 1524	234	429	451
15 / 381	66 / 1676	249	455	479
15 / 381	72 / 1829	266	480	502
15 / 381	78 / 1981	285	507	532
15 / 381	84 / 2134	301	532	556
15 / 381	90 / 2286	315	555	581
15 / 381	96 / 2438	332	580	608
22 / 559	24 / 610	156	300	312
22 / 559	30 / 762	180	341	358
22 / 559	36 / 914	204	375	393
22 / 559	42 / 1067	231	427	449
22 / 559	48 / 1219	259	467	489
22 / 559	54 / 1372	279	502	525
22 / 559	60 / 1524	302	534	558
22 / 559	66 / 1676	330	574	602
22 / 559	72 / 1829	362	639	669
22 / 559	78 / 1981	389	676	708
22 / 559	84 / 2134	407	710	743
22 / 559	90 / 2286	436	766	800
22 / 559	96 / 2438	459	798	836
24 / 610	24 / 610	161	311	328
24 / 610	30 / 762	188	356	372
24 / 610	36 / 914	213	393	411
24 / 610	42 / 1067	243	449	467
24 / 610	48 / 1219	273	490	514
24 / 610	54 / 1372	298	526	551
24 / 610	60 / 1524	319	563	588
24 / 610	66 / 1676	616	860	902
24 / 610	72 / 1829	665	918	962
24 / 610	78 / 1981	685	952	1000
24 / 610	84 / 2134	737	1030	1078
24 / 610	90 / 2286	781	1084	1136
24 / 610	96 / 2438	790	1105	1160
26 / 660	24 / 610	171	325	343
26 / 660	30 / 762	197	366	381
26 / 660	36 / 914	228	419	437
26 / 660	42 / 1067	257	462	485
26 / 660	48 / 1219	283	501	527
26 / 660	54 / 1372	538	762	796
26 / 660	60 / 1524	589	821	860
26 / 660	66 / 1676	617	861	904
26 / 660	72 / 1829	670	939	987
26 / 660	78 / 1981	726	1008	1056
26 / 660	84 / 2134	745	1055	1105
26 / 660	90 / 2286	792	1113	1167
26 / 660	96 / 2438	805	1127	1181

DIMENSIONS INCHES / MM		PRICING		
H	W	Element Source Laminate	Flintwood	Natural Veneer
28 / 710	24 / 610	180	341	359
28 / 710	30 / 762	208	384	401
28 / 710	36 / 914	240	442	461
28 / 710	42 / 1067	271	488	512
28 / 710	48 / 1219	298	528	555
28 / 710	54 / 1372	580	820	857
28 / 710	60 / 1524	635	884	927
28 / 710	66 / 1676	665	928	974
28 / 710	72 / 1829	722	1012	1063
28 / 710	78 / 1981	783	1087	1138
28 / 710	84 / 2134	803	1137	1192
28 / 710	90 / 2286	853	1198	1256
28 / 710	96 / 2438	868	1214	1272
30 / 762	24 / 610	188	356	372
30 / 762	30 / 762	221	417	435
30 / 762	36 / 914	250	460	483
30 / 762	42 / 1067	282	507	532
30 / 762	48 / 1219	317	558	585
30 / 762	54 / 1372	619	867	907
30 / 762	60 / 1524	678	936	981
30 / 762	66 / 1676	716	1005	1053
30 / 762	72 / 1829	771	1072	1124
30 / 762	78 / 1981	799	1131	1188
30 / 762	84 / 2134	853	1197	1255
30 / 762	90 / 2286	868	1213	1269
30 / 762	96 / 2438	895	1274	1334
37 / 965	24 / 610	223	419	435
37 / 965	30 / 762	259	472	492
37 / 965	36 / 914	298	527	552
37 / 965	42 / 1067	597	837	879
37 / 965	48 / 1219	676	932	977
37 / 965	54 / 1372	724	1011	1060
37 / 965	60 / 1524	756	1064	1114
37 / 965	66 / 1676	830	1168	1225
37 / 965	72 / 1829	837	1198	1255
37 / 965	78 / 1981	902	1280	1340
37 / 965	84 / 2134	918	1327	1389
37 / 965	90 / 2286	935	1335	1398
37 / 965	96 / 2438	951	1403	1469

Xpress

U A E S D

Solid Fascia for Freestanding District (Clip Mount)



The Solid Fascia provides a solid panel wall finish on panel supported by the Freestanding Foot (UAFFN).

WHAT'S INCLUDED
1 fascia, fascia connectors.

NOTES
Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 22" fascia must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

Xpress Fascia finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Height	Width (6" increments)	Fascia Finish
6, 22, 28, 35, 41	24 - 96	Element Source Laminate Flintwood (Standard) Natural Veneer

SAMPLE ORDER CODE

UAESD 28	**60**	**FX**

DIMENSIONS INCHES / MM

PRICING

H	W	Element Source Laminate	Flintwood	Natural Veneer
6 / 152	24 / 610	74	167	178
6 / 152	30 / 762	85	186	194
6 / 152	36 / 914	91	197	208
6 / 152	42 / 1067	100	211	219
6 / 152	48 / 1219	110	220	233
6 / 152	54 / 1372	115	234	243
6 / 152	60 / 1524	123	249	264
6 / 152	66 / 1676	134	268	278
6 / 152	72 / 1829	143	277	289
6 / 152	78 / 1981	153	294	307
6 / 152	84 / 2134	161	311	326
6 / 152	90 / 2286	171	323	338
6 / 152	96 / 2438	178	334	347
22 / 559	24 / 610	149	294	307
22 / 559	30 / 762	174	334	349
22 / 559	36 / 914	193	368	387
22 / 559	42 / 1067	231	427	449
22 / 559	48 / 1219	250	459	482
22 / 559	54 / 1372	273	492	517
22 / 559	60 / 1524	296	527	552
22 / 559	66 / 1676	314	557	583
22 / 559	72 / 1829	345	623	650
22 / 559	78 / 1981	371	663	694
22 / 559	84 / 2134	401	702	736
22 / 559	90 / 2286	429	758	793
22 / 559	96 / 2438	453	792	828

DIMENSIONS INCHES / MM

PRICING

H	W	Element Source Laminate	Flintwood	Natural Veneer
28 / 711	24 / 610	174	335	349
28 / 711	30 / 762	202	375	394
28 / 711	36 / 914	234	432	454
28 / 711	42 / 1067	264	480	502
28 / 711	48 / 1219	287	520	544
28 / 711	54 / 1372	567	803	843
28 / 711	60 / 1524	619	869	911
28 / 711	66 / 1676	677	936	981
28 / 711	72 / 1829	705	993	1041
28 / 711	78 / 1981	766	1067	1116
28 / 711	84 / 2134	778	1097	1148
28 / 711	90 / 2286	833	1176	1233
28 / 711	96 / 2438	850	1192	1249
35 / 889	24 / 610	210	389	404
35 / 889	30 / 762	248	455	479
35 / 889	36 / 914	282	510	532
35 / 889	42 / 1067	578	812	851
35 / 889	48 / 1219	645	894	936
35 / 889	54 / 1372	681	949	993
35 / 889	60 / 1524	755	1049	1099
35 / 889	66 / 1676	783	1098	1150
35 / 889	72 / 1829	852	1195	1251
35 / 889	78 / 1981	858	1223	1281
35 / 889	84 / 2134	874	1249	1306
35 / 889	90 / 2286	920	1348	1410
35 / 889	96 / 2438	936	1363	1427

Pricing is continued on the following page.

Xpress

UAESD

Solid Fascia for Freestanding District (Clip Mount) (Continued)

DIMENSIONS INCHES / MM

H	W
41 / 1041	24 / 610
41 / 1041	30 / 762
41 / 1041	36 / 914
41 / 1041	42 / 1067
41 / 1041	48 / 1219
41 / 1041	54 / 1372
41 / 1041	60 / 1524
41 / 1041	66 / 1676
41 / 1041	72 / 1829
41 / 1041	78 / 1981
41 / 1041	84 / 2134
41 / 1041	90 / 2286
41 / 1041	96 / 2438

PRICING

Element Source Laminate	Flintwood	Natural Veneer
241	438	460
279	499	523
319	560	587
650	902	944
705	989	1038
782	1083	1135
826	1162	1218
845	1205	1262
861	1234	1293
927	1354	1416
944	1366	1431
962	1385	1448
980	1441	1509

Xpress


U N Y S D
Stretch Solid Fascia

The Stretch Solid Fascia provides a extended solid panel wall finish on panel.

WHAT'S INCLUDED
1 fascia, fascia connectors.

NOTES
Stretch Solid Fascia is only designed for in line applications.

Xpress Fascia finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.



PRODUCT OPTIONS

Height	Width (6" increments)	Orientation	Fascia Finish
6, 22, 28, 35, 41	24 - 96	**L** Left	Element Source Laminate
		R Right	Flintwood (Standard)
		B Both	Natural Veneer

SAMPLE ORDER CODE

UNYSD 28	60	B	FX

DIMENSIONS INCHES / MM / **PRICING**

H	W	Element Source Laminate	Flintwood	Natural Veneer
6 / 152	24 / 610	83	184	191
6 / 152	30 / 762	90	194	206
6 / 152	36 / 914	97	208	217
6 / 152	42 / 1067	106	219	233
6 / 152	48 / 1219	117	240	250
6 / 152	54 / 1372	123	250	264
6 / 152	60 / 1524	130	264	274
6 / 152	66 / 1676	143	278	292
6 / 152	72 / 1829	151	289	303
6 / 152	78 / 1981	163	314	330
6 / 152	84 / 2134	174	326	340
6 / 152	90 / 2286	180	338	353
6 / 152	96 / 2438	187	347	365
22 / 559	24 / 6101	167	325	339
22 / 559	30 / 762	189	358	374
22 / 559	36 / 914	212	392	409
22 / 559	42 / 1067	241	443	462
22 / 559	48 / 1219	270	484	507
22 / 559	54 / 1372	292	517	542
22 / 559	60 / 1524	312	551	578
22 / 559	66 / 1676	347	619	648
22 / 559	72 / 1829	370	655	685
22 / 559	78 / 1981	397	694	725
22 / 559	84 / 2134	425	747	782
22 / 559	90 / 2286	449	782	819
22 / 559	96 / 2438	468	815	853

DIMENSIONS INCHES / MM / **PRICING**

H	W	Element Source Laminate	Flintwood	Natural Veneer
28 / 711	24 / 610	187	358	374
28 / 711	30 / 762	218	417	434
28 / 711	36 / 914	247	458	481
28 / 711	42 / 1067	277	504	527
28 / 711	48 / 1219	304	545	572
28 / 711	54 / 1372	604	849	887
28 / 711	60 / 1524	657	913	957
28 / 711	66 / 1676	690	975	1021
28 / 711	72 / 1829	740	1039	1088
28 / 711	78 / 1981	766	1078	1130
28 / 711	84 / 2134	822	1161	1218
28 / 711	90 / 2286	836	1175	1232
28 / 711	96 / 2438	859	1232	1288
35 / 889	24 / 610	239	434	455
35 / 889	30 / 762	272	488	511
35 / 889	36 / 914	307	542	565
35 / 889	42 / 1067	610	852	891
35 / 889	48 / 1219	686	942	986
35 / 889	54 / 1372	729	1016	1065
35 / 889	60 / 1524	758	1065	1115
35 / 889	66 / 1676	833	1172	1226
35 / 889	72 / 1829	851	1197	1253
35 / 889	78 / 1981	895	1269	1329
35 / 889	84 / 2134	912	1283	1343
35 / 889	90 / 2286	949	1384	1448
35 / 889	96 / 2438	965	1400	1466

Pricing is continued on the following page.

Xpress

UNYSD

Stretch Solid Fascia (Continued)

DIMENSIONS
INCHES / MM

H	W
41 / 1041	24 / 610
41 / 1041	30 / 762
41 / 1041	36 / 914
41 / 1041	42 / 1067
41 / 1041	48 / 1219
41 / 1041	54 / 1372
41 / 1041	60 / 1524
41 / 1041	66 / 1676
41 / 1041	72 / 1829
41 / 1041	78 / 1981
41 / 1041	84 / 2134
41 / 1041	90 / 2286
41 / 1041	96 / 2438


PRICING

Element Source Laminate	Flintwood	Natural Veneer
259	472	492
300	533	557
612	857	897
668	931	975
751	1044	1094
796	1125	1177
812	1166	1221
886	1257	1316
895	1315	1377
912	1340	1403
949	1416	1482
966	1433	1499
984	1449	1516

Xpress

U A Y S D

Stretch Solid Fascia for Freestanding District



The Stretch Solid Fascia provides a extended solid panel wall finish on panel supported by the Freestanding Foot (UAFFN).

WHAT'S INCLUDED
1 fascia, fascia connectors.

WHAT'S EXCLUDED
Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN)

NOTES
Stretch Solid Fascia is only designed for in line applications.

The 22" fascia must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

Xpress Fascia finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Height	Width (6" increments)	Orientation	Fascia Finish
6, 22, 28, 35, 41	24 - 96	**L** Left	Element Source Laminate
		R Right	Flintwood (Standard)
		B Both	Natural Veneer

SAMPLE ORDER CODE

UAYSD 28	60	B	FX

DIMENSIONS INCHES / MM		PRICING		
H	W	Element Source Laminate	Flintwood	Natural Veneer
6 / 152	24 / 610	80	175	182
6 / 152	30 / 762	88	190	203
6 / 152	36 / 914	94	204	212
6 / 152	42 / 1067	103	216	224
6 / 152	48 / 1219	112	225	238
6 / 152	54 / 1372	121	244	256
6 / 152	60 / 1524	127	255	269
6 / 152	66 / 1676	140	271	284
6 / 152	72 / 1829	145	281	296
6 / 152	78 / 1981	157	299	311
6 / 152	84 / 2134	164	315	331
6 / 152	90 / 2286	175	328	341
6 / 152	96 / 2438	181	338	355
22 / 559	24 / 610	167	325	339
22 / 559	30 / 762	189	358	374
22 / 559	36 / 914	212	392	409
22 / 559	42 / 1067	241	443	462
22 / 559	48 / 1219	270	484	507
22 / 559	54 / 1372	292	517	542
22 / 559	60 / 1524	312	551	578
22 / 559	66 / 1676	347	619	648
22 / 559	72 / 1829	370	655	685
22 / 559	78 / 1981	397	694	725
22 / 559	84 / 2134	425	747	782
22 / 559	90 / 2286	449	782	819
22 / 559	96 / 2438	468	815	853

DIMENSIONS INCHES / MM		PRICING		
H	W	Element Source Laminate	Flintwood	Natural Veneer
28 / 711	24 / 610	184	355	370
28 / 711	30 / 762	216	411	430
28 / 711	36 / 914	244	454	474
28 / 711	42 / 1067	274	498	522
28 / 711	48 / 1219	301	541	564
28 / 711	54 / 1372	593	836	876
28 / 711	60 / 1524	647	901	944
28 / 711	66 / 1676	678	962	1009
28 / 711	72 / 1829	730	1024	1074
28 / 711	78 / 1981	755	1065	1115
28 / 711	84 / 2134	808	1146	1202
28 / 711	90 / 2286	824	1158	1214
28 / 711	96 / 2438	849	1215	1273
35 / 889	24 / 610	239	434	455
35 / 889	30 / 762	272	488	511
35 / 889	36 / 914	307	542	565
35 / 889	42 / 1067	610	852	891
35 / 889	48 / 1219	686	942	986
35 / 889	54 / 1372	729	1016	1065
35 / 889	60 / 1524	758	1065	1115
35 / 889	66 / 1676	833	1172	1226
35 / 889	72 / 1829	851	1197	1253
35 / 889	78 / 1981	895	1269	1329
35 / 889	84 / 2134	912	1283	1343
35 / 889	90 / 2286	949	1384	1448
35 / 889	96 / 2438	965	1400	1466

Pricing is continued on the following page.

Xpress

UAYSD

Stretch Solid Fascia for Freestanding District (Continued)

DIMENSIONS
INCHES / MM


H	W
41 / 1041	24 / 610
41 / 1041	30 / 762
41 / 1041	36 / 914
41 / 1041	42 / 1067
41 / 1041	48 / 1219
41 / 1041	54 / 1372
41 / 1041	60 / 1524
41 / 1041	66 / 1676
41 / 1041	72 / 1829
41 / 1041	78 / 1981
41 / 1041	84 / 2134
41 / 1041	90 / 2286
41 / 1041	96 / 2438

PRICING

Element Source Laminate	Flintwood	Natural Veneer
258	468	490
299	528	553
608	850	889
661	922	966
741	1035	1084
781	1095	1146
803	1157	1210
879	1248	1305
894	1273	1332
912	1328	1391
941	1404	1469
958	1419	1486
975	1438	1504

Xpress

U N E S F
Solid Fascia – Full-Height



The Solid Fascia – Full-Height provides a solid monolithic look from the base of the panel to a height of 42".

WHAT'S INCLUDED
1 fascia with connectors.

NOTES
Xpress Fascia finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Height	Width (6" increments)	Fascia Finish
35, 41	24 - 96	Element Source Laminate Flintwood (Standard) Natural Veneer

SAMPLE ORDER CODE

UNESF 35	60	FX

DIMENSIONS INCHES / MM

PRICING

H	W	Element Source Laminate	Flintwood	Natural Veneer
35 / 889	24 / 610	217	395	412
35 / 889	30 / 762	255	462	484
35 / 889	36 / 914	292	515	541
35 / 889	42 / 1067	579	814	852
35 / 889	48 / 1219	655	904	947
35 / 889	54 / 1372	694	958	1005
35 / 889	60 / 1524	764	1060	1110
35 / 889	66 / 1676	798	1113	1165
35 / 889	72 / 1829	867	1210	1267
35 / 889	78 / 1981	879	1243	1302
35 / 889	84 / 2134	894	1258	1318
35 / 889	90 / 2286	932	1358	1422
35 / 889	96 / 2438	949	1376	1439

DIMENSIONS INCHES / MM

PRICING

H	W	Element Source Laminate	Flintwood	Natural Veneer
41 / 1041	24 / 610	246	449	468
41 / 1041	30 / 762	285	510	532
41 / 1041	36 / 914	579	814	852
41 / 1041	42 / 1067	666	916	959
41 / 1041	48 / 1219	718	1005	1053
41 / 1041	54 / 1372	761	1068	1118
41 / 1041	60 / 1524	841	1177	1234
41 / 1041	66 / 1676	859	1223	1281
41 / 1041	72 / 1829	879	1251	1310
41 / 1041	78 / 1981	948	1377	1440
41 / 1041	84 / 2134	965	1389	1456
41 / 1041	90 / 2286	982	1408	1471
41 / 1041	96 / 2438	1000	1466	1534

Xpress


UNELM
Metal Fascia (Slot Mount)

The Metal Fascia provides a metal panel wall finish.

WHAT'S INCLUDED
1 fascia and attachment hardware.

NOTES
30", 35" and 37" heights can be specified to a maximum of 60" width only.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Height	Width (6" increments)	Fascia Finish
06, 07, 09, 13, 15, 22, 24, 26, 28, 30, 35, 37	24 - 96	Foundation Mica Accent

SAMPLE ORDER CODE

UNELM 28	**60**	**14**

DIMENSIONS INCHES / MM		PRICING
H	W	
6 / 152	24 / 610	90
6 / 152	30 / 762	96
6 / 152	36 / 914	100
6 / 152	42 / 1067	106
6 / 152	48 / 1219	112
6 / 152	54 / 1372	117
6 / 152	60 / 1524	122
6 / 152	66 / 1676	131
6 / 152	72 / 1829	143
6 / 152	78 / 1981	153
6 / 152	84 / 2134	163
6 / 152	90 / 2286	176
6 / 152	96 / 2438	186
7 / 178	24 / 610	91
7 / 178	30 / 762	97
7 / 178	36 / 914	103
7 / 178	42 / 1067	111
7 / 178	48 / 1219	115
7 / 178	54 / 1372	119
7 / 178	60 / 1524	124
7 / 178	66 / 1676	136
7 / 178	72 / 1829	149
7 / 178	78 / 1981	158
7 / 178	84 / 2134	171
7 / 178	90 / 2286	181
7 / 178	96 / 2438	190

DIMENSIONS INCHES / MM		PRICING
H	W	
9 / 229	24 / 610	97
9 / 229	30 / 762	103
9 / 229	36 / 914	112
9 / 229	42 / 1067	118
9 / 229	48 / 1219	123
9 / 229	54 / 1372	129
9 / 229	60 / 1524	136
9 / 229	66 / 1676	149
9 / 229	72 / 1829	159
9 / 229	78 / 1981	174
9 / 229	84 / 2134	184
9 / 229	90 / 2286	195
9 / 229	96 / 2438	210
13 / 330	24 / 610	115
13 / 330	30 / 762	124
13 / 330	36 / 914	131
13 / 330	42 / 1067	142
13 / 330	48 / 1219	150
13 / 330	54 / 1372	157
13 / 330	60 / 1524	165
13 / 330	66 / 1676	182
13 / 330	72 / 1829	197
13 / 330	78 / 1981	214
13 / 330	84 / 2134	231
13 / 330	90 / 2286	246
13 / 330	96 / 2438	264

Pricing is continued on the following page.

Xpress

UNELM

Metal Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM		PRICING
H	W	
15 / 381	24 / 610	123
15 / 381	30 / 762	131
15 / 381	36 / 914	143
15 / 381	42 / 1067	152
15 / 381	48 / 1219	160
15 / 381	54 / 1372	172
15 / 381	60 / 1524	181
15 / 381	66 / 1676	197
15 / 381	72 / 1829	216
15 / 381	78 / 1981	235
15 / 381	84 / 2134	251
15 / 381	90 / 2286	271
15 / 381	96 / 2438	287
22 / 559	24 / 610	148
22 / 559	30 / 762	159
22 / 559	36 / 914	175
22 / 559	42 / 1067	186
22 / 559	48 / 1219	197
22 / 559	54 / 1372	211
22 / 559	60 / 1524	221
22 / 559	66 / 1676	246
22 / 559	72 / 1829	270
22 / 559	78 / 1981	294
22 / 559	84 / 2134	315
22 / 559	90 / 2286	339
22 / 559	96 / 2438	363
24 / 610	24 / 610	156
24 / 610	30 / 762	171
24 / 610	36 / 914	184
24 / 610	42 / 1067	197
24 / 610	48 / 1219	212
24 / 610	54 / 1372	224
24 / 610	60 / 1524	240
24 / 610	66 / 1676	265
24 / 610	72 / 1829	287
24 / 610	78 / 1981	312
24 / 610	84 / 2134	339
24 / 610	90 / 2286	364
24 / 610	96 / 2438	390
26 / 660	24 / 610	174
26 / 660	30 / 762	188
26 / 660	36 / 914	206
26 / 660	42 / 1067	219
26 / 660	48 / 1219	236
26 / 660	54 / 1372	249
26 / 660	60 / 1524	268
26 / 660	66 / 1676	296
26 / 660	72 / 1829	325
26 / 660	78 / 1981	353
26 / 660	84 / 2134	381
26 / 660	90 / 2286	409
26 / 660	96 / 2438	437

DIMENSIONS INCHES / MM		PRICING
H	W	
28 / 711	24 / 610	174
28 / 711	30 / 762	188
28 / 711	36 / 914	206
28 / 711	42 / 1067	219
28 / 711	48 / 1219	236
28 / 711	54 / 1372	249
28 / 711	60 / 1524	268
28 / 711	66 / 1676	296
28 / 711	72 / 1829	325
28 / 711	78 / 1981	353
28 / 711	84 / 2134	381
28 / 711	90 / 2286	409
28 / 711	96 / 2438	437
30 / 762	24 / 610	179
30 / 762	30 / 762	194
30 / 762	36 / 914	212
30 / 762	42 / 1067	228
30 / 762	48 / 1219	244
30 / 762	54 / 1372	263
30 / 762	60 / 1524	277
35 / 889	24 / 610	202
35 / 889	30 / 762	219
35 / 889	36 / 914	240
35 / 889	42 / 1067	256
35 / 889	48 / 1219	276
35 / 889	54 / 1372	293
35 / 889	60 / 1524	317
37 / 965	24 / 610	216
37 / 965	30 / 762	238
37 / 965	36 / 914	258
37 / 965	42 / 1067	277
37 / 965	48 / 1219	299
37 / 965	54 / 1372	317
37 / 965	60 / 1524	340

Xpress

U A E L M

Metal Fascia for Freestanding District (Slot Mount)

The Metal Fascia provides a metal panel wall finish.


WHAT'S INCLUDED
1 fascia and attachment hardware.

NOTES
Not all height/width combinations are available, 35" heights can be specified to a maximum of 60" width only. See pricing for exact offering.

Fascia is to only be applied to District Panel that is supported by the freestanding Foot (UAFFN).

The 22" fascia must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Height	Width (6" increments)	Fascia Finish
06, 22, 28, 35	24 - 96	Foundation Mica Accent

SAMPLE ORDER CODE

UAELM 28	**60**	**14**

DIMENSIONS INCHES / MM

H	W	PRICING
6 / 152	24 / 610	104
6 / 152	30 / 762	113
6 / 152	36 / 914	119
6 / 152	42 / 1067	126
6 / 152	48 / 1219	130
6 / 152	54 / 1372	140
6 / 152	60 / 1524	145
6 / 152	66 / 1676	193
6 / 152	72 / 1829	202
6 / 152	78 / 1981	206
6 / 152	84 / 2134	211
6 / 152	90 / 2286	216
6 / 152	96 / 2438	220
22 / 559	24 / 610	148
22 / 559	30 / 762	159
22 / 559	36 / 914	175
22 / 559	42 / 1067	186
22 / 559	48 / 1219	197
22 / 559	54 / 1372	211
22 / 559	60 / 1524	221
22 / 559	66 / 1676	287
22 / 559	72 / 1829	303
22 / 559	78 / 1981	317
22 / 559	84 / 2134	332
22 / 559	90 / 2286	346
22 / 559	96 / 2438	363

DIMENSIONS INCHES / MM

H	W	PRICING
28 / 711	24 / 610	171
28 / 711	30 / 762	186
28 / 711	36 / 914	204
28 / 711	42 / 1067	218
28 / 711	48 / 1219	235
28 / 711	54 / 1372	248
28 / 711	60 / 1524	265
28 / 711	66 / 1676	361
28 / 711	72 / 1829	374
28 / 711	78 / 1981	391
28 / 711	84 / 2134	404
28 / 711	90 / 2286	420
28 / 711	96 / 2438	434
35 / 889	24 / 610	193
35 / 889	30 / 762	213
35 / 889	36 / 914	235
35 / 889	42 / 1067	251
35 / 889	48 / 1219	272
35 / 889	54 / 1372	294
35 / 889	60 / 1524	311

Xpress

UNELF
Tackable Fabric Fascia (Slot Mount)


The Tackable Fabric Fascia provides a tackable panel wall finish.

WHAT'S INCLUDED
1 fascia.

WHAT'S EXCLUDED
Fascia Light Block (UNEX) is required for additional segmentation and must be specified separately. Can be found in the *Panel Walls* section.

NOTES
6" and 7" height fascias are not tackable.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Height	Width (6" increments)	Fascia Finish
06. 07, 09, 13, 15, 22, 24, 26, 28, 30, 35, 37, 41	24 - 96	Panel Fabric

SAMPLE ORDER CODE

UNELF 21	**72**	**L341**

DIMENSIONS INCHES / MM

PRICING

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
6 / 152	24 / 610	121	124	128	133	140	143	149	152
6 / 152	30 / 762	131	136	153	158	164	172	180	186
6 / 152	36 / 914	145	151	163	171	178	182	189	195
6 / 152	42 / 1067	157	161	175	180	187	194	205	212
6 / 152	48 / 1219	167	176	183	191	203	211	219	228
6 / 152	54 / 1372	181	186	194	206	216	223	235	243
6 / 152	60 / 1524	191	197	210	219	231	241	250	263
6 / 152	66 / 1676	206	212	221	236	247	256	270	279
6 / 152	72 / 1829	217	223	238	249	264	273	286	300
6 / 152	78 / 1981	231	238	249	266	279	292	304	317
6 / 152	84 / 2134	242	249	265	279	295	308	323	337
6 / 152	90 / 2286	254	264	277	296	311	325	340	356
6 / 152	96 / 2438	268	276	294	310	328	341	359	374
7 / 178	24 / 610	126	129	133	142	149	151	156	160
7 / 178	30 / 762	141	144	160	165	175	182	189	197
7 / 178	36 / 914	153	159	174	180	186	191	204	211
7 / 178	42 / 1067	164	174	183	190	202	210	219	228
7 / 178	48 / 1219	180	186	193	208	218	225	239	247
7 / 178	54 / 1372	190	197	211	220	234	243	254	266
7 / 178	60 / 1524	206	212	224	238	249	263	273	285
7 / 178	66 / 1676	218	225	241	254	268	279	295	307
7 / 178	72 / 1829	234	241	256	271	285	300	314	329
7 / 178	78 / 1981	246	255	272	286	302	316	334	349
7 / 178	84 / 2134	259	270	286	303	319	337	355	370
7 / 178	90 / 2286	273	282	303	321	340	356	374	393
7 / 178	96 / 2438	286	299	317	338	358	374	395	412

Pricing is continued on the following page.

Xpress

UNELF

Tackable Fabric Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM		PRICING							
H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
9 / 229	24 / 610	88	91	97	104	113	118	124	129
9 / 229	30 / 762	97	101	124	130	141	150	158	167
9 / 229	36 / 914	110	117	131	141	150	157	165	178
9 / 229	42 / 1067	118	126	141	150	159	172	183	193
9 / 229	48 / 1219	127	134	148	160	175	184	197	211
9 / 229	54 / 1372	136	148	160	174	186	197	213	224
9 / 229	60 / 1524	149	156	175	186	202	214	231	244
9 / 229	66 / 1676	158	171	188	204	218	235	249	266
9 / 229	72 / 1829	172	182	205	217	234	250	271	286
9 / 229	78 / 1981	183	194	217	235	251	271	289	309
9 / 229	84 / 2134	194	209	234	248	268	287	310	330
9 / 229	90 / 2286	209	219	247	266	286	308	330	351
9 / 229	96 / 2438	219	235	264	279	301	326	349	371
13 / 330	24 / 610	99	104	114	122	130	140	149	154
13 / 330	30 / 762	113	121	151	159	171	182	194	210
13 / 330	36 / 914	126	136	159	171	182	191	208	219
13 / 330	42 / 1067	140	150	171	180	191	208	220	238
13 / 330	48 / 1219	151	161	180	193	210	224	242	256
13 / 330	54 / 1372	161	176	197	210	223	241	258	274
13 / 330	60 / 1524	176	187	214	225	242	263	279	299
13 / 330	66 / 1676	189	205	234	247	265	284	304	326
13 / 330	72 / 1829	206	218	250	268	285	307	330	351
13 / 330	78 / 1981	219	236	271	285	304	330	356	376
13 / 330	84 / 2134	236	250	287	307	329	353	379	404
13 / 330	90 / 2286	249	268	308	326	348	375	404	430
13 / 330	96 / 2438	265	282	326	345	370	399	429	458
15 / 381	24 / 610	111	115	119	134	149	156	165	178
15 / 381	30 / 762	124	130	159	172	183	194	212	224
15 / 381	36 / 914	141	151	172	183	196	214	233	247
15 / 381	42 / 1067	153	163	181	203	220	238	254	272
15 / 381	48 / 1219	167	180	190	219	242	256	278	298
15 / 381	54 / 1372	183	191	205	239	265	279	303	325
15 / 381	60 / 1524	195	209	220	258	287	304	330	353
15 / 381	66 / 1676	214	225	241	282	314	334	362	389
15 / 381	72 / 1829	233	246	259	304	339	362	392	420
15 / 381	78 / 1981	247	265	278	329	365	390	421	451
15 / 381	84 / 2134	266	281	299	351	392	417	451	483
15 / 381	90 / 2286	281	300	316	372	417	443	481	514
15 / 381	96 / 2438	300	317	337	397	439	469	511	545
22 / 559	24 / 610	134	144	151	176	193	205	219	236
22 / 559	30 / 762	156	164	206	218	236	254	276	296
22 / 559	36 / 914	179	191	218	242	266	286	311	335
22 / 559	42 / 1067	195	212	233	268	296	317	345	370
22 / 559	48 / 1219	217	234	244	294	329	347	377	406
22 / 559	54 / 1372	239	251	271	321	361	383	419	450
22 / 559	60 / 1524	258	273	295	347	391	419	455	489
22 / 559	66 / 1676	281	301	319	383	430	459	499	540
22 / 559	72 / 1829	303	326	346	417	467	497	543	585
22 / 559	78 / 1981	328	349	372	449	502	536	585	631
22 / 559	84 / 2134	349	374	399	480	537	576	628	675
22 / 559	90 / 2286	372	399	427	512	575	613	670	721
22 / 559	96 / 2438	397	425	453	543	610	650	710	766

Pricing is continued on the following page.

Xpress

U N E L F

Tackable Fabric Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM		PRICING							
H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
24 / 610	24 / 610	141	149	154	180	196	210	224	241
24 / 610	30 / 762	160	172	216	233	249	270	294	314
24 / 610	36 / 914	182	197	233	248	271	296	321	344
24 / 610	42 / 1067	205	219	244	276	303	328	356	381
24 / 610	48 / 1219	223	241	258	302	337	359	391	420
24 / 610	54 / 1372	244	263	277	330	369	393	427	458
24 / 610	60 / 1524	268	282	302	359	400	427	464	498
24 / 610	66 / 1676	289	310	330	393	438	468	511	549
24 / 610	72 / 1829	312	335	358	425	476	507	552	594
24 / 610	78 / 1981	338	362	384	457	512	548	595	640
24 / 610	84 / 2134	362	387	409	489	549	586	639	686
24 / 610	90 / 2286	384	411	436	522	585	624	680	732
24 / 610	96 / 2438	407	435	464	555	620	665	724	777
26 / 660	24 / 610	150	164	180	202	218	234	249	269
26 / 660	30 / 762	174	191	240	256	277	300	326	347
26 / 660	36 / 914	194	224	269	286	309	335	364	392
26 / 660	42 / 1067	218	248	285	308	335	365	398	427
26 / 660	48 / 1219	241	272	302	337	369	400	435	467
26 / 660	54 / 1372	265	296	368	395	428	462	506	544
26 / 660	60 / 1524	285	319	404	435	472	514	560	606
26 / 660	66 / 1676	311	349	446	482	522	567	619	670
26 / 660	72 / 1829	337	377	487	525	569	619	678	732
26 / 660	78 / 1981	363	406	518	557	605	657	721	776
26 / 660	84 / 2134	390	435	558	604	654	711	778	841
26 / 660	90 / 2286	415	464	600	646	702	766	837	904
26 / 660	96 / 2438	437	492	640	692	752	820	897	967
28 / 711	24 / 610	150	164	180	202	218	234	249	269
28 / 711	30 / 762	174	191	240	256	277	300	326	347
28 / 711	36 / 914	194	224	269	286	309	335	364	392
28 / 711	42 / 1067	218	248	285	308	335	365	398	427
28 / 711	48 / 1219	241	272	302	337	369	400	435	467
28 / 711	54 / 1372	265	296	368	395	428	462	506	544
28 / 711	60 / 1524	285	319	404	435	472	514	560	606
28 / 711	66 / 1676	311	349	446	482	522	567	619	670
28 / 711	72 / 1829	337	377	487	525	569	619	678	732
28 / 711	78 / 1981	363	406	518	557	605	657	721	776
28 / 711	84 / 2134	390	435	558	604	654	711	778	841
28 / 711	90 / 2286	415	464	600	646	702	766	837	904
28 / 711	96 / 2438	437	492	640	692	752	820	897	967
30 / 762	24 / 610	153	172	187	206	223	240	256	274
30 / 762	30 / 762	179	202	250	270	289	314	341	368
30 / 762	36 / 914	204	234	281	301	325	351	381	409
30 / 762	42 / 1067	224	256	300	319	346	375	407	436
30 / 762	48 / 1219	248	281	316	346	378	411	449	481
30 / 762	54 / 1372	272	304	375	402	435	472	514	553
30 / 762	60 / 1524	296	331	415	446	483	523	572	615
30 / 762	66 / 1676	321	361	457	490	530	579	631	678
30 / 762	72 / 1829	347	391	497	537	583	633	691	743
30 / 762	78 / 1981	374	421	528	571	617	670	731	790
30 / 762	84 / 2134	400	450	572	615	666	725	792	853
30 / 762	90 / 2286	427	480	612	661	716	777	851	917
30 / 762	96 / 2438	454	510	655	705	764	831	911	982

Pricing is continued on the following page.

Xpress

UNELF

Tackable Fabric Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM		PRICING							
H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
35 / 889	24 / 610	157	177	192	211	230	246	262	282
35 / 889	30 / 762	184	207	258	277	297	322	350	378
35 / 889	36 / 914	215	246	296	318	343	371	402	432
35 / 889	42 / 1067	240	273	321	342	371	401	436	468
35 / 889	48 / 1219	267	301	340	372	406	443	482	517
35 / 889	54 / 1372	295	329	406	435	472	511	557	598
35 / 889	60 / 1524	318	355	445	478	518	561	614	660
35 / 889	66 / 1676	348	391	496	532	575	628	684	736
35 / 889	72 / 1829	376	423	538	582	632	686	748	804
35 / 889	78 / 1981	407	457	574	621	671	728	795	858
35 / 889	84 / 2134	436	490	624	671	726	791	863	930
35 / 889	90 / 2286	469	526	671	724	784	852	932	1006
35 / 889	96 / 2438	497	557	715	771	834	908	995	1072
37 / 940	24 / 610	211	220	236	281	315	338	369	397
37 / 940	30 / 762	246	263	308	344	381	420	458	492
37 / 940	36 / 914	282	307	331	399	452	485	533	578
37 / 940	42 / 1067	317	340	364	446	506	543	594	643
37 / 940	48 / 1219	355	375	400	490	557	600	657	710
37 / 940	54 / 1372	391	415	455	552	624	675	741	803
37 / 940	60 / 1524	425	453	497	604	684	739	814	881
37 / 940	66 / 1676	462	504	543	669	762	822	904	980
37 / 940	72 / 1829	503	545	587	725	827	890	980	1064
37 / 940	78 / 1981	542	587	635	781	889	959	1058	1146
37 / 940	84 / 2134	580	631	678	837	956	1030	1135	1230
37 / 940	90 / 2286	617	672	725	894	1018	1099	1211	1313
37 / 940	96 / 2438	657	713	769	950	1083	1168	1287	1396
41 / 1041	24 / 610	214	223	243	267	290	312	331	355
41 / 1041	30 / 762	252	269	335	362	387	420	455	491
41 / 1041	36 / 914	307	334	401	430	464	502	544	585
41 / 1041	42 / 1067	348	373	438	467	505	548	595	637
41 / 1041	48 / 1219	395	417	470	514	562	612	667	715
41 / 1041	54 / 1372	435	461	569	610	660	715	780	838
41 / 1041	60 / 1524	468	498	623	670	726	785	860	924
41 / 1041	66 / 1676	510	556	705	756	818	893	973	1046
41 / 1041	72 / 1829	558	605	769	832	903	980	1070	1150
41 / 1041	78 / 1981	610	660	828	897	968	1051	1147	1238
41 / 1041	84 / 2134	654	711	905	973	1053	1146	1251	1348
41 / 1041	90 / 2286	708	770	982	1061	1149	1247	1365	1472
41 / 1041	96 / 2438	751	815	1045	1127	1220	1328	1456	1568

Xpress

U A E L F

Tackable Fabric Fascia for Freestanding District (Slot Mount)

The Tackable Fabric Fascia provides a tackable panel wall finish.


WHAT'S INCLUDED
1 fascia with cut out as specified, fascia connectors.

NOTES
Not all height/width combinations are available. See pricing for exact offering.

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 22" and 35" fascias must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Height	Width (6" increments)	Fascia Finish
6, 22, 35	24 - 96	Panel Fabric

SAMPLE ORDER CODE

UAELF 22	**60**	**L341**

DIMENSIONS
INCHES / MM

H	W
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
6 / 152	66 / 1676
6 / 152	72 / 1829
6 / 152	78 / 1981
6 / 152	84 / 2134
6 / 152	90 / 2286
6 / 152	96 / 2438

PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
127	129	133	141	145	149	153	157
140	143	158	163	171	178	183	190
150	154	167	175	181	186	193	203
159	165	178	183	190	197	208	214
172	179	186	194	205	213	220	233
182	188	195	209	218	224	238	244
193	202	210	220	233	241	250	264
208	213	223	238	248	258	271	281
219	225	240	251	266	276	289	301
234	241	251	269	282	295	308	321
246	254	269	282	298	311	328	340
258	269	282	300	315	330	345	362
272	281	298	314	331	346	364	379

Pricing is continued on the following page.

Xpress

U A E L F


Tackable Fabric Fascia for Freestanding District (Slot Mount) (Continued)

DIMENSIONS INCHES / MM		PRICING							
H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
22 / 559	24 / 610	134	144	151	176	193	205	219	236
22 / 559	30 / 762	156	164	206	218	236	254	276	296
22 / 559	36 / 914	179	191	218	242	266	286	311	335
22 / 559	42 / 1067	195	212	233	268	296	317	345	370
22 / 559	48 / 1219	217	234	244	294	329	347	377	406
22 / 559	54 / 1372	239	251	271	321	361	383	419	450
22 / 559	60 / 1524	258	273	295	347	391	419	455	489
22 / 559	66 / 1676	281	301	319	383	430	459	499	540
22 / 559	72 / 1829	303	326	346	417	467	497	543	585
22 / 559	78 / 1981	328	349	372	449	502	536	585	631
22 / 559	84 / 2134	349	374	399	480	537	576	628	675
22 / 559	90 / 2286	372	399	427	512	575	613	670	721
22 / 559	96 / 2438	397	425	453	543	610	650	710	766
35 / 889	24 / 610	206	216	231	274	309	331	363	391
35 / 889	30 / 762	240	254	296	337	374	407	450	484
35 / 889	36 / 914	276	299	316	391	443	476	522	564
35 / 889	42 / 1067	310	331	355	434	495	532	583	633
35 / 889	48 / 1219	344	367	392	481	545	586	645	699
35 / 889	54 / 1372	379	404	446	542	615	665	731	793
35 / 889	60 / 1524	417	442	487	590	672	728	800	869
35 / 889	66 / 1676	453	491	532	657	751	808	891	969
35 / 889	72 / 1829	490	533	576	711	812	879	967	1051
35 / 889	78 / 1981	527	575	619	768	879	948	1044	1133
35 / 889	84 / 2134	565	616	666	823	940	1015	1120	1218
35 / 889	90 / 2286	604	657	709	880	1005	1084	1196	1298
35 / 889	96 / 2438	641	699	755	934	1068	1152	1272	1381

Xpress

UNEMB

Whiteboard Fascia (Slot Mount)



The Whiteboard Fascia provides an erasable message board surface.

WHAT'S INCLUDED
1 fascia.

WHAT'S EXCLUDED
Fascia Light Block (UNEX) is required for additional segmentation and must be specified separately. Can be found in the *Panel Walls* section.

NOTES
The width of the tray equals the width of the fascia.

Two trays **cannot** be used side-by-side in a 90˚ configuration.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Tray	Height	Width	Tray Finish (If applicable)
N No Tray	22, 24, 30, 37	36, 42, 48	Foundation
T With Tray			Mica

SAMPLE ORDER CODE

UNEMB T	22	48	P

DIMENSIONS INCHES / MM

PRICING

H	W	NO TRAY (N)	WITH TRAY (T)
22 / 559	36 / 914	351	424
22 / 559	42 / 1067	375	451
22 / 559	48 / 1219	605	676
24 / 610	36 / 914	431	504
24 / 610	42 / 1067	457	528
24 / 610	48 / 1219	1101	1174
30 / 762	36 / 914	437	512
30 / 762	42 / 1067	464	537
30 / 762	48 / 1219	1108	1182
37 / 940	36 / 914	635	707
37 / 940	42 / 1067	663	734
37 / 940	48 / 1219	1150	1222

Xpress

UNELA

Accessory Fascia (Slot Mount)


The Accessory Fascia provides support for Personal Organizers (PAX) and fx Accessories to facilitate organization of the workspace.

WHAT'S INCLUDED
1 fascia and attachment hardware.

WHAT'S EXCLUDED
Fascia Light Block (UNEX) is required for additional segmentation and must be specified separately. Can be found in the *Panel Walls* section.

NOTES
Personal Organizers (PAX) and fx Accessories are available in Complements: *Teknion's Ergonomics & Accessories Program.*

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Height	Width (6" increments)	Fascia Finish
06, 13, 15	24 - 96	Foundation Mica

SAMPLE ORDER CODE

UNELA 15	24	E

DIMENSIONS INCHES / MM

H	W
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
6 / 152	66 / 1676
6 / 152	72 / 1829
6 / 152	78 / 1981
6 / 152	84 / 2134
6 / 152	90 / 2286
6 / 152	96 / 2438
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

PRICING

239
269
303
330
355
376
400
435
476
515
517
518
520
315
356
430
474
485
634
635
671
701
797
798
799
801

DIMENSIONS INCHES / MM

H	W
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
15 / 381	90 / 2286
15 / 381	96 / 2438


PRICING

341
391
472
522
533
711
713
751
776
886
888
889
891

Xpress

UNECL

Solid Power/Communications Fascia (Clip Mount)



The Solid Power/Communications Fascia provides face-mounted access to power/communications above or below worksurface height.

WHAT'S INCLUDED
1 fascia with cut out as specified, fascia connectors.

WHAT'S EXCLUDED
Panel Wall Rail (UNPHN) is required for additional panel segmentation and must be specified separately. Can be found in the *Panel Walls* section.

NOTES
Not all height/width combinations are available. See pricing for exact offering.

Panel Wall Rail (UNPHN) required for application to Panel Frame for Wood and/or Framed Fascias, ordered separately.

Xpress Fascia finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/Communications Orientation	Vertical Power/Communications Orientation	Height	Width (6" increments)	Fascia Finish
2 One duplex outlet plus VDM (available on 24" and 30" widths)	**B** Left and Right (available on 66" width and wider for one and two duplex outlets)	**B** Bottom or Lower section of Fascia (available on 7", 13", 22", 26", 35", 37" heights)	07, 13, 22, 26, 28, 35, 37, 41	24 - 96	Element Source Laminate
4 Two duplex outlets plus VDM (available on 36" widths and wider)	**C** Centered (available on 36" width for two duplex outlets and on 24", 30", 36" widths for one duplex outlet)	**F** Flush (applies to 28", 41" height only for base fascias flush to floor. Cut out will be at bottom)			Flintwood
	L Left (not available on widths below 42")	**T** Top or Upper section of Fascia (available on 13", 22", 28" heights)			Natural Veneer
	R Right (not available on widths below 42")				
	E Left Center (available on 66" widths or wider for both one and two duplex options)				
	F Right Center (available on 66" widths or wider for both one and two duplex options)				
	D Centered Left and Right (available on 66" widths or wider for both one and two duplex options)				

SAMPLE ORDER CODE

UNECL 2	B	B	22	72	FX

DIMENSIONS INCHES / MM

H	W
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

PRICING

HORIZONTAL (B, D, E, F) & VERTICAL (B)

Element Source Laminate	Flintwood	Natural Veneer
236	379	398
243	393	411
255	409	429
265	423	443
274	443	464
282	457	479
302	485	510
321	522	549
339	549	575
353	571	597
368	590	618
381	612	641
404	647	678
435	713	747
461	752	789
484	787	823
513	841	881
534	875	916

DIMENSIONS INCHES / MM

H	W
26 / 660	66 / 1676
26 / 660	72 / 1829
26 / 660	78 / 1981
26 / 660	84 / 2134
26 / 660	90 / 2286
26 / 660	96 / 2438
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438

PRICING

HORIZONTAL (B, D, E, F) & VERTICAL (B) (CONTINUED)

Element Source Laminate	Flintwood	Natural Veneer
691	945	990
746	1024	1073
801	1091	1144
822	1138	1193
867	1195	1253
881	1209	1268
861	1187	1244
869	1216	1273
930	1293	1353
945	1338	1402
961	1354	1418
978	1411	1478
906	1244	1304
913	1274	1334
978	1355	1418
993	1403	1469
1010	1418	1486
1027	1478	1549

Pricing is continued on the following page.

Xpress

UNECL

Solid Power/Communications Fascia (Clip Mount) (Continued)

DIMENSIONS INCHES / MM

H	W
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
41 / 1041	66 / 1676
41 / 1041	72 / 1829
41 / 1041	78 / 1981
41 / 1041	84 / 2134
41 / 1041	90 / 2286
41 / 1041	96 / 2438

H	W
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

HORIZONTAL (B, D, E, F) & VERTICAL (F)

Element Source Laminate	Flintwood	Natural Veneer
739	1005	1053
798	1090	1142
858	1162	1219
880	1213	1272
928	1274	1335
943	1288	1350
995	1359	1426
1003	1392	1458
1074	1482	1550
1091	1534	1606
1109	1549	1623
1126	1616	1693

HORIZONTAL (B, D, E, F) & VERTICAL (T)

Element Source Laminate	Flintwood	Natural Veneer
302	485	510
321	522	549
339	549	575
353	571	597
368	590	618
381	612	641
404	647	678
435	713	747
461	752	789
484	787	823
513	841	881
534	875	916
739	1005	1053
798	1090	1142
858	1162	1219
880	1213	1272
928	1274	1335
943	1288	1350

DIMENSIONS INCHES / MM

H	W
7 / 178	24 / 610
7 / 178	30 / 762
7 / 178	36 / 914
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914
26 / 660	24 / 610
26 / 660	30 / 762
26 / 660	36 / 914
35 / 889	24 / 610
35 / 889	30 / 762
35 / 889	36 / 914
37 / 940	24 / 610
37 / 940	30 / 762
37 / 940	36 / 914

H	W
28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914
41 / 1041	24 / 610
41 / 1041	30 / 762
41 / 1041	36 / 914

H	W
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914
28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914

PRICING

HORIZONTAL (C) & VERTICAL (B)

Element Source Laminate	Flintwood	Natural Veneer
160	264	274
171	274	287
179	287	302
188	309	325
205	331	345
219	361	376
233	374	393
254	419	435
277	452	472
245	404	422
270	443	464
301	496	520
291	477	500
324	531	555
358	583	611
300	491	515
335	549	574
371	604	633

HORIZONTAL (C) & VERTICAL (F)

Element Source Laminate	Flintwood	Natural Veneer
254	419	436
281	459	482
314	517	542
319	523	548
356	586	612
397	646	677

HORIZONTAL (C) & VERTICAL (T)

Element Source Laminate	Flintwood	Natural Veneer
188	309	325
205	331	345
219	361	376
233	374	393
254	419	435
277	452	472
254	419	436
281	459	482
314	517	542

Pricing is continued on the following page.

Xpress

U N E C L

Solid Power/Communications Fascia (Clip Mount) (Continued)

DIMENSIONS INCHES / MM

PRICING

HORIZONTAL (L or R) & VERTICAL (B)

H	W	Element Source Laminate	Flintwood	Natural Veneer
7 / 178	42 / 1067	187	303	316
7 / 178	48 / 1219	208	331	346
7 / 178	54 / 1372	213	344	362
7 / 178	60 / 1524	220	358	372
7 / 178	66 / 1676	236	379	398
7 / 178	72 / 1829	243	393	411
7 / 178	78 / 1981	255	409	429
7 / 178	84 / 2134	265	423	443
7 / 178	90 / 2286	274	443	464
7 / 178	96 / 2438	282	457	479
13 / 330	42 / 1067	236	383	401
13 / 330	48 / 1219	259	421	438
13 / 330	54 / 1372	273	442	461
13 / 330	60 / 1524	286	461	484
13 / 330	66 / 1676	302	485	510
13 / 330	72 / 1829	321	522	549
13 / 330	78 / 1981	339	549	575
13 / 330	84 / 2134	353	571	597
13 / 330	90 / 2286	368	590	618
13 / 330	96 / 2438	381	612	641
22 / 559	42 / 1067	307	502	526
22 / 559	48 / 1219	335	543	569
22 / 559	54 / 1372	358	578	605
22 / 559	60 / 1524	376	610	639
22 / 559	66 / 1676	404	647	678
22 / 559	72 / 1829	435	713	747
22 / 559	78 / 1981	461	752	789
22 / 559	84 / 2134	484	787	823
22 / 559	90 / 2286	513	841	881
22 / 559	96 / 2438	534	875	916
26 / 660	42 / 1067	330	539	563
26 / 660	48 / 1219	356	580	608
26 / 660	54 / 1372	614	842	882
26 / 660	60 / 1524	663	902	947
26 / 660	66 / 1676	691	945	990
26 / 660	72 / 1829	746	1024	1073
26 / 660	78 / 1981	801	1091	1144
26 / 660	84 / 2134	822	1138	1193
26 / 660	90 / 2286	867	1195	1253
26 / 660	96 / 2438	881	1209	1268
35 / 889	42 / 1067	640	873	914
35 / 889	48 / 1219	717	963	1008
35 / 889	54 / 1372	760	1038	1087
35 / 889	60 / 1524	790	1086	1139
35 / 889	66 / 1676	861	1187	1244
35 / 889	72 / 1829	869	1216	1273
35 / 889	78 / 1981	930	1293	1353
35 / 889	84 / 2134	945	1338	1402
35 / 889	90 / 2286	961	1354	1418
35 / 889	96 / 2438	978	1411	1478

DIMENSIONS INCHES / MM

PRICING

HORIZONTAL (L or R) & VERTICAL (B) (CONTINUED)

H	W	Element Source Laminate	Flintwood	Natural Veneer
37 / 940	42 / 1067	672	913	957
37 / 940	48 / 1219	752	1008	1055
37 / 940	54 / 1372	798	1087	1138
37 / 940	60 / 1524	830	1138	1193
37 / 940	66 / 1676	906	1244	1304
37 / 940	72 / 1829	913	1274	1334
37 / 940	78 / 1981	978	1355	1418
37 / 940	84 / 2134	993	1403	1469
37 / 940	90 / 2286	1010	1418	1486
37 / 940	96 / 2438	1027	1478	1549

HORIZONTAL (L or R) & VERTICAL (F)

H	W	Element Source Laminate	Flintwood	Natural Veneer
28 / 711	42 / 1067	345	563	589
28 / 711	48 / 1219	371	606	635
28 / 711	54 / 1372	656	894	936
28 / 711	60 / 1524	709	959	1007
28 / 711	66 / 1676	739	1005	1053
28 / 711	72 / 1829	798	1090	1142
28 / 711	78 / 1981	858	1162	1219
28 / 711	84 / 2134	880	1213	1272
28 / 711	90 / 2286	928	1274	1335
28 / 711	96 / 2438	943	1288	1350
41 / 1041	42 / 1067	738	995	1043
41 / 1041	48 / 1219	825	1098	1149
41 / 1041	54 / 1372	877	1187	1242
41 / 1041	60 / 1524	912	1242	1303
41 / 1041	66 / 1676	995	1359	1426
41 / 1041	72 / 1829	1003	1392	1458
41 / 1041	78 / 1981	1074	1482	1550
41 / 1041	84 / 2134	1091	1534	1606
41 / 1041	90 / 2286	1109	1549	1623
41 / 1041	96 / 2438	1126	1616	1693

Pricing is continued on the following page.

Xpress

UNECL


Solid Power/Communications Fascia (Clip Mount) (Continued)

DIMENSIONS INCHES / MM		PRICING		
		HORIZONTAL (L or R) & VERTICAL (T)		
H	W	Element Source Laminate	Flintwood	Natural Veneer
13 / 330	42 / 1067	236	383	401
13 / 330	48 / 1219	259	421	438
13 / 330	54 / 1372	273	442	461
13 / 330	60 / 1524	286	461	484
13 / 330	66 / 1676	302	485	510
13 / 330	72 / 1829	321	522	549
13 / 330	78 / 1981	339	549	575
13 / 330	84 / 2134	353	571	597
13 / 330	90 / 2286	368	590	618
13 / 330	96 / 2438	381	612	641
22 / 559	42 / 1067	307	502	526
22 / 559	48 / 1219	335	543	569
22 / 559	54 / 1372	358	578	605
22 / 559	60 / 1524	376	610	639
22 / 559	66 / 1676	404	647	678
22 / 559	72 / 1829	435	713	747
22 / 559	78 / 1981	461	752	789
22 / 559	84 / 2134	484	787	823
22 / 559	90 / 2286	513	841	881
22 / 559	96 / 2438	534	875	916
28 / 711	42 / 1067	345	563	589
28 / 711	48 / 1219	371	606	635
28 / 711	54 / 1372	656	894	936
28 / 711	60 / 1524	709	959	1007
28 / 711	66 / 1676	739	1005	1053
28 / 711	72 / 1829	798	1090	1142
28 / 711	78 / 1981	858	1162	1219
28 / 711	84 / 2134	880	1213	1272
28 / 711	90 / 2286	928	1274	1335
28 / 711	96 / 2438	943	1288	1350

Xpress

U A E C L

Solid Power/Communications Fascia for Freestanding District (Clip Mount)



The Solid Power/Communications Fascia provides face-mounted access to power/communications.

WHAT'S INCLUDED
1 fascia with cut out as specified, fascia connectors.

NOTES
Not all height/width combinations are available. See pricing for exact offering.

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 22" fascia must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

For 36" to 60" wide fascias only Left (LL) or Right (RR) power and data locations can be specified.

Xpress Fascia finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/ Communication Orientation	Vertical Power/ Communication Orientation	Height	Width (6" increments)	Fascia Finish
2 Cut Out for two outlets (available on 24" and 30" widths)	**LL** Left	**T** Top	22, 28	36 - 96	Element Source Laminate
4 Cut Out for four outlets (available on 36" widths and wider)	**LC** Left Center	**B** Bottom			Flintwood (Standard)
	RC Right Center				Natural Veneer
	RR Right				
	LR Left & Right				
	CR Left Center and Right				
	CL Right Center and Left				

SAMPLE ORDER CODE

UAECL 2	CR	B	22	72	FX

DIMENSIONS INCHES / MM

H	W
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (B or T)

Element Source Laminate	Flintwood	Natural Veneer
391	634	664
422	699	731
449	737	770
479	777	815
506	831	872
527	867	907
753	1011	1061
781	1070	1121
841	1142	1196
854	1172	1227
911	1252	1312
925	1267	1327

DIMENSIONS INCHES / MM

H	W
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
28 / 711	36 / 914
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING


HORIZONTAL (LL or RR) & VERTICAL (B or T)

Element Source Laminate	Flintwood	Natural Veneer
270	443	464
307	502	526
328	536	559
347	569	595
370	604	633
391	634	664
422	699	731
449	737	770
479	777	815
506	831	872
527	867	907
308	510	533
338	553	581
365	594	623
642	880	921
698	944	989
753	1011	1061
781	1070	1121
841	1142	1196
854	1172	1227
911	1252	1312
925	1267	1327

Xpress

UNEIL

Solid International Power/ Communications Fascia (Clip Mount)



The Solid International Power/Communications Fascia provides face mounted access to power/communications above or below worksurface height.

WHAT'S INCLUDED
1 fascia with cut out as specified, fascia connectors.

WHAT'S EXCLUDED
Panel Wall Rail (UNPHN) is required for additional panel segmentation and must be specified separately. Can be found in the *Panel Walls* section.

NOTES
Xpress Fascia finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/Communications Orientation	Vertical Power/Communications Orientation	Height	Width (6" increments)	Fascia Finish	Bezel Finish
2 Cut Out for two outlets (available on 24" and 30" widths) **3** Cut Out for two outlets and one data/ communications box (available on 36" widths and wider) **4** Cut Out for four outlets (available on 36" widths and wider) **5** Cala Cut Out for two outlets **6** Cala Cut Out for four outlets	**B** Left and Right (available on 66" width and wider) **C** Centered (available on 36" width for config. 3 and 4 (available on 24", 30", 36" widths for config. 2) **L** Left (not available on widths below 42") **R** Right (not available on widths below 42")	**B** Bottom or lower section of Fascia (available on 7", 13", 22", 37" heights) **F** Flush (applies to 28" height only for base fascias flush to floor. Cut Out will be at bottom) **T** Top or upper section of Fascia (available on 13", 22", 28" heights)	07, 13, 21, 22, 27, 28, 37	24 - 96	Element Source Laminate Flintwood Natural Veneer	~ Black **74** Storm White

SAMPLE ORDER CODE

UNEIL 3	R	T	22	60	FX	74

DIMENSIONS
INCHES / MM

H	W
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4)
HORIZONTAL (B) & VERTICAL (B)

Element Source Laminate	Flintwood	Natural Veneer
236	379	398
243	393	411
255	409	429
265	423	443
274	443	464
282	457	479
302	485	510
321	522	549
339	549	575
353	571	597
368	590	618
381	612	641
395	635	664
427	698	730
452	734	769
473	767	803
492	799	837
522	853	894

DIMENSIONS
INCHES / MM

H	W
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4)
HORIZONTAL (B) & VERTICAL (B) (CONTINUED)

Element Source Laminate	Flintwood	Natural Veneer
404	647	678
435	713	747
461	752	789
484	787	823
513	841	881
534	875	916
906	1244	1304
913	1274	1334
978	1355	1418
993	1403	1469
1010	1418	1486
1027	1478	1549

Pricing is continued on the following page.

Xpress

UNEIL

Solid International Power/Communications Fascia (Clip Mount) (Continued)

DIMENSIONS INCHES / MM		PRICING		
		CUT OUT OUTLET (2, 3, 4)		
		HORIZONTAL (B) & VERTICAL (F)		
H	W	Element Source Laminate	Flintwood	Natural Veneer
27 / 686	66 / 1676	748	1007	1055
27 / 686	72 / 1829	777	1064	1114
27 / 686	78 / 1981	836	1135	1190
27 / 686	84 / 2134	851	1163	1220
27 / 686	90 / 2286	905	1244	1304
27 / 686	96 / 2438	920	1258	1318
28 / 711	66 / 1676	739	1005	1053
28 / 711	72 / 1829	798	1090	1142
28 / 711	78 / 1981	858	1162	1219
28 / 711	84 / 2134	880	1213	1272
28 / 711	90 / 2286	928	1274	1335
28 / 711	96 / 2438	943	1288	1350
		HORIZONTAL (B) & VERTICAL (T)		
		Element Source Laminate	Flintwood	Natural Veneer
13 / 330	66 / 1676	302	485	510
13 / 330	72 / 1829	321	522	549
13 / 330	78 / 1981	339	549	575
13 / 330	84 / 2134	353	571	597
13 / 330	90 / 2286	368	590	618
13 / 330	96 / 2438	381	612	641
21 / 533	66 / 1676	395	635	664
21 / 533	72 / 1829	427	698	730
21 / 533	78 / 1981	452	734	769
21 / 533	84 / 2134	473	767	803
21 / 533	90 / 2286	492	799	837
21 / 533	96 / 2438	522	853	894
22 / 559	66 / 1676	404	647	678
22 / 559	72 / 1829	435	713	747
22 / 559	78 / 1981	461	752	789
22 / 559	84 / 2134	484	787	823
22 / 559	90 / 2286	513	841	881
22 / 559	96 / 2438	534	875	916
27 / 686	66 / 1676	748	1007	1055
27 / 686	72 / 1829	777	1064	1114
27 / 686	78 / 1981	836	1135	1190
27 / 686	84 / 2134	851	1163	1220
27 / 686	90 / 2286	905	1244	1304
27 / 686	96 / 2438	920	1258	1318
28 / 711	66 / 1676	739	1005	1053
28 / 711	72 / 1829	798	1090	1142
28 / 711	78 / 1981	858	1162	1219
28 / 711	84 / 2134	880	1213	1272
28 / 711	90 / 2286	928	1274	1335
28 / 711	96 / 2438	943	1288	1350

DIMENSIONS INCHES / MM		PRICING		
		CUT OUT OUTLET (2, 3, 4)		
		HORIZONTAL (C) & VERTICAL (B)		
H	W	Element Source Laminate	Flintwood	Natural Veneer
7 / 178	24 / 610	160	264	274
7 / 178	30 / 762	171	274	287
7 / 178	36 / 914	179	287	302
13 / 330	24 / 610	188	309	325
13 / 330	30 / 762	205	331	345
13 / 330	36 / 914	219	361	376
21 / 533	24 / 610	225	369	389
21 / 533	30 / 762	249	409	429
21 / 533	36 / 914	272	443	462
22 / 559	24 / 610	233	374	393
22 / 559	30 / 762	254	419	435
22 / 559	36 / 914	277	452	472
37 / 940	24 / 610	300	491	515
37 / 940	30 / 762	335	549	574
37 / 940	36 / 914	371	604	633
		HORIZONTAL (C) & VERTICAL (F)		
		Element Source Laminate	Flintwood	Natural Veneer
27 / 686	24 / 610	249	411	430
27 / 686	30 / 762	277	453	473
27 / 686	36 / 914	309	510	533
28 / 711	24 / 610	254	419	436
28 / 711	30 / 762	281	459	482
28 / 711	36 / 914	314	517	542
		HORIZONTAL (C) & VERTICAL (T)		
		Element Source Laminate	Flintwood	Natural Veneer
13 / 330	24 / 610	188	309	325
13 / 330	30 / 762	205	331	345
13 / 330	36 / 914	219	361	376
21 / 533	24 / 610	225	369	389
21 / 533	30 / 762	249	409	429
21 / 533	36 / 914	272	443	462
22 / 559	24 / 610	233	374	393
22 / 559	30 / 762	254	419	435
22 / 559	36 / 914	277	452	472
27 / 686	24 / 610	249	411	430
27 / 686	30 / 762	277	453	473
27 / 686	36 / 914	309	510	533
28 / 711	24 / 610	254	419	436
28 / 711	30 / 762	281	459	482
28 / 711	36 / 914	314	517	542

Pricing is continued on the following page.

Xpress

UNEIL

Solid International Power/Communications Fascia (Clip Mount) (Continued)

DIMENSIONS
INCHES / MM

PRICING

CUT OUT OUTLET (2, 3, 4)

HORIZONTAL (L or R) & VERTICAL (B)

H	W	Element Source Laminate	Flintwood	Natural Veneer
7 / 178	42 / 1067	187	303	316
7 / 178	48 / 1219	208	331	346
7 / 178	54 / 1372	213	344	362
7 / 178	60 / 1524	220	358	372
7 / 178	66 / 1676	236	379	398
7 / 178	72 / 1829	243	393	411
7 / 178	78 / 1981	255	409	429
7 / 178	84 / 2134	265	423	443
7 / 178	90 / 2286	274	443	464
7 / 178	96 / 2438	282	457	479
13 / 330	42 / 1067	236	383	401
13 / 330	48 / 1219	259	421	438
13 / 330	54 / 1372	273	442	461
13 / 330	60 / 1524	286	461	484
13 / 330	66 / 1676	302	485	510
13 / 330	72 / 1829	321	522	549
13 / 330	78 / 1981	339	549	575
13 / 330	84 / 2134	353	571	597
13 / 330	90 / 2286	368	590	618
13 / 330	96 / 2438	381	612	641
21 / 533	42 / 1067	296	479	498
21 / 533	48 / 1219	329	532	557
21 / 533	54 / 1372	347	564	589
21 / 533	60 / 1524	369	595	624
21 / 533	66 / 1676	395	635	664
21 / 533	72 / 1829	427	698	730
21 / 533	78 / 1981	452	734	769
21 / 533	84 / 2134	473	767	803
21 / 533	90 / 2286	492	799	837
21 / 533	96 / 2438	522	853	894
22 / 559	42 / 1067	307	502	526
22 / 559	48 / 1219	335	543	569
22 / 559	54 / 1372	358	578	605
22 / 559	60 / 1524	376	610	639
22 / 559	66 / 1676	404	647	678
22 / 559	72 / 1829	435	713	747
22 / 559	78 / 1981	461	752	789
22 / 559	84 / 2134	484	787	823
22 / 559	90 / 2286	513	841	881
22 / 559	96 / 2438	534	875	916
37 / 940	42 / 1067	672	913	957
37 / 940	48 / 1219	752	1008	1055
37 / 940	54 / 1372	798	1087	1138
37 / 940	60 / 1524	830	1138	1193
37 / 940	66 / 1676	906	1244	1304
37 / 940	72 / 1829	913	1274	1334
37 / 940	78 / 1981	978	1355	1418
37 / 940	84 / 2134	993	1403	1469
37 / 940	90 / 2286	1010	1418	1486
37 / 940	96 / 2438	1027	1478	1549

DIMENSIONS
INCHES / MM

PRICING

CUT OUT OUTLET (2, 3, 4)

HORIZONTAL (L or R) & VERTICAL (F)

H	W	Element Source Laminate	Flintwood	Natural Veneer
27 / 686	42 / 1067	339	553	580
27 / 686	48 / 1219	365	594	620
27 / 686	54 / 1372	392	635	665
27 / 686	60 / 1524	692	937	982
27 / 686	66 / 1676	748	1007	1055
27 / 686	72 / 1829	777	1064	1114
27 / 686	78 / 1981	836	1135	1190
27 / 686	84 / 2134	851	1163	1220
27 / 686	90 / 2286	905	1244	1304
27 / 686	96 / 2438	920	1258	1318
28 / 711	42 / 1067	345	563	589
28 / 711	48 / 1219	371	606	635
28 / 711	54 / 1372	656	894	936
28 / 711	60 / 1524	709	959	1007
28 / 711	66 / 1676	739	1005	1053
28 / 711	72 / 1829	798	1090	1142
28 / 711	78 / 1981	858	1162	1219
28 / 711	84 / 2134	880	1213	1272
28 / 711	90 / 2286	928	1274	1335
28 / 711	96 / 2438	943	1288	1350

HORIZONTAL (L or R) & VERTICAL (T)

H	W	Element Source Laminate	Flintwood	Natural Veneer
13 / 330	42 / 1067	236	383	401
13 / 330	48 / 1219	259	421	438
13 / 330	54 / 1372	273	442	461
13 / 330	60 / 1524	286	461	484
13 / 330	66 / 1676	302	485	510
13 / 330	72 / 1829	321	522	549
13 / 330	78 / 1981	339	549	575
13 / 330	84 / 2134	353	571	597
13 / 330	90 / 2286	368	590	618
13 / 330	96 / 2438	381	612	641
21 / 533	42 / 1067	296	479	498
21 / 533	48 / 1219	329	532	557
21 / 533	54 / 1372	347	564	589
21 / 533	60 / 1524	369	595	624
21 / 533	66 / 1676	395	635	664
21 / 533	72 / 1829	427	698	730
21 / 533	78 / 1981	452	734	769
21 / 533	84 / 2134	473	767	803
21 / 533	90 / 2286	492	799	837
21 / 533	96 / 2438	522	853	894

Pricing is continued on the following page.

Xpress

UNEIL

Solid International Power/Communications Fascia (Clip Mount) (Continued)

DIMENSIONS INCHES / MM		PRICING		
		CUT OUT OUTLET (2, 3, 4)		
		HORIZONTAL (L or R) & VERTICAL (T) (CONTINUED)		
H	W	Element Source Laminate	Flintwood	Natural Veneer
22 / 559	42 / 1067	307	502	526
22 / 559	48 / 1219	335	543	569
22 / 559	54 / 1372	358	578	605
22 / 559	60 / 1524	376	610	639
22 / 559	66 / 1676	404	647	678
22 / 559	72 / 1829	435	713	747
22 / 559	78 / 1981	461	752	789
22 / 559	84 / 2134	484	787	823
22 / 559	90 / 2286	513	841	881
22 / 559	96 / 2438	534	875	916
27 / 686	42 / 1067	339	553	580
27 / 686	48 / 1219	365	594	620
27 / 686	54 / 1372	392	635	665
27 / 686	60 / 1524	692	937	982
27 / 686	66 / 1676	748	1007	1055
27 / 686	72 / 1829	777	1064	1114
27 / 686	78 / 1981	836	1135	1190
27 / 686	84 / 2134	851	1163	1220
27 / 686	90 / 2286	905	1244	1304
27 / 686	96 / 2438	920	1258	1318
28 / 711	42 / 1067	345	563	589
28 / 711	48 / 1219	371	606	635
28 / 711	54 / 1372	656	894	936
28 / 711	60 / 1524	709	959	1007
28 / 711	66 / 1676	739	1005	1053
28 / 711	72 / 1829	798	1090	1142
28 / 711	78 / 1981	858	1162	1219
28 / 711	84 / 2134	880	1213	1272
28 / 711	90 / 2286	928	1274	1335
28 / 711	96 / 2438	943	1288	1350

DIMENSIONS INCHES / MM		PRICING		
		CALA CUT OUT FOR TWO OUTLETS (5)		
		HORIZONTAL (B) & VERTICAL (B)		
H	W	Element Source Laminate	Flintwood	Natural Veneer
7 / 178	66 / 1676	269	412	430
7 / 178	72 / 1829	276	425	445
7 / 178	78 / 1981	287	443	461
7 / 178	84 / 2134	298	455	476
7 / 178	90 / 2286	308	476	497
7 / 178	96 / 2438	315	489	511
13 / 330	66 / 1676	335	518	542
13 / 330	72 / 1829	355	555	581
13 / 330	78 / 1981	371	581	608
13 / 330	84 / 2134	387	604	631
13 / 330	90 / 2286	400	624	650
13 / 330	96 / 2438	415	645	673
21 / 533	66 / 1676	428	668	696
21 / 533	72 / 1829	459	730	763
21 / 533	78 / 1981	484	767	801
21 / 533	84 / 2134	506	799	836
21 / 533	90 / 2286	526	831	871
21 / 533	96 / 2438	555	886	927
22 / 559	66 / 1676	436	680	711
22 / 559	72 / 1829	468	746	781
22 / 559	78 / 1981	495	785	821
22 / 559	84 / 2134	517	820	856
22 / 559	90 / 2286	545	874	913
22 / 559	96 / 2438	567	907	949
37 / 940	66 / 1676	940	1276	1336
37 / 940	72 / 1829	947	1306	1366
37 / 940	78 / 1981	1010	1387	1451
37 / 940	84 / 2134	1027	1436	1501
37 / 940	90 / 2286	1042	1451	1519
37 / 940	96 / 2438	1060	1512	1581
		HORIZONTAL (B) & VERTICAL (F)		
		Element Source Laminate	Flintwood	Natural Veneer
27 / 686	66 / 1676	782	1039	1088
27 / 686	72 / 1829	810	1097	1146
27 / 686	78 / 1981	869	1167	1222
27 / 686	84 / 2134	883	1196	1252
27 / 686	90 / 2286	937	1276	1336
27 / 686	96 / 2438	952	1293	1353
28 / 711	66 / 1676	771	1038	1085
28 / 711	72 / 1829	830	1122	1174
28 / 711	78 / 1981	890	1195	1251
28 / 711	84 / 2134	912	1245	1304
28 / 711	90 / 2286	961	1306	1368
28 / 711	96 / 2438	977	1323	1384

Pricing is continued on the following page.

Xpress

UNEIL

Solid International Power/Communications Fascia (Clip Mount) (Continued)

DIMENSIONS INCHES / MM

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL (B) & VERTICAL (T)

H	W	Element Source Laminate	Flintwood	Natural Veneer
13 / 330	66 / 1676	335	518	542
13 / 330	72 / 1829	355	555	581
13 / 330	78 / 1981	371	581	608
13 / 330	84 / 2134	387	604	631
13 / 330	90 / 2286	400	624	650
13 / 330	96 / 2438	415	645	673
21 / 533	66 / 1676	428	668	696
21 / 533	72 / 1829	459	730	763
21 / 533	78 / 1981	484	767	801
21 / 533	84 / 2134	506	799	836
21 / 533	90 / 2286	526	831	871
21 / 533	96 / 2438	555	886	927
22 / 559	66 / 1676	436	680	711
22 / 559	72 / 1829	468	746	781
22 / 559	78 / 1981	495	785	821
22 / 559	84 / 2134	517	820	856
22 / 559	90 / 2286	545	874	913
22 / 559	96 / 2438	567	907	949
27 / 686	66 / 1676	782	1039	1088
27 / 686	72 / 1829	810	1097	1146
27 / 686	78 / 1981	869	1167	1222
27 / 686	84 / 2134	883	1196	1252
27 / 686	90 / 2286	937	1276	1336
27 / 686	96 / 2438	952	1293	1353
28 / 711	66 / 1676	771	1038	1085
28 / 711	72 / 1829	830	1122	1174
28 / 711	78 / 1981	890	1195	1251
28 / 711	84 / 2134	912	1245	1304
28 / 711	90 / 2286	961	1306	1368
28 / 711	96 / 2438	977	1323	1384

HORIZONTAL (C) & VERTICAL (B)

H	W	Element Source Laminate	Flintwood	Natural Veneer
7 / 178	24 / 610	193	296	308
7 / 178	30 / 762	204	308	321
7 / 178	36 / 914	211	321	335
13 / 330	24 / 610	220	341	358
13 / 330	30 / 762	238	364	377
13 / 330	36 / 914	251	393	409
21 / 533	24 / 610	259	401	421
21 / 533	30 / 762	282	443	461
21 / 533	36 / 914	304	476	496
22 / 559	24 / 610	265	406	425
22 / 559	30 / 762	286	451	468
22 / 559	36 / 914	310	484	504
37 / 940	24 / 610	332	525	549
37 / 940	30 / 762	368	581	606
37 / 940	36 / 914	404	636	665

DIMENSIONS INCHES / MM

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL (C) & VERTICAL (F)

H	W	Element Source Laminate	Flintwood	Natural Veneer
27 / 686	24 / 610	282	445	462
27 / 686	30 / 762	310	485	506
27 / 686	36 / 914	341	542	565
28 / 711	24 / 610	286	451	469
28 / 711	30 / 762	314	491	514
28 / 711	36 / 914	346	550	575

HORIZONTAL (C) & VERTICAL (T)

H	W	Element Source Laminate	Flintwood	Natural Veneer
13 / 330	24 / 610	220	341	358
13 / 330	30 / 762	238	364	377
13 / 330	36 / 914	251	393	409
21 / 533	24 / 610	259	401	421
21 / 533	30 / 762	282	443	461
21 / 533	36 / 914	304	476	496
22 / 559	24 / 610	265	406	425
22 / 559	30 / 762	286	451	468
22 / 559	36 / 914	310	484	504
27 / 686	24 / 610	282	445	462
27 / 686	30 / 762	310	485	506
27 / 686	36 / 914	341	542	565
28 / 711	24 / 610	286	451	469
28 / 711	30 / 762	314	491	514
28 / 711	36 / 914	346	550	575

HORIZONTAL (L or R) & VERTICAL (B)

H	W	Element Source Laminate	Flintwood	Natural Veneer
7 / 178	42 / 1067	219	337	349
7 / 178	48 / 1219	240	364	379
7 / 178	54 / 1372	246	376	394
7 / 178	60 / 1524	254	391	405
7 / 178	66 / 1676	269	412	430
7 / 178	72 / 1829	276	425	445
7 / 178	78 / 1981	287	443	461
7 / 178	84 / 2134	298	455	476
7 / 178	90 / 2286	308	476	497
7 / 178	96 / 2438	315	489	511

Pricing is continued on the following page.

Xpress

UNEIL

Solid International Power/Communications Fascia (Clip Mount) (Continued)

DIMENSIONS INCHES / MM

H	W
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
37 / 940	42 / 1067
37 / 940	48 / 1219
37 / 940	54 / 1372
37 / 940	60 / 1524
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL (L or R) & VERTICAL (B) (CONTINUED)

Element Source Laminate	Flintwood	Natural Veneer
269	417	434
294	453	473
307	474	495
319	495	517
335	518	542
355	555	581
371	581	608
387	604	631
400	624	650
415	645	673
329	511	532
362	564	589
381	597	623
401	630	657
428	668	696
459	730	763
484	767	801
506	799	836
526	831	871
555	886	927
339	534	558
368	576	603
391	610	638
409	642	671
436	680	711
468	746	781
495	785	821
517	820	856
545	874	913
567	907	949
705	947	989
785	1040	1088
830	1120	1172
863	1172	1226
940	1276	1336
947	1306	1366
1010	1387	1451
1027	1436	1501
1042	1451	1519
1060	1512	1581

DIMENSIONS INCHES / MM

H	W
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	42 / 1067

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL (L or R) & VERTICAL (F)

Element Source Laminate	Flintwood	Natural Veneer
371	586	612
398	628	655
424	668	698
725	971	1015
782	1039	1088
810	1097	1146
869	1167	1222
883	1196	1252
937	1276	1336
952	1293	1353
377	595	623
404	639	668
690	927	969
741	992	1039
771	1038	1085
830	1122	1174
890	1195	1251
912	1245	1304
961	1306	1368
977	1323	1384

HORIZONTAL (L or R) & VERTICAL (T)

Element Source Laminate	Flintwood	Natural Veneer
269	417	434
294	453	473
307	474	495
319	495	517
335	518	542
355	555	581
371	581	608
387	604	631
400	624	650
415	645	673
329	511	532
362	564	589
381	597	623
401	630	657
428	668	696
459	730	763
484	767	801
506	799	836
526	831	871
555	886	927
339	534	558

Pricing is continued on the following page.

Xpress

UNEIL

Solid International Power/Communications Fascia (Clip Mount) (Continued)

DIMENSIONS
INCHES / MM

H	W
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL (L or R) & VERTICAL (T) (CONTINUED)

Element Source Laminate	Flintwood	Natural Veneer
368	576	603
391	610	638
409	642	671
436	680	711
468	746	781
495	785	821
517	820	856
545	874	913
567	907	949
371	586	612
398	628	655
424	668	698
725	971	1015
782	1039	1088
810	1097	1146
869	1167	1222
883	1196	1252
937	1276	1336
952	1293	1353
377	595	623
404	639	668
690	927	969
741	992	1039
771	1038	1085
830	1122	1174
890	1195	1251
912	1245	1304
961	1306	1368
977	1323	1384

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL (B) & VERTICAL (B)

Element Source Laminate	Flintwood	Natural Veneer
276	422	437
284	432	453
298	452	469
304	462	484
315	484	506
325	497	518
342	526	550
363	563	588
379	588	615
394	611	639
407	634	661
423	654	681

DIMENSIONS
INCHES / MM

H	W
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL (B) & VERTICAL (B) (CONTINUED)

Element Source Laminate	Flintwood	Natural Veneer
435	675	703
467	738	770
491	775	810
514	807	845
534	841	880
563	894	935
446	690	721
479	755	790
503	793	828
525	827	863
553	882	921
576	916	957
948	1285	1346
954	1315	1376
1018	1395	1460
1035	1444	1510
1051	1460	1527
1068	1520	1590

HORIZONTAL (B) & VERTICAL (F)

Element Source Laminate	Flintwood	Natural Veneer
791	1046	1097
820	1104	1155
879	1175	1230
890	1204	1259
947	1285	1346
961	1299	1359
781	1045	1094
838	1130	1182
899	1203	1258
920	1253	1312
969	1315	1377
984	1329	1391
342	526	550
363	563	588
379	588	615
394	611	639
407	634	661
423	654	681
435	675	703
467	738	770
491	775	810
514	807	845
534	841	880
563	894	935

Pricing is continued on the following page.

Xpress

UNEIL

Solid International Power/Communications Fascia (Clip Mount) (Continued)

DIMENSIONS INCHES / MM

H	W
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
7 / 178	36 / 914
13 / 330	36 / 914
21 / 533	36 / 914
22 / 559	36 / 914
37 / 940	36 / 914
27 / 686	36 / 914
28 / 711	36 / 914
13 / 330	36 / 914
21 / 533	36 / 914
22 / 559	36 / 914
27 / 686	36 / 914
28 / 711	36 / 914

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL (B) & VERTICAL (T)

Element Source Laminate	Flintwood	Natural Veneer
446	690	721
479	755	790
503	793	828
525	827	863
553	882	921
576	916	957
791	1046	1097
820	1104	1155
879	1175	1230
890	1204	1259
947	1285	1346
961	1299	1359
781	1045	1094
838	1130	1182
899	1203	1258
920	1253	1312
969	1315	1377
984	1329	1391

HORIZONTAL (C) & VERTICAL (B)

Element Source Laminate	Flintwood	Natural Veneer
218	330	342
263	400	420
312	484	504
317	491	513
412	643	672

HORIZONTAL (C) & VERTICAL (F)

Element Source Laminate	Flintwood	Natural Veneer
349	550	575
356	75	582

HORIZONTAL (C) & VERTICAL (T)

Element Source Laminate	Flintwood	Natural Veneer
263	400	420
312	484	504
317	491	513
349	550	575
356	557	582

DIMENSIONS INCHES / MM

H	W
7 / 178	42 / 1067
7 / 178	48 / 1219
7 / 178	54 / 1372
7 / 178	60 / 1524
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
37 / 940	42 / 1067
37 / 940	48 / 1219
37 / 940	54 / 1372
37 / 940	60 / 1524
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL (L or R) & VERTICAL (B)

Element Source Laminate	Flintwood	Natural Veneer
228	344	359
247	371	390
254	387	401
264	398	415
276	422	437
284	432	453
298	452	469
304	462	484
315	484	506
325	497	518
276	424	443
301	460	482
314	483	503
329	503	525
342	526	550
363	563	588
379	588	615
394	611	639
407	634	661
423	654	681
337	518	541
369	574	600
391	606	633
409	638	666
435	675	703
467	738	770
491	775	810
514	807	845
534	841	880
563	894	935
346	543	567
375	583	610
398	617	645
420	649	678
446	690	721
479	755	790
503	793	828
525	827	863
553	882	921
576	916	957
713	954	997
793	1048	1097
838	1128	1180
872	1180	1234
948	1285	1346
954	1315	1376
1018	1395	1460
1035	1444	1510
1051	1460	1527
1068	1520	1590

Pricing is continued on the following page.

Xpress

UNEIL

Solid International Power/Communications Fascia (Clip Mount) (Continued)

DIMENSIONS INCHES / MM

H	W
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL (L or R) & VERTICAL (F)

Element Source Laminate	Flintwood	Natural Veneer
379	594	619
405	636	664
431	675	705
732	979	1023
791	1046	1097
820	1104	1155
879	1175	1230
890	1204	1259
947	1285	1346
961	1299	1359
389	605	633
412	646	675
698	935	978
751	1002	1046
781	1045	1094
838	1130	1182
899	1203	1258
920	1253	1312
969	1315	1377
984	1329	1391

HORIZONTAL (L or R) & VERTICAL (T)

Element Source Laminate	Flintwood	Natural Veneer
276	424	443
301	460	482
314	483	503
329	503	525
342	526	550
363	563	588
379	588	615
394	611	639
407	634	661
423	654	681
337	518	541
369	574	600
391	606	633
409	638	666
435	675	703
467	738	770
491	775	810
514	807	845
534	841	880
563	894	935

DIMENSIONS INCHES / MM

H	W
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)


HORIZONTAL (L or R) & VERTICAL (T) (CONTINUED)

Element Source Laminate	Flintwood	Natural Veneer
346	543	567
375	583	610
398	617	645
420	649	678
446	690	721
479	755	790
503	793	828
525	827	863
553	882	921
576	916	957
379	594	619
405	636	664
431	675	705
732	979	1023
791	1046	1097
820	1104	1155
879	1175	1230
890	1204	1259
947	1285	1346
961	1299	1359
389	605	633
412	646	675
698	935	978
751	1002	1046
781	1045	1094
838	1130	1182
899	1203	1258
920	1253	1312
969	1315	1377
984	1329	1391

Xpress

U A E I L

Solid International Power/ Communications Fascia for Freestanding District (Clip Mount)



The Solid International Power/Communications Fascia provides face-mounted access to power/communications.

WHAT'S INCLUDED
1 fascia with cut out as specified, fascia connectors.

NOTES
Not all height/width combinations are available. See pricing for exact offering.

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 21" and 22" fascias must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

For 36" to 60" wide fascias only Left (LL) or Right (RR) power and data locations can be specified.

Xpress Fascia finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/ Communication Orientation	Vertical Power/ Communication Orientation	Height	Width (6" increments)	Fascia Finish	Bezel Finish
2 Cut Out for two outlets (available on 24" and 30" widths)	**LL** Left	**T** Top	21, 22, 27, 28, 35	36 - 96	Element Source Laminate	**-** Black
3 Cut Out for two outlets and one data/ communications box (available on 36" widths and wider)	**LC** Left Center	**B** Bottom			Flintwood	**74** Storm White
4 Cut Out for four outlets (available on 36" widths and wider)	**RC** Right Center				Natural Veneer	
5 Cala Cut Out for two outlets	**RR** Right					
6 Cala Cut Out for four outlets	**LR** Left & Right					
	CR Left Center and Right					
	CL Right Center and Left					

SAMPLE ORDER CODE

UAEIL 3	CR	T	22	60	FX	74

DIMENSIONS INCHES / MM

H	W
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4)
HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (B or T)

Element Source Laminate	Flintwood	Natural Veneer
379	618	647
411	681	715
435	718	753
464	761	796
487	793	829
514	846	886
391	634	664
422	699	731
449	737	770
479	777	815
506	831	872
527	867	907
732	988	1035
761	1044	1095
820	1114	1167
831	1143	1197
886	1222	1281
932	1281	1342

DIMENSIONS INCHES / MM

H	W
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4)
HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (B or T) (Continued)

Element Source Laminate	Flintwood	Natural Veneer
753	1011	1061
781	1070	1121
841	1142	1196
854	1172	1227
911	1252	1312
925	1267	1327
858	1173	1228
927	1269	1329
934	1298	1359
950	1315	1377
996	1422	1490
1011	1439	1507

Pricing is continued on the following page.

Xpress

UAEIL

Solid International Power/ Communications Fascia for Freestanding District (Clip Mount) (Continued)

DIMENSIONS INCHES / MM		PRICING		
		CUT OUT OUTLET (2, 3, 4)		
		HORIZONTAL (LL or RR) & VERTICAL (B or T)		
H	W	Element Source Laminate	Flintwood	Natural Veneer
21 / 533	36 / 914	266	434	455
21 / 533	42 / 1067	296	479	498
21 / 533	48 / 1219	319	525	550
21 / 533	54 / 1372	341	556	583
21 / 533	60 / 1524	363	588	616
21 / 533	66 / 1676	379	618	647
21 / 533	72 / 1829	411	681	715
21 / 533	78 / 1981	435	718	753
21 / 533	84 / 2134	464	761	796
21 / 533	90 / 2286	487	793	829
21 / 533	96 / 2438	514	846	886
22 / 559	36 / 914	270	443	464
22 / 559	42 / 1067	307	502	526
22 / 559	48 / 1219	328	536	559
22 / 559	54 / 1372	347	569	595
22 / 559	60 / 1524	370	604	633
22 / 559	66 / 1676	391	634	664
22 / 559	72 / 1829	422	699	731
22 / 559	78 / 1981	449	737	770
22 / 559	84 / 2134	479	777	815
22 / 559	90 / 2286	506	831	872
22 / 559	96 / 2438	527	867	907
27 / 686	36 / 914	302	499	525
27 / 686	42 / 1067	332	545	571
27 / 686	48 / 1219	359	585	612
27 / 686	54 / 1372	383	624	654
27 / 686	60 / 1524	677	922	966
27 / 686	66 / 1676	732	988	1035
27 / 686	72 / 1829	761	1044	1095
27 / 686	78 / 1981	820	1114	1167
27 / 686	84 / 2134	831	1143	1197
27 / 686	90 / 2286	886	1222	1281
27 / 686	96 / 2438	932	1281	1342
28 / 711	36 / 914	308	510	533
28 / 711	42 / 1067	338	553	581
28 / 711	48 / 1219	365	594	623
28 / 711	54 / 1372	642	880	921
28 / 711	60 / 1524	698	944	989
28 / 711	66 / 1676	753	1011	1061
28 / 711	72 / 1829	781	1070	1121
28 / 711	78 / 1981	841	1142	1196
28 / 711	84 / 2134	854	1172	1227
28 / 711	90 / 2286	911	1252	1312
28 / 711	96 / 2438	925	1267	1327

DIMENSIONS INCHES / MM		PRICING		
		CUT OUT OUTLET (2, 3, 4)		
		HORIZONTAL (LL or RR) & VERTICAL (B or T) (Continued)		
H	W	Element Source Laminate	Flintwood	Natural Veneer
35 / 889	36 / 914	359	583	611
35 / 889	42 / 1067	650	887	929
35 / 889	48 / 1219	721	969	1015
35 / 889	54 / 1372	760	1024	1072
35 / 889	60 / 1524	829	1125	1177
35 / 889	66 / 1676	858	1173	1228
35 / 889	72 / 1829	927	1269	1329
35 / 889	78 / 1981	934	1298	1359
35 / 889	84 / 2134	950	1315	1377
35 / 889	90 / 2286	996	1422	1490
35 / 889	96 / 2438	1011	1439	1507
		CALA CUT OUT FOR TWO OUTLETS (5)		
		HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (B or T)		
H	W	Element Source Laminate	Flintwood	Natural Veneer
21 / 533	66 / 1676	412	650	680
21 / 533	72 / 1829	445	715	747
21 / 533	78 / 1981	468	752	787
21 / 533	84 / 2134	497	793	828
21 / 533	90 / 2286	520	826	861
21 / 533	96 / 2438	548	880	918
22 / 559	66 / 1676	423	666	696
22 / 559	72 / 1829	454	731	764
22 / 559	78 / 1981	481	769	803
22 / 559	84 / 2134	511	810	849
22 / 559	90 / 2286	540	864	905
22 / 559	96 / 2438	559	899	941
27 / 686	66 / 1676	766	1021	1068
27 / 686	72 / 1829	793	1076	1128
27 / 686	78 / 1981	852	1146	1200
27 / 686	84 / 2134	864	1175	1230
27 / 686	90 / 2286	918	1255	1313
27 / 686	96 / 2438	965	1313	1376
28 / 711	66 / 1676	787	1044	1094
28 / 711	72 / 1829	814	1102	1153
28 / 711	78 / 1981	874	1174	1228
28 / 711	84 / 2134	887	1204	1259
28 / 711	90 / 2286	943	1285	1346
28 / 711	96 / 2438	958	1299	1359
35 / 889	66 / 1676	890	1205	1262
35 / 889	72 / 1829	959	1303	1363
35 / 889	78 / 1981	966	1332	1393
35 / 889	84 / 2134	982	1348	1409
35 / 889	90 / 2286	1030	1456	1522
35 / 889	96 / 2438	1044	1471	1539

Pricing is continued on the following page.

Xpress

U A E I L

Solid International Power/ Communications Fascia for Freestanding District (Clip Mount) (Continued)

DIMENSIONS INCHES / MM

H	W
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	36 / 914
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	36 / 914
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL (LL or RR) & VERTICAL (B or T)

Element Source Laminate	Flintwood	Natural Veneer
299	467	488
329	511	532
353	557	582
374	588	616
395	620	648
412	650	680
445	715	747
468	752	787
497	793	828
520	826	861
548	880	918
302	476	497
339	534	558
361	569	593
381	603	630
402	636	665
423	666	696
454	731	764
481	769	803
511	810	849
540	864	905
559	899	941
335	533	557
365	579	604
392	617	645
417	657	686
710	955	1000
766	1021	1068
793	1076	1128
852	1146	1200
864	1175	1230
918	1255	1313
965	1313	1376
340	542	565
370	586	613
398	628	656
675	912	954
730	978	1022
787	1044	1094
814	1102	1153
874	1174	1228
887	1204	1259
943	1285	1346
958	1299	1359

DIMENSIONS INCHES / MM

H	W
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL (LL or RR) & VERTICAL (B or T) (Continued)

Element Source Laminate	Flintwood	Natural Veneer
392	616	643
685	920	962
753	1003	1048
792	1058	1105
861	1158	1211
890	1205	1262
959	1303	1363
966	1332	1393
982	1348	1409
1030	1456	1522
1044	1471	1539

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (B or T)

Element Source Laminate	Flintwood	Natural Veneer
422	661	690
453	724	756
479	761	794
506	800	836
527	833	871
555	887	927
430	673	703
461	739	771
488	777	812
518	820	856
548	874	913
569	907	949
773	1030	1075
800	1085	1136
859	1155	1207
874	1183	1237
927	1263	1323
974	1323	1384
794	1053	1101
822	1112	1162
882	1182	1236
895	1213	1268
951	1294	1354
966	1309	1368
899	1214	1269
967	1311	1371
975	1340	1402
991	1356	1417
1038	1464	1530
1053	1480	1547

Pricing is continued on the following page.

Xpress

UAEIL

Solid International Power/ Communications Fascia for Freestanding District (Clip Mount) (Continued)


DIMENSIONS INCHES / MM		PRICING		
		CALA CUT OUT FOR FOUR OUTLETS (6)		
		HORIZONTAL (LL or RR) & VERTICAL (B or T)		
H	W	Element Source Laminate	Flintwood	Natural Veneer
21 / 533	36 / 914	307	476	496
21 / 533	42 / 1067	337	518	541
21 / 533	48 / 1219	362	565	589
21 / 533	54 / 1372	383	597	624
21 / 533	60 / 1524	402	631	657
21 / 533	66 / 1676	422	661	690
21 / 533	72 / 1829	453	724	756
21 / 533	78 / 1981	479	761	794
21 / 533	84 / 2134	506	800	836
21 / 533	90 / 2286	527	833	871
21 / 533	96 / 2438	555	887	927
22 / 559	36 / 914	310	484	506
22 / 559	42 / 1067	346	543	567
22 / 559	48 / 1219	368	578	603
22 / 559	54 / 1372	391	610	638
22 / 559	60 / 1524	411	643	672
22 / 559	66 / 1676	430	673	703
22 / 559	72 / 1829	461	739	771
22 / 559	78 / 1981	488	777	812
22 / 559	84 / 2134	518	820	856
22 / 559	90 / 2286	548	874	913
22 / 559	96 / 2438	569	907	949
27 / 686	36 / 914	342	542	565
27 / 686	42 / 1067	372	586	611
27 / 686	48 / 1219	399	625	654
27 / 686	54 / 1372	424	666	695
27 / 686	60 / 1524	718	963	1008
27 / 686	66 / 1676	773	1030	1075
27 / 686	72 / 1829	800	1085	1136
27 / 686	78 / 1981	859	1155	1207
27 / 686	84 / 2134	874	1183	1237
27 / 686	90 / 2286	927	1263	1323
27 / 686	96 / 2438	974	1323	1384
28 / 711	36 / 914	347	550	575
28 / 711	42 / 1067	377	594	620
28 / 711	48 / 1219	405	636	665
28 / 711	54 / 1372	684	920	962
28 / 711	60 / 1524	738	985	1031
28 / 711	66 / 1676	794	1053	1101
28 / 711	72 / 1829	822	1112	1162
28 / 711	78 / 1981	882	1182	1236
28 / 711	84 / 2134	895	1213	1268
28 / 711	90 / 2286	951	1294	1354
28 / 711	96 / 2438	966	1309	1368

DIMENSIONS INCHES / MM		PRICING		
		CALA CUT OUT FOR FOUR OUTLETS (6)		
		HORIZONTAL (LL or RR) & VERTICAL (B or T) (Continued)		
H	W	Element Source Laminate	Flintwood	Natural Veneer
35 / 889	36 / 914	399	624	650
35 / 889	42 / 1067	694	928	971
35 / 889	48 / 1219	762	1010	1057
35 / 889	54 / 1372	799	1067	1114
35 / 889	60 / 1524	871	1166	1220
35 / 889	66 / 1676	899	1214	1269
35 / 889	72 / 1829	967	1311	1371
35 / 889	78 / 1981	975	1340	1402
35 / 889	84 / 2134	991	1356	1417
35 / 889	90 / 2286	1038	1464	1530
35 / 889	96 / 2438	1053	1480	1547

Xpress

UNELCM

Metal Power/Communications Fascia (Slot Mount)



The Metal Power/Communications Fascia provides face-mounted access to power/communications above or below worksurface height.

WHAT'S INCLUDED
1 fascia with cut out as specified.

WHAT'S EXCLUDED
Fascia Light Block (UNEX) is required for additional segmentation and must be specified separately. Can be found in the *Panel Walls* section.

NOTES
37" high fascia can be specified to a maximum of 60" width only.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/Communications Orientation	Vertical Power/Communications Orientation	Height	Width (6" increments)	Fascia Finish
2 One duplex outlet plus VDM (available on 24" and 30" widths) **4** Two duplex outlets plus VDM (available on 36" widths and wider)	**B** Left and Right (available on 66" width and wider for one and two duplex outlets) **C** Centered (available on 36" width for two duplex outlets and on 24", 30", 36" widths for one duplex outlet) **L** Left (not available on widths below 42") **R** Right (not available on widths below 42") **E** Left Center (available on 66" widths or higher for both one and two duplex options) **F** Right Center (available on 66" widths or higher for both one and two duplex options) **D** Centered Left and Right (available on 66" widths or higher for both one and two duplex options)	**B** Bottom or Lower section of Fascia (available on 7", 13", 22", 26", 35", 37" heights) **F** Flush (applies to 28" height only for base fascias flush to floor. Cut out will be at bottom) **T** Top or Upper section of Fascia (available on 13", 22", 28" heights)	07, 13, 22, 26, 28, 35, 37	24 - 96	Foundation Mica

SAMPLE ORDER CODE

UNELCM 2	B	B	22	72	14

DIMENSIONS INCHES / MM

H	W
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

PRICING

HORIZONTAL (B, D, E, F) & VERTICAL (B)
171
176
180
183
187
190
224
234
241
247
254
264

DIMENSIONS INCHES / MM

H	W
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
26 / 660	66 / 1676
26 / 660	72 / 1829
26 / 660	78 / 1981
26 / 660	84 / 2134
26 / 660	90 / 2286
26 / 660	96 / 2438

PRICING

HORIZONTAL (B, D, E, F) & VERTICAL (B) (CONTINUED)
303
314
328
339
349
363
356
369
384
399
412
428

Pricing is continued on the following page.

Xpress

UNELCM

Metal Power/Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM		PRICING
H	W	HORIZONTAL (B, D, E, F) & VERTICAL (F)
28 / 711	66 / 1676	356
28 / 711	72 / 1829	369
28 / 711	78 / 1981	384
28 / 711	84 / 2134	399
28 / 711	90 / 2286	412
28 / 711	96 / 2438	428
		HORIZONTAL (B, D, E, F) & VERTICAL (T)
13 / 330	66 / 1676	224
13 / 330	72 / 1829	234
13 / 330	78 / 1981	241
13 / 330	84 / 2134	247
13 / 330	90 / 2286	254
13 / 330	96 / 2438	264
22 / 559	66 / 1676	303
22 / 559	72 / 1829	314
22 / 559	78 / 1981	328
22 / 559	84 / 2134	339
22 / 559	90 / 2286	349
22 / 559	96 / 2438	363
28 / 711	66 / 1676	356
28 / 711	72 / 1829	369
28 / 711	78 / 1981	384
28 / 711	84 / 2134	399
28 / 711	90 / 2286	412
28 / 711	96 / 2438	428
H	W	HORIZONTAL (C) & VERTICAL (B)
7 / 178	24 / 610	91
7 / 178	30 / 762	97
7 / 178	36 / 914	101
13 / 330	24 / 610	115
13 / 330	30 / 762	124
13 / 330	36 / 914	131
22 / 559	24 / 610	148
22 / 559	30 / 762	159
22 / 559	36 / 914	175
26 / 660	24 / 610	165
26 / 660	30 / 762	183
26 / 660	36 / 914	202
35 / 889	24 / 610	190
35 / 889	30 / 762	212
35 / 889	36 / 914	236
37 / 940	24 / 610	208
37 / 940	30 / 762	224
37 / 940	36 / 914	246

DIMENSIONS INCHES / MM		PRICING
		HORIZONTAL (C) & VERTICAL (F)
28 / 711	24 / 610	165
28 / 711	30 / 762	183
28 / 711	36 / 914	202
		HORIZONTAL (C) & VERTICAL (T)
13 / 330	24 / 610	115
13 / 330	30 / 762	124
13 / 330	36 / 914	131
22 / 559	24 / 610	148
22 / 559	30 / 762	159
22 / 559	36 / 914	175
28 / 711	24 / 610	165
28 / 711	30 / 762	183
28 / 711	36 / 914	202
H	W	HORIZONTAL (L or R) & VERTICAL (B)
7 / 178	42 / 1067	110
7 / 178	48 / 1219	114
7 / 178	54 / 1372	119
7 / 178	60 / 1524	124
7 / 178	66 / 1676	171
7 / 178	72 / 1829	176
7 / 178	78 / 1981	180
7 / 178	84 / 2134	183
7 / 178	90 / 2286	187
7 / 178	96 / 2438	190
13 / 330	42 / 1067	142
13 / 330	48 / 1219	150
13 / 330	54 / 1372	158
13 / 330	60 / 1524	165
13 / 330	66 / 1676	224
13 / 330	72 / 1829	234
13 / 330	78 / 1981	241
13 / 330	84 / 2134	247
13 / 330	90 / 2286	254
13 / 330	96 / 2438	264
22 / 559	42 / 1067	186
22 / 559	48 / 1219	197
22 / 559	54 / 1372	211
22 / 559	60 / 1524	221
22 / 559	66 / 1676	303
22 / 559	72 / 1829	314
22 / 559	78 / 1981	328
22 / 559	84 / 2134	339
22 / 559	90 / 2286	349
22 / 559	96 / 2438	363

Pricing is continued on the following page.

Xpress

U N E L C M

Metal Power/Communications Fascia (Slot Mount) (Continued)


DIMENSIONS INCHES / MM		PRICING
H	W	HORIZONTAL (L or R) & VERTICAL (B) (CONTINUED)
26 / 660	42 / 1067	214
26 / 660	48 / 1219	231
26 / 660	54 / 1372	244
26 / 660	60 / 1524	259
26 / 660	66 / 1676	356
26 / 660	72 / 1829	369
26 / 660	78 / 1981	384
26 / 660	84 / 2134	399
26 / 660	90 / 2286	412
26 / 660	96 / 2438	428
35 / 889	42 / 1067	249
35 / 889	48 / 1219	270
35 / 889	54 / 1372	286
35 / 889	60 / 1524	304
37 / 940	42 / 1067	268
37 / 940	48 / 1219	285
37 / 940	54 / 1372	307
37 / 940	60 / 1524	328
H	W	HORIZONTAL (L or R) & VERTICAL (F)
28 / 711	42 / 1067	214
28 / 711	48 / 1219	231
28 / 711	54 / 1372	244
28 / 711	60 / 1524	259
28 / 711	66 / 1676	356
28 / 711	72 / 1829	369
28 / 711	78 / 1981	384
28 / 711	84 / 2134	399
28 / 711	90 / 2286	412
28 / 711	96 / 2438	428

DIMENSIONS INCHES / MM		PRICING
H	W	HORIZONTAL (L or R) & VERTICAL (T)
13 / 330	42 / 1067	142
13 / 330	48 / 1219	150
13 / 330	54 / 1372	158
13 / 330	60 / 1524	165
13 / 330	66 / 1676	224
13 / 330	72 / 1829	234
13 / 330	78 / 1981	241
13 / 330	84 / 2134	247
13 / 330	90 / 2286	254
13 / 330	96 / 2438	264
22 / 559	42 / 1067	186
22 / 559	48 / 1219	197
22 / 559	54 / 1372	211
22 / 559	60 / 1524	221
22 / 559	66 / 1676	303
22 / 559	72 / 1829	314
22 / 559	78 / 1981	328
22 / 559	84 / 2134	339
22 / 559	90 / 2286	349
22 / 559	96 / 2438	363
28 / 711	42 / 1067	214
28 / 711	48 / 1219	231
28 / 711	54 / 1372	244
28 / 711	60 / 1524	259
28 / 711	66 / 1676	356
28 / 711	72 / 1829	369
28 / 711	78 / 1981	384
28 / 711	84 / 2134	399
28 / 711	90 / 2286	412
28 / 711	96 / 2438	428

Xpress

U A E L C M

Metal Power/Communications Fascia for Freestanding District (Slot Mount)



The Metal Power/Communications Fascia (Slot Mount) provides face-mounted access to power/communications.

WHAT'S INCLUDED
1 fascia with cut out as specified, fascia connectors.

NOTES
Not all height/width combinations are available. 35" high fascia can be specified to a maximum of 60" width only. See pricing for exact offering.

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 22" fascia must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

For 36" to 60" wide fascias only Left (LL) or Right (RR) power and data locations can be specified.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/ Communication Orientation	Vertical Power/ Communication Orientation	Height	Width (6" increments)	Fascia Finish
2 One duplex outlet plus VDM	**LL** Left	**T** Top	22, 28, 35	36 - 96	Foundation
4 Two duplex outlets plus VDM	**LC** Left Center	**B** Bottom			Mica
	RC Right Center				Accent
	RR Right				
	LR Left and Right				
	CR Left Center and Right				
	CL Right Center and Left				

SAMPLE ORDER CODE

UAELCM 2	LC	B	22	66	14

DIMENSIONS
INCHES / MM

H	W
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (B or T)
309
319
334
344
356
368
347
363
377
393
406
422

Pricing is continued on the following page.

Xpress

U A E L C M


Metal Power/Communications Fascia for Freestanding District (Slot Mount) (Continued)

DIMENSIONS INCHES / MM		PRICING
H	W	HORIZONTAL (LL or RR) & VERTICAL (B or T)
22 / 559	36 / 914	184
22 / 559	42 / 1067	194
22 / 559	48 / 1219	208
22 / 559	54 / 1372	217
22 / 559	60 / 1524	228
22 / 559	66 / 1676	309
22 / 559	72 / 1829	319
22 / 559	78 / 1981	334
22 / 559	84 / 2134	344
22 / 559	90 / 2286	356
22 / 559	96 / 2438	368
28 / 711	36 / 914	205
28 / 711	42 / 1067	217
28 / 711	48 / 1219	233
28 / 711	54 / 1372	244
28 / 711	60 / 1524	258
28 / 711	66 / 1676	347
28 / 711	72 / 1829	363
28 / 711	78 / 1981	377
28 / 711	84 / 2134	393
28 / 711	90 / 2286	406
28 / 711	96 / 2438	422
35 / 889	36 / 914	238
35 / 889	42 / 1067	254
35 / 889	48 / 1219	272
35 / 889	54 / 1372	289
35 / 889	60 / 1524	308

Xpress

UNELIM

Metal International Power/ Communications Fascia (Slot Mount)



The Metal International Power/Communications Fascia provides face-mounted access to power/communications above or below worksurface height.

WHAT'S INCLUDED
1 fascia with cut out as specified.

WHAT'S EXCLUDED
Fascia Light Block (UNEX) is required for additional segmentation and must be specified separately. Can be found in the *Panel Walls* section.

NOTES
37" high fascia can be specified to a maximum of 60" width only.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/ Communications Orientation	Vertical Power/ Communications Orientation	Height	Width (6" increments)	Fascia Finish	Bezel Finish
2 Cut Out for two outlets (available on 24" and 30" widths)	**B** Left and Right (available on 66" width and wider)	**B** Bottom or lower section of fascia (available on 7", 13", 22", 37" heights)	07, 13, 21, 22, 27, 28, 37	24 - 96	Foundation	**-** Black
3 Cut Out for two outlets and one data/ communications box (available on 36" widths and wider)	**C** Centered (available on 36" width for config. 3 and 4 (available on 24", 30", 36" widths for config. 2)	**F** Flush (applies to 28" height only for base fascias flush to floor. Cut Out will be at bottom)			Mica	**74** Storm White
4 Cut Out for four outlets (available on 36" widths and wider)	**L** Left (not available on widths below 42")	**T** Top or upper section of fascia (available on 13", 22", 28" heights)			Accent	
5 Cala Cut Out for two outlets	**R** Right (not available on widths below 42")					
6 Cala Cut Out for four outlets						

SAMPLE ORDER CODE

UNELIM 3	R	T	22	60	14	74

DIMENSIONS INCHES / MM

H	W
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4)
HORIZONTAL (B) & VERTICAL (B)
171
176
180
183
187
190
224
234
241
247
254
264
300
310
323
334
344
358

DIMENSIONS INCHES / MM

H	W
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4)
HORIZONTAL (B) & VERTICAL (B) (Continued)
303
314
328
339
349
363
HORIZONTAL (B) & VERTICAL (F)
351
365
377
394
406
423
356
369
384
399
412
428

Pricing is continued on the following page.

Xpress

UNELIM

Metal International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM		PRICING
		CUT OUT OUTLET (2, 3, 4)
H	W	HORIZONTAL (B) & VERTICAL (T)
13 / 330	66 / 1676	224
13 / 330	72 / 1829	234
13 / 330	78 / 1981	241
13 / 330	84 / 2134	247
13 / 330	90 / 2286	254
13 / 330	96 / 2438	264
21 / 533	66 / 1676	300
21 / 533	72 / 1829	310
21 / 533	78 / 1981	323
21 / 533	84 / 2134	334
21 / 533	90 / 2286	344
21 / 533	96 / 2438	358
22 / 559	66 / 1676	303
22 / 559	72 / 1829	314
22 / 559	78 / 1981	328
22 / 559	84 / 2134	339
22 / 559	90 / 2286	349
22 / 559	96 / 2438	363
27 / 686	66 / 1676	351
27 / 686	72 / 1829	365
27 / 686	78 / 1981	377
27 / 686	84 / 2134	394
27 / 686	90 / 2286	406
27 / 686	96 / 2438	423
28 / 711	66 / 1676	356
28 / 711	72 / 1829	369
28 / 711	78 / 1981	384
28 / 711	84 / 2134	399
28 / 711	90 / 2286	412
28 / 711	96 / 2438	428
		HORIZONTAL (C) & VERTICAL (B)
7 / 178	24 / 610	91
7 / 178	30 / 762	97
7 / 178	36 / 914	101
13 / 330	24 / 610	115
13 / 330	30 / 762	124
13 / 330	36 / 914	131
21 / 533	24 / 610	145
21 / 533	30 / 762	157
21 / 533	36 / 914	172
22 / 559	24 / 610	148
22 / 559	30 / 762	159
22 / 559	36 / 914	175
37 / 940	24 / 610	208
37 / 940	30 / 762	224
37 / 940	36 / 914	246

DIMENSIONS INCHES / MM		PRICING
		CUT OUT OUTLET (2, 3, 4)
H	W	HORIZONTAL (C) & VERTICAL (F)
27 / 686	24 / 610	164
27 / 686	30 / 762	181
27 / 686	36 / 914	195
28 / 711	24 / 610	165
28 / 711	30 / 762	183
28 / 711	36 / 914	202
		HORIZONTAL (C) & VERTICAL (T)
13 / 330	24 / 610	115
13 / 330	30 / 762	124
13 / 330	36 / 914	131
21 / 533	24 / 610	145
21 / 533	30 / 762	157
21 / 533	36 / 914	172
22 / 559	24 / 610	148
22 / 559	30 / 762	159
22 / 559	36 / 914	175
27 / 686	24 / 610	164
27 / 686	30 / 762	181
27 / 686	36 / 914	195
28 / 711	24 / 610	165
28 / 711	30 / 762	183
28 / 711	36 / 914	202
		HORIZONTAL (L or R) & VERTICAL (B)
7 / 178	42 / 1067	110
7 / 178	48 / 1219	114
7 / 178	54 / 1372	119
7 / 178	60 / 1524	124
7 / 178	66 / 1676	171
7 / 178	72 / 1829	176
7 / 178	78 / 1981	180
7 / 178	84 / 2134	183
7 / 178	90 / 2286	187
7 / 178	96 / 2438	190
13 / 330	42 / 1067	142
13 / 330	48 / 1219	150
13 / 330	54 / 1372	158
13 / 330	60 / 1524	165
13 / 330	66 / 1676	224
13 / 330	72 / 1829	234
13 / 330	78 / 1981	241
13 / 330	84 / 2134	247
13 / 330	90 / 2286	254
13 / 330	96 / 2438	264

Pricing is continued on the following page.

Xpress

UNELIM

Metal International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM		PRICING
		CUT OUT OUTLET (2, 3, 4)
H	W	HORIZONTAL (L or R) & VERTICAL (B) (Continued)
21 / 533	42 / 1067	183
21 / 533	48 / 1219	194
21 / 533	54 / 1372	209
21 / 533	60 / 1524	219
21 / 533	66 / 1676	300
21 / 533	72 / 1829	310
21 / 533	78 / 1981	323
21 / 533	84 / 2134	334
21 / 533	90 / 2286	344
21 / 533	96 / 2438	358
22 / 559	42 / 1067	186
22 / 559	48 / 1219	197
22 / 559	54 / 1372	211
22 / 559	60 / 1524	221
22 / 559	66 / 1676	303
22 / 559	72 / 1829	314
22 / 559	78 / 1981	328
22 / 559	84 / 2134	339
22 / 559	90 / 2286	349
22 / 559	96 / 2438	363
37 / 940	42 / 1067	268
37 / 940	48 / 1219	285
37 / 940	54 / 1372	307
37 / 940	60 / 1524	328
		HORIZONTAL (L or R) & VERTICAL (F)
27 / 686	42 / 1067	212
27 / 686	48 / 1219	225
27 / 686	54 / 1372	241
27 / 686	60 / 1524	255
27 / 686	66 / 1676	351
27 / 686	72 / 1829	365
27 / 686	78 / 1981	377
27 / 686	84 / 2134	394
27 / 686	90 / 2286	406
27 / 686	96 / 2438	423
28 / 711	42 / 1067	214
28 / 711	48 / 1219	231
28 / 711	54 / 1372	244
28 / 711	60 / 1524	259
28 / 711	66 / 1676	356
28 / 711	72 / 1829	369
28 / 711	78 / 1981	384
28 / 711	84 / 2134	399
28 / 711	90 / 2286	412
28 / 711	96 / 2438	428

DIMENSIONS INCHES / MM		PRICING
		CUT OUT OUTLET (2, 3, 4)
H	W	HORIZONTAL (L or R) & VERTICAL (T)
13 / 330	42 / 1067	142
13 / 330	48 / 1219	150
13 / 330	54 / 1372	158
13 / 330	60 / 1524	165
13 / 330	66 / 1676	224
13 / 330	72 / 1829	234
13 / 330	78 / 1981	241
13 / 330	84 / 2134	247
13 / 330	90 / 2286	254
13 / 330	96 / 2438	264
21 / 533	42 / 1067	183
21 / 533	48 / 1219	194
21 / 533	54 / 1372	209
21 / 533	60 / 1524	219
21 / 533	66 / 1676	300
21 / 533	72 / 1829	310
21 / 533	78 / 1981	323
21 / 533	84 / 2134	334
21 / 533	90 / 2286	344
21 / 533	96 / 2438	358
22 / 559	42 / 1067	186
22 / 559	48 / 1219	197
22 / 559	54 / 1372	211
22 / 559	60 / 1524	221
22 / 559	66 / 1676	303
22 / 559	72 / 1829	314
22 / 559	78 / 1981	328
22 / 559	84 / 2134	339
22 / 559	90 / 2286	349
22 / 559	96 / 2438	363
27 / 686	42 / 1067	212
27 / 686	48 / 1219	225
27 / 686	54 / 1372	241
27 / 686	60 / 1524	255
27 / 686	66 / 1676	351
27 / 686	72 / 1829	365
27 / 686	78 / 1981	377
27 / 686	84 / 2134	394
27 / 686	90 / 2286	406
27 / 686	96 / 2438	423
28 / 711	42 / 1067	214
28 / 711	48 / 1219	231
28 / 711	54 / 1372	244
28 / 711	60 / 1524	259
28 / 711	66 / 1676	356
28 / 711	72 / 1829	369
28 / 711	78 / 1981	384
28 / 711	84 / 2134	399
28 / 711	90 / 2286	412
28 / 711	96 / 2438	428

Pricing is continued on the following page.

Xpress

UNELIM

Metal International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM		PRICING
		CALA CUT OUT FOR TWO OUTLETS (5)
H	W	HORIZONTAL (B) & VERTICAL (B)
7 / 178	66 / 1676	204
7 / 178	72 / 1829	209
7 / 178	78 / 1981	212
7 / 178	84 / 2134	216
7 / 178	90 / 2286	219
7 / 178	96 / 2438	223
13 / 330	66 / 1676	258
13 / 330	72 / 1829	266
13 / 330	78 / 1981	273
13 / 330	84 / 2134	279
13 / 330	90 / 2286	286
13 / 330	96 / 2438	296
21 / 533	66 / 1676	332
21 / 533	72 / 1829	342
21 / 533	78 / 1981	356
21 / 533	84 / 2134	367
21 / 533	90 / 2286	376
21 / 533	96 / 2438	391
22 / 559	66 / 1676	337
22 / 559	72 / 1829	346
22 / 559	78 / 1981	361
22 / 559	84 / 2134	371
22 / 559	90 / 2286	383
22 / 559	96 / 2438	395
		HORIZONTAL (B) & VERTICAL (F)
27 / 686	66 / 1676	384
27 / 686	72 / 1829	398
27 / 686	78 / 1981	411
27 / 686	84 / 2134	427
27 / 686	90 / 2286	438
27 / 686	96 / 2438	455
28 / 711	66 / 1676	390
28 / 711	72 / 1829	401
28 / 711	78 / 1981	419
28 / 711	84 / 2134	431
28 / 711	90 / 2286	446
28 / 711	96 / 2438	460
		HORIZONTAL (B) & VERTICAL (T)
13 / 330	66 / 1676	258
13 / 330	72 / 1829	266
13 / 330	78 / 1981	273
13 / 330	84 / 2134	279
13 / 330	90 / 2286	286
13 / 330	96 / 2438	296

DIMENSIONS INCHES / MM		PRICING
		CALA CUT OUT FOR TWO OUTLETS (5)
H	W	HORIZONTAL (B) & VERTICAL (T) (Continued)
21 / 533	66 / 1676	332
21 / 533	72 / 1829	342
21 / 533	78 / 1981	356
21 / 533	84 / 2134	367
21 / 533	90 / 2286	376
21 / 533	96 / 2438	391
22 / 559	66 / 1676	337
22 / 559	72 / 1829	346
22 / 559	78 / 1981	361
22 / 559	84 / 2134	371
22 / 559	90 / 2286	383
22 / 559	96 / 2438	395
27 / 686	66 / 1676	384
27 / 686	72 / 1829	398
27 / 686	78 / 1981	411
27 / 686	84 / 2134	427
27 / 686	90 / 2286	438
27 / 686	96 / 2438	455
28 / 711	66 / 1676	390
28 / 711	72 / 1829	401
28 / 711	78 / 1981	419
28 / 711	84 / 2134	431
28 / 711	90 / 2286	446
28 / 711	96 / 2438	460
		HORIZONTAL (C) & VERTICAL (B)
7 / 178	24 / 610	124
7 / 178	30 / 762	129
7 / 178	36 / 914	134
13 / 330	24 / 610	149
13 / 330	30 / 762	157
13 / 330	36 / 914	164
21 / 533	24 / 610	179
21 / 533	30 / 762	189
21 / 533	36 / 914	205
22 / 559	24 / 610	180
22 / 559	30 / 762	191
22 / 559	36 / 914	208
37 / 940	24 / 610	240
37 / 940	30 / 762	258
37 / 940	36 / 914	278

Pricing is continued on the following page.

Xpress

UNELIM

Metal International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM		PRICING
		CALA CUT OUT FOR TWO OUTLETS (5)
H	W	HORIZONTAL (C) & VERTICAL (F)
27 / 686	24 / 610	197
27 / 686	30 / 762	213
27 / 686	36 / 914	231
28 / 711	24 / 610	202
28 / 711	30 / 762	216
28 / 711	36 / 914	234
		HORIZONTAL (C) & VERTICAL (T)
13 / 330	24 / 610	149
13 / 330	30 / 762	157
13 / 330	36 / 914	164
21 / 533	24 / 610	179
21 / 533	30 / 762	189
21 / 533	36 / 914	205
22 / 559	24 / 610	180
22 / 559	30 / 762	191
22 / 559	36 / 914	208
27 / 686	24 / 610	197
27 / 686	30 / 762	213
27 / 686	36 / 914	231
28 / 711	24 / 610	202
28 / 711	30 / 762	216
28 / 711	36 / 914	234
		HORIZONTAL (L or R) & VERTICAL (B)
7 / 178	42 / 1067	142
7 / 178	48 / 1219	148
7 / 178	54 / 1372	152
7 / 178	60 / 1524	157
7 / 178	66 / 1676	204
7 / 178	72 / 1829	209
7 / 178	78 / 1981	212
7 / 178	84 / 2134	216
7 / 178	90 / 2286	219
7 / 178	96 / 2438	223
13 / 330	42 / 1067	175
13 / 330	48 / 1219	182
13 / 330	54 / 1372	190
13 / 330	60 / 1524	202
13 / 330	66 / 1676	258
13 / 330	72 / 1829	266
13 / 330	78 / 1981	273
13 / 330	84 / 2134	279
13 / 330	90 / 2286	286
13 / 330	96 / 2438	296

DIMENSIONS INCHES / MM		PRICING
		CALA CUT OUT FOR TWO OUTLETS (5)
H	W	HORIZONTAL (L or R) & VERTICAL (B) (Continued)
21 / 533	42 / 1067	216
21 / 533	48 / 1219	228
21 / 533	54 / 1372	241
21 / 533	60 / 1524	251
21 / 533	66 / 1676	332
21 / 533	72 / 1829	342
21 / 533	78 / 1981	356
21 / 533	84 / 2134	367
21 / 533	90 / 2286	376
21 / 533	96 / 2438	391
22 / 559	42 / 1067	218
22 / 559	48 / 1219	233
22 / 559	54 / 1372	243
22 / 559	60 / 1524	255
22 / 559	66 / 1676	337
22 / 559	72 / 1829	346
22 / 559	78 / 1981	361
22 / 559	84 / 2134	371
22 / 559	90 / 2286	383
22 / 559	96 / 2438	395
37 / 940	42 / 1067	300
37 / 940	48 / 1219	317
37 / 940	54 / 1372	339
37 / 940	60 / 1524	361
		HORIZONTAL (L or R) & VERTICAL (F)
27 / 686	42 / 1067	244
27 / 686	48 / 1219	259
27 / 686	54 / 1372	273
27 / 686	60 / 1524	287
27 / 686	66 / 1676	384
27 / 686	72 / 1829	398
27 / 686	78 / 1981	411
27 / 686	84 / 2134	427
27 / 686	90 / 2286	438
27 / 686	96 / 2438	455
28 / 711	42 / 1067	247
28 / 711	48 / 1219	264
28 / 711	54 / 1372	277
28 / 711	60 / 1524	294
28 / 711	66 / 1676	390
28 / 711	72 / 1829	401
28 / 711	78 / 1981	419
28 / 711	84 / 2134	431
28 / 711	90 / 2286	446
28 / 711	96 / 2438	460

Pricing is continued on the following page.

Xpress

UNELIM

Metal International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM		PRICING
		CALA CUT OUT FOR TWO OUTLETS (5)
H	W	HORIZONTAL (L or R) & VERTICAL (T)
13 / 330	42 / 1067	175
13 / 330	48 / 1219	182
13 / 330	54 / 1372	190
13 / 330	60 / 1524	202
13 / 330	66 / 1676	258
13 / 330	72 / 1829	266
13 / 330	78 / 1981	273
13 / 330	84 / 2134	279
13 / 330	90 / 2286	286
13 / 330	96 / 2438	296
21 / 533	42 / 1067	216
21 / 533	48 / 1219	228
21 / 533	54 / 1372	241
21 / 533	60 / 1524	251
21 / 533	66 / 1676	332
21 / 533	72 / 1829	342
21 / 533	78 / 1981	356
21 / 533	84 / 2134	367
21 / 533	90 / 2286	376
21 / 533	96 / 2438	391
22 / 559	42 / 1067	218
22 / 559	48 / 1219	233
22 / 559	54 / 1372	243
22 / 559	60 / 1524	255
22 / 559	66 / 1676	337
22 / 559	72 / 1829	346
22 / 559	78 / 1981	361
22 / 559	84 / 2134	371
22 / 559	90 / 2286	383
22 / 559	96 / 2438	395
27 / 686	42 / 1067	244
27 / 686	48 / 1219	259
27 / 686	54 / 1372	273
27 / 686	60 / 1524	287
27 / 686	66 / 1676	384
27 / 686	72 / 1829	398
27 / 686	78 / 1981	411
27 / 686	84 / 2134	427
27 / 686	90 / 2286	438
27 / 686	96 / 2438	455
28 / 711	42 / 1067	247
28 / 711	48 / 1219	264
28 / 711	54 / 1372	277
28 / 711	60 / 1524	294
28 / 711	66 / 1676	390
28 / 711	72 / 1829	401
28 / 711	78 / 1981	419
28 / 711	84 / 2134	431
28 / 711	90 / 2286	446
28 / 711	96 / 2438	460

DIMENSIONS INCHES / MM		PRICING
		CALA CUT OUT FOR FOUR OUTLETS (6)
H	W	HORIZONTAL (B) & VERTICAL (B)
7 / 178	66 / 1676	211
7 / 178	72 / 1829	216
7 / 178	78 / 1981	219
7 / 178	84 / 2134	223
7 / 178	90 / 2286	228
7 / 178	96 / 2438	234
13 / 330	66 / 1676	268
13 / 330	72 / 1829	273
13 / 330	78 / 1981	281
13 / 330	84 / 2134	287
13 / 330	90 / 2286	296
13 / 330	96 / 2438	303
21 / 533	66 / 1676	340
21 / 533	72 / 1829	351
21 / 533	78 / 1981	364
21 / 533	84 / 2134	374
21 / 533	90 / 2286	387
21 / 533	96 / 2438	398
22 / 559	66 / 1676	344
22 / 559	72 / 1829	356
22 / 559	78 / 1981	368
22 / 559	84 / 2134	379
22 / 559	90 / 2286	392
22 / 559	96 / 2438	402
		HORIZONTAL (B) & VERTICAL (F)
27 / 686	66 / 1676	393
27 / 686	72 / 1829	405
27 / 686	78 / 1981	421
27 / 686	84 / 2134	434
27 / 686	90 / 2286	450
27 / 686	96 / 2438	462
28 / 711	66 / 1676	397
28 / 711	72 / 1829	409
28 / 711	78 / 1981	425
28 / 711	84 / 2134	438
28 / 711	90 / 2286	454
28 / 711	96 / 2438	468
		HORIZONTAL (B) & VERTICAL (T)
13 / 330	66 / 1676	268
13 / 330	72 / 1829	273
13 / 330	78 / 1981	281
13 / 330	84 / 2134	287
13 / 330	90 / 2286	296
13 / 330	96 / 2438	303

Pricing is continued on the following page.

Xpress

UNELIM

Metal International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM		PRICING
		CALA CUT OUT FOR FOUR OUTLETS (6)
H	W	HORIZONTAL (B) & VERTICAL (T) (Continued)
21 / 533	66 / 1676	340
21 / 533	72 / 1829	351
21 / 533	78 / 1981	364
21 / 533	84 / 2134	374
21 / 533	90 / 2286	387
21 / 533	96 / 2438	398
22 / 559	66 / 1676	344
22 / 559	72 / 1829	356
22 / 559	78 / 1981	368
22 / 559	84 / 2134	379
22 / 559	90 / 2286	392
22 / 559	96 / 2438	402
27 / 686	66 / 1676	393
27 / 686	72 / 1829	405
27 / 686	78 / 1981	421
27 / 686	84 / 2134	434
27 / 686	90 / 2286	450
27 / 686	96 / 2438	462
28 / 711	66 / 1676	397
28 / 711	72 / 1829	409
28 / 711	78 / 1981	425
28 / 711	84 / 2134	438
28 / 711	90 / 2286	454
28 / 711	96 / 2438	468
		HORIZONTAL (C) & VERTICAL (B)
7 / 178	36 / 914	144
13 / 330	36 / 914	175
21 / 533	36 / 914	212
22 / 559	36 / 914	214
37 / 940	36 / 914	286
		HORIZONTAL (C) & VERTICAL (T)
13 / 330	36 / 914	175
21 / 533	36 / 914	212
22 / 559	36 / 914	214
27 / 686	36 / 914	239
28 / 711	36 / 914	241

DIMENSIONS INCHES / MM		PRICING
		CALA CUT OUT FOR FOUR OUTLETS (6)
H	W	HORIZONTAL (L or R) & VERTICAL (B)
7 / 178	42 / 1067	150
7 / 178	48 / 1219	154
7 / 178	54 / 1372	159
7 / 178	60 / 1524	164
7 / 178	66 / 1676	211
7 / 178	72 / 1829	216
7 / 178	78 / 1981	219
7 / 178	84 / 2134	223
7 / 178	90 / 2286	228
7 / 178	96 / 2438	234
13 / 330	42 / 1067	182
13 / 330	48 / 1219	189
13 / 330	54 / 1372	202
13 / 330	60 / 1524	209
13 / 330	66 / 1676	268
13 / 330	72 / 1829	273
13 / 330	78 / 1981	281
13 / 330	84 / 2134	287
13 / 330	90 / 2286	296
13 / 330	96 / 2438	303
21 / 533	42 / 1067	223
21 / 533	48 / 1219	238
21 / 533	54 / 1372	248
21 / 533	60 / 1524	263
21 / 533	66 / 1676	340
21 / 533	72 / 1829	351
21 / 533	78 / 1981	364
21 / 533	84 / 2134	374
21 / 533	90 / 2286	387
21 / 533	96 / 2438	398
22 / 559	42 / 1067	225
22 / 559	48 / 1219	240
22 / 559	54 / 1372	250
22 / 559	60 / 1524	265
22 / 559	66 / 1676	344
22 / 559	72 / 1829	356
22 / 559	78 / 1981	368
22 / 559	84 / 2134	379
22 / 559	90 / 2286	392
22 / 559	96 / 2438	402
37 / 940	42 / 1067	308
37 / 940	48 / 1219	328
37 / 940	54 / 1372	346
37 / 940	60 / 1524	368

Pricing is continued on the following page.

Xpress

UNELIM

Metal International Power/ Communications Fascia (Slot Mount) (Continued)


DIMENSIONS INCHES / MM		PRICING
		CALA CUT OUT FOR FOUR OUTLETS (6)
H	W	HORIZONTAL (L or R) & VERTICAL (F)
27 / 686	42 / 1067	251
27 / 686	48 / 1219	269
27 / 686	54 / 1372	281
27 / 686	60 / 1524	298
27 / 686	66 / 1676	393
27 / 686	72 / 1829	405
27 / 686	78 / 1981	421
27 / 686	84 / 2134	434
27 / 686	90 / 2286	450
27 / 686	96 / 2438	462
28 / 711	42 / 1067	255
28 / 711	48 / 1219	271
28 / 711	54 / 1372	285
28 / 711	60 / 1524	301
28 / 711	66 / 1676	397
28 / 711	72 / 1829	409
28 / 711	78 / 1981	425
28 / 711	84 / 2134	438
28 / 711	90 / 2286	454
28 / 711	96 / 2438	468
		HORIZONTAL (L or R) & VERTICAL (T)
13 / 330	42 / 1067	182
13 / 330	48 / 1219	189
13 / 330	54 / 1372	202
13 / 330	60 / 1524	209
13 / 330	66 / 1676	268
13 / 330	72 / 1829	273
13 / 330	78 / 1981	281
13 / 330	84 / 2134	287
13 / 330	90 / 2286	296
13 / 330	96 / 2438	303
21 / 533	42 / 1067	223
21 / 533	48 / 1219	238
21 / 533	54 / 1372	248
21 / 533	60 / 1524	263
21 / 533	66 / 1676	340
21 / 533	72 / 1829	351
21 / 533	78 / 1981	364
21 / 533	84 / 2134	374
21 / 533	90 / 2286	387
21 / 533	96 / 2438	398

DIMENSIONS INCHES / MM		PRICING
		CALA CUT OUT FOR FOUR OUTLETS (6)
H	W	HORIZONTAL (L or R) & VERTICAL (T) (Continued)
22 / 559	42 / 1067	225
22 / 559	48 / 1219	240
22 / 559	54 / 1372	250
22 / 559	60 / 1524	265
22 / 559	66 / 1676	344
22 / 559	72 / 1829	356
22 / 559	78 / 1981	368
22 / 559	84 / 2134	379
22 / 559	90 / 2286	392
22 / 559	96 / 2438	402
27 / 686	42 / 1067	251
27 / 686	48 / 1219	269
27 / 686	54 / 1372	281
27 / 686	60 / 1524	298
27 / 686	66 / 1676	393
27 / 686	72 / 1829	405
27 / 686	78 / 1981	421
27 / 686	84 / 2134	434
27 / 686	90 / 2286	450
27 / 686	96 / 2438	462
28 / 711	42 / 1067	255
28 / 711	48 / 1219	271
28 / 711	54 / 1372	285
28 / 711	60 / 1524	301
28 / 711	66 / 1676	397
28 / 711	72 / 1829	409
28 / 711	78 / 1981	425
28 / 711	84 / 2134	438
28 / 711	90 / 2286	454
28 / 711	96 / 2438	468

Xpress

UAELIM

Metal International Power/ Communications Fascia for Freestanding District (Slot Mount)



The Metal International Power/Communications Fascia provides face-mounted access to power/communications.

WHAT'S INCLUDED
1 fascia with Cut Out as specified, fascia connectors.

NOTES
Not all height/width combinations are available. 35" high fascia can be specified to a maximum of 60" width only. See pricing for exact offering.

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 21" and 22" fascias must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

For 36" to 60" wide fascias only Left (LL) or Right (RR) power and data locations can be specified.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/ Communication Orientation	Vertical Power/ Communication Orientation	Height	Width (6" increments)	Fascia Finish	Bezel Finish
2 Cut Out for two outlets (available on 24" and 30" widths)	**LL** Left	**T** Top	21, 22, 27, 28, 35	36 - 96	Foundation	**-** Black
3 Cut Out for two outlets and one data/ communications box (available on 36" widths and wider)	**LC** Left Center	**B** Bottom			Mica	**74** Storm White
4 Cut Out for four outlets (available on 36" widths and wider)	**RC** Right Center				Accent	
5 Cala Cut Out for two outlets	**RR** Right					
6 Cala Cut Out for four outlets	**LR** Left & Right					
	CR Left Center & Right					
	CL Right Center & Left					

SAMPLE ORDER CODE

UAELIM 2	LC	B	22	66	14	74

DIMENSIONS INCHES / MM

H	W
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4) HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (B or T)
304
315
329
339
349
363
309
319
334
344
356
368

DIMENSIONS INCHES / MM

H	W
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

PRICING

CUT OUT OUTLET (2, 3, 4) HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (B or T) (Continued)
344
359
374
390
401
417
347
363
377
393
406
422

Pricing is continued on the following page.

Xpress

UAELIM

Metal International Power/ Communications Fascia for Freestanding District (Slot Mount) (Continued)

DIMENSIONS INCHES / MM		PRICING
		CUT OUT OUTLET (2, 3, 4)
H	W	HORIZONTAL (LL or RR) & VERTICAL (B or T)
21 / 533	36 / 914	182
21 / 533	42 / 1067	191
21 / 533	48 / 1219	205
21 / 533	54 / 1372	214
21 / 533	60 / 1524	224
21 / 533	66 / 1676	304
21 / 533	72 / 1829	315
21 / 533	78 / 1981	329
21 / 533	84 / 2134	339
21 / 533	90 / 2286	349
21 / 533	96 / 2438	363
22 / 559	36 / 914	184
22 / 559	42 / 1067	194
22 / 559	48 / 1219	208
22 / 559	54 / 1372	217
22 / 559	60 / 1524	228
22 / 559	66 / 1676	309
22 / 559	72 / 1829	319
22 / 559	78 / 1981	334
22 / 559	84 / 2134	344
22 / 559	90 / 2286	356
22 / 559	96 / 2438	368
27 / 686	36 / 914	203
27 / 686	42 / 1067	214
27 / 686	48 / 1219	225
27 / 686	54 / 1372	241
27 / 686	60 / 1524	254
27 / 686	66 / 1676	344
27 / 686	72 / 1829	359
27 / 686	78 / 1981	374
27 / 686	84 / 2134	390
27 / 686	90 / 2286	401
27 / 686	96 / 2438	417
28 / 711	36 / 914	205
28 / 711	42 / 1067	217
28 / 711	48 / 1219	233
28 / 711	54 / 1372	244
28 / 711	60 / 1524	258
28 / 711	66 / 1676	347
28 / 711	72 / 1829	363
28 / 711	78 / 1981	377
28 / 711	84 / 2134	393
28 / 711	90 / 2286	406
28 / 711	96 / 2438	422
35 / 889	36 / 914	238
35 / 889	42 / 1067	254
35 / 889	48 / 1219	272
35 / 889	54 / 1372	289
35 / 889	60 / 1524	308

DIMENSIONS INCHES / MM		PRICING
		CALA CUT OUT FOR TWO OUTLETS (5)
H	W	HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (B or T)
21 / 533	66 / 1676	338
21 / 533	72 / 1829	347
21 / 533	78 / 1981	362
21 / 533	84 / 2134	371
21 / 533	90 / 2286	383
21 / 533	96 / 2438	395
22 / 559	66 / 1676	341
22 / 559	72 / 1829	353
22 / 559	78 / 1981	367
22 / 559	84 / 2134	376
22 / 559	90 / 2286	390
22 / 559	96 / 2438	400
27 / 686	66 / 1676	376
27 / 686	72 / 1829	392
27 / 686	78 / 1981	406
27 / 686	84 / 2134	422
27 / 686	90 / 2286	434
27 / 686	96 / 2438	450
28 / 711	66 / 1676	381
28 / 711	72 / 1829	395
28 / 711	78 / 1981	411
28 / 711	84 / 2134	425
28 / 711	90 / 2286	438
28 / 711	96 / 2438	454
		HORIZONTAL (LL or RR) & VERTICAL (B or T)
21 / 533	36 / 914	214
21 / 533	42 / 1067	224
21 / 533	48 / 1219	238
21 / 533	54 / 1372	247
21 / 533	60 / 1524	258
21 / 533	66 / 1676	338
21 / 533	72 / 1829	347
21 / 533	78 / 1981	362
21 / 533	84 / 2134	371
21 / 533	90 / 2286	383
21 / 533	96 / 2438	395

Pricing is continued on the following page.

Xpress

U A E L I M

Metal International Power/ Communications Fascia for Freestanding District (Slot Mount) (Continued)

DIMENSIONS INCHES / MM		PRICING
		CALA CUT OUT FOR TWO OUTLETS (5)
H	W	HORIZONTAL (LL or RR) & VERTICAL (B or T) (Continued)
22 / 559	36 / 914	217
22 / 559	42 / 1067	228
22 / 559	48 / 1219	240
22 / 559	54 / 1372	249
22 / 559	60 / 1524	263
22 / 559	66 / 1676	341
22 / 559	72 / 1829	353
22 / 559	78 / 1981	367
22 / 559	84 / 2134	376
22 / 559	90 / 2286	390
22 / 559	96 / 2438	400
27 / 686	36 / 914	235
27 / 686	42 / 1067	247
27 / 686	48 / 1219	259
27 / 686	54 / 1372	273
27 / 686	60 / 1524	286
27 / 686	66 / 1676	376
27 / 686	72 / 1829	392
27 / 686	78 / 1981	406
27 / 686	84 / 2134	422
27 / 686	90 / 2286	434
27 / 686	96 / 2438	450
28 / 711	36 / 914	238
28 / 711	42 / 1067	249
28 / 711	48 / 1219	265
28 / 711	54 / 1372	277
28 / 711	60 / 1524	292
28 / 711	66 / 1676	381
28 / 711	72 / 1829	395
28 / 711	78 / 1981	411
28 / 711	84 / 2134	425
28 / 711	90 / 2286	438
28 / 711	96 / 2438	454
35 / 889	36 / 914	270
35 / 889	42 / 1067	286
35 / 889	48 / 1219	304
35 / 889	54 / 1372	323
35 / 889	60 / 1524	340

DIMENSIONS INCHES / MM		PRICING
		CALA CUT OUT FOR FOUR OUTLETS (6)
H	W	HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (B or T)
21 / 533	66 / 1676	345
21 / 533	72 / 1829	358
21 / 533	78 / 1981	369
21 / 533	84 / 2134	379
21 / 533	90 / 2286	392
21 / 533	96 / 2438	402
22 / 559	66 / 1676	349
22 / 559	72 / 1829	362
22 / 559	78 / 1981	374
22 / 559	84 / 2134	387
22 / 559	90 / 2286	397
22 / 559	96 / 2438	407
27 / 686	66 / 1676	387
27 / 686	72 / 1829	399
27 / 686	78 / 1981	417
27 / 686	84 / 2134	429
27 / 686	90 / 2286	443
27 / 686	96 / 2438	457
28 / 711	66 / 1676	391
28 / 711	72 / 1829	402
28 / 711	78 / 1981	421
28 / 711	84 / 2134	432
28 / 711	90 / 2286	450
28 / 711	96 / 2438	461
		HORIZONTAL (LL or RR) & VERTICAL (B or T)
21 / 533	36 / 914	221
21 / 533	42 / 1067	235
21 / 533	48 / 1219	244
21 / 533	54 / 1372	255
21 / 533	60 / 1524	268
21 / 533	66 / 1676	345
21 / 533	72 / 1829	358
21 / 533	78 / 1981	369
21 / 533	84 / 2134	379
21 / 533	90 / 2286	392
21 / 533	96 / 2438	402

Pricing is continued on the following page.

Xpress

UAELIM

Metal International Power/ Communications Fascia for Freestanding District (Slot Mount) (Continued)


DIMENSIONS INCHES / MM		PRICING
		CALA CUT OUT FOR FOUR OUTLETS (6)
H	W	HORIZONTAL (LL or RR) & VERTICAL (B or T) (Continued)
22 / 559	36 / 914	224
22 / 559	42 / 1067	238
22 / 559	48 / 1219	247
22 / 559	54 / 1372	258
22 / 559	60 / 1524	270
22 / 559	66 / 1676	349
22 / 559	72 / 1829	362
22 / 559	78 / 1981	374
22 / 559	84 / 2134	387
22 / 559	90 / 2286	397
22 / 559	96 / 2438	407
27 / 686	36 / 914	242
27 / 686	42 / 1067	255
27 / 686	48 / 1219	269
27 / 686	54 / 1372	281
27 / 686	60 / 1524	296
27 / 686	66 / 1676	387
27 / 686	72 / 1829	399
27 / 686	78 / 1981	417
27 / 686	84 / 2134	429
27 / 686	90 / 2286	443
27 / 686	96 / 2438	457

DIMENSIONS INCHES / MM		PRICING
		CALA CUT OUT FOR FOUR OUTLETS (6)
H	W	HORIZONTAL (LL or RR) & VERTICAL (B or T) (Continued)
28 / 711	36 / 914	244
28 / 711	42 / 1067	258
28 / 711	48 / 1219	272
28 / 711	54 / 1372	285
28 / 711	60 / 1524	300
28 / 711	66 / 1676	391
28 / 711	72 / 1829	402
28 / 711	78 / 1981	421
28 / 711	84 / 2134	432
28 / 711	90 / 2286	450
28 / 711	96 / 2438	461
35 / 889	36 / 914	277
35 / 889	42 / 1067	296
35 / 889	48 / 1219	312
35 / 889	54 / 1372	331
35 / 889	60 / 1524	347

Xpress

UNELCF

Tackable Fabric Power/ Communications Fascia (Slot Mount)



The Tackable Fabric Power/Communications Fascia provides face-mounted access to power/communications above or below worksurface height.

WHAT'S INCLUDED
1 fascia.

WHAT'S EXCLUDED
Fascia Light Block (UNEX) is required for additional segmentation and must be specified separately. Can be found in the *Panel Walls* section.

NOTES
7" high fascia is **not** tackable.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/Communications Orientation	Vertical Power/Communications Orientation	Height	Width (6" increments)	Fascia Finish
2 One duplex outlet plus VDM (available on 24" and 30" widths) **4** Two duplex outlets plus VDM (available on 36" widths and wider)	**L** Left (not available on widths below 42") **R** Right (not available on widths below 42") **B** Both Left and Right (available on 66" width and wider for one and two duplex outlets) **C** Centered (available on 36" width for two duplex outlets and on 24", 30", 36" widths for one duplex outlet) **E** Left Center (available on 66" widths or higher for both one and two duplex options) **F** Right Center (available on 66" widths or higher for both one and two duplex options) **D** Centered Left and Right (available on 66" widths or higher for both one and two duplex options)	**B** Bottom or Lower section of Fascia (available on 7", 13", 22", 26", 35", 37" heights) **F** Flush (applies to 28", 41" height only for base fascias flush to floor. Cut out will be at bottom) **T** Top or Upper section of Fascia (available on 13", 22", 28" heights)	07, 13, 22, 26, 28, 35, 37, 41	24 - 96	Panel Fabric

SAMPLE ORDER CODE

UNELCF 2	B	B	13	72	L341

DIMENSIONS INCHES / MM

H	W
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

PRICING

HORIZONTAL (B, D, E, F) & VERTICAL (B)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
235	242	256	270	282	296	310	323
247	256	272	285	300	314	330	344
263	271	287	303	318	334	349	365
274	285	303	319	338	353	370	389
287	300	317	337	355	371	391	406
302	312	335	353	371	391	409	429
208	218	248	264	279	300	321	340
220	236	269	281	300	323	345	368
236	250	285	302	323	345	370	394
249	268	304	321	344	369	395	421
266	282	323	341	365	392	421	449
279	300	341	362	387	415	446	473
298	316	337	399	446	476	517	555
319	341	363	430	482	514	558	602
342	367	391	461	517	552	603	645
367	392	417	495	553	589	642	692
390	417	442	526	588	630	685	737
411	438	468	557	623	668	728	782

Pricing is continued on the following page.

Xpress

UNELCF

Tackable Fabric Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

PRICING

HORIZONTAL (B, D, E, F) & VERTICAL (B) (CONTINUED)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
26 / 660	66 / 1676	328	365	461	496	536	583	636	685
26 / 660	72 / 1829	353	394	503	542	586	638	695	748
26 / 660	78 / 1981	377	423	533	575	620	673	736	793
26 / 660	84 / 2134	402	453	575	617	669	728	794	856
26 / 660	90 / 2286	429	482	615	664	718	781	853	920
26 / 660	96 / 2438	455	511	656	707	766	833	912	984
35 / 889	66 / 1676	373	423	559	603	658	719	791	856
35 / 889	72 / 1829	404	459	613	665	722	792	869	940
35 / 889	78 / 1981	432	496	650	703	764	834	920	996
35 / 889	84 / 2134	463	533	703	758	827	906	995	1078
35 / 889	90 / 2286	497	568	756	820	890	977	1072	1163
35 / 889	96 / 2438	528	606	808	875	953	1043	1151	1247
37 / 940	66 / 1676	481	520	558	685	777	836	920	996
37 / 940	72 / 1829	518	560	605	740	841	906	996	1080
37 / 940	78 / 1981	556	605	648	797	906	977	1072	1163
37 / 940	84 / 2134	595	645	695	853	971	1045	1150	1248
37 / 940	90 / 2286	635	687	740	910	1035	1115	1227	1329
37 / 940	96 / 2438	672	730	787	966	1100	1185	1304	1414

HORIZONTAL (B, D, E, F) & VERTICAL (F)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
28 / 711	66 / 1676	328	365	461	496	536	583	636	685
28 / 711	72 / 1829	353	394	503	542	586	638	695	748
28 / 711	78 / 1981	377	423	533	575	620	673	736	793
28 / 711	84 / 2134	402	453	575	617	669	728	794	856
28 / 711	90 / 2286	429	482	615	664	718	781	853	920
28 / 711	96 / 2438	455	511	656	707	766	833	912	984
41 / 1041	66 / 1676	545	584	607	747	846	904	988	1068
41 / 1041	72 / 1829	586	623	654	805	913	975	1069	1151
41 / 1041	78 / 1981	627	673	699	864	979	1050	1146	1236
41 / 1041	84 / 2134	667	713	747	923	1049	1120	1226	1327
41 / 1041	90 / 2286	705	760	790	983	1115	1191	1305	1404
41 / 1041	96 / 2438	748	800	841	1039	1180	1264	1383	1496

HORIZONTAL (B, D, E, F) & VERTICAL (T)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
13 / 330	66 / 1676	208	218	248	264	279	300	321	340
13 / 330	72 / 1829	220	236	269	281	300	323	345	368
13 / 330	78 / 1981	236	250	285	302	323	345	370	394
13 / 330	84 / 2134	249	268	304	321	344	369	395	421
13 / 330	90 / 2286	266	282	323	341	365	392	421	449
13 / 330	96 / 2438	279	300	341	362	387	415	446	473
22 / 559	66 / 1676	298	316	337	399	446	476	517	555
22 / 559	72 / 1829	319	341	363	430	482	514	558	602
22 / 559	78 / 1981	342	367	391	461	517	552	603	645
22 / 559	84 / 2134	367	392	417	495	553	589	642	692
22 / 559	90 / 2286	390	417	442	526	588	630	685	737
22 / 559	96 / 2438	411	438	468	557	623	668	728	782
28 / 711	66 / 1676	328	365	461	496	536	583	636	685
28 / 711	72 / 1829	353	394	503	542	586	638	695	748
28 / 711	78 / 1981	377	423	533	575	620	673	736	793
28 / 711	84 / 2134	402	453	575	617	669	728	794	856
28 / 711	90 / 2286	429	482	615	664	718	781	853	920
28 / 711	96 / 2438	455	511	656	707	766	833	912	984

Pricing is continued on the following page.

Xpress

U N E L C F

Tackable Fabric Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

PRICING

HORIZONTAL CENTERED (C) & VERTICAL BOTTOM OR LOWER (B)

		Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
7 / 178	24 / 610	143	145	150	156	161	165	174	179
7 / 178	30 / 762	154	159	179	183	189	195	208	214
7 / 178	36 / 914	167	176	188	193	203	210	217	224
13 / 330	24 / 610	115	122	128	140	149	154	161	172
13 / 330	30 / 762	128	136	164	176	187	197	212	223
13 / 330	36 / 914	142	153	178	184	194	209	221	236
22 / 559	24 / 610	152	158	164	189	209	219	236	249
22 / 559	30 / 762	174	182	219	236	251	270	292	311
22 / 559	36 / 914	191	209	235	256	279	303	329	349
26 / 660	24 / 610	164	182	193	214	234	248	268	282
26 / 660	30 / 762	188	210	255	272	292	314	340	365
26 / 660	36 / 914	212	241	284	303	326	349	379	405
35 / 889	24 / 610	175	199	214	242	269	288	314	330
35 / 889	30 / 762	205	235	291	315	341	370	403	436
35 / 889	36 / 914	234	272	329	356	385	416	456	491
37 / 940	24 / 610	224	239	249	298	332	355	384	412
37 / 940	30 / 762	263	276	325	361	397	432	473	511
37 / 940	36 / 914	299	321	345	417	468	502	549	590

HORIZONTAL CENTERED (C) & VERTICAL FLUSH (F)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
28 / 711	24 / 610	164	182	193	214	234	248	268	282
28 / 711	30 / 762	188	210	255	272	292	314	340	365
28 / 711	36 / 914	212	241	284	303	326	349	379	405
41 / 1041	24 / 610	267	279	288	336	370	394	427	451
41 / 1041	30 / 762	308	318	362	393	427	462	504	540
41 / 1041	36 / 914	346	367	378	457	513	542	588	627

HORIZONTAL CENTERED (C) & VERTICAL TOP OR UPPER (T)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
13 / 330	24 / 610	115	122	128	140	149	154	161	172
13 / 330	30 / 762	128	136	164	176	187	197	212	223
13 / 330	36 / 914	142	153	178	184	194	209	221	236
22 / 559	24 / 610	152	158	164	189	209	219	236	249
22 / 559	30 / 762	174	182	219	236	251	270	292	311
22 / 559	36 / 914	191	209	235	256	279	303	329	349
28 / 711	24 / 610	164	182	193	214	234	248	268	282
28 / 711	30 / 762	188	210	255	272	292	314	340	365
28 / 711	36 / 914	212	241	284	303	326	349	379	405

Pricing is continued on the following page.

Xpress

UNELCF

Tackable Fabric Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

PRICING

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL BOTTOM OR LOWER (B)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
7 / 178	42 / 1067	182	188	202	209	217	224	236	244
7 / 178	48 / 1219	193	203	211	221	234	242	251	264
7 / 178	54 / 1372	209	214	224	238	248	258	271	281
7 / 178	60 / 1524	220	228	241	251	265	276	289	301
7 / 178	66 / 1676	235	242	256	270	282	296	310	323
7 / 178	72 / 1829	247	256	272	285	300	314	330	344
7 / 178	78 / 1981	263	271	287	303	318	334	349	365
7 / 178	84 / 2134	274	285	303	319	338	353	370	389
7 / 178	90 / 2286	287	300	317	337	355	371	391	406
7 / 178	96 / 2438	302	312	335	353	371	391	409	429
13 / 330	42 / 1067	153	164	184	194	209	221	239	250
13 / 330	48 / 1219	165	179	193	211	225	241	256	272
13 / 330	54 / 1372	180	189	214	224	240	256	274	292
13 / 330	60 / 1524	190	205	231	243	258	277	298	314
13 / 330	66 / 1676	208	218	248	264	279	300	321	340
13 / 330	72 / 1829	220	236	269	281	300	323	345	368
13 / 330	78 / 1981	236	250	285	302	323	345	370	394
13 / 330	84 / 2134	249	268	304	321	344	369	395	421
13 / 330	90 / 2286	266	282	323	341	365	392	421	449
13 / 330	96 / 2438	279	300	341	362	387	415	446	473
22 / 559	42 / 1067	213	228	247	282	311	334	362	389
22 / 559	48 / 1219	235	247	263	308	342	365	395	423
22 / 559	54 / 1372	254	269	285	337	374	399	432	464
22 / 559	60 / 1524	273	287	310	365	406	432	469	504
22 / 559	66 / 1676	298	316	337	399	446	476	517	555
22 / 559	72 / 1829	319	341	363	430	482	514	558	602
22 / 559	78 / 1981	342	367	391	461	517	552	603	645
22 / 559	84 / 2134	367	392	417	495	553	589	642	692
22 / 559	90 / 2286	390	417	442	526	588	630	685	737
22 / 559	96 / 2438	411	438	468	557	623	668	728	782
26 / 660	42 / 1067	235	266	301	323	349	381	412	442
26 / 660	48 / 1219	256	287	317	353	389	419	452	484
26 / 660	54 / 1372	278	311	383	409	443	481	521	559
26 / 660	60 / 1524	302	337	422	453	489	529	578	619
26 / 660	66 / 1676	328	365	461	496	536	583	636	685
26 / 660	72 / 1829	353	394	503	542	586	638	695	748
26 / 660	78 / 1981	377	423	533	575	620	673	736	793
26 / 660	84 / 2134	402	453	575	617	669	728	794	856
26 / 660	90 / 2286	429	482	615	664	718	781	853	920
26 / 660	96 / 2438	455	511	656	707	766	833	912	984
35 / 889	42 / 1067	261	303	349	378	412	456	497	535
35 / 889	48 / 1219	286	327	368	417	462	503	548	589
35 / 889	54 / 1372	312	357	459	491	535	587	639	691
35 / 889	60 / 1524	342	389	508	549	596	649	715	770
35 / 889	66 / 1676	373	423	559	603	658	719	791	856
35 / 889	72 / 1829	404	459	613	665	722	792	869	940
35 / 889	78 / 1981	432	496	650	703	764	834	920	996
35 / 889	84 / 2134	463	533	703	758	827	906	995	1078
35 / 889	90 / 2286	497	568	756	820	890	977	1072	1163
35 / 889	96 / 2438	528	606	808	875	953	1043	1151	1247

Pricing is continued on the following page.

Xpress

U N E L C F

Tackable Fabric Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

PRICING

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL BOTTOM OR LOWER (B) (CONTINUED)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
37 / 940	42 / 1067	334	358	377	460	521	557	611	661
37 / 940	48 / 1219	369	392	419	507	575	615	673	728
37 / 940	54 / 1372	405	430	469	567	642	692	760	821
37 / 940	60 / 1524	442	467	514	618	700	755	828	897
37 / 940	66 / 1676	481	520	558	685	777	836	920	996
37 / 940	72 / 1829	518	560	605	740	841	906	996	1080
37 / 940	78 / 1981	556	605	648	797	906	977	1072	1163
37 / 940	84 / 2134	595	645	695	853	971	1045	1150	1248
37 / 940	90 / 2286	635	687	740	910	1035	1115	1227	1329
37 / 940	96 / 2438	672	730	787	966	1100	1185	1304	1414

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL FLUSH (F)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
28 / 711	42 / 1067	235	266	301	323	349	381	412	442
28 / 711	48 / 1219	256	287	317	353	389	419	452	484
28 / 711	54 / 1372	278	311	383	409	443	481	521	559
28 / 711	60 / 1524	302	337	422	453	489	529	578	619
28 / 711	66 / 1676	328	365	461	496	536	583	636	685
28 / 711	72 / 1829	353	394	503	542	586	638	695	748
28 / 711	78 / 1981	377	423	533	575	620	673	736	793
28 / 711	84 / 2134	402	453	575	617	669	728	794	856
28 / 711	90 / 2286	429	482	615	664	718	781	853	920
28 / 711	96 / 2438	455	511	656	707	766	833	912	984
41 / 1041	42 / 1067	388	408	421	511	570	606	658	710
41 / 1041	48 / 1219	425	445	467	557	630	666	725	781
41 / 1041	54 / 1372	464	487	513	627	704	752	822	880
41 / 1041	60 / 1524	506	525	563	677	767	819	889	962
41 / 1041	66 / 1676	545	584	607	747	846	904	988	1068
41 / 1041	72 / 1829	586	623	654	805	913	975	1069	1151
41 / 1041	78 / 1981	627	673	699	864	979	1050	1146	1236
41 / 1041	84 / 2134	667	713	747	923	1049	1120	1226	1327
41 / 1041	90 / 2286	705	760	790	983	1115	1191	1305	1404
41 / 1041	96 / 2438	748	800	841	1039	1180	1264	1383	1496

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL TOP OR UPPER (T)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
13 / 330	42 / 1067	153	164	184	194	209	221	239	250
13 / 330	48 / 1219	165	179	193	211	225	241	256	272
13 / 330	54 / 1372	180	189	214	224	240	256	274	292
13 / 330	60 / 1524	190	205	231	243	258	277	298	314
13 / 330	66 / 1676	208	218	248	264	279	300	321	340
13 / 330	72 / 1829	220	236	269	281	300	323	345	368
13 / 330	78 / 1981	236	250	285	302	323	345	370	394
13 / 330	84 / 2134	249	268	304	321	344	369	395	421
13 / 330	90 / 2286	266	282	323	341	365	392	421	449
13 / 330	96 / 2438	279	300	341	362	387	415	446	473

Pricing is continued on the following page.

Xpress

UNELCF

Tackable Fabric Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

PRICING


HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL TOP OR UPPER (T) (CONTINUED)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
22 / 559	42 / 1067	213	228	247	282	311	334	362	389
22 / 559	48 / 1219	235	247	263	308	342	365	395	423
22 / 559	54 / 1372	254	269	285	337	374	399	432	464
22 / 559	60 / 1524	273	287	310	365	406	432	469	504
22 / 559	66 / 1676	298	316	337	399	446	476	517	555
22 / 559	72 / 1829	319	341	363	430	482	514	558	602
22 / 559	78 / 1981	342	367	391	461	517	552	603	645
22 / 559	84 / 2134	367	392	417	495	553	589	642	692
22 / 559	90 / 2286	390	417	442	526	588	630	685	737
22 / 559	96 / 2438	411	438	468	557	623	668	728	782
28 / 711	42 / 1067	235	266	301	323	349	381	412	442
28 / 711	48 / 1219	256	287	317	353	389	419	452	484
28 / 711	54 / 1372	278	311	383	409	443	481	521	559
28 / 711	60 / 1524	302	337	422	453	489	529	578	619
28 / 711	66 / 1676	328	365	461	496	536	583	636	685
28 / 711	72 / 1829	353	394	503	542	586	638	695	748
28 / 711	78 / 1981	377	423	533	575	620	673	736	793
28 / 711	84 / 2134	402	453	575	617	669	728	794	856
28 / 711	90 / 2286	429	482	615	664	718	781	853	920
28 / 711	96 / 2438	455	511	656	707	766	833	912	984

Xpress

U A E L C F

Tackable Fabric Power/ Communications Fascia for Freestanding District (Slot Mount)



The Tackable Fabric Power/Communications Fascia provides a tackable panel wall finish.

WHAT'S INCLUDED
1 fascia.

NOTES
Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 22" fascia must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

For 36" to 60" wide fascias only Left (LL) or Right (RR) power and data locations can be specified.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/ Communication Orientation	Vertical Power/ Communication Orientation	Height	Width (6" increments)	Fascia Finish
2 Cut Out for two outlets (available on 24" and 30" widths)	**LL** Left	**T** Top	22, 35	36 - 96	Panel Fabric
4 Cut Out for four outlets (available on 36" widths and wider)	**LC** Left Center	**B** Bottom			
	RC Right Center				
	RR Right				
	LR Left & Right				
	CR Left Center and Right				
	CL Right Center and Left				

SAMPLE ORDER CODE

UAELCF 2	RR	B	22	60	C503

DIMENSIONS
INCHES / MM

H	W
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

PRICING

HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (T or B)

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
298	316	337	399	446	476	517	555
319	341	363	430	482	514	558	602
342	367	391	461	517	552	603	645
367	392	417	495	553	589	642	692
390	417	442	526	588	630	685	737
411	438	468	557	623	668	728	782
468	510	548	672	766	826	907	984
506	550	590	729	829	894	984	1068
544	589	638	783	891	962	1060	1150
581	633	680	838	957	1033	1136	1232
618	672	726	894	1018	1100	1213	1315
656	713	769	950	1083	1168	1287	1396

Pricing is continued on the following page.

Xpress

U A E L C F

Tackable Fabric Power/ Communications Fascia for Freestanding District (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

PRICING


HORIZONTAL (LL or RR) & VERTICAL (B or T)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
22 / 559	36 / 914	191	209	235	256	279	303	329	349
22 / 559	42 / 1067	213	228	247	282	311	334	362	389
22 / 559	48 / 1219	235	247	263	308	342	365	395	423
22 / 559	54 / 1372	254	269	285	337	374	399	432	464
22 / 559	60 / 1524	273	287	310	365	406	432	469	504
22 / 559	66 / 1676	298	316	337	399	446	476	517	555
22 / 559	72 / 1829	319	341	363	430	482	514	558	602
22 / 559	78 / 1981	342	367	391	461	517	552	603	645
22 / 559	84 / 2134	367	392	417	495	553	589	642	692
22 / 559	90 / 2286	390	417	442	526	588	630	685	737
22 / 559	96 / 2438	411	438	468	557	623	668	728	782
35 / 889	36 / 914	292	312	334	405	458	490	540	581
35 / 889	42 / 1067	326	346	369	452	512	548	600	647
35 / 889	48 / 1219	362	383	406	496	560	604	661	713
35 / 889	54 / 1372	395	421	460	557	631	680	747	808
35 / 889	60 / 1524	430	458	503	609	687	743	819	884
35 / 889	66 / 1676	468	510	548	672	766	826	907	984
35 / 889	72 / 1829	506	550	590	729	829	894	984	1068
35 / 889	78 / 1981	544	589	638	783	891	962	1060	1150
35 / 889	84 / 2134	581	633	680	838	957	1033	1136	1232
35 / 889	90 / 2286	618	672	726	894	1018	1100	1213	1315
35 / 889	96 / 2438	656	713	769	950	1083	1168	1287	1396

Xpress

UNELIF

Tackable Fabric International Power/Communications Fascia (Slot Mount)



The Tackable Fabric International Power/Communications Fascia provides face mounted access to power/communications above or below worksurface height.

WHAT'S INCLUDED
1 fascia.

WHAT'S EXCLUDED
Fascia Light Block (UNEX) is required for additional segmentation and must be specified separately. Can be found in the *Panel Walls* section.

NOTES
7" high fascia is **not** tackable.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/ Communications Orientation	Vertical Power/ Communications Orientation	Height	Width (6" increments)	Fascia Finish	Bezel Finish
2 Cut Out for two outlets (available on 24" and 30" widths)	**B** Left and Right (available on 66" width and wider)	**B** Bottom or lower section of Fascia (available on 7", 13", 22", 37" heights)	07, 13, 21, 22, 27, 28, 37	24 - 96	Foundation	**-** Black
3 Cut Out for two outlets and one data/ communications box (available on 36" widths and wider)	**C** Centered (available on 36" width for config. 3 and 4 (available on 24", 30", 36" widths for config. 2)	**F** Flush (applies to 28" height only for base fascias flush to floor. Cut Out will be at bottom)			Mica	**74** Storm White
4 Cut Out for four outlets (available on 36" widths and wider)	**L** Left (not available on widths below 42")	**T** Top or upper section of Fascia (available on 13", 22", 28" heights)				
5 Cala Cut Out for two outlets	**R** Right (not available on widths below 42")					
6 Cala Cut Out for four outlets						

SAMPLE ORDER CODE

UNELIF 2	LC	B	22	66	E	74

DIMENSIONS
INCHES / MM

PRICING

CUT OUT OUTLET (2, 3, 4)
HORIZONTAL LEFT AND RIGHT (B) & VERTICAL BOTTOM OR LOWER (B)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
7 / 178	66 / 1676	235	242	256	270	282	296	310	323
7 / 178	72 / 1829	247	256	272	285	300	314	330	344
7 / 178	78 / 1981	263	271	287	303	318	334	349	365
7 / 178	84 / 2134	274	285	303	319	338	353	370	389
7 / 178	90 / 2286	287	300	317	337	355	371	391	406
7 / 178	96 / 2438	302	312	335	353	371	391	409	429
13 / 330	66 / 1676	208	218	248	264	279	300	321	340
13 / 330	72 / 1829	220	236	269	281	300	323	345	368
13 / 330	78 / 1981	236	250	285	302	323	345	370	394
13 / 330	84 / 2134	249	268	304	321	344	369	395	421
13 / 330	90 / 2286	266	282	323	341	365	392	421	449
13 / 330	96 / 2438	279	300	341	362	387	415	446	473
21 / 533	66 / 1676	295	312	332	395	442	472	514	551
21 / 533	72 / 1829	315	338	361	427	479	511	555	595
21 / 533	78 / 1981	339	363	387	459	514	549	597	641
21 / 533	84 / 2134	362	389	411	490	550	586	639	686
21 / 533	90 / 2286	384	411	436	522	585	624	680	731
21 / 533	96 / 2438	405	434	462	553	619	664	722	776

Pricing is continued on the following page.

Xpress

UNELIF

Tackable Fabric International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

PRICING

CUT OUT OUTLET (2, 3, 4)

HORIZONTAL LEFT AND RIGHT (B) & VERTICAL BOTTOM OR LOWER (B) (Continued)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
22 / 559	66 / 1676	298	316	337	399	446	476	517	555
22 / 559	72 / 1829	319	341	363	430	482	514	558	602
22 / 559	78 / 1981	342	367	391	461	517	552	603	645
22 / 559	84 / 2134	367	392	417	495	553	589	642	692
22 / 559	90 / 2286	390	417	442	526	588	630	685	737
22 / 559	96 / 2438	411	438	468	557	623	668	728	782
37 / 940	66 / 1676	481	520	558	685	777	836	920	996
37 / 940	72 / 1829	518	560	605	740	841	906	996	1080
37 / 940	78 / 1981	556	605	648	797	906	977	1072	1163
37 / 940	84 / 2134	595	645	695	853	971	1045	1150	1248
37 / 940	90 / 2286	635	687	740	910	1035	1115	1227	1329
37 / 940	96 / 2438	672	730	787	966	1100	1185	1304	1414

HORIZONTAL LEFT AND RIGHT (B) & VERTICAL FLUSH (F)

		Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
27 / 686	66 / 1676	325	363	458	492	533	580	634	681
27 / 686	72 / 1829	347	392	498	537	583	634	692	745
27 / 686	78 / 1981	374	420	528	571	617	670	731	790
27 / 686	84 / 2134	399	449	571	613	665	724	791	852
27 / 686	90 / 2286	425	476	611	660	715	776	850	916
27 / 686	96 / 2438	451	504	649	702	763	829	907	979
28 / 711	66 / 1676	328	365	461	496	536	583	636	685
28 / 711	72 / 1829	353	394	503	542	586	638	695	748
28 / 711	78 / 1981	377	423	533	575	620	673	736	793
28 / 711	84 / 2134	402	453	575	617	669	728	794	856
28 / 711	90 / 2286	429	482	615	664	718	781	853	920
28 / 711	96 / 2438	455	511	656	707	766	833	912	984

HORIZONTAL LEFT AND RIGHT (B) & VERTICAL TOP OR UPPER (T)

		Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
13 / 330	66 / 1676	208	218	248	264	279	300	321	340
13 / 330	72 / 1829	220	236	269	281	300	323	345	368
13 / 330	78 / 1981	236	250	285	302	323	345	370	394
13 / 330	84 / 2134	249	268	304	321	344	369	395	421
13 / 330	90 / 2286	266	282	323	341	365	392	421	449
13 / 330	96 / 2438	279	300	341	362	387	415	446	473
21 / 533	66 / 1676	295	312	332	395	442	472	514	551
21 / 533	72 / 1829	315	338	361	427	479	511	555	595
21 / 533	78 / 1981	339	363	387	459	514	549	597	641
21 / 533	84 / 2134	362	389	411	490	550	586	639	686
21 / 533	90 / 2286	384	411	436	522	585	624	680	731
21 / 533	96 / 2438	405	434	462	553	619	664	722	776
22 / 559	66 / 1676	298	316	337	399	446	476	517	555
22 / 559	72 / 1829	319	341	363	430	482	514	558	602
22 / 559	78 / 1981	342	367	391	461	517	552	603	645
22 / 559	84 / 2134	367	392	417	495	553	589	642	692
22 / 559	90 / 2286	390	417	442	526	588	630	685	737
22 / 559	96 / 2438	411	438	468	557	623	668	728	782
27 / 686	66 / 1676	325	363	458	492	533	580	634	681

Pricing is continued on the following page.

Xpress

UNELIF

Tackable Fabric International Power/Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

PRICING

CUT OUT OUTLET (2, 3, 4)

HORIZONTAL LEFT AND RIGHT (B) & VERTICAL TOP OR UPPER (T) (Continued)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
27 / 686	72 / 1829	347	392	498	537	583	634	692	745
27 / 686	78 / 1981	374	420	528	571	617	670	731	790
27 / 686	84 / 2134	399	449	571	613	665	724	791	852
27 / 686	90 / 2286	425	476	611	660	715	776	850	916
27 / 686	96 / 2438	451	504	649	702	763	829	907	979
28 / 711	66 / 1676	328	365	461	496	536	583	636	685
28 / 711	72 / 1829	353	394	503	542	586	638	695	748
28 / 711	78 / 1981	377	423	533	575	620	673	736	793
28 / 711	84 / 2134	402	453	575	617	669	728	794	856
28 / 711	90 / 2286	429	482	615	664	718	781	853	920
28 / 711	96 / 2438	455	511	656	707	766	833	912	984

HORIZONTAL CENTERED (C) & VERTICAL BOTTOM OR LOWER (B)

		Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
7 / 178	24 / 610	143	145	150	156	161	165	174	179
7 / 178	30 / 762	154	159	179	183	189	195	208	214
7 / 178	36 / 914	167	176	188	193	203	210	217	224
13 / 330	24 / 610	115	122	128	140	149	154	161	172
13 / 330	30 / 762	128	136	164	176	187	197	212	223
13 / 330	36 / 914	142	153	178	184	194	209	221	236
21 / 533	24 / 610	151	157	163	188	208	217	235	248
21 / 533	30 / 762	172	181	216	231	247	265	284	303
21 / 533	36 / 914	190	206	228	254	277	300	325	346
22 / 559	24 / 610	152	158	164	189	209	219	236	249
22 / 559	30 / 762	174	182	219	236	251	270	292	311
22 / 559	36 / 914	191	209	235	256	279	303	329	349
37 / 940	24 / 610	224	239	249	298	332	355	384	412
37 / 940	30 / 762	263	276	325	361	397	432	473	511
37 / 940	36 / 914	299	321	345	417	468	502	549	590

HORIZONTAL CENTERED (C) & VERTICAL FLUSH (F)

		Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
27 / 686	24 / 610	163	180	190	213	233	246	265	281
27 / 686	30 / 762	186	209	249	268	286	308	334	358
27 / 686	36 / 914	210	239	278	298	318	342	371	398
28 / 711	24 / 610	164	182	193	214	234	248	268	282
28 / 711	30 / 762	188	210	255	272	292	314	340	365
28 / 711	36 / 914	212	241	284	303	326	349	379	405

Pricing is continued on the following page.

Xpress

UNELIF

Tackable Fabric International Power/Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

PRICING

CUT OUT OUTLET (2, 3, 4)

HORIZONTAL CENTERED (C) & VERTICAL TOP OR UPPER (T)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
13 / 330	24 / 610	115	122	128	140	149	154	161	172
13 / 330	30 / 762	128	136	164	176	187	197	212	223
13 / 330	36 / 914	142	153	178	184	194	209	221	236
21 / 533	24 / 610	151	157	163	188	208	217	235	248
21 / 533	30 / 762	172	181	216	231	247	265	284	303
21 / 533	36 / 914	190	206	228	254	277	300	325	346
22 / 559	24 / 610	152	158	164	189	209	219	236	249
22 / 559	30 / 762	174	182	219	236	251	270	292	311
22 / 559	36 / 914	191	209	235	256	279	303	329	349
27 / 686	24 / 610	163	180	190	213	233	246	265	281
27 / 686	30 / 762	186	209	249	268	286	308	334	358
27 / 686	36 / 914	210	239	278	298	318	342	371	398
28 / 711	24 / 610	164	182	193	214	234	248	268	282
28 / 711	30 / 762	188	210	255	272	292	314	340	365
28 / 711	36 / 914	212	241	284	303	326	349	379	405

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL BOTTOM OR LOWER (B)

		Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
7 / 178	42 / 1067	182	188	202	209	217	224	236	244
7 / 178	48 / 1219	193	203	211	221	234	242	251	264
7 / 178	54 / 1372	209	214	224	238	248	258	271	281
7 / 178	60 / 1524	220	228	241	251	265	276	289	301
7 / 178	66 / 1676	235	242	256	270	282	296	310	323
7 / 178	72 / 1829	247	256	272	285	300	314	330	344
7 / 178	78 / 1981	263	271	287	303	318	334	349	365
7 / 178	84 / 2134	274	285	303	319	338	353	370	389
7 / 178	90 / 2286	287	300	317	337	355	371	391	406
7 / 178	96 / 2438	302	312	335	353	371	391	409	429
13 / 330	42 / 1067	153	164	184	194	209	221	239	250
13 / 330	48 / 1219	165	179	193	211	225	241	256	272
13 / 330	54 / 1372	180	189	214	224	240	256	274	292
13 / 330	60 / 1524	190	205	231	243	258	277	298	314
13 / 330	66 / 1676	208	218	248	264	279	300	321	340
13 / 330	72 / 1829	220	236	269	281	300	323	345	368
13 / 330	78 / 1981	236	250	285	302	323	345	370	394
13 / 330	84 / 2134	249	268	304	321	344	369	395	421
13 / 330	90 / 2286	266	282	323	341	365	392	421	449
13 / 330	96 / 2438	279	300	341	362	387	415	446	473
21 / 533	42 / 1067	211	224	242	278	309	330	358	383
21 / 533	48 / 1219	233	244	256	304	340	362	392	420
21 / 533	54 / 1372	249	266	282	334	371	397	429	460
21 / 533	60 / 1524	271	285	307	362	402	429	467	502
21 / 533	66 / 1676	295	312	332	395	442	472	514	551
21 / 533	72 / 1829	315	338	361	427	479	511	555	595
21 / 533	78 / 1981	339	363	387	459	514	549	597	641
21 / 533	84 / 2134	362	389	411	490	550	586	639	686
21 / 533	90 / 2286	384	411	436	522	585	624	680	731
21 / 533	96 / 2438	405	434	462	553	619	664	722	776

Pricing is continued on the following page.

Xpress

UNELIF

Tackable Fabric International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

PRICING

CUT OUT OUTLET (2, 3, 4)

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL BOTTOM OR LOWER (B) (Continued)

		Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
22 / 559	42 / 1067	213	228	247	282	311	334	362	389
22 / 559	48 / 1219	235	247	263	308	342	365	395	423
22 / 559	54 / 1372	254	269	285	337	374	399	432	464
22 / 559	60 / 1524	273	287	310	365	406	432	469	504
22 / 559	66 / 1676	298	316	337	399	446	476	517	555
22 / 559	72 / 1829	319	341	363	430	482	514	558	602
22 / 559	78 / 1981	342	367	391	461	517	552	603	645
22 / 559	84 / 2134	367	392	417	495	553	589	642	692
22 / 559	90 / 2286	390	417	442	526	588	630	685	737
22 / 559	96 / 2438	411	438	468	557	623	668	728	782
37 / 940	42 / 1067	334	358	377	460	521	557	611	661
37 / 940	48 / 1219	369	392	419	507	575	615	673	728
37 / 940	54 / 1372	405	430	469	567	642	692	760	821
37 / 940	60 / 1524	442	467	514	618	700	755	828	897
37 / 940	66 / 1676	481	520	558	685	777	836	920	996
37 / 940	72 / 1829	518	560	605	740	841	906	996	1080
37 / 940	78 / 1981	556	605	648	797	906	977	1072	1163
37 / 940	84 / 2134	595	645	695	853	971	1045	1150	1248
37 / 940	90 / 2286	635	687	740	910	1035	1115	1227	1329
37 / 940	96 / 2438	672	730	787	966	1100	1185	1304	1414

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL FLUSH (F)

		Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
27 / 686	42 / 1067	234	264	296	319	347	376	407	436
27 / 686	48 / 1219	254	285	311	347	381	412	449	480
27 / 686	54 / 1372	276	309	379	406	438	479	518	557
27 / 686	60 / 1524	299	332	420	451	487	526	575	617
27 / 686	66 / 1676	325	363	458	492	533	580	634	681
27 / 686	72 / 1829	347	392	498	537	583	634	692	745
27 / 686	78 / 1981	374	420	528	571	617	670	731	790
27 / 686	84 / 2134	399	449	571	613	665	724	791	852
27 / 686	90 / 2286	425	476	611	660	715	776	850	916
27 / 686	96 / 2438	451	504	649	702	763	829	907	979
28 / 711	42 / 1067	235	266	301	323	349	381	412	442
28 / 711	48 / 1219	256	287	317	353	389	419	452	484
28 / 711	54 / 1372	278	311	383	409	443	481	521	559
28 / 711	60 / 1524	302	337	422	453	489	529	578	619
28 / 711	66 / 1676	328	365	461	496	536	583	636	685
28 / 711	72 / 1829	353	394	503	542	586	638	695	748
28 / 711	78 / 1981	377	423	533	575	620	673	736	793
28 / 711	84 / 2134	402	453	575	617	669	728	794	856
28 / 711	90 / 2286	429	482	615	664	718	781	853	920
28 / 711	96 / 2438	455	511	656	707	766	833	912	984

Pricing is continued on the following page.

Xpress

UNELIF

Tackable Fabric International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

PRICING

CUT OUT OUTLET (2, 3, 4)

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL TOP OR UPPER (T)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
13 / 330	42 / 1067	153	164	184	194	209	221	239	250
13 / 330	48 / 1219	165	179	193	211	225	241	256	272
13 / 330	54 / 1372	180	189	214	224	240	256	274	292
13 / 330	60 / 1524	190	205	231	243	258	277	298	314
13 / 330	66 / 1676	208	218	248	264	279	300	321	340
13 / 330	72 / 1829	220	236	269	281	300	323	345	368
13 / 330	78 / 1981	236	250	285	302	323	345	370	394
13 / 330	84 / 2134	249	268	304	321	344	369	395	421
13 / 330	90 / 2286	266	282	323	341	365	392	421	449
13 / 330	96 / 2438	279	300	341	362	387	415	446	473
21 / 533	42 / 1067	211	224	242	278	309	330	358	383
21 / 533	48 / 1219	233	244	256	304	340	362	392	420
21 / 533	54 / 1372	249	266	282	334	371	397	429	460
21 / 533	60 / 1524	271	285	307	362	402	429	467	502
21 / 533	66 / 1676	295	312	332	395	442	472	514	551
21 / 533	72 / 1829	315	338	361	427	479	511	555	595
21 / 533	78 / 1981	339	363	387	459	514	549	597	641
21 / 533	84 / 2134	362	389	411	490	550	586	639	686
21 / 533	90 / 2286	384	411	436	522	585	624	680	731
21 / 533	96 / 2438	405	434	462	553	619	664	722	776
22 / 559	42 / 1067	213	228	247	282	311	334	362	389
22 / 559	48 / 1219	235	247	263	308	342	365	395	423
22 / 559	54 / 1372	254	269	285	337	374	399	432	464
22 / 559	60 / 1524	273	287	310	365	406	432	469	504
22 / 559	66 / 1676	298	316	337	399	446	476	517	555
22 / 559	72 / 1829	319	341	363	430	482	514	558	602
22 / 559	78 / 1981	342	367	391	461	517	552	603	645
22 / 559	84 / 2134	367	392	417	495	553	589	642	692
22 / 559	90 / 2286	390	417	442	526	588	630	685	737
22 / 559	96 / 2438	411	438	468	557	623	668	728	782
27 / 686	42 / 1067	234	264	296	319	347	376	407	436
27 / 686	48 / 1219	254	285	311	347	381	412	449	480
27 / 686	54 / 1372	276	309	379	406	438	479	518	557
27 / 686	60 / 1524	299	332	420	451	487	526	575	617
27 / 686	66 / 1676	325	363	458	492	533	580	634	681
27 / 686	72 / 1829	347	392	498	537	583	634	692	745
27 / 686	78 / 1981	374	420	528	571	617	670	731	790
27 / 686	84 / 2134	399	449	571	613	665	724	791	852
27 / 686	90 / 2286	425	476	611	660	715	776	850	916
27 / 686	96 / 2438	451	504	649	702	763	829	907	979

Pricing is continued on the following page.

Xpress

UNELIF

Tackable Fabric International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

PRICING

CUT OUT OUTLET (2, 3, 4)

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL TOP OR UPPER (T) (Continued)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
28 / 711	42 / 1067	235	266	301	323	349	381	412	442
28 / 711	48 / 1219	256	287	317	353	389	419	452	484
28 / 711	54 / 1372	278	311	383	409	443	481	521	559
28 / 711	60 / 1524	302	337	422	453	489	529	578	619
28 / 711	66 / 1676	328	365	461	496	536	583	636	685
28 / 711	72 / 1829	353	394	503	542	586	638	695	748
28 / 711	78 / 1981	377	423	533	575	620	673	736	793
28 / 711	84 / 2134	402	453	575	617	669	728	794	856
28 / 711	90 / 2286	429	482	615	664	718	781	853	920
28 / 711	96 / 2438	455	511	656	707	766	833	912	984

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL LEFT AND RIGHT (B) & VERTICAL BOTTOM OR LOWER (B)

		Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
7 / 178	66 / 1676	268	274	289	302	315	329	342	356
7 / 178	72 / 1829	279	289	304	317	332	346	363	376
7 / 178	78 / 1981	295	303	321	337	351	367	383	398
7 / 178	84 / 2134	308	317	337	353	370	387	402	421
7 / 178	90 / 2286	321	332	351	369	389	404	423	438
7 / 178	96 / 2438	335	345	368	387	404	423	443	461
13 / 330	66 / 1676	240	250	281	296	312	332	355	372
13 / 330	72 / 1829	254	269	301	314	332	356	377	400
13 / 330	78 / 1981	269	284	317	335	356	377	402	427
13 / 330	84 / 2134	282	300	338	355	376	401	428	453
13 / 330	90 / 2286	299	315	356	374	398	424	453	481
13 / 330	96 / 2438	312	332	374	394	420	449	480	506
21 / 533	66 / 1676	328	345	365	428	474	504	548	583
21 / 533	72 / 1829	347	370	393	459	511	543	587	630
21 / 533	78 / 1981	371	395	420	491	548	581	631	673
21 / 533	84 / 2134	394	421	445	523	582	618	671	718
21 / 533	90 / 2286	419	445	469	555	617	657	713	764
21 / 533	96 / 2438	437	467	496	586	652	696	755	808
22 / 559	66 / 1676	330	349	369	431	480	510	550	587
22 / 559	72 / 1829	353	374	395	462	514	548	590	634
22 / 559	78 / 1981	375	399	423	495	550	585	635	677
22 / 559	84 / 2134	399	424	450	527	586	623	675	725
22 / 559	90 / 2286	422	450	474	558	620	663	717	769
22 / 559	96 / 2438	445	473	502	589	656	700	761	815
37 / 940	66 / 1676	513	552	590	717	810	869	952	1030
37 / 940	72 / 1829	551	594	638	773	874	940	1030	1113
37 / 940	78 / 1981	588	638	681	829	940	1009	1105	1196
37 / 940	84 / 2134	630	677	728	886	1004	1078	1182	1280
37 / 940	90 / 2286	668	721	773	942	1068	1148	1259	1363
37 / 940	96 / 2438	705	763	820	1000	1133	1219	1336	1446

Pricing is continued on the following page.

Xpress

UNELIF

Tackable Fabric International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL LEFT AND RIGHT (B) & VERTICAL FLUSH (F)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
27 / 686	66 / 1676	358	395	490	526	565	612	666	715
27 / 686	72 / 1829	381	424	532	571	615	666	725	777
27 / 686	78 / 1981	406	452	560	604	649	702	764	822
27 / 686	84 / 2134	431	481	604	646	698	756	823	884
27 / 686	90 / 2286	458	510	643	692	747	808	882	949
27 / 686	96 / 2438	483	537	684	736	796	861	941	1011
28 / 711	66 / 1676	361	398	495	528	569	616	669	717
28 / 711	72 / 1829	387	427	536	575	618	670	728	782
28 / 711	78 / 1981	411	455	565	608	654	707	768	826
28 / 711	84 / 2134	435	485	608	649	701	761	827	888
28 / 711	90 / 2286	461	514	647	696	752	814	886	952
28 / 711	96 / 2438	488	543	690	739	799	867	944	1016

HORIZONTAL LEFT AND RIGHT (B) & VERTICAL TOP OR UPPER (T)

		Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
13 / 330	66 / 1676	240	250	281	296	312	332	355	372
13 / 330	72 / 1829	254	269	301	314	332	356	377	400
13 / 330	78 / 1981	269	284	317	335	356	377	402	427
13 / 330	84 / 2134	282	300	338	355	376	401	428	453
13 / 330	90 / 2286	299	315	356	374	398	424	453	481
13 / 330	96 / 2438	312	332	374	394	420	449	480	506
21 / 533	66 / 1676	328	345	365	428	474	504	548	583
21 / 533	72 / 1829	347	370	393	459	511	543	587	630
21 / 533	78 / 1981	371	395	420	491	548	581	631	673
21 / 533	84 / 2134	394	421	445	523	582	618	671	718
21 / 533	90 / 2286	419	445	469	555	617	657	713	764
21 / 533	96 / 2438	437	467	496	586	652	696	755	808
22 / 559	66 / 1676	330	349	369	431	480	510	550	587
22 / 559	72 / 1829	353	374	395	462	514	548	590	634
22 / 559	78 / 1981	375	399	423	495	550	585	635	677
22 / 559	84 / 2134	399	424	450	527	586	623	675	725
22 / 559	90 / 2286	422	450	474	558	620	663	717	769
22 / 559	96 / 2438	445	473	502	589	656	700	761	815
27 / 686	66 / 1676	358	395	490	526	565	612	666	715
27 / 686	72 / 1829	381	424	532	571	615	666	725	777
27 / 686	78 / 1981	406	452	560	604	649	702	764	822
27 / 686	84 / 2134	431	481	604	646	698	756	823	884
27 / 686	90 / 2286	458	510	643	692	747	808	882	949
27 / 686	96 / 2438	483	537	684	736	796	861	941	1011
28 / 711	66 / 1676	361	398	495	528	569	616	669	717
28 / 711	72 / 1829	387	427	536	575	618	670	728	782
28 / 711	78 / 1981	411	455	565	608	654	707	768	826
28 / 711	84 / 2134	435	485	608	649	701	761	827	888
28 / 711	90 / 2286	461	514	647	696	752	814	886	952
28 / 711	96 / 2438	488	543	690	739	799	867	944	1016

Pricing is continued on the following page.

Xpress

UNELIF

Tackable Fabric International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM | **PRICING**

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL CENTERED (C) & VERTICAL BOTTOM OR LOWER (B)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
7 / 178	24 / 610	176	179	182	188	194	202	206	211
7 / 178	30 / 762	187	191	211	216	221	231	240	247
7 / 178	36 / 914	203	209	220	225	235	242	249	258
13 / 330	24 / 610	149	154	160	172	181	187	194	205
13 / 330	30 / 762	160	171	197	209	219	233	244	256
13 / 330	36 / 914	175	186	210	217	227	241	255	269
21 / 533	24 / 610	183	189	195	220	240	249	268	281
21 / 533	30 / 762	205	213	248	264	279	298	316	337
21 / 533	36 / 914	223	239	263	286	310	332	358	379
22 / 559	24 / 610	184	190	197	221	241	251	269	282
22 / 559	30 / 762	206	214	251	269	285	302	325	344
22 / 559	36 / 914	224	241	268	289	314	337	362	383
37 / 940	24 / 610	258	271	282	330	365	389	419	446
37 / 940	30 / 762	295	309	358	393	429	465	506	543
37 / 940	36 / 914	331	355	377	450	500	534	581	624

HORIZONTAL CENTERED (C) & VERTICAL FLUSH (F)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
27 / 686	24 / 610	195	212	223	246	265	278	298	314
27 / 686	30 / 762	218	241	282	300	318	340	367	391
27 / 686	36 / 914	242	271	311	330	351	375	404	430
28 / 711	24 / 610	197	214	225	247	266	281	300	315
28 / 711	30 / 762	220	242	287	304	325	346	372	398
28 / 711	36 / 914	244	273	316	337	359	383	412	437

HORIZONTAL CENTERED (C) & VERTICAL TOP OR UPPER (T)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
13 / 330	24 / 610	149	154	160	172	181	187	194	205
13 / 330	30 / 762	160	171	197	209	219	233	244	256
13 / 330	36 / 914	175	186	210	217	227	241	255	269
21 / 533	24 / 610	183	189	195	220	240	249	268	281
21 / 533	30 / 762	205	213	248	264	279	298	316	337
21 / 533	36 / 914	223	239	263	286	310	332	358	379
22 / 559	24 / 610	184	190	197	221	241	251	269	282
22 / 559	30 / 762	206	214	251	269	285	302	325	344
22 / 559	36 / 914	224	241	268	289	314	337	362	383
27 / 686	24 / 610	195	212	223	246	265	278	298	314
27 / 686	30 / 762	218	241	282	300	318	340	367	391
27 / 686	36 / 914	242	271	311	330	351	375	404	430
28 / 711	24 / 610	197	214	225	247	266	281	300	315
28 / 711	30 / 762	220	242	287	304	325	346	372	398
28 / 711	36 / 914	244	273	316	337	359	383	412	437

Pricing is continued on the following page.

Xpress

UNELIF

Tackable Fabric International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL BOTTOM OR LOWER (B)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
7 / 178	42 / 1067	214	220	234	241	249	258	269	277
7 / 178	48 / 1219	225	235	243	255	266	274	285	296
7 / 178	54 / 1372	241	247	258	270	281	292	303	314
7 / 178	60 / 1524	254	263	273	285	298	309	323	334
7 / 178	66 / 1676	268	274	289	302	315	329	342	356
7 / 178	72 / 1829	279	289	304	317	332	346	363	376
7 / 178	78 / 1981	295	303	321	337	351	367	383	398
7 / 178	84 / 2134	308	317	337	353	370	387	402	421
7 / 178	90 / 2286	321	332	351	369	389	404	423	438
7 / 178	96 / 2438	335	345	368	387	404	423	443	461
13 / 330	42 / 1067	186	197	217	228	242	255	271	284
13 / 330	48 / 1219	202	211	225	243	258	273	289	304
13 / 330	54 / 1372	212	221	247	258	273	289	308	325
13 / 330	60 / 1524	223	238	264	276	292	310	330	346
13 / 330	66 / 1676	240	250	281	296	312	332	355	372
13 / 330	72 / 1829	254	269	301	314	332	356	377	400
13 / 330	78 / 1981	269	284	317	335	356	377	402	427
13 / 330	84 / 2134	282	300	338	355	376	a401	428	453
13 / 330	90 / 2286	299	315	356	374	398	424	453	481
13 / 330	96 / 2438	312	332	374	394	420	449	480	506
21 / 533	42 / 1067	243	258	274	311	341	363	391	417
21 / 533	48 / 1219	265	277	289	338	372	394	424	452
21 / 533	54 / 1372	282	299	315	367	404	429	461	492
21 / 533	60 / 1524	303	317	339	394	435	461	499	534
21 / 533	66 / 1676	328	345	365	428	474	504	548	583
21 / 533	72 / 1829	347	370	393	459	511	543	587	630
21 / 533	78 / 1981	371	395	420	491	548	581	631	673
21 / 533	84 / 2134	394	421	445	523	582	618	671	718
21 / 533	90 / 2286	419	445	469	555	617	657	713	764
21 / 533	96 / 2438	437	467	496	586	652	696	755	808
22 / 559	42 / 1067	246	263	279	315	344	367	394	421
22 / 559	48 / 1219	268	279	295	340	375	398	428	455
22 / 559	54 / 1372	286	301	317	369	406	431	465	497
22 / 559	60 / 1524	307	321	342	398	438	465	503	537
22 / 559	66 / 1676	330	349	369	431	480	510	550	587
22 / 559	72 / 1829	353	374	395	462	514	548	590	634
22 / 559	78 / 1981	375	399	423	495	550	585	635	677
22 / 559	84 / 2134	399	424	450	527	586	623	675	725
22 / 559	90 / 2286	422	450	474	558	620	663	717	769
22 / 559	96 / 2438	445	473	502	589	656	700	761	815
37 / 940	42 / 1067	367	391	411	492	553	589	643	694
37 / 940	48 / 1219	401	424	451	541	608	647	707	761
37 / 940	54 / 1372	437	462	503	602	675	725	792	853
37 / 940	60 / 1524	474	499	548	650	732	789	860	929
37 / 940	66 / 1676	513	552	590	717	810	869	952	1030
37 / 940	72 / 1829	551	594	638	773	874	940	1030	1113
37 / 940	78 / 1981	588	638	681	829	940	1009	1105	1196
37 / 940	84 / 2134	630	677	728	886	1004	1078	1182	1280
37 / 940	90 / 2286	668	721	773	942	1068	1148	1259	1363
37 / 940	96 / 2438	705	763	820	1000	1133	1219	1336	1446

Pricing is continued on the following page.

Xpress

UNELIF

Tackable Fabric International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL FLUSH (F)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
27 / 686	42 / 1067	266	296	329	353	379	409	442	469
27 / 686	48 / 1219	286	317	344	381	417	446	481	512
27 / 686	54 / 1372	309	341	412	438	472	511	551	589
27 / 686	60 / 1524	331	365	452	483	520	558	608	649
27 / 686	66 / 1676	358	395	490	526	565	612	666	715
27 / 686	72 / 1829	381	424	532	571	615	666	725	777
27 / 686	78 / 1981	406	452	560	604	649	702	764	822
27 / 686	84 / 2134	431	481	604	646	698	756	823	884
27 / 686	90 / 2286	458	510	643	692	747	808	882	949
27 / 686	96 / 2438	483	537	684	736	796	861	941	1011
28 / 711	42 / 1067	268	299	334	356	383	415	446	474
28 / 711	48 / 1219	289	321	351	387	420	451	484	517
28 / 711	54 / 1372	311	344	417	443	476	513	553	593
28 / 711	60 / 1524	335	369	454	485	522	563	610	654
28 / 711	66 / 1676	361	398	495	528	569	616	669	717
28 / 711	72 / 1829	387	427	536	575	618	670	728	782
28 / 711	78 / 1981	411	455	565	608	654	707	768	826
28 / 711	84 / 2134	435	485	608	649	701	761	827	888
28 / 711	90 / 2286	461	514	647	696	752	814	886	952
28 / 711	96 / 2438	488	543	690	739	799	867	944	1016

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL TOP OR UPPER (T)

		Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
13 / 330	42 / 1067	186	197	217	228	242	255	271	284
13 / 330	48 / 1219	202	211	225	243	258	273	289	304
13 / 330	54 / 1372	212	221	247	258	273	289	308	325
13 / 330	60 / 1524	223	238	264	276	292	310	330	346
13 / 330	66 / 1676	240	250	281	296	312	332	355	372
13 / 330	72 / 1829	254	269	301	314	332	356	377	400
13 / 330	78 / 1981	269	284	317	335	356	377	402	427
13 / 330	84 / 2134	282	300	338	355	376	401	428	453
13 / 330	90 / 2286	299	315	356	374	398	424	453	481
13 / 330	96 / 2438	312	332	374	394	420	449	480	506
21 / 533	42 / 1067	243	258	274	311	341	363	391	417
21 / 533	48 / 1219	265	277	289	338	372	394	424	452
21 / 533	54 / 1372	282	299	315	367	404	429	461	492
21 / 533	60 / 1524	303	317	339	394	435	461	499	534
21 / 533	66 / 1676	328	345	365	428	474	504	548	583
21 / 533	72 / 1829	347	370	393	459	511	543	587	630
21 / 533	78 / 1981	371	395	420	491	548	581	631	673
21 / 533	84 / 2134	394	421	445	523	582	618	671	718
21 / 533	90 / 2286	419	445	469	555	617	657	713	764
21 / 533	96 / 2438	437	467	496	586	652	696	755	808

Pricing is continued on the following page.

Xpress

UNELIF

Tackable Fabric International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL TOP OR UPPER (T) (Continued)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
22 / 559	42 / 1067	246	263	279	315	344	367	394	421
22 / 559	48 / 1219	268	279	295	340	375	398	428	455
22 / 559	54 / 1372	286	301	317	369	406	431	465	497
22 / 559	60 / 1524	307	321	342	398	438	465	503	537
22 / 559	66 / 1676	330	349	369	431	480	510	550	587
22 / 559	72 / 1829	353	374	395	462	514	548	590	634
22 / 559	78 / 1981	375	399	423	495	550	585	635	677
22 / 559	84 / 2134	399	424	450	527	586	623	675	725
22 / 559	90 / 2286	422	450	474	558	620	663	717	769
22 / 559	96 / 2438	445	473	502	589	656	700	761	815
27 / 686	42 / 1067	266	296	329	353	379	409	442	469
27 / 686	48 / 1219	286	317	344	381	417	446	481	512
27 / 686	54 / 1372	309	341	412	438	472	511	551	589
27 / 686	60 / 1524	331	365	452	483	520	558	608	649
27 / 686	66 / 1676	358	395	490	526	565	612	666	715
27 / 686	72 / 1829	381	424	532	571	615	666	725	777
27 / 686	78 / 1981	406	452	560	604	649	702	764	822
27 / 686	84 / 2134	431	481	604	646	698	756	823	884
27 / 686	90 / 2286	458	510	643	692	747	808	882	949
27 / 686	96 / 2438	483	537	684	736	796	861	941	1011
28 / 711	42 / 1067	268	299	334	356	383	415	446	474
28 / 711	48 / 1219	289	321	351	387	420	451	484	517
28 / 711	54 / 1372	311	344	417	443	476	513	553	593
28 / 711	60 / 1524	335	369	454	485	522	563	610	654
28 / 711	66 / 1676	361	398	495	528	569	616	669	717
28 / 711	72 / 1829	387	427	536	575	618	670	728	782
28 / 711	78 / 1981	411	455	565	608	654	707	768	826
28 / 711	84 / 2134	435	485	608	649	701	761	827	888
28 / 711	90 / 2286	461	514	647	696	752	814	886	952
28 / 711	96 / 2438	488	543	690	739	799	867	944	1016

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL LEFT AND RIGHT (B) & VERTICAL BOTTOM OR LOWER (B)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
7 / 178	66 / 1676	274	282	299	310	323	337	351	364
7 / 178	72 / 1829	287	299	312	328	341	356	370	387
7 / 178	78 / 1981	302	311	330	344	361	374	392	405
7 / 178	84 / 2134	315	328	344	362	377	394	411	428
7 / 178	90 / 2286	330	340	361	376	395	412	430	450
7 / 178	96 / 2438	342	355	375	394	411	430	452	469
13 / 330	66 / 1676	247	259	289	303	319	340	363	381
13 / 330	72 / 1829	264	276	309	323	341	364	389	407
13 / 330	78 / 1981	276	294	328	342	364	389	411	434
13 / 330	84 / 2134	292	308	345	363	384	409	435	460
13 / 330	90 / 2286	307	325	364	383	406	431	460	488
13 / 330	96 / 2438	321	340	383	401	427	455	487	514

Pricing is continued on the following page.

Xpress

UNELIF

Tackable Fabric International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL LEFT AND RIGHT (B) & VERTICAL BOTTOM OR LOWER (B) (Continued)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
21 / 533	66 / 1676	335	355	372	435	483	513	555	590
21 / 533	72 / 1829	358	377	400	467	518	551	595	638
21 / 533	78 / 1981	379	402	427	499	555	588	639	681
21 / 533	84 / 2134	401	428	453	532	590	628	678	728
21 / 533	90 / 2286	425	453	480	563	625	666	722	771
21 / 533	96 / 2438	449	476	504	594	663	703	763	819
22 / 559	66 / 1676	338	359	376	438	487	517	557	595
22 / 559	72 / 1829	362	383	402	472	523	555	602	641
22 / 559	78 / 1981	384	406	430	503	558	593	642	686
22 / 559	84 / 2134	406	431	457	536	594	633	684	732
22 / 559	90 / 2286	429	457	483	567	631	670	726	777
22 / 559	96 / 2438	453	482	511	600	666	708	768	823
37 / 940	66 / 1676	521	559	602	726	820	879	961	1038
37 / 940	72 / 1829	558	604	645	782	883	948	1038	1121
37 / 940	78 / 1981	597	645	691	837	948	1016	1114	1204
37 / 940	84 / 2134	638	686	736	894	1011	1087	1191	1287
37 / 940	90 / 2286	675	729	782	950	1075	1157	1268	1371
37 / 940	96 / 2438	713	770	827	1008	1140	1226	1346	1455

HORIZONTAL LEFT AND RIGHT (B) & VERTICAL FLUSH (F)

		Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
27 / 686	66 / 1676	365	402	498	534	576	619	673	724
27 / 686	72 / 1829	391	431	541	579	622	673	732	787
27 / 686	78 / 1981	417	459	571	611	657	710	771	829
27 / 686	84 / 2134	438	488	611	655	707	764	830	891
27 / 686	90 / 2286	465	517	650	700	756	819	889	957
27 / 686	96 / 2438	490	545	692	743	803	871	949	1019
28 / 711	66 / 1676	368	405	503	537	579	624	676	726
28 / 711	72 / 1829	394	434	544	582	625	677	736	791
28 / 711	78 / 1981	421	462	575	615	663	715	776	833
28 / 711	84 / 2134	445	492	615	660	710	768	834	897
28 / 711	90 / 2286	469	522	656	703	760	822	894	961
28 / 711	96 / 2438	496	551	698	747	807	875	952	1024

HORIZONTAL LEFT AND RIGHT (B) & VERTICAL TOP OR UPPER (T)

		Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
13 / 330	66 / 1676	247	259	289	303	319	340	363	381
13 / 330	72 / 1829	264	276	309	323	341	364	389	407
13 / 330	78 / 1981	276	294	328	342	364	389	411	434
13 / 330	84 / 2134	292	308	345	363	384	409	435	460
13 / 330	90 / 2286	307	325	364	383	406	431	460	488
13 / 330	96 / 2438	321	340	383	401	427	455	487	514
21 / 533	66 / 1676	335	355	372	435	483	513	555	590
21 / 533	72 / 1829	358	377	400	467	518	551	595	638
21 / 533	78 / 1981	379	402	427	499	555	588	639	681
21 / 533	84 / 2134	401	428	453	532	590	628	678	728
21 / 533	90 / 2286	425	453	480	563	625	666	722	771
21 / 533	96 / 2438	449	476	504	594	663	703	763	819

Pricing is continued on the following page.

Xpress

UNELIF

Tackable Fabric International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL LEFT AND RIGHT (B) & VERTICAL TOP OR UPPER (T) (Continued0

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
22 / 559	66 / 1676	338	359	376	438	487	517	557	595
22 / 559	72 / 1829	362	383	402	472	523	555	602	641
22 / 559	78 / 1981	384	406	430	503	558	593	642	686
22 / 559	84 / 2134	406	431	457	536	594	633	684	732
22 / 559	90 / 2286	429	457	483	567	631	670	726	777
22 / 559	96 / 2438	453	482	511	600	666	708	768	823
27 / 686	66 / 1676	365	402	498	534	576	619	673	724
27 / 686	72 / 1829	391	431	541	579	622	673	732	787
27 / 686	78 / 1981	417	459	571	611	657	710	771	829
27 / 686	84 / 2134	438	488	611	655	707	764	830	891
27 / 686	90 / 2286	465	517	650	700	756	819	889	957
27 / 686	96 / 2438	490	545	692	743	803	871	949	1019
28 / 711	66 / 1676	368	405	503	537	579	624	676	726
28 / 711	72 / 1829	394	434	544	582	625	677	736	791
28 / 711	78 / 1981	421	462	575	615	663	715	776	833
28 / 711	84 / 2134	445	492	615	660	710	768	834	897
28 / 711	90 / 2286	469	522	656	703	760	822	894	961
28 / 711	96 / 2438	496	551	698	747	807	875	952	1024

HORIZONTAL CENTERED (C) & VERTICAL BOTTOM OR LOWER (B)

		Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
7 / 178	36 / 914	156	161	178	182	188	194	206	213
13 / 330	36 / 914	182	193	217	224	236	248	265	276
21 / 533	36 / 914	234	246	270	296	318	340	365	390
22 / 559	36 / 914	235	248	274	299	321	344	369	392
37 / 940	36 / 914	339	363	389	457	510	543	588	634

HORIZONTAL CENTERED (C) & VERTICAL FLUSH (F)

		Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
27 / 686	36 / 914	249	278	319	338	361	384	412	437
28 / 711	36 / 914	251	281	326	344	367	392	422	449

HORIZONTAL CENTERED (C) & VERTICAL TOP OR UPPER (T)

		Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
13 / 330	36 / 914	182	193	217	224	236	248	265	276
21 / 533	36 / 914	234	246	270	296	318	340	365	390
22 / 559	36 / 914	235	248	274	299	321	344	369	392
27 / 686	36 / 914	249	278	319	338	361	384	412	437
28 / 711	36 / 914	251	281	326	344	367	392	422	449

Pricing is continued on the following page.

Xpress

UNELIF

Tackable Fabric International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL BOTTOM OR LOWER (B)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
7 / 178	42 / 1067	221	231	241	248	257	268	276	285
7 / 178	48 / 1219	236	242	250	265	274	282	295	303
7 / 178	54 / 1372	248	255	268	277	288	300	311	323
7 / 178	60 / 1524	264	270	281	295	307	316	331	341
7 / 178	66 / 1676	274	282	299	310	323	337	351	364
7 / 178	72 / 1829	287	299	312	328	341	356	370	387
7 / 178	78 / 1981	302	311	330	344	361	374	392	405
7 / 178	84 / 2134	315	328	344	362	377	394	411	428
7 / 178	90 / 2286	330	340	361	376	395	412	430	450
7 / 178	96 / 2438	342	355	375	394	411	430	452	469
13 / 330	42 / 1067	193	208	224	238	249	265	278	294
13 / 330	48 / 1219	209	218	236	250	268	281	299	312
13 / 330	54 / 1372	219	233	255	268	281	299	315	332
13 / 330	60 / 1524	234	244	271	284	300	317	338	356
13 / 330	66 / 1676	247	259	289	303	319	340	363	381
13 / 330	72 / 1829	264	276	309	323	341	364	389	407
13 / 330	78 / 1981	276	294	328	342	364	389	411	434
13 / 330	84 / 2134	292	308	345	363	384	409	435	460
13 / 330	90 / 2286	307	325	364	383	406	431	460	488
13 / 330	96 / 2438	321	340	383	401	427	455	487	514
21 / 533	42 / 1067	250	268	282	319	349	370	398	424
21 / 533	48 / 1219	272	285	299	345	379	401	431	459
21 / 533	54 / 1372	292	307	325	374	411	436	469	502
21 / 533	60 / 1524	311	328	346	401	443	469	510	543
21 / 533	66 / 1676	335	355	372	435	483	513	555	590
21 / 533	72 / 1829	358	377	400	467	518	551	595	638
21 / 533	78 / 1981	379	402	427	499	555	588	639	681
21 / 533	84 / 2134	401	428	453	532	590	628	678	728
21 / 533	90 / 2286	425	453	480	563	625	666	722	771
21 / 533	96 / 2438	449	476	504	594	663	703	763	819
22 / 559	42 / 1067	254	270	287	325	353	374	401	428
22 / 559	48 / 1219	274	287	302	347	383	405	435	462
22 / 559	54 / 1372	296	309	328	376	415	438	474	506
22 / 559	60 / 1524	314	330	351	405	449	474	512	545
22 / 559	66 / 1676	338	359	376	438	487	517	557	595
22 / 559	72 / 1829	362	383	402	472	523	555	602	641
22 / 559	78 / 1981	384	406	430	503	558	593	642	686
22 / 559	84 / 2134	406	431	457	536	594	633	684	732
22 / 559	90 / 2286	429	457	483	567	631	670	726	777
22 / 559	96 / 2438	453	482	511	600	666	708	768	823
37 / 940	42 / 1067	374	398	421	502	562	600	650	701
37 / 940	48 / 1219	409	431	458	549	615	656	715	768
37 / 940	54 / 1372	449	472	512	609	683	732	799	860
37 / 940	60 / 1524	483	510	555	661	741	796	869	937
37 / 940	66 / 1676	521	559	602	726	820	879	961	1038
37 / 940	72 / 1829	558	604	645	782	883	948	1038	1121
37 / 940	78 / 1981	597	645	691	837	948	1016	1114	1204
37 / 940	84 / 2134	638	686	736	894	1011	1087	1191	1287
37 / 940	90 / 2286	675	729	782	950	1075	1157	1268	1371
37 / 940	96 / 2438	713	770	827	1008	1140	1226	1346	1455

Pricing is continued on the following page.

Xpress

UNELIF

Tackable Fabric International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL FLUSH (F)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
27 / 686	42 / 1067	273	303	337	362	390	420	451	480
27 / 686	48 / 1219	296	328	353	391	424	454	488	520
27 / 686	54 / 1372	316	349	422	450	482	518	558	600
27 / 686	60 / 1524	339	372	459	490	527	567	615	660
27 / 686	66 / 1676	365	402	498	534	576	619	673	724
27 / 686	72 / 1829	391	431	541	579	622	673	732	787
27 / 686	78 / 1981	417	459	571	611	657	710	771	829
27 / 686	84 / 2134	438	488	611	655	707	764	830	891
27 / 686	90 / 2286	465	517	650	700	756	819	889	957
27 / 686	96 / 2438	490	545	692	743	803	871	949	1019
28 / 711	42 / 1067	274	307	341	364	392	423	454	483
28 / 711	48 / 1219	299	330	361	394	427	458	491	525
28 / 711	54 / 1372	319	353	424	452	484	521	560	603
28 / 711	60 / 1524	342	376	461	492	529	572	617	663
28 / 711	66 / 1676	368	405	503	537	579	624	676	726
28 / 711	72 / 1829	394	434	544	582	625	677	736	791
28 / 711	78 / 1981	421	462	575	615	663	715	776	833
28 / 711	84 / 2134	445	492	615	660	710	768	834	897
28 / 711	90 / 2286	469	522	656	703	760	822	894	961
28 / 711	96 / 2438	496	551	698	747	807	875	952	1024

HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL TOP OR UPPER (T)

		Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
13 / 330	42 / 1067	193	208	224	238	249	265	278	294
13 / 330	48 / 1219	209	218	236	250	268	281	299	312
13 / 330	54 / 1372	219	233	255	268	281	299	315	332
13 / 330	60 / 1524	234	244	271	284	300	317	338	356
13 / 330	66 / 1676	247	259	289	303	319	340	363	381
13 / 330	72 / 1829	264	276	309	323	341	364	389	407
13 / 330	78 / 1981	276	294	328	342	364	389	411	434
13 / 330	84 / 2134	292	308	345	363	384	409	435	460
13 / 330	90 / 2286	307	325	364	383	406	431	460	488
13 / 330	96 / 2438	321	340	383	401	427	455	487	514
21 / 533	42 / 1067	250	268	282	319	349	370	398	424
21 / 533	48 / 1219	272	285	299	345	379	401	431	459
21 / 533	54 / 1372	292	307	325	374	411	436	469	502
21 / 533	60 / 1524	311	328	346	401	443	469	510	543
21 / 533	66 / 1676	335	355	372	435	483	513	555	590
21 / 533	72 / 1829	358	377	400	467	518	551	595	638
21 / 533	78 / 1981	379	402	427	499	555	588	639	681
21 / 533	84 / 2134	401	428	453	532	590	628	678	728
21 / 533	90 / 2286	425	453	480	563	625	666	722	771
21 / 533	96 / 2438	449	476	504	594	663	703	763	819

Pricing is continued on the following page.

Xpress

UNELIF

Tackable Fabric International Power/ Communications Fascia (Slot Mount) (Continued)

DIMENSIONS
INCHES / MM

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)


HORIZONTAL LEFT OR RIGHT (L or R) & VERTICAL TOP OR UPPER (T) (Continued)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
22 / 559	42 / 1067	254	270	287	325	353	374	401	428
22 / 559	48 / 1219	274	287	302	347	383	405	435	462
22 / 559	54 / 1372	296	309	328	376	415	438	474	506
22 / 559	60 / 1524	314	330	351	405	449	474	512	545
22 / 559	66 / 1676	338	359	376	438	487	517	557	595
22 / 559	72 / 1829	362	383	402	472	523	555	602	641
22 / 559	78 / 1981	384	406	430	503	558	593	642	686
22 / 559	84 / 2134	406	431	457	536	594	633	684	732
22 / 559	90 / 2286	429	457	483	567	631	670	726	777
22 / 559	96 / 2438	453	482	511	600	666	708	768	823
27 / 686	42 / 1067	273	303	337	362	390	420	451	480
27 / 686	48 / 1219	296	328	353	391	424	454	488	520
27 / 686	54 / 1372	316	349	422	450	482	518	558	600
27 / 686	60 / 1524	339	372	459	490	527	567	615	660
27 / 686	66 / 1676	365	402	498	534	576	619	673	724
27 / 686	72 / 1829	391	431	541	579	622	673	732	787
27 / 686	78 / 1981	417	459	571	611	657	710	771	829
27 / 686	84 / 2134	438	488	611	655	707	764	830	891
27 / 686	90 / 2286	465	517	650	700	756	819	889	957
27 / 686	96 / 2438	490	545	692	743	803	871	949	1019
28 / 711	42 / 1067	274	307	341	364	392	423	454	483
28 / 711	48 / 1219	299	330	361	394	427	458	491	525
28 / 711	54 / 1372	319	353	424	452	484	521	560	603
28 / 711	60 / 1524	342	376	461	492	529	572	617	663
28 / 711	66 / 1676	368	405	503	537	579	624	676	726
28 / 711	72 / 1829	394	434	544	582	625	677	736	791
28 / 711	78 / 1981	421	462	575	615	663	715	776	833
28 / 711	84 / 2134	445	492	615	660	710	768	834	897
28 / 711	90 / 2286	469	522	656	703	760	822	894	961
28 / 711	96 / 2438	496	551	698	747	807	875	952	1024

Xpress

UAELIF

Tackable Fabric International Power/Communications Fascia for Freestanding District (Slot Mount)



The Tackable International Fabric Power/Communications Fascia provides a tackable panel wall finish.

WHAT'S INCLUDED
1 fascia.

NOTES
7" height fascias are not tackable.

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 21" and 22" fascias must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

For 24" to 60" wide fascias only Left (LL) or Right (RR) power and data locations can be specified.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/ Communication Orientation	Vertical Power/ Communication Orientation	Height	Width (6" increments)	Fascia Finish	Bezel Finish
2 Cut Out for two outlets (available on 24" and 30" widths)	**LL** Left	**T** Top	21, 22, 35	24 - 96	Panel Fabric	**-** Black
3 Cut Out for two outlets and one data/ communications box (available on 36" widths and wider)	**LC** Left Center	**B** Bottom				**74** Storm White
4 Cut Out for four outlets (available on 36" widths and wider)	**RC** Right Center					
5 Cala Cut Out for two outlets	**RR** Right					
6 Cala Cut Out for four outlets	**LR** Left and Right					
	CR Left Center and Right					
	CL Right Center and Left					

SAMPLE ORDER CODE

UAELIF 3	LR	T	22	66	C503	74

DIMENSIONS
INCHES / MM

PRICING

CUT OUT OUTLET (2, 3, 4) HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (T or B)								
H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
21 / 533	66 / 1676	295	312	332	395	442	472	514	551
21 / 533	72 / 1829	315	338	361	427	479	511	555	595
21 / 533	78 / 1981	339	363	387	459	514	549	597	641
21 / 533	84 / 2134	362	389	411	490	550	586	639	686
21 / 533	90 / 2286	384	411	436	522	585	624	680	731
21 / 533	96 / 2438	405	434	462	553	619	664	722	776
22 / 559	66 / 1676	298	316	337	399	446	476	517	555
22 / 559	72 / 1829	319	341	363	430	482	514	558	602
22 / 559	78 / 1981	342	367	391	461	517	552	603	645
22 / 559	84 / 2134	367	392	417	495	553	589	642	692
22 / 559	90 / 2286	390	417	442	526	588	630	685	737
22 / 559	96 / 2438	411	438	468	557	623	668	728	782
35 / 889	66 / 1676	468	510	548	672	766	826	907	984
35 / 889	72 / 1829	506	550	590	729	829	894	984	1068
35 / 889	78 / 1981	544	589	638	783	891	962	1060	1150
35 / 889	84 / 2134	581	633	680	838	957	1033	1136	1232
35 / 889	90 / 2286	618	672	726	894	1018	1100	1213	1315
35 / 889	96 / 2438	656	713	769	950	1083	1168	1287	1396

Pricing is continued on the following page.

Xpress

UAELIF

Tackable Fabric International Power/Communications Fascia for Freestanding District (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

PRICING

CUT OUT OUTLET (2, 3, 4)

HORIZONTAL (LL or RR) & VERTICAL (B or T)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
21 / 533	36 / 914	190	206	228	254	277	300	325	346
21 / 533	42 / 1067	211	224	242	278	309	330	358	383
21 / 533	48 / 1219	233	244	256	304	340	362	392	420
21 / 533	54 / 1372	249	266	282	334	371	397	429	460
21 / 533	60 / 1524	271	285	307	362	402	429	467	502
21 / 533	66 / 1676	295	312	332	395	442	472	514	551
21 / 533	72 / 1829	315	338	361	427	479	511	555	595
21 / 533	78 / 1981	339	363	387	459	514	549	597	641
21 / 533	84 / 2134	362	389	411	490	550	586	639	686
21 / 533	90 / 2286	384	411	436	522	585	624	680	731
21 / 533	96 / 2438	405	434	462	553	619	664	722	776
22 / 559	36 / 914	191	209	235	256	279	303	329	349
22 / 559	42 / 1067	213	228	247	282	311	334	362	389
22 / 559	48 / 1219	235	247	263	308	342	365	395	423
22 / 559	54 / 1372	254	269	285	337	374	399	432	464
22 / 559	60 / 1524	273	287	310	365	406	432	469	504
22 / 559	66 / 1676	298	316	337	399	446	476	517	555
22 / 559	72 / 1829	319	341	363	430	482	514	558	602
22 / 559	78 / 1981	342	367	391	461	517	552	603	645
22 / 559	84 / 2134	367	392	417	495	553	589	642	692
22 / 559	90 / 2286	390	417	442	526	588	630	685	737
22 / 559	96 / 2438	411	438	468	557	623	668	728	782
35 / 889	36 / 914	292	312	334	405	458	490	540	581
35 / 889	42 / 1067	326	346	369	452	512	548	600	647
35 / 889	48 / 1219	362	383	406	496	560	604	661	713
35 / 889	54 / 1372	395	421	460	557	631	680	747	808
35 / 889	60 / 1524	430	458	503	609	687	743	819	884
35 / 889	66 / 1676	468	510	548	672	766	826	907	984
35 / 889	72 / 1829	506	550	590	729	829	894	984	1068
35 / 889	78 / 1981	544	589	638	783	891	962	1060	1150
35 / 889	84 / 2134	581	633	680	838	957	1033	1136	1232
35 / 889	90 / 2286	618	672	726	894	1018	1100	1213	1315
35 / 889	96 / 2438	656	713	769	950	1083	1168	1287	1396

Pricing is continued on the following page.

Xpress

U A E L I F

Tackable Fabric International Power/Communications Fascia for Freestanding District (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (T or B)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
21 / 533	66 / 1676	328	345	365	428	474	504	548	583
21 / 533	72 / 1829	347	370	393	459	511	543	587	630
21 / 533	78 / 1981	371	395	420	491	548	581	631	673
21 / 533	84 / 2134	394	421	445	523	582	618	671	718
21 / 533	90 / 2286	419	445	469	555	617	657	713	764
21 / 533	96 / 2438	437	467	496	586	652	696	755	808
22 / 559	66 / 1676	330	349	369	431	480	510	550	587
22 / 559	72 / 1829	353	374	395	462	514	548	590	634
22 / 559	78 / 1981	375	399	423	495	550	585	635	677
22 / 559	84 / 2134	399	424	450	527	586	623	675	725
22 / 559	90 / 2286	422	450	474	558	620	663	717	769
22 / 559	96 / 2438	445	473	502	589	656	700	761	815
35 / 889	66 / 1676	502	542	580	705	798	858	941	1016
35 / 889	72 / 1829	540	582	624	762	861	927	1016	1100
35 / 889	78 / 1981	578	623	670	817	925	995	1092	1182
35 / 889	84 / 2134	613	665	713	872	989	1065	1168	1264
35 / 889	90 / 2286	650	705	760	927	1053	1133	1245	1348
35 / 889	96 / 2438	690	746	801	982	1115	1202	1320	1430

HORIZONTAL (LL or RR) & VERTICAL (B or T)

		Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
21 / 533	36 / 914	223	239	263	286	310	332	358	379
21 / 533	42 / 1067	243	258	274	311	341	363	391	417
21 / 533	48 / 1219	265	277	289	338	372	394	424	452
21 / 533	54 / 1372	282	299	315	367	404	429	461	492
21 / 533	60 / 1524	303	317	339	394	435	461	499	534
21 / 533	66 / 1676	328	345	365	428	474	504	548	583
21 / 533	72 / 1829	347	370	393	459	511	543	587	630
21 / 533	78 / 1981	371	395	420	491	548	581	631	673
21 / 533	84 / 2134	394	421	445	523	582	618	671	718
21 / 533	90 / 2286	419	445	469	555	617	657	713	764
21 / 533	96 / 2438	437	467	496	586	652	696	755	808
22 / 559	36 / 914	224	241	268	289	314	337	362	383
22 / 559	42 / 1067	246	263	279	315	344	367	394	421
22 / 559	48 / 1219	268	279	295	340	375	398	428	455
22 / 559	54 / 1372	286	301	317	369	406	431	465	497
22 / 559	60 / 1524	307	321	342	398	438	465	503	537
22 / 559	66 / 1676	330	349	369	431	480	510	550	587
22 / 559	72 / 1829	353	374	395	462	514	548	590	634
22 / 559	78 / 1981	375	399	423	495	550	585	635	677
22 / 559	84 / 2134	399	424	450	527	586	623	675	725
22 / 559	90 / 2286	422	450	474	558	620	663	717	769
22 / 559	96 / 2438	445	473	502	589	656	700	761	815

Pricing is continued on the following page.

Xpress

UAELIF

Tackable Fabric International Power/Communications Fascia for Freestanding District (Slot Mount) (Continued)

DIMENSIONS INCHES / MM

PRICING

CALA CUT OUT FOR TWO OUTLETS (5)

HORIZONTAL (LL or RR) & VERTICAL (B or T) (CONTINUED)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
35 / 889	36 / 914	325	345	367	437	490	523	572	613
35 / 889	42 / 1067	359	379	401	484	544	580	633	680
35 / 889	48 / 1219	394	417	438	528	593	636	694	746
35 / 889	54 / 1372	428	453	492	589	664	713	781	843
35 / 889	60 / 1524	462	490	536	641	722	776	851	917
35 / 889	66 / 1676	502	542	580	705	798	858	941	1016
35 / 889	72 / 1829	540	582	624	762	861	927	1016	1100
35 / 889	78 / 1981	578	623	670	817	925	995	1092	1182
35 / 889	84 / 2134	613	665	713	872	989	1065	1168	1264
35 / 889	90 / 2286	650	705	760	927	1053	1133	1245	1348
35 / 889	96 / 2438	690	746	801	982	1115	1202	1320	1430

CALA CUT OUT FOR FOUR OUTLETS (6)

HORIZONTAL (LC, RC, LR, CR or CL) & VERTICAL (T or B)

		Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
21 / 533	66 / 1676	335	355	372	435	483	513	555	590
21 / 533	72 / 1829	358	377	400	467	518	551	595	638
21 / 533	78 / 1981	379	402	427	499	555	588	639	681
21 / 533	84 / 2134	401	428	453	532	590	628	678	728
21 / 533	90 / 2286	425	453	480	563	625	666	722	771
21 / 533	96 / 2438	449	476	504	594	663	703	763	819
22 / 559	66 / 1676	338	359	376	438	487	517	557	595
22 / 559	72 / 1829	362	383	402	472	523	555	602	641
22 / 559	78 / 1981	384	406	430	503	558	593	642	686
22 / 559	84 / 2134	406	431	457	536	594	633	684	732
22 / 559	90 / 2286	429	457	483	567	631	670	726	777
22 / 559	96 / 2438	453	482	511	600	666	708	768	823
35 / 889	66 / 1676	511	550	587	713	806	867	949	1024
35 / 889	72 / 1829	548	589	634	769	869	935	1024	1108
35 / 889	78 / 1981	585	633	677	824	932	1004	1100	1191
35 / 889	84 / 2134	620	672	722	881	997	1072	1176	1273
35 / 889	90 / 2286	661	713	767	935	1061	1142	1253	1356
35 / 889	96 / 2438	698	755	810	991	1125	1210	1328	1438

Pricing is continued on the following page.

Xpress

U A E L I F

Tackable Fabric International Power/Communications Fascia for Freestanding District (Slot Mount) (Continued)

DIMENSIONS
INCHES / MM

PRICING

CALA CUT OUT FOR FOUR OUTLETS (6)
HORIZONTAL (LL or RR) & VERTICAL (B or T)

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
21 / 533	36 / 914	234	246	270	296	318	340	365	390
21 / 533	42 / 1067	250	268	282	319	349	370	398	424
21 / 533	48 / 1219	272	285	299	345	379	401	431	459
21 / 533	54 / 1372	292	307	325	374	411	436	469	502
21 / 533	60 / 1524	311	328	346	401	443	469	510	543
21 / 533	66 / 1676	335	355	372	435	483	513	555	590
21 / 533	72 / 1829	358	377	400	467	518	551	595	638
21 / 533	78 / 1981	379	402	427	499	555	588	639	681
21 / 533	84 / 2134	401	428	453	532	590	628	678	728
21 / 533	90 / 2286	425	453	480	563	625	666	722	771
21 / 533	96 / 2438	449	476	504	594	663	703	763	819
22 / 559	36 / 914	235	248	274	299	321	344	369	392
22 / 559	42 / 1067	254	270	287	325	353	374	401	428
22 / 559	48 / 1219	274	287	302	347	383	405	435	462
22 / 559	54 / 1372	296	309	328	376	415	438	474	506
22 / 559	60 / 1524	314	330	351	405	449	474	512	545
22 / 559	66 / 1676	338	359	376	438	487	517	557	595
22 / 559	72 / 1829	362	383	402	472	523	555	602	641
22 / 559	78 / 1981	384	406	430	503	558	593	642	686
22 / 559	84 / 2134	406	431	457	536	594	633	684	732
22 / 559	90 / 2286	429	457	483	567	631	670	726	777
22 / 559	96 / 2438	453	482	511	600	666	708	768	823
35 / 889	36 / 914	332	355	374	449	500	532	580	620
35 / 889	42 / 1067	367	390	409	491	551	587	640	690
35 / 889	48 / 1219	401	424	450	537	604	643	701	755
35 / 889	54 / 1372	435	460	502	600	672	722	790	851
35 / 889	60 / 1524	472	498	544	648	730	785	858	925
35 / 889	66 / 1676	511	550	587	713	806	867	949	1024
35 / 889	72 / 1829	548	589	634	769	869	935	1024	1108
35 / 889	78 / 1981	585	633	677	824	932	1004	1100	1191
35 / 889	84 / 2134	620	672	722	881	997	1072	1176	1273
35 / 889	90 / 2286	661	713	767	935	1061	1142	1253	1356
35 / 889	96 / 2438	698	755	810	991	1125	1210	1328	1438

Xpress

U N E L M B

Metal Base Feed Fascia (Slot Mount)


The Metal Base Feed Fascia provides an opening for mounting of the base feed.

WHAT'S INCLUDED
1 fascia with cut out, as specified.

NOTES
The Center (C) Cut Out Location is available from 42" to 60" widths only.

The Left Center (E) Cut Out Location is available on 66" widths or higher only.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Cut Out Location (If applicable)	Height	Width (6" increments)	Fascia Finish
L Left Side	6	24 - 96	Foundation
R Right Side			Mica
C Center			Accent
E Left Center			
F Right Center			

SAMPLE ORDER CODE

UNELMB L	**6**	**72**	**14**

DIMENSIONS INCHES / MM

H	W	PRICING
6 / 152	24 / 610	131
6 / 152	30 / 762	136
6 / 152	36 / 914	142
6 / 152	42 / 1067	145
6 / 152	48 / 1219	149
6 / 152	54 / 1372	152
6 / 152	60 / 1524	156
6 / 152	66 / 1676	159
6 / 152	72 / 1829	163
6 / 152	78 / 1981	167
6 / 152	84 / 2134	174
6 / 152	90 / 2286	178
6 / 152	96 / 2438	181

Xpress

UAELMB

Metal Base Feed Fascia for Freestanding District (Slot Mount)


The Metal Base Feed Fascia provides an opening for mounting of the base feed.

WHAT'S INCLUDED
1 fascia with cut out, as specified.

NOTES
Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

On fascias 36" - 60" wide, cut out will be to the outer end of the side selected. For fascias 66" - 96" wide the cut out will be justified to the center of the fascia on the side selected.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Cut Out Location	Height	Width (6" increments)	Frame Finish
L Left Side	6	36 - 96	Foundation
R Right Side			Mica
			Accent

SAMPLE ORDER CODE

UAELMB L	**6**	**72**	**60**

DIMENSIONS INCHES / MM

H	W	PRICING
6 / 152	36 / 914	115
6 / 152	42 / 1067	119
6 / 152	48 / 1219	124
6 / 152	54 / 1372	129
6 / 152	60 / 1524	133
6 / 152	66 / 1676	141
6 / 152	72 / 1829	144
6 / 152	78 / 1981	149
6 / 152	84 / 2134	152
6 / 152	90 / 2286	156
6 / 152	96 / 2438	159

Xpress

U N E L F B

Fabric Base Feed Fascia (Slot Mount)


The Fabric Base Feed Fascia provides an opening for mounting of the base feed.

WHAT'S INCLUDED
1 fascia with cut out, as specified.

NOTES
Fabric Base Feed Fascia is not tackable.

The Center (C) Cut Out Location is available from 42" to 60" widths only.

NOTES
Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Cut Out Location (If applicable)	Height	Width (6" increments)	Fascia Finish
L Left Side	6	24 - 96	Panel Fabric
R Right Side			
C Center (available on 42", 60" widths)			
E Left Center (available on 66" widths or higher)			
F Right Center (available on 66" widths or higher)			

SAMPLE ORDER CODE

UNELFB L	6	72	L341

DIMENSIONS
INCHES / MM

H	W
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
6 / 152	66 / 1676
6 / 152	72 / 1829
6 / 152	78 / 1981
6 / 152	84 / 2134
6 / 152	90 / 2286
6 / 152	96 / 2438

PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
136	141	144	150	154	158	161	167
150	153	171	176	182	187	194	204
160	165	180	184	190	195	206	213
174	180	189	194	204	211	219	225
184	189	202	210	218	224	236	243
195	204	211	220	233	240	249	259
209	214	223	236	246	255	268	277
219	225	239	249	263	273	284	296
234	241	251	266	278	289	302	314
244	251	268	279	294	307	321	334
256	266	279	296	311	325	339	353
270	278	295	310	326	340	358	371
281	292	308	326	342	358	374	392

Xpress

UAELFB

Fabric Base Feed Fascia for Freestanding District (Slot Mount)

The Fabric Base Feed Fascia provides an opening for mounting of the base feed.


WHAT'S INCLUDED
1 fascia with cut out, as specified.

NOTES
Fabric Base Feed Fascia is not tackable.

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

On fascias 36" - 60" wide, cut out will be to the outer end of the side selected. For fascias 66" - 96" wide the cut out will be justified to the center of the fascia on the side selected.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Cut Out Location	Height	Width (6" increments)	Fascia Finish
L Left Side	6	36 - 96	Panel Fabric
R Right Side			

SAMPLE ORDER CODE

UAELFB L	6	72	L341

DIMENSIONS
INCHES / MM

H	W
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
6 / 152	66 / 1676
6 / 152	72 / 1829
6 / 152	78 / 1981
6 / 152	84 / 2134
6 / 152	90 / 2286
6 / 152	96 / 2438

PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
164	172	183	188	194	203	210	217
178	182	191	197	208	214	221	233
187	191	204	212	220	228	239	246
197	205	213	221	234	242	250	263
210	214	224	238	247	256	269	277
221	228	241	251	265	274	286	299
236	242	254	269	281	294	304	316
248	255	270	284	299	310	325	337
263	270	284	300	314	328	342	358
274	282	299	314	330	344	362	375
286	298	312	331	347	363	379	395


Xpress

U N E L K
Fascia Clip Kit

The Fascia Clip Kit is required to attach clip-mounted fascias to a Convertible Wall Frame.

WHAT'S INCLUDED
Package of 25 or 100 clips, as specified.

NOTES
Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Quantity	
25	25 clips
100	100 clips

SAMPLE ORDER CODE

UNELK 100

QUANTITY	PRICING
25	117
100	423


power spine

power spine product map

UNFF Floor Flush Power Spine

Xpress


Page 421



UYFF Floor Flush Inset Power Spine

Xpress


Page 422



UZFF Floor Flush Power Spine Support Kit

Xpress


Page 424



UNPZ Power Spine Panel

Xpress


Page 426



UYPZ Power Spine Inset Panel

Xpress


Page 428



UZPK Power Spine Support Kit

Xpress


Page 430



UNZZ Zig Zag Power Spine Panel

Xpress


Page 434



UYZZ Zig Zag Power Spine Inset Panel

Xpress


Page 435



UZZK Zig Zag Support Kit

Xpress


Page 436



UNYH Power Spine 120 Hub Panel

Xpress


Page 438



UZYH Power Spine 120 Hub Inset Panel

Xpress


Page 439



UZYK Power Spine 120 Hub Support Kit

Xpress


Page 440



power spine product map (continued)


UNAF Xpress **Open Frame 29" High Panel, Standard**

Page 442




UYAF Xpress **Open Frame 29" High Panel, Inset**

Page 443



UNXF Xpress **Sliding Fabric Screen for Open Frame**

Page 444




UNZF **Sliding Smooth Felt Screen for Open Frame**

Page 446



UZBC Xpress **Power Spine Base Feed Cover**

Page 447



UZAS Xpress **Anchor for Height-Adjustable Table**

Page 448




UZBS Xpress **Bracket for Height-Adjustable Table**

Page 449




YSZ Xpress **hiSpace Quick Connect Height-Adjustable Freestanding Table Mechanism for District Power Spine**

Page 450




WBZ Xpress **Rectangular Height-Adjustable Worksurface with Connection Kit for hiSpace Quick Connect with District Power Spine**

Page 451




YSB Xpress **hiSpace Quick Connect Parallelogram Height-Adjustable Freestanding Table Mechanism for District Power Spine**

Page 452




WBP Xpress **Parallelogram Height-Adjustable Worksurface with Connection Kit for District Power Spine**

Page 453




YST Xpress **hiSpace 120 Height-Adjustable Freestanding Table**

Page 454




power spine product map (continued)


WBT **120Hub Height-Adjustable Worksurface for hiSpace Quick Connect with District Power Spine**
Xpress
Page 456




UZWE **Power Spine Rectangle Worksurface**
Xpress
Page 458




UZWC **Power Spine Rectangle Worksurface Support Bundle**
Xpress
Page 460




UZWP **Power Spine Parallelogram Worksurface**
Xpress
Page 462




UZWK **Power Spine Parallelogram Worksurface Support Bundle**
Xpress
Page 464




UZWA **Power Spine Angled Worksurface**
Xpress
Page 466




UZWB **Power Spine Angled Worksurface Support Bundle**
Xpress
Page 468




UZWD **Power Spine Dual 120 Angled Worksurface**
Xpress
Page 469




UZDK **Power Spine Dual Angled Worksurface Support Bundle**
Xpress
Page 470



UZWT **Power Spine 120 Hub Worksurface**
Xpress
Page 471



UZWW **Power Spine 120 HUB Worksurface Support Bundle**
Xpress
Page 472



Xpress

UNFF

Floor Flush Power Spine


The Floor Flush Power Spine Panel Wall is flush to the ground and requires a support kit to complete the assembly.

WHAT'S INCLUDED
2 frames (96", 120", 132", 144", 168" widths), 3 frames (144"(A), 180", 198", 216", 252" widths), 4 frames (192", 240", 264", 288", 336" widths), hardware for straight connections and levelers.

WHAT'S EXCLUDED
Support Kit, Fascia, End Trim and Top Trim to Panel must be specified separately.

NOTES
Panel wall frame has a Black finish.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Height	Width	Panel Type
29	096, 120, 132, 144, 14A, 168, 180, 192, 198, 216, 240, 252, 264, 288, 336	Frame for Metal/Fabric **S** Frame for Solid Fascia

SAMPLE ORDER CODE

UNFF 29	**120**	

DIMENSIONS
INCHES / MM


H	W	PANEL WIDTHS
29 / 737	96 / 2438	one 96" panel
29 / 737	120 / 3048	two 60" panels
29 / 737	132 / 3352	two 66" panels
29 / 737	144 / 3658	two 72" panels
29 / 737	144 (A) / 3658	three 48" panels
29 / 737	168 / 4267	two 84" panels
29 / 737	180 / 4572	three 60" panels
29 / 737	192 / 4572	four 48" panels
29 / 737	198 / 5029	three 66" panels
29 / 737	216 / 5486	three 72" panels
29 / 737	240 / 6096	four 60" panels
29 / 737	252 / 6400	three 84" panels
29 / 737	264 / 6706	four 66" panels
29 / 737	288 / 7315	four 72" panels
29 / 737	336 / 8534	four 84" panels

PRICING

FRAME FOR METAL/FABRIC	FRAME FOR SOLID FASCIA
506	527
657	709
760	811
861	913
697	775
977	1029
985	1063
1011	1115
1141	1219
1296	1374
1313	1417
1465	1543
1520	1624
1727	1831
1920	2024

Xpress

U Y F F
Floor Flush Inset Power Spine



The Inset Panel Wall is designed to used in conjunction with the Inset Glass or Smooth add-on is elevated when finished with required Support Kit.

WHAT'S INCLUDED
2 frames (96", 120", 132", 144", 168" widths), 3 frames (144"(A), 180", 198", 216", 252" widths), 4 frames (192", 240", 264", 288", 336" widths), hardware for straight connections and levelers.

WHAT'S EXCLUDED
Support Kit, Fascia, End Trim and Top Trim to Panel must be specified separately.

NOTES
Panel wall frame has a Black finish.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Height	Width	Panel Type
29, 42	096, 120, 132, 144, 14A, 168, 180, 192, 198, 216, 240, 252, 264, 288, 336	Frame for Metal/Fabric **S** Frame for Solid Fascia

SAMPLE ORDER CODE

UYFF 29	**120**	

DIMENSIONS
INCHES / MM

H	W	PANEL WIDTHS
29 / 737	96 / 2438	one 96" panel
29 / 737	120 / 3048	two 60" panels
29 / 737	132 / 3352	two 66" panels
29 / 737	144 / 3658	two 72" panels
29 / 737	144 A / 3658	three 48" panels
29 / 737	168 / 4267	two 84" panels
29 / 737	180 / 4572	three 60" panels
29 / 737	192 / 4572	four 48" panels
29 / 737	198 / 5029	three 66" panels
29 / 737	216 / 5486	three 72" panels
29 / 737	240 / 6096	four 60" panels
29 / 737	252 / 6400	three 84" panels
29 / 737	264 / 6706	four 66" panels
29 / 737	288 / 7315	four 72" panels
29 / 737	336 / 8534	four 84" panels

PRICING

FRAME FOR METAL/FABRIC	FRAME FOR SOLID FASCIA
585	606
821	873
865	917
910	962
933	1011
1151	1203
1229	1307
1258	1362
1297	1375
1363	1441
1640	1743
1728	1806
1728	1832
1816	1920
2305	2408

Pricing is continued on the following page.

Xpress

U Y F F

Floor Flush Inset Power Spine (Continued)

DIMENSIONS
INCHES / MM

H	W	PANEL WIDTHS
42 / 1067	96 / 2438	one 96" panel
42 / 1067	120 / 3048	two 60" panels
42 / 1067	132 / 3352	two 66" panels
42 / 1067	144 / 3658	two 72" panels
42 / 1067	144 A / 3658	three 48" panels
42 / 1067	168 / 4267	two 84" panels
42 / 1067	180 / 4572	three 60" panels
42 / 1067	192 / 4572	four 48" panels
42 / 1067	198 / 5029	three 66" panels
42 / 1067	216 / 5486	three 72" panels
42 / 1067	240 / 6096	four 60" panels
42 / 1067	252 / 6400	three 84" panels
42 / 1067	264 / 6706	four 66" panels
42 / 1067	288 / 7315	four 72" panels
42 / 1067	336 / 8534	four 84" panels


PRICING

FRAME FOR METAL/FABRIC	FRAME FOR SOLID FASCIA
641	662
903	955
952	1004
1000	1051
1029	1107
1266	1317
1354	1432
1384	1488
1428	1506
1500	1578
1806	1910
1900	1978
1902	2006
1999	2103
2535	2639

Xpress

U Z F F

Floor Flush Power Spine Support Kit



The Floor Flush Power Spine Support Kit is paired with the Floor Flush Power Spine (UNFF) or Floor Flush Inset Power Spine (UYFF) to create a Floor Flush Power Spine.


WHAT'S INCLUDED
See below.

WHAT'S EXCLUDED
Floor Flush Power Spine (UNFF) or Floor Flush Inset Power Spine (UYFF), Fascia, End Trim and Top Trim to Panel must be specified separately.

NOTES
Support Kit only can be combined with the Floor Flush Power Spine (UNFF) or Floor Flush Inset Power Spine (UYFF).

Combined height with Power Spine is 29" or 42" from the finished floor to the top of the finished worksurface with a leveling range of 3"..

Xpress Available through *Teknion's Xpress Program.*

				
HEIGHT	**WIDTH**	**LARGE FOOT**	**MEDIUM FOOT**	**POST FOOT**
29"	96"	2	-	-
29"	120"	2	-	-
29"	132"	2	-	1
29"	144"	2	-	1
29"	14A	2	-	2
29"	168"	2	-	1
29"	180"	2	-	2
29"	192"	2	1	2
29"	198"	2	-	2
29"	216"	2	-	2
29"	240"	2	1	2
29"	252"	2	2	-
29"	264"	2	1	2
29"	288"	2	1	2
29"	336"	2	2	1
42"	96"	2	-	-
42"	120"	2	1	-
42"	132"	2	1	-
42"	144"	2	1	-
42"	14A	2	2	-
42"	168"	2	1	-
42"	180"	2	2	-
42"	192"	2	1	2
42"	198"	2	2	-
42"	216"	2	2	-
42"	240"	2	2	-
42"	252"	2	2	-
42"	264"	2	3	-
42"	288"	2	3	-
42"	336"	2	3	-

See Options and Pricing on the following page.

Xpress

UZFF

Floor Flush Power Spine Support Kit (Continued)

PRODUCT OPTIONS

Height	Width	Panel Type
29, 42	096, 120, 132, 144, 14A, 168, 180, 192, 198, 216, 240, 252, 264, 288, 336	Foundation Mica Accent

SAMPLE ORDER CODE


UZFF 29	**120**	**74**

DIMENSIONS INCHES / MM		PRICING
H	W	
29 / 737	96 / 2438	208
29 / 737	120 / 3048	208
29 / 737	132 / 3352	284
29 / 737	144 / 3658	284
29 / 737	144 A / 3658	359
29 / 737	168 / 4267	284
29 / 737	180 / 4572	359
29 / 737	192 / 4572	449
29 / 737	198 / 5029	359
29 / 737	216 / 5486	359
29 / 737	240 / 6096	449
29 / 737	252 / 6400	387
29 / 737	264 / 6706	449
29 / 737	288 / 7315	449
29 / 737	336 / 8534	462

DIMENSIONS INCHES / MM		PRICING
H	W	
42 / 1067	96 / 2438	208
42 / 1067	120 / 3048	297
42 / 1067	132 / 3352	297
42 / 1067	144 / 3658	297
42 / 1067	144 A / 3658	387
42 / 1067	168 / 4267	297
42 / 1067	180 / 4572	387
42 / 1067	192 / 4572	449
42 / 1067	198 / 5029	387
42 / 1067	216 / 5486	387
42 / 1067	240 / 6096	387
42 / 1067	252 / 6400	387
42 / 1067	264 / 6706	476
42 / 1067	288 / 7315	476
42 / 1067	336 / 8534	476

Xpress

U N P Z
Power Spine Panel



The Power Spine Panel Wall is elevated when finished with required Support Kit.

WHAT'S INCLUDED
2 frames (96", 120", 132", 144", 168" widths), 3 frames (144"(A), 180", 198", 216", 252" widths), 4 frames (192", 240", 264", 288", 336" widths), hardware for straight connections and levelers.

The Female Fascia clips will be attached when a Frame for Solid Fascia (S) Panel Type is ordered.

WHAT'S EXCLUDED
Support Kit, Fascia, End Trim and Top Trim to Panel must be specified separately

NOTES
Panel wall frame has a Black finish.

Clips are not included.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Height	Width	Support	Panel Type
29	096, 120, 132, 144, 14A, 168, 180, 192, 198, 216, 240, 252, 264, 288, 336	**N** No Post **C** Center Post **F** Offset Post	Frame for Metal/Fabric **S** Frame for Solid Fascia

SAMPLE ORDER CODE

UNPZ 29	**120**	**N**	

DIMENSIONS
INCHES / MM

H	W	SUPPORT
29 / 737	96 / 2438	No Post (one 96" panel)
29 / 737	120 / 3048	No Post (one 120" panel)
29 / 737	192 / 4572	No Post (two 96" panels)
29 / 737	240 / 6096	No Post (two 120" panels)
29 / 737	120 / 3048	Center Post (two 60" panels)
29 / 737	132 / 3352	Center Post (two 66" panels)
29 / 737	144 / 3658	Center Post (two 72" panels)
29 / 737	144 A / 3658	Center Post (three 48" panels)
29 / 737	168 / 4267	Center Post (two 84" panels)
29 / 737	180 / 4572	Center Post (three 60" panels)
29 / 737	192 / 4572	Center Post (four 48" panels)
29 / 737	198 / 5029	Center Post (three 66" panels)
29 / 737	216 / 5486	Center Post (three 72" panels)
29 / 737	240 / 6096	Center Post (four 60" panels)
29 / 737	252 / 6400	Center Post (three 84" panels)
29 / 737	264 / 6706	Center Post (four 66" panels)
29 / 737	288 / 7315	Center Post (four 72" panels)
29 / 737	336 / 8534	Center Post (four 84" panels)
29 / 737	144 A / 3658	Offset Post (one 48" panel, one 96" panel)
29 / 737	180 / 4572	Offset Post (one 60" panel, one 120" panel)
29 / 737	192 / 4572	Offset Post (two 48" panels, one 96" panels)
29 / 737	240 / 6096	Offset Post (two 60" panels, one 120" panel)


PRICING

FRAME FOR METAL/FABRIC	FRAME FOR SOLID FASCIA
422	443
597	618
764	816
1195	1247
548	600
633	685
718	770
581	659
814	865
821	899
843	947
951	1029
1080	1157
1094	1198
1221	1299
1267	1370
1439	1543
1600	1704
633	685
739	791
782	860
1176	1254

Xpress

U Y P Z

Power Spine Inset Panel



The Inset Panel Wall is designed to used in conjunction with the Inset Glass or Smooth add-on is elevated when finished with required Support Kit.

WHAT'S INCLUDED
2 frames (96", 120", 132", 144", 168" widths), 3 frames (144"(A), 180", 198", 216", 252" widths), 4 frames (192", 240", 264", 288", 336" widths), hardware for straight connections and levelers.

The Female Fascia clips will be attached when a Frame for Solid Fascia (S) Panel Type is ordered.

WHAT'S EXCLUDED
Support Kit, Fascia, End Trim and Top Trim to Panel must be specified separately.

NOTES
Panel wall frame has a Black finish.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Height	Width	Support	Panel Type
29, 42	096, 120, 132, 144, 14A, 168, 180, 192, 198, 216, 240, 252, 264, 288, 336	**N** No Post **C** Center Post **F** Offset Post	Frame for Metal/Fabric **S** Frame for Solid Fascia

SAMPLE ORDER CODE

UYPZ 29	**120**	**N**	

DIMENSIONS
INCHES / MM

H	W	SUPPORT
29 / 737	96 / 2438	No Post (one 96" panel)
29 / 737	120 / 3048	No Post (one 120" panel)
29 / 737	192 / 4572	No Post (two 96" panels)
29 / 737	240 / 6096	No Post (two 120" panels)
29 / 737	120 / 3048	Center Post (two 60" panels)
29 / 737	132 / 3352	Center Post (two 66" panels)
29 / 737	144 / 3658	Center Post (two 72" panels)
29 / 737	144 A / 3658	Center Post (three 48" panels)
29 / 737	168 / 4267	Center Post (two 84" panels)
29 / 737	180 / 4572	Center Post (three 60" panels)
29 / 737	192 / 4572	Center Post (four 48" panels)
29 / 737	198 / 5029	Center Post (three 66" panels)
29 / 737	216 / 5486	Center Post (three 72" panels)
29 / 737	240 / 6096	Center Post (four 60" panels)
29 / 737	252 / 6400	Center Post (three 84" panels)
29 / 737	264 / 6706	Center Post (four 66" panels)
29 / 737	288 / 7315	Center Post (four 72" panels)
29 / 737	336 / 8534	Center Post (four 84" panels)
29 / 737	144 A / 3658	Offset Post (one 48" panel, one 96" panel)
29 / 737	180 / 4572	Offset Post (one 60" panel, one 120" panel)
29 / 737	192 / 4572	Offset Post (two 48" panels, one 96" panels)
29 / 737	240 / 6096	Offset Post (two 60" panels, one 120" panel)

PRICING

FRAME FOR METAL/FABRIC	FRAME FOR SOLID FASCIA
487	508
702	723
974	1025
1406	1458
684	736
721	773
758	810
777	855
959	1011
1024	1102
1048	1152
1081	1158
1136	1214
1366	1470
1440	1518
1440	1544
1514	1618
1920	2024
714	766
1044	1096
1021	1099
1386	1464

Pricing is continued on the following page.

Xpress

U Y P Z


Power Spine Inset Panel (Continued)

DIMENSIONS INCHES / MM			PRICING	
H	W	SUPPORT	FRAME FOR METAL/FABRIC	FRAME FOR SOLID FASCIA
42 / 1067	96 / 2438	No Post (one 96" panel)	534	555
42 / 1067	120 / 3048	No Post (one 120" panel)	793	845
42 / 1067	192 / 4572	No Post (two 96" panels)	1250	1328
42 / 1067	240 / 6096	No Post (two 120" panels)	2112	2216
42 / 1067	120 / 3048	Center Post (two 60" panels)	752	804
42 / 1067	132 / 3352	Center Post (two 66" panels)	833	885
42 / 1067	144 / 3658	Center Post (two 72" panels)	857	935
42 / 1067	144 A / 3658	Center Post (three 48" panels)	787	838
42 / 1067	168 / 4267	Center Post (two 84" panels)	1128	1206
42 / 1067	180 / 4572	Center Post (three 60" panels)	1153	1257
42 / 1067	192 / 4572	Center Post (four 48" panels)	1070	1122
42 / 1067	198 / 5029	Center Post (three 66" panels)	1504	1608
42 / 1067	216 / 5486	Center Post (three 72" panels)	1583	1661
42 / 1067	240 / 6096	Center Post (four 60" panels)	1586	1689
42 / 1067	252 / 6400	Center Post (three 84" panels)	1221	1299
42 / 1067	264 / 6706	Center Post (four 66" panels)	1267	1370
42 / 1067	288 / 7315	Center Post (four 72" panels)	1439	1543
42 / 1067	336 / 8534	Center Post (four 84" panels)	1600	1704
42 / 1067	144 A / 3658	Offset Post (one 48" panel, one 96" panel)	1055	1107
42 / 1067	180 / 4572	Offset Post (one 60" panel, one 120" panel)	1124	1202
42 / 1067	192 / 4572	Offset Post (two 48" panels, one 96" panels)	1190	1268
42 / 1067	240 / 6096	Offset Post (two 60" panels, one 120" panel)	1666	1769

Xpress

U Z P K

Power Spine Support Kit




The Power Spine Support Kit is paired with the Power Spine or Power Spine Inset panel (UNPZ or UYPZ) to create a District Power Spine

WHAT'S INCLUDED
See below.

WHAT'S EXCLUDED
Power Spine or Power Spine Inset panel (UNPZ or UYPZ), Fascia, End Trim and Top Trim to Panel must be specified separately.

NOTES
Support Kit only can be combined with the Power Spine specific panel type (UNPZ & UYPZ). Combined height with Power Spine panel (UNPZ or UYPZ) is 29" or 42" from the finished floor to the top of the finished worksurface with a leveling range of 3".

Xpress Available through *Teknion's Xpress Program.*

							
HEIGHT	**WIDTH**	**SUPPORT TYPE**	**LRG FOOT**	**MED FOOT**	**POST FOOT**	**LEG COVER**	**TRIM**
29"	96"	No Post (N)	2	-	-	2	2
29"	120"	No Post (N)	2	-	-	2	2
29"	192"	No Post (N)	2	1	-	4	2
29"	240"	No Post (N)	2	1	-	4	4
42"	96"	No Post (N)	2	-	-	2	2
42"	192"	No Post (N)	2	1	-	4	2
29"	120"	Center Post (C)	2	-	1	4	2
29"	132"	Center Post (C)	2	-	1	4	2
29"	14A	Center Post (C)	2	-	2	6	3
29"	144"	Center Post (C)	2	-	1	4	2
29"	168"	Center Post (C)	2	-	1	4	2
29"	180"	Center Post (C)	2	-	2	6	3
29"	192"	Center Post (C)	2	1	2	8	4
29"	198"	Center Post (C)	2	-	2	6	3
29"	216"	Center Post (C)	2	-	2	6	3
29"	192"	Center Post (C)	2	1	2	8	4
29"	252"	Center Post (C)	2	2	-	6	3
29"	264"	Center Post (C)	2	1	2	8	4
29"	288"	Center Post (C)	2	1	2	8	4
29"	336"	Center Post (C)	2	2	1	8	4
42"	120"	Center Post (C)	2	1	-	4	2
42"	132"	Center Post (C)	2	1	-	4	2
42"	14A	Center Post (C)	2	2	-	6	3
42"	144"	Center Post (C)	2	1	-	4	2
42"	168"	Center Post (C)	2	1	-	4	2
42"	180"	Center Post (C)	2	2	-	6	3
42"	192"	Center Post (C)	2	1	2	8	4
42"	198"	Center Post (C)	2	2	-	6	3
42"	216"	Center Post (C)	2	2	-	6	3
42"	192"	Center Post (C)	2	1	2	8	4
42"	252"	Center Post (C)	2	2	-	6	3
42"	264"	Center Post (C)	2	3	-	8	4
42"	288"	Center Post (C)	2	3	-	8	4
42"	336"	Center Post (C)	2	3	-	8	4
29"	14A	Offset Post (F)	2	-	1	4	2
29"	14A	Offset Post (F)	2	-	1	-	-
29"	180"	Offset Post (F)	2	-	1	4	3
29"	180"	Offset Post (F)	2	-	1	-	-
29"	192"	Offset Post (F)	2	2	-	6	3
29"	192"	Offset Post (F)	2	2	-	-	-
29"	240"	Offset Post (F)	2	2	-	6	4
42"	14A	Offset Post (F)	2	-	1	4	2
42"	14A	Offset Post (F)	2	-	1	-	-
42"	192"	Offset Post (F)	2	2	-	6	3
42"	192"	Offset Post (F)	2	2	-	-	-

See Options and Pricing on the following page.

Xpress

UZPK

Power Spine Support Kit (Continued)

PRODUCT OPTIONS

Height	Width	Support	Top Trim Finish
29, 42	096, 120, 132, 144, 14A, 168, 180, 192, 198, 216, 240, 252, 264, 288, 336	**N** No Post **C** Center Post **F** Offset Post	Foundation Mica Accent

SAMPLE ORDER CODE

UZPK 29	120	N	74

DIMENSIONS
INCHES / MM

PRICING

H	W	SUPPORT	
29 / 737	96 / 2438	No Post (one 96" panel)	368
29 / 737	120 / 3048	No Post (one 120" panel)	378
29 / 737	192 / 4572	No Post (two 96" panels)	582
29 / 737	240 / 6096	No Post (two 120" panels)	638
29 / 737	120 / 3048	Center Post (two 60" panels)	539
29 / 737	132 / 3352	Center Post (two 66" panels)	558
29 / 737	144 / 3658	Center Post (two 72" panels)	558
29 / 737	144 A / 3658	Center Post (three 48" panels)	727
29 / 737	168 / 4267	Center Post (two 84" panels)	568
29 / 737	180 / 4572	Center Post (three 60" panels)	743
29 / 737	192 / 4572	Center Post (four 48" panels)	939
29 / 737	198 / 5029	Center Post (three 66" panels)	771
29 / 737	216 / 5486	Center Post (three 72" panels)	771
29 / 737	240 / 6096	Center Post (four 60" panels)	960
29 / 737	252 / 6400	Center Post (three 84" panels)	814
29 / 737	264 / 6706	Center Post (four 66" panels)	997
29 / 737	288 / 7315	Center Post (four 72" panels)	997
29 / 737	336 / 8534	Center Post (four 84" panels)	1032
29 / 737	144 A / 3658	Offset Post (one 48" panel, one 96" panel)	558
29 / 737	180 / 4572	Offset Post (one 60" panel, one 120" panel)	582
29 / 737	192 / 4572	Offset Post (two 48" panels, one 96" panels)	770
29 / 737	240 / 6096	Offset Post (two 60" panels, one 120" panel)	812

Pricing is continued on the following page.

Xpress

U Z P K


Power Spine Support Kit (Continued)

DIMENSIONS INCHES / MM			PRICING
H	W	PANEL WIDTHS	
42 / 1067	96 / 2438	No Post (one 96" panel)	368
42 / 1067	192 / 4572	No Post (two 96" panels)	582
42 / 1067	120 / 3048	Center Post (two 60" panels)	553
42 / 1067	132 / 3352	Center Post (two 66"panels)	571
42 / 1067	144 / 3658	Center Post (two 72" panels)	571
42 / 1067	144 A / 3658	Center Post (three 48" panels)	754
42 / 1067	168 / 4267	Center Post (two 84" panels)	582
42 / 1067	180 / 4572	Center Post (three 60" panels)	770
42 / 1067	192 / 4572	Center Post (four 48" panels)	939
42 / 1067	198 / 5029	Center Post (three 66"panels)	798
42 / 1067	216 / 5486	Center Post (three 72" panels)	798
42 / 1067	240 / 6096	Center Post (four 60" panels)	960
42 / 1067	252 / 6400	Center Post (three 84" panels)	814
42 / 1067	264 / 6706	Center Post (four 66"panels)	1024
42 / 1067	288 / 7315	Center Post (four 72" panels)	1024
42 / 1067	336 / 8534	Center Post (four 84" panels)	1045
42 / 1067	144 A / 3658	Offset Post (one 48" panel, one 96" panel)	558
42 / 1067	192 / 4572	Offset Post (two 48" panels, one 96" panels)	770

Xpress

U N Z Z

Zig Zag Power Spine Panel



The Power Spine Panel Wall is elevated when finished with required Support Kit.

WHAT'S INCLUDED
3 frames (144 (A), 180", 216", 252" widths), 4 frames (192", 240", 288", 336"widths), 5 frames (240 (A)", 300", 360", 420"widths), hardware for straight connections and levelers.

WHAT'S EXCLUDED
Support Kit, Fascia, End Trim and Top Trim to Panel must be specified separately.

NOTES
Panel wall frame has a Black finish.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Height	Width	Support	Panel Type
29	14A, 180, 192, 216, 240, 24A, 252, 288, 300, 336, 360, 420	**Z** Zig Zag	Frame for Metal/Fabric **S** Frame for Solid Fascia

SAMPLE ORDER CODE

UNZZ 29	**120**	**Z**	

DIMENSIONS
INCHES / MM

H	W
29 / 737	14 (A) / 356
29 / 737	180 / 4572
29 / 737	192 / 4877
29 / 737	216 / 5486
29 / 737	240 / 6096
29 / 737	24 (A) / 610
29 / 737	252 / 6400
29 / 737	288 / 7315
29 / 737	300 / 7620
29 / 737	336 / 8534
29 / 737	360 / 9144
29 / 737	420 / 10668


PRICING

581
821
843
1080
1094
1053
1221
1439
1368
1600
1800
2001

Xpress

UYZZ

Zig Zag Power Spine Inset Panel



The Zig Zag Inset Panel Wall is designed to used in conjunction with the Inset Glass or Smooth add-on is elevated when finished with required Support Kit.

WHAT'S INCLUDED
3 frames (144 (A), 180", 216", 252" widths), 4 frames (192", 240", 288", 336" widths), 5 frames (240 (A)", 300", 360", 420" widths), hardware for straight connections and levelers.

WHAT'S EXCLUDED
Support Kit, Fascia, End Trim and Top Trim to Panel must be specified separately.

NOTES
Panel wall frame has a Black finish.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Height	Width	Support	Panel Type
29, 42	14 A, 180, 192, 216, 240, 24A, 252, 288, 300, 336, 360, 420	**Z** Zig Zag	Frame for Metal/Fabric **S** Frame for Solid Fascia

SAMPLE ORDER CODE


UYZZ 29	**120**	**Z**	

DIMENSIONS INCHES / MM

H	W	PRICING
29 / 737	14 (A) / 356	714
29 / 737	180 / 4572	1024
29 / 737	192 / 4877	1048
29 / 737	216 / 5486	1136
29 / 737	240 / 6096	1366
29 / 737	24 (A) / 610	1311
29 / 737	252 / 6400	1440
29 / 737	288 / 7315	1514
29 / 737	300 / 7620	1708
29 / 737	336 / 8534	1920
29 / 737	360 / 9144	1893
29 / 737	420 / 10668	2398
42 / 1067	14 (A) / 356	787
42 / 1067	180 / 4572	1128
42 / 1067	192 / 4877	1153
42 / 1067	216 / 5486	1250
42 / 1067	240 / 6096	1504
42 / 1067	24 (A) / 610	1441
42 / 1067	252 / 6400	1583
42 / 1067	288 / 7315	1666
42 / 1067	300 / 7620	1881
42 / 1067	336 / 8534	2112
42 / 1067	360 / 9144	2082
42 / 1067	420 / 10668	2641

Xpress

U Z Z K
Zig Zag Support Kit






The Zig Zag Power Spine Support Kit is paired with the Zig Zag Power Spine or the Zig Zag Power Spine Inset panel (UNZZ or UYZZ) to create a Zig Zag District Power Spine.

WHAT'S INCLUDED
See chart below.

WHAT'S EXCLUDED
Zig Zag Power Spine or Zig Zag Power Spine Inset Panel (UNZZ or UYZZ), Fascia, End Trim and Top Trim to Panel must be specified separately.

NOTES
Xpress Available through *Teknion's Xpress Program.*

					
HEIGHT	**WIDTH**	**LARGE FOOT**	**DOUBLE FOOT**	**LEG COVER**	**TRIM**
29" & 42"	14A	2	2	6	3
29" & 42"	180"	2	2	6	3
29" & 42"	192"	2	3	8	4
29" & 42"	216"	2	2	6	3
29" & 42"	240"	2	3	8	4
29" & 42"	24A	2	4	10	5
29" & 42"	252"	2	2	6	3
29" & 42"	288"	2	3	8	4
29" & 42"	300"	2	4	10	5
29" & 42"	336"	2	3	8	4
29" & 42"	360"	2	4	10	5
29" & 42"	240"	2	4	10	5

See Options and Pricing on the following page.

Xpress

UZZK

Zig Zag Support Kit (Continued)

PRODUCT OPTIONS

Height	Width	Support	Trim Finish
29, 42	14 A, 180, 192, 216, 240, 24 A, 252, 288, 300, 336, 360, 420	**Z** Zig Zag	Foundation Mica Accent

SAMPLE ORDER CODE

UZZK 29	**120**	**Z**	**~**


DIMENSIONS INCHES / MM

PRICING

H	W	
29 / 737	14 (A) / 356	1061
29 / 737	180 / 4572	1067
29 / 737	192 / 4877	1703
29 / 737	216 / 5486	1072
29 / 737	240 / 6096	1679
29 / 737	24 (A) / 610	2063
29 / 737	252 / 6400	1078
29 / 737	288 / 7315	1704
29 / 737	300 / 7620	2102
29 / 737	336 / 8534	1822
29 / 737	360 / 9144	2131
29 / 737	420 / 10668	2276
42 / 1067	14 (A) / 356	1155
42 / 1067	180 / 4572	1168
42 / 1067	192 / 4877	1873
42 / 1067	216 / 5486	1181
42 / 1067	240 / 6096	1846
42 / 1067	24 (A) / 610	2270
42 / 1067	252 / 6400	1193
42 / 1067	288 / 7315	1874
42 / 1067	300 / 7620	2410
42 / 1067	336 / 8534	2051
42 / 1067	360 / 9144	2424
42 / 1067	420 / 10668	2579

Xpress

U N Y H
Power Spine 120 Hub Panel



The Power Spine 120 Hub Panel is elevated when finished with required Support Kit.

WHAT'S INCLUDED
3 frames in (48" or 60" widths), hardware for 120˚ connections and levelers.

WHAT'S EXCLUDED
Support Kit, Fascia, End Trim and Top Trim to Panel must be specified separately.

NOTES
Panel wall frame has a Black finish.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Height	Width	Support	Panel Type
29	48, 60	**P** 120 Power Spine	Frame for Metal/Fabric **S** Frame for Solid Fascia

SAMPLE ORDER CODE

UNYH 29	**60**	**N**	

DIMENSIONS
INCHES / MM

H	W
29 / 737	48 / 1219
29 / 737	60 / 1524

PRICING

633
821

Xpress

UZYH

Power Spine 120 Hub Inset Panel


The Inset 120 Hub Panel Wall is designed to used in conjunction with the Inset Glass or Smooth add-on is elevated when finished with required Support Kit.

WHAT'S INCLUDED
3 frames in (48" or 60" widths), hardware for 120˚ connections and levelers.

WHAT'S EXCLUDED
Support Kit, Fascia, End Trim and Top Trim to Panel must be specified separately.

NOTES
Panel wall frame has a Black finish.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Height	Width	Support	Panel Type
29, 42	48, 60	**P** 120 Power Spine	Frame for Metal/Fabric **S** Frame for Solid Fascia

SAMPLE ORDER CODE

UZYH 29	**60**	**P**	


DIMENSIONS INCHES / MM

H	W	PRICING
29 / 737	48 / 1219	777
29 / 737	60 / 1524	1024
42 / 1067	48 / 1219	857
42 / 1067	60 / 1524	1128

Xpress

U Z Y K

Power Spine 120 Hub Support Kit




The Power Spine 120 Hub Support Kit is paired with the Power Spine 120 Hub Panel or the Power Spine 120 Hub Inset Panel (UNYH or UZYH) to create a Zig Zag District Power Spine.

WHAT'S INCLUDED
See chart below

WHAT'S EXCLUDED
Power Spine 120 Hub Panel or Power Spine 120 Hub Inset Panel (UNYH or UZYH), Fascia, End Trim and Top Trim to Panel must be specified separately.

NOTES
Xpress Available through *Teknion's Xpress Program.*

				
HEIGHT	**WIDTH**	**LARGE FOOT**	**LEG COVER**	**TRIM**
29" & 42"	48"	3	3	3
29" & 42"	60"	3	3	3

See Options and Pricing on the following page.

Xpress

UZYK

Power Spine 120 Hub Support Kit

PRODUCT OPTIONS

Height	Width	Support	Top Trim Finish
29, 42	48, 60	**P** 120 Power Spine	Foundation Mica Accent

SAMPLE ORDER CODE

UZYK 29	60	P	74

DIMENSIONS INCHES / MM


PRICING

H	W	
29 / 737	48 / 1219	783
29 / 737	60 / 1524	863
42 / 1067	48 / 1219	876
42 / 1067	60 / 1524	952

Xpress

UNAF

Open Frame 29" High Panel, Standard



The Open Frame 29" High Panel, Standard is compatible with Linear (UNPZ) or Floor Flush (UNFF) Power Spine Panels at 29" high or District Panels (UNPFR, UNPER, UNPC) at 29" high.

WHAT'S INCLUDED
1 open frame for standard panel (widths 48"-96"), top trim and hardware

NOTES
Actual Height 22" (51 datum), 28" (57 datum).

The following configurations include:
- Beginning (B): end cap and one connector
- Middle (M): one connector
- Finish (F): one end cap
- Complete (C): two d caps

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Datum Height	Width	Configuration	Finish
51, 57	48, 54, 60, 66, 72, 78, 84, 90, 96	**B** Beginning	Foundation
		M Middle	Mica
		F Finish	Accent
		C Complete	

SAMPLE ORDER CODE

UNAF 51	**48**	**B**	**20**

DIMENSIONS
INCHES / MM

PRICING

H	W	
51 / 1295	48 / 1219	497
51 / 1295	54 / 1372	591
51 / 1295	60 / 1524	567
51 / 1295	66 / 1676	614
51 / 1295	72 / 1829	623
51 / 1295	78 / 1981	634
51 / 1295	84 / 2134	643
51 / 1295	90 / 2286	652
51 / 1295	96 / 2438	662
57 / 1448	48 / 1219	520
57 / 1448	54 / 1372	614
57 / 1448	60 / 1524	623
57 / 1448	66 / 1676	638
57 / 1448	72 / 1829	647
57 / 1448	78 / 1981	657
57 / 1448	84 / 2134	666
57 / 1448	90 / 2286	675
57 / 1448	96 / 2438	686

Xpress

UYAF

Open Frame 29" High Panel, Inset


The Open Frame 29" High Panel, Inset is compatible with Linear (UYPZ) or Floor Flush (UYFF) Power Spine Panels at 29" high or District Panels (UYPFR, UYPER, UYPCR) at 29" high.

WHAT'S INCLUDED
1 open frame for inset panel (widths 48"-96"), top trim and hardware

NOTES
Actual Height 22" (51 datum), 28" (57 datum).

The following configurations include:
- Beginning (B): end cap and one connector
- Middle (M): one connector
- Finish (F): one end cap
- Complete (C): two end caps

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Height	Width	Configuration	Finish
51, 57	48, 54, 60, 66, 72, 78, 84, 90, 96	**B** Beginning	Foundation
		M Middle	Mica
		F Finish	Accent
		C Complete	

SAMPLE ORDER CODE

UYAF 51	48	B	20

DIMENSIONS INCHES / MM

H	W	PRICING
51 / 1295	48 / 1219	497
51 / 1295	54 / 1372	591
51 / 1295	60 / 1524	567
51 / 1295	66 / 1676	614
51 / 1295	72 / 1829	623
51 / 1295	78 / 1981	634
51 / 1295	84 / 2134	643
51 / 1295	90 / 2286	652
51 / 1295	96 / 2438	662
57 / 1448	48 / 1219	520
57 / 1448	54 / 1372	614
57 / 1448	60 / 1524	623
57 / 1448	66 / 1676	638
57 / 1448	72 / 1829	647
57 / 1448	78 / 1981	657
57 / 1448	84 / 2134	666
57 / 1448	90 / 2286	675
57 / 1448	96 / 2438	686

Xpress

U N X F


Sliding Fabric Screen for Open Frame

The Sliding Fabric Screen for Open Frame is compatible with the Open Frame 29" High Panel, Standard (UNAF) and Open Frame 29" High Panel, Inset (UYAF).

WHAT'S INCLUDED
1 sliding screen.

NOTES
Hardware is preassembled.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Height	Actual Width	Screen Finish
14, 20, 26	23, 26, 29, 32, 35, 38, 41, 44, 47, 50, 53	Panel Fabrics Upholstery Fabrics

SAMPLE ORDER CODE

UNXF 20	**35**	**B204**

DIMENSIONS INCHES / MM

H	D
14 / 356	23 / 584
14 / 356	26 / 660
14 / 356	29 / 737
14 / 356	32 / 813
14 / 356	35 / 889
14 / 356	38 / 965
14 / 356	41 / 1041
14 / 356	44 / 1118
14 / 356	47 / 1194
14 / 356	50 / 1270
14 / 356	53 / 1346
20 / 508	23 / 584
20 / 508	26 / 660
20 / 508	29 / 737
20 / 508	32 / 813
20 / 508	35 / 889
20 / 508	38 / 965
20 / 508	41 / 1041
20 / 508	44 / 1118
20 / 508	47 / 1194
20 / 508	50 / 1270
20 / 508	53 / 1346

PRICING

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
349	354	363	390	409	428
396	402	411	443	464	486
442	449	459	494	517	542
489	497	508	547	572	601
535	543	556	597	627	657
582	591	605	650	682	714
628	638	652	701	736	771
675	686	702	755	794	832
720	732	750	808	850	891
766	779	798	861	907	952
812	827	848	916	965	1015
396	402	411	443	464	486
442	449	459	494	517	542
489	497	508	547	572	601
535	543	556	597	627	657
582	591	605	650	682	714
628	638	652	701	736	771
674	686	701	754	791	828
721	732	750	807	848	889
766	779	798	860	904	949
814	827	847	914	962	1010
858	874	896	967	1020	1072

UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
351	374	383	398	419	431	444	469	495	505
398	424	435	451	474	488	503	531	560	572
445	474	486	504	530	545	561	593	625	639
491	523	537	557	586	603	620	656	691	707
537	571	587	609	640	659	678	717	755	772
585	622	639	663	697	717	739	780	823	841
631	673	691	717	755	778	801	848	895	914
677	723	744	772	814	840	864	915	966	988
725	774	797	828	874	902	930	984	1041	1065
771	826	850	883	933	963	993	1054	1114	1141
819	877	904	940	994	1028	1060	1125	1192	1221
398	424	435	451	474	488	503	531	560	572
444	473	485	503	529	544	560	592	624	638
491	523	537	557	586	603	620	656	691	707
537	571	587	609	640	659	678	717	755	772
585	622	639	663	697	717	739	780	823	841
632	672	690	716	752	774	797	843	888	908
678	724	743	771	812	836	862	911	962	984
725	774	796	826	871	899	926	980	1034	1059
771	823	847	880	929	959	988	1046	1107	1131
819	877	902	938	991	1022	1055	1119	1183	1211
864	927	955	993	1050	1085	1119	1188	1258	1289

Pricing is continued on the following page.

Xpress

UNXF

Sliding Fabric Screen for Open Frame

DIMENSIONS INCHES / MM

H	D
26 / 660	23 / 584
26 / 660	26 / 660
26 / 660	29 / 737
26 / 660	32 / 813
26 / 660	35 / 889
26 / 660	38 / 965
26 / 660	41 / 1041
26 / 660	44 / 1118
26 / 660	47 / 1194
26 / 660	50 / 1270
26 / 660	53 / 1346

PRICING

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
535	543	556	594	623	650
582	591	605	647	677	708
629	638	652	698	731	764
675	686	700	750	787	821
721	732	748	801	840	877
768	779	796	853	894	933
815	827	845	905	948	990
860	874	893	957	1003	1048
906	922	941	1010	1060	1108
953	968	990	1065	1117	1170
1000	1016	1041	1120	1177	1233

UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
538	571	586	607	637	656	673	711	747	764
585	621	637	660	692	712	731	772	811	829
632	671	688	712	747	769	791	834	877	896
678	720	739	765	802	826	849	896	941	962
725	770	790	818	857	883	907	957	1007	1029
771	819	840	869	911	938	964	1017	1070	1093
819	871	893	925	971	998	1029	1085	1141	1167
864	918	942	977	1028	1058	1087	1148	1208	1235
912	971	996	1034	1090	1122	1154	1220	1285	1314
958	1021	1049	1089	1147	1182	1218	1288	1359	1390
1006	1072	1102	1145	1207	1245	1282	1358	1433	1466

U N Z F

Sliding Smooth Felt Screen for Open Frame



The Sliding Smooth Felt Screen for Open Frame is compatible with the Open Frame 29" High Panel, Standard (UNAF) and Open Frame 29" High Panel, Inset (UYAF).

WHAT'S INCLUDED
1 sliding screen.

NOTES
The pattern faces away from the centerline.

Available in all Smooth Felt colors.

Hardware is preassembled.

PRODUCT OPTIONS

Height	Actual Width	Pattern	Smooth Felt Finish
14, 20, 26	23, 26, 29, 32, 35, 38, 41, 44, 47, 50, 53	**N** No Pattern **P** Diagonal Pattern	Smooth Felt Colors

SAMPLE ORDER CODE

UNZF 20	35	N	QT

DIMENSIONS INCHES / MM

H	W
14 / 356	23 / 584
14 / 356	26 / 660
14 / 356	29 / 737
14 / 356	32 / 813
14 / 356	35 / 889
14 / 356	38 / 965
14 / 356	41 / 1041
14 / 356	44 / 1118
14 / 356	47 / 1194
14 / 356	50 / 1270
14 / 356	53 / 1346
20 / 508	23 / 584
20 / 508	26 / 660
20 / 508	29 / 737
20 / 508	32 / 813
20 / 508	35 / 889
20 / 508	38 / 965
20 / 508	41 / 1041
20 / 508	44 / 1118
20 / 508	47 / 1194
20 / 508	50 / 1270
20 / 508	53 / 1346

PRICING

No Pattern	Diagonal Pattern
284	378
331	426
378	473
426	520
473	567
520	614
567	662
614	709
662	756
709	803
756	851
331	449
378	497
426	543
473	591
520	638
567	686
614	732
662	779
709	827
756	874
803	922

DIMENSIONS INCHES / MM

H	W
26 / 660	23 / 584
26 / 660	26 / 660
26 / 660	29 / 737
26 / 660	32 / 813
26 / 660	35 / 889
26 / 660	38 / 965
26 / 660	41 / 1041
26 / 660	44 / 1118
26 / 660	47 / 1194
26 / 660	50 / 1270
26 / 660	53 / 1346

PRICING

No Pattern	Diagonal Pattern
473	614
520	662
567	709
614	756
662	803
709	851
756	898
803	945
851	992
898	1039
945	1087

Xpress

UZBC

Power Spine Base Feed Cover

Power Spine Base Feed Cover is a metal cover mounted to the bottom portion of Linear, 120 or Zig Zag Power Spine spans to conceal the basefeed.


WHAT'S INCLUDED

1 Based feed cover, mounting hardware.

NOTES

Only compatible with Power Spine Panel (UNPZ), Power Spine Support Kit (UZPK), Power Spine 120 Hub Inset Panel (UZYH), Power Spine 120 Hub Panel (UNYH), Zig Zag Power Spine Panel (UNZZ), Zig Zag Power Spine Inset Panel (UYZZ) Power Spine Spans.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Top Trim Finish
Foundation
Mica
Accent

SAMPLE ORDER CODE

UZBC 20

PRICING

151

Xpress

UZAS
Anchor for Height-Adjustable Table

Anchor is a bracket that wraps around the leg of a Height Adjustable Table, allowing the table to be tethered to a lateral floor screen.

WHAT'S INCLUDED
1 anchor, mounting hardware.

NOTES
Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Table Style	Screen Option	Finish
H hiSpace	**A** No Desk Mounted Screen	Foundation
S hiSpace Slide	**B** With Desk Mounted Screen	Mica
F hiSpace (6" frame reduction)		Accent
G hiSpace Slide (6" frame reduction)		
N Navigate		

SAMPLE ORDER CODE

UZAS H	**A**	**20**

PRICING

94

Xpress

UZBS

Bracket for Height-Adjustable Table

Bracket Support is a bracket that is mounted to the foot of a Height Adjustable Table, allowing the table to be tethered to a lateral floor screen.

WHAT'S INCLUDED
1 bracket, mounting hardware.

NOTES
Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Table Style		Screen Option		Finish
H	hiSpace	**A**	No Desk Mounted Screen	Foundation
S	hiSpace Slide	**B**	With Desk Mounted Screen	Mica
R	hiSpace Round Leg			Accent
N	Navigate (23" - 29" depth)			
P	Navigate (35" depth)			

SAMPLE ORDER CODE

UZBS H	**A**	**20**


PRICING

94

Xpress

Y S Z

hiSpace Quick Connect Height-Adjustable Freestanding Table Mechanism for District Power Spine



hiSpace Quick Connect Height-Adjustable Freestanding Table Mechanism must be paired with Rectangular Height-Adjustable Worksurface with Connection Kit for District Power Spine (WBZ) to create a complete table solution.

WHAT'S INCLUDED

1 pair of feet, 1 pair of leg columns, 1 power pak (includes 1 cable organizer with felt cover, pre-installed control box, 1 switch, 1 15' power cord, 2 motor cables)

WHAT'S EXCLUDED

This is not a complete Base Only product. The Connection Kit Top Frame is required and is included with Rectangular Height-Adjustable Worksurface with Connection Kit for hiSpace Quick Connect with District Power Spine (WBZ).

NOTES

Meets ANSI/BIFMA testing requirements.

BIFMA compliant height-adjustment range from 22.6" to 48.7" from the top of a 1" thick worksurface.

Includes a 240V universal control box.

Standby power consumption of 0.2W.

Power cord is 15' long.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Base Mechanism	Surface Depth	Surface Width	Power Spine Orientation	Base Finish
9E Extended Electric (22.6" - 48.7")	23, 29	52, 58, 64, 70	**C** Spine Front & Centered for Parallel **L** Spine Left for Perpendicular **R** Spine Right for Perpendicular	**52** Ebony **60** Platinum **83** Very White

SAMPLE ORDER CODE

YSZ 9E	29	58	R	52

PRODUCT OPTIONS (CONTINUED)

Switch	Power Pack	Wire Management	Wire Management Finish
D Display with Up/Down Memory **A** Toggle Display with Memory	**1** Cable Organizer with Felt Cover	**N** None **C** With Vertical Wire Carrier	**E** Ebony Coordinate **7** Platinum Coordinate **V** Very White Coordinate

SAMPLE ORDER CODE (CONTINUED)

D	1	C	E

PRICING

2049

If Vertical Wire Carrier is specified, add 332

Xpress

WBZ

Rectangular Height-Adjustable Worksurface with Connection Kit for hiSpace Quick Connect with District Power Spine


Rectangular Height-Adjustable Worksurface with Connection Kit for hiSpace Quick Connect must be paired with hiSpace Quick Connect Height-Adjustable Freestanding Table Mechanism for District Power Spine (YSZ) to create a complete table solution.

WHAT'S INCLUDED
1 worksurface with factory installed connection kit.

NOTES
Dimension are actual width and actual depth.

Power Spine provision will reduce the distance between leg columns for the selected width by 6".

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Base Mechanism	Actual Depth	Actual Width	Power Spine Orientation	Cut Out Style
9E Extended Electric (22.6" - 48.7")	23, 29	52, 58, 64, 70	**C** Spine Front & Centered for Parallel **L** Spine Left for Perpendicular **R** Spine Right for Perpendicular	**N** None **R** Rectangular (Diamond Shaped Cutout) **G** Round (2.75" Diameter)

SAMPLE ORDER CODE

WBZ 9	29	58	C	G

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Worksurface Finish	Edge Trim	Edge Trim Finish	Connection Kit Finish
N None **C** Center	Foundation Laminate	**2** Bullnose (with Foundation) **6** Straight (with Foundation) **8** Flat (with Foundation)	Edge Trim Colors	**52** Ebony **60** Platinum **83** Very White

SAMPLE ORDER CODE (CONTINUED)

C	LW	8	ST	52

DIMENSIONS INCHES / MM

D	W
23 / 584	52 / 1321
23 / 584	58 / 1473
23 / 584	64 / 1626
23 / 584	70 / 1778
29 / 737	52 / 1321
29 / 737	58 / 1473
29 / 737	64 / 1626
29 / 737	70 / 1778

PRICING


Flat Trim	Straight Trim	Bullnose Trim
756	766	852
766	777	869
776	790	887
789	800	906
775	787	880
789	799	898
800	812	917
812	827	937

If one Cut Out is specified, add 43

Xpress

YSB

hiSpace Quick Connect Parallelogram Height-Adjustable Freestanding Table Mechanism for District Power Spine



hiSpace Quick Connect Height-Adjustable Freestanding Parallelogram Table Mechanism must be paired with Parallelogram Height-Adjustable Worksurface with Connection Kit for District Power Spine (WBP) to create a complete table solution.

WHAT'S INCLUDED
1 pair of feet, 1 pair of leg columns, 1 power pak (includes 1 cable organizer with felt cover, pre-installed control box, 1 switch, 1 15' power cord, 2 motor cables).

WHAT'S EXCLUDED
This is not a complete Base Only product. The Connection Kit Top Frame is required and is included with Parallegram Height-Adjustable Worksurface with Connection Kit for District Power Spine (WBP).

NOTES
Meets ANSI/BIFMA testing requirements.

BIFMA compliant height-adjustment range from 22.6" to 48.7" from the top of a 1"thick worksurface.

Includes a 240V universal control box. Standby power consumption of 0.2W.

Power cord is 15' long.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Base Mechanism	Surface Depth	Surface Width	Handedness	Base Finish
9E Extended Electric (22.6" - 48.7")	23, 29	60, 72	**L** Left Hand **R** Right Hand	**52** Ebony **60** Platinum **83** Very White

SAMPLE ORDER CODE

YSB 9E	29	72	R	52

PRODUCT OPTIONS (CONTINUED)

Switch	Power Pak	Undersurface Cable Management	Vertical Wire Carrier	Vertical Wire Carrier Finish
D Display with Up/Down Memory **A** Toggle Display with Memory	**1** Cable Organizer with Felt Cover	**N** None **4** Dual Plastic Tray	**N** None **-** With Vertical Wire Carrier	**E** Ebony Coordinate **7** Platinum Coordinate **V** Very White Coordinate

SAMPLE ORDER CODE (CONTINUED)

D	1	4	N	7

PRICING

Power Pak Cable Organizer with Felt Cover
2340

If Cable Management, Dual Plastic Tray (4) is specified, add 58
If Vertical Wire Carrier is specified, add 334

Xpress

WBP

Parallelogram Height-Adjustable Worksurface with Connection Kit for District Power Spine

Parallelogram Height-Adjustable Worksurface with Connection Kit for hiSpace Quick Connect must be paired with hiSpace Quick Connect Height-Adjustable Parallelogram Freestanding Table Mechanism for District Power Spine (YSB) to create a complete table solution.


WHAT'S INCLUDED

1 worksurface with factory installed connection kit.

NOTES

Dimension are actual width and actual depth. Power Spine provision will reduce the distance between leg columns for the selected width by 6".

Xpress Edge Trim Style Full Knife (H) is excluded from *Teknion's Xpress Program.*



PRODUCT OPTIONS

Base Mechanism	Actual Depth	Actual Width	Handedness	Cut Out Style
9E Extended Electric (22.6" - 48.7")	23, 29	60, 72	**LH** Left Hand **RH** Right Hand	**N** None **G** Round (2.75" Diameter)

SAMPLE ORDER CODE

WBP 9E	29	60	LH	G

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Corner Condition	Surface Finish	Edge Trim Styles	Edge Trim Finish	Connection Kit Finish
N None **C** Center	**A** Four Radius Corners	Foundation Laminate	**8** Flat Trim **6** Straight Trim **2** Bullnose Trim **H** Full Knife Trim	Edge Trim Colors	**52** Ebony **60** Platinum **83** Very White

SAMPLE ORDER CODE (CONTINUED)

C	R	LW	8	ST	52

DIMENSIONS INCHES / MM


PRICING

D	W	NO CUT OUT (N) Flat Trim	Straight Trim	Bullnose Trim	Full Knife Trim	ROUND CUT OUT (G) / CENTER CUT OUT (C) Flat Trim	Straight Trim	Bullnose Trim	Full Knife Trim
23 / 584	60 / 1524	533	544	592	694	576	587	635	737
23 / 584	72 / 1829	558	570	619	726	602	612	663	769
29 / 737	60 / 1524	796	812	883	1034	837	854	926	1076
29 / 737	72 / 1829	807	824	897	1049	851	867	940	1093

Xpress

Y S T

hiSpace 120 Height-Adjustable Freestanding Table



hiSpace 120 Height-Adjustable Freestanding Table must be paired with 120 Height-Adjustable Worksurface with Connection Kit for District Power Spine (WBT) to create a complete table solution.

WHAT'S INCLUDED
1 3-point extended corner electric height-adjustable mechanism, quick connect kit, all assembly hardware, shipped knocked down.

WHAT'S EXCLUDED
This is not a complete Base Only product. Paired with 120 Hub Height -Adjustable with Connection Kit (WBT).

NOTES
Always uses a C-Leg Application. Table frame and surface orientation are field reversible. Orientation Left (L) and Right (R) refers to placement of the primary surface. Surface dimensions are actual width and actual depth.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Base Mechanism	Surface Depth	Surface Width	Base Finish
9E Extended Electric (22.6" - 48.7")	23, 29	46, 58	**52** Ebony **60** Platinum **83** Very White

SAMPLE ORDER CODE

YST 9E	**29**	**70**	**52**

PRODUCT OPTIONS CONTINUED

Switch	Undersurface Cable Management	Vertical Wire Carrier	Vertical Wire Carrier Finish
D Display with Up/Down Memory	**N** None	**N** None	**E** Ebony Coordinate
A Toggle Display with Memory	**4** Dual Plastic Tray	**-** With Vertical Wire Carrier	**7** Platinum Coordinate
			V Very White Coordinate

SAMPLE ORDER CODE CONTINUED

D	**4**	**N**	**E**


PRICING

No Vertical Wire Carrier	With Vertical Wire Carrier
2744	3079

Xpress

W B T

hiSpace Quick Connect 120 Hub Height-Adjustable Freestanding Table Mechanism for District Power Spine



120 Hub Height-Adjustable Worksurface with Connection Kit for hiSpace Quick Connect must be paired with hiSpace 120 Height-Adjustable Freestanding Table (YST) to create a complete table solution.

WHAT'S INCLUDED
1 worksurface.

WHAT'S EXCLUDED
Grommet (UNDG) for each cut out style must be ordered separately.

NOTES
Worksurface includes only specified cut outs.

Xpress Edge Trim Style Full Knife (H) is excluded from *Teknion's Xpress Program.*

PRODUCT OPTIONS

Base Mechanism	Actual Depth	Actual Width	Cut Out Style
9E Extended Electric (22.6" - 48.7")	23, 29	46, 58	**N** None **G** Round (2.75" Diameter)

SAMPLE ORDER CODE

WBT 9E	29	60	G

PRODUCT OPTIONS CONTINUED

Cut Out Location	Surface Finish	Edge Trim Styles	Edge Trim Finish
N None **C** Center **L** Left **R** Right **B** Left & Right **A** Center & Left **D** Center & Right **E** Center, Left & Right	Foundation Laminate	**8** Flat Trim **6** Straight Trim **2** Bullnose Trim **H** Full Knife Trim	Edge Trim Colors

SAMPLE ORDER CODE CONTINUED

N	LW	LW	ST

See Pricing on the following page.

Xpress

W B T

hiSpace Quick Connect 120 Hub Height-Adjustable Freestanding Table Mechanism for District Power Spine (Continued)

DIMENSIONS INCHES / MM

PRICING

NO CUT OUT (N)

NONE (N)

D	W	Flat Trim	Straight Trim	Bullnose Trim	Full Knife Trim
23 / 584	46 / 1168	836	853	928	1088
23 / 584	58 / 1473	1470	1499	1632	1912
29 / 737	46 / 1168	850	867	942	1104
29 / 737	58 / 1473	1483	1513	1647	1928

ROUND CUT OUT (G)

LEFT (L), RIGHT (R)

D	W	Flat Trim	Straight Trim	Bullnose Trim	Full Knife Trim
23 / 584	46 / 1168	880	896	971	1130
23 / 584	58 / 1473	1513	1542	1675	1955
29 / 737	46 / 1168	891	910	985	1146
29 / 737	58 / 1473	1526	1556	1688	1971

CENTER (C), CENTER & LEFT (A), LEFT & RIGHT (B), CENTER & RIGHT (D)

		Flat Trim	Straight Trim	Bullnose Trim	Full Knife Trim
23 / 584	46 / 1168	922	939	1014	1173
23 / 584	58 / 1473	1556	1584	1717	1997
29 / 737	46 / 1168	935	952	1028	1190
29 / 737	58 / 1473	1568	1598	1732	2014


CENTER, LEFT & RIGHT (E)

		Flat Trim	Straight Trim	Bullnose Trim	Full Knife Trim
23 / 584	46 / 1168	965	981	1057	1216
23 / 584	58 / 1473	1598	1627	1761	2041
29 / 737	46 / 1168	978	995	1070	1232
29 / 737	58 / 1473	1611	1642	1775	2056

Xpress

U Z W E

Power Spine Rectangle Worksurface



The Rectangle Worksurface provides a range of depths to support both primary and secondary worksurface applications.

WHAT'S INCLUDED
1 worksurface.

WHAT'S EXCLUDED
The Grommet (UNDG) for each cut out style must be ordered separately.

NOTES
Actual depth is 1" less than nominal depth to allow for a cable management gap at the back and to align with storage. Actual width equals nominal width, allowance for gaps at side edges must be specified.

Xpress Worksurface Finish Flintwood and Natural Veneer, Edge Trim Style Full Knife (H) are excluded from *Teknion's Xpress Program.*

PRODUCT OPTIONS

Depth	Width	Application	Worksurface Finish
24, 30	48, 54, 60, 66, 72	**A** Freestanding - 4 Legs	Foundation Laminate
		B Perpendicular - 2 Legs	Flintwood
			Natural Veneer

SAMPLE ORDER CODE

UZWE 24	48	A	LW

PRODUCT OPTIONS CONTINUED

Edge Trim Profile	Edge Trim Finish	Grommet (optional)	Grommet Finish
8 Flat	PVC Acrylic	**N** No Grommet	Foundation
H Full Knife		**2** Centered Grommet	Mica
			P Storm White
			Q Espresso
			7 Platinum
			V Very White

SAMPLE ORDER CODE CONTINUED

8	ST	2	7

See Pricing on the following page.

Xpress

U Z W E

Power Spine Rectangle Worksurface (Continued)

DIMENSIONS INCHES / MM

PRICING


D	W	Foundation Flat Trim	Foundation Full Knife	Flintwood Flat Trim	Flintwood Full Knife	Veneer Flat Trim	Veneer Full Knife
24 / 610	48 / 1219	496	639	1230	1418	1288	1487
24 / 610	54 / 1372	654	846	1313	1509	1376	1581
24 / 610	60 / 1524	664	861	1418	1629	1487	1707
24 / 610	66 / 1676	673	879	1500	1720	1573	1803
24 / 610	72 / 1829	685	894	1583	1810	1659	1896
30 / 762	48 / 1219	543	696	1373	1582	1439	1659
30 / 762	54 / 1372	672	872	1466	1684	1537	1764
30 / 762	60 / 1524	685	889	1557	1786	1632	1871
30 / 762	66 / 1676	699	910	1696	1948	1778	2042
30 / 762	72 / 1829	709	925	1787	2049	1873	2148

If Grommet is specified, add 43

Xpress

U Z W C

Power Spine Rectangle Worksurface Support Bundle



The Rectangle Worksurface Support Bundle provides a support to both primary and secondary worksurface applications. Included with the kit is the Worksurface Panel Wall Bracket connects a worksurface to a panel wall providing support. The Table Leg is available with a Fixed option that provides a Intermediate fixed to worksurface support.

WHAT'S INCLUDED
2 worksurface panel wall brackets (one left oriented, one right oriented), 2 legs with attachment hardware.

WHAT'S EXCLUDED
Support Kit, Fascia, End Trim and Top Trim to Panel must be specified separately.

NOTES
Panel wall frame has a Black finish.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Depth	Width	Leg Type	Application	Support Finish
24, 30	48, 54, 60, 66, 72	**L** Standard Leg	**A** Freestanding - 4 Legs	Foundation
			B Perpendicular - 2 Legs	Mica
				Accent

SAMPLE ORDER CODE

UZWC 24	48	L	A	74

DIMENSIONS INCHES / MM


PRICING

		PERPENDICULAR - 2 LEGS (B)		FREESTANDING - 4 LEGS (A)	
D	W	Foundation	Mica/Accent	Foundation	Mica/Accent
24 / 610	48 / 1219	509	549	934	974
24 / 610	54 / 1372	545	586	988	1030
24 / 610	60 / 1524	583	623	1002	1041
24 / 610	66 / 1676	620	662	1014	1054
24 / 610	72 / 1829	660	699	1027	1067
30 / 762	48 / 1219	509	549	934	974
30 / 762	54 / 1372	545	586	988	1030
30 / 762	60 / 1524	583	623	1002	1041
30 / 762	66 / 1676	620	662	1014	1054
30 / 762	72 / 1829	660	699	1027	1067

Xpress

U Z W P

Power Spine Parallelogram Worksurface



The Parallel Worksurface provides a range of depths to support both primary and secondary worksurface applications.

WHAT'S INCLUDED
1 worksurface.

WHAT'S EXCLUDED
The Grommet (UNDG) for each cut out style must be ordered separately.

NOTES
Actual depth is 1" less than nominal depth to allow for a cable management gap at the back and to align with storage. Actual width equals nominal width, allowance for gaps at side edges must be specified.

Xpress Worksurface Finish Flintwood and Natural Veneer, Edge Trim Style Flat with Flintwood and Natural Veneer (9) and Full Knife (H) are excluded from *Teknion's Xpress Program.*

PRODUCT OPTIONS

Depth	Width	Handedness	Application
24, 30	48, 54, 60, 66, 72	**LH** Left Hand **RH** Right Hand	**A** Freestanding - 4 Legs **C** Parallel - 2 Legs **D** Parallel - 1 Leg

SAMPLE ORDER CODE

UZWP 24	**48**	**LH**	**A**

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Styles	Edge Trim Finishes	Grommet (Optional)	Grommet Finish
Foundation Laminate Flintwood Natural Veneer	**8** Flat (Foundation Laminate) **9** Flat (Flintwood / Veneer) **H** Full Knife	PVC Acrylic	**N** No Grommet **2** Centered	Foundation Mica **P** Storm White **Q** Espresso **7** Platinum **V** Very White

SAMPLE ORDER CODE CONTINUED

LW	**8**	**ST**	**2**	**7**

See Pricing on the following page.

Xpress

U Z W P

Power Spine Parallelogram Worksurface (Continued)

DIMENSIONS INCHES / MM

PRICING


D	W	Foundation Flat Trim	Foundation Full Knife	Flintwood Flat Trim	Flintwood Full Knife	Veneer Flat Trim	Veneer Full Knife
24 / 610	48 / 1219	509	662	1272	1398	1335	1468
24 / 610	54 / 1372	521	677	1303	1433	1368	1504
24 / 610	60 / 1524	533	694	1334	1467	1401	1539
24 / 610	66 / 1676	545	710	1365	1501	1433	1577
24 / 610	72 / 1829	558	726	1492	1642	1566	1723
30 / 762	48 / 1219	571	743	1429	1570	1499	1650
30 / 762	54 / 1372	583	760	1460	1604	1531	1685
30 / 762	60 / 1524	796	1034	1989	2189	2087	2297
30 / 762	66 / 1676	801	1042	2005	2206	2106	2317
30 / 762	72 / 1829	807	1049	2020	2222	2122	2334

If Grommet is specified, add 43

Xpress

U Z W K

Power Spine Parallelogram Worksurface Support Bundle



The Parallel Worksurface Support Bundle provides a support to both primary and secondary worksurface applications. Included with the kit is the Worksurface Panel Wall Bracket connects a worksurface to a panel wall providing support. The Table Leg is available with a Fixed option that provides a Intermediate fixed to worksurface support.

WHAT'S INCLUDED

Included with the kit is the Worksurface Panel Wall Bracket connects a worksurface to a panel wall providing support. The Table Leg is available with a Fixed option that provides a Intermediate fixed to worksurface support.

WHAT'S EXCLUDED

Parallel Worksurface (UZWP) must be ordered separately.

NOTES

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Depth	Width	Leg Type	Application	Handedness	Support Finish
24, 30	48, 54, 60, 66, 72	**C** Standard Leg for Curved Radius	**A** Freestanding - 4 Legs **C** Parallel - 2 Legs **D** Parallel - 1 Leg	**LH** Left **RH** Right	Foundation Mica Accent

SAMPLE ORDER CODE

UZWK 24	48	L	A	LH	74

DIMENSIONS INCHES / MM

D	W
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829

PRICING

PARALLEL - 1 LEG (D)		PARALLEL - 2 LEG (C)		FREESTANDING - 4 LEGS (A)	
Foundation	Mica/Accent	Foundation	Mica/Accent	Foundation	Mica/Accent
266	307	473	513	872	912
266	307	473	513	872	912
278	318	485	526	884	925
278	318	485	526	884	925
303	344	511	551	910	950
266	307	473	513	872	912
266	307	473	513	872	912
278	318	485	526	884	925
278	318	485	526	884	925
303	344	511	551	910	950

Xpress

U Z W A
Power Spine Angled Worksurface


The Angled Worksurface provides a range of depths to support both primary and secondary worksurface applications.

WHAT'S INCLUDED
1 worksurface.

WHAT'S EXCLUDED
120 Angled Worksurface Support Bundle (UZWB) must be ordered separately.

NOTES
Actual depth is 1" less than nominal depth to allow for a cable management gap at the back and to align with storage. Actual width equals nominal width, allowance for gaps at side edges must be specified.

Xpress Worksurface Finish Flintwood and Natural Veneer, Edge Trim Style Flat with Flintwood and Natural Veneer (9) and Full Knife (H) are excluded from *Teknion's Xpress Program.*



PRODUCT OPTIONS

Depth	Width	Handedness	Application
24, 30	48, 54, 60, 66, 72	**LH** Left Hand **RH** Right Hand	**B** Perpendicular - 2 Legs **D** Parallel - 1 Leg

SAMPLE ORDER CODE

UZWA 24	**48**	**LH**	**B**

PRODUCT OPTIONS CONTINUED

Worksurface Finish	Edge Trim Styles	Edge Trim Finishes	Grommet (Optional)	Grommet Finish
Foundation Laminate Flintwood Natural Veneer	**8** Flat (Foundation Laminate) **9** Flat (Flintwood / Veneer) **H** Full Knife	PVC Acrylic	**N** No Grommet **2** Centered	Foundation Mica **P** Storm White **Q** Espresso **7** Platinum **V** Very White

SAMPLE ORDER CODE CONTINUED

LW	**8**	**ST**	**2**	**7**

See Pricing on the following page.

Xpress

U Z W A

Power Spine Angled Worksurface (Continued)

DIMENSIONS INCHES / MM

PRICING


D	W	Foundation Flat Trim	Foundation Full Knife	Flintwood Flat Trim	Flintwood Full Knife	Veneer Flat Trim	Veneer Full Knife
24 / 610	48 / 1219	507	680	1166	1565	1223	1643
24 / 610	54 / 1372	517	691	1190	1588	1249	1666
24 / 610	60 / 1524	527	700	1213	1610	1273	1689
24 / 610	66 / 1676	537	710	1234	1633	1296	1715
24 / 610	72 / 1829	548	717	1258	1651	1321	1734
30 / 762	48 / 1219	557	747	1281	1720	1346	1807
30 / 762	54 / 1372	569	760	1308	1747	1373	1835
30 / 762	60 / 1524	745	1010	1714	2323	1800	2441
30 / 762	66 / 1676	755	1019	1738	2347	1824	2465
30 / 762	72 / 1829	766	1031	1761	2368	1847	2486

If Grommet is specified, add 43

Xpress

U Z W B

Power Spine Angled Worksurface Support Bundle



The120 Angled Worksurface Support bundle mounts to the underside of a worksurface and to the 120 Power Spine Hub to provide support for the worksurface.

WHAT'S INCLUDED
Brackets, as specified and attachment hardware. This support kit is designed to accompany 120 Angled Worksurface

WHAT'S EXCLUDED
120 Angled Worksurface (UZWA) must be ordered separately.

NOTES
Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Depth	Width	Leg Type	Application	Handedness	Support Finish
24, 30	48, 54, 60, 66, 72	**L** Standard Leg	**B** Perpendicular - 2 Legs **D** Parallel - 1 Leg	**LH** Left **RH** Right	Foundation Mica Accent

SAMPLE ORDER CODE

UZWB 24	48	L	B	LH	74

DIMENSIONS INCHES / MM

D	W
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829

PRICING

PARALLEL - 1 LEG (D)		PERPENDICULAR - 2 LEG (B)	
Foundation	Mica/Accent	Foundation	Mica/Accent
282	323	509	549
332	372	558	600
383	423	609	648
432	473	634	673
483	523	646	686
310	349	558	600
365	405	613	654
421	460	669	709
476	515	696	737
530	571	710	751

Xpress

UZWD

Power Spine Dual 120 Angled Worksurface


Dual 120 Angled Worksurface provides two face to face worksurfaces in a range of depths to support both primary worksurface applications.

WHAT'S INCLUDED
2 worksurfaces with connection supports.

WHAT'S EXCLUDED
Dual 120 Angled Worksurface Support Bundle (UZDK) must be ordered separately.

NOTES
Actual depth is 1" less than nominal depth to allow for a cable management gap at the back and to align with storage. Actual width equals nominal width, allowance for gaps at side edges must be specified.

Xpress Worksurface Finish Flintwood and Natural Veneer, Edge Trim Style Flat with Natural Veneer (9) are excluded from *Teknion's Xpress Program.*



PRODUCT OPTIONS

Depth	Width	Application	Worksurface Finish	Edge Trim Styles	Edge Trim Finish	Grommet (Optional)	Grommet Finish
48, 60	48, 54, 60, 66, 72	**B** Perpendicular - 2 Legs	Foundation Flintwood Natural Veneer	**8** Flat (Foundation Laminate) **9** Flat (Natural Veneer)	PVC Acrylic	**N** No Grommet **2** Centered	Foundation Mica **P** Storm White **Q** Espresso **7** Platinum **V** Very White

SAMPLE ORDER CODE

UZWD 24	48	B	LW	8	ST	2	7

DIMENSIONS INCHES / MM

D	W
48 / 1219	48 / 1219
48 / 1219	54 / 1372
48 / 1219	60 / 1524
48 / 1219	66 / 1676
48 / 1219	72 / 1829
60 / 1524	48 / 1219
60 / 1524	54 / 1372
60 / 1524	60 / 1524
60 / 1524	66 / 1676
60 / 1524	72 / 1829

PRICING


Foundation	Flintwood	Veneer
1014	2330	2448
1034	2481	2606
1054	2530	2657
1074	2577	2706
1094	2735	2872
1114	2786	2925
1137	2842	2983
1491	3428	3600
1510	3474	3647
1530	3520	3697

If Grommet is specified, add 85

Xpress

U Z D K

Power Spine Dual Angled Worksurface Support Bundle



The Dual 120 Angled Worksurface Support bundle mounts to the underside of a worksurface and to the Zig Zag Power Spine Hub to provide support for the worksurface

WHAT'S INCLUDED

Included with the kit is the Worksurface Panel Wall Bracket connects a worksurface to a panel wall providing support. The Table Leg is available with a Fixed option that provides a Intermediate fixed to worksurface support.

WHAT'S EXCLUDED

Dual 120 Angled Worksurface (UZWD) must be ordered separately.

NOTES

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Depth	Width	Leg Type	Application	Support Finish
48, 60	48, 54, 60, 66, 72	**L** Standard Leg	**B** Perpendicular - 2 legs	Foundation Mica Accent

SAMPLE ORDER CODE

UZDK 48	48	L	B	LW

DIMENSIONS INCHES / MM

PRICING

D	W	Foundation	Mica/Accent
48 / 1219	48 / 1219	747	776
48 / 1219	54 / 1372	850	879
48 / 1219	60 / 1524	951	980
48 / 1219	66 / 1676	970	1000
48 / 1219	72 / 1829	987	1016
60 / 1524	48 / 1219	823	852
48 / 1524	54 / 1372	935	963
48 / 1524	60 / 1524	1046	1075
48 / 1524	66 / 1676	1067	1095
48 / 1524	72 / 1829	1087	1115

Xpress

U Z W T

Power Spine 120 Hub Worksurface


The 120 Hub Worksurface provides a range of depths to support both primary and secondary worksurface applications.

WHAT'S INCLUDED
1 worksurface.

WHAT'S EXCLUDED
The Grommet (UNDG) for each cut out style must be ordered separately.

NOTES
Actual depth is 1" less than nominal depth to allow for a cable management gap at the back and to align with storage. Actual width equals nominal width, allowance for gaps at side edges must be specified.

Xpress Worksurface Finish Flintwood and Natural Veneer, Edge Trim Style Flat with Natural Veneer (9) are excluded from *Teknion's Xpress Program.*



PRODUCT OPTIONS

Depth	Width	Application	Worksurface Finish	Edge Trim Styles	Edge Trim Finish	Grommet (Optional)
24, 30	48, 60	**E** Semi Supported - 2 Legs	Foundation Flintwood Natural Veneer	**8** Flat (Foundation Laminate) **9** Flat (Natural Veneer)	PVC Acrylic	**N** No Grommet **C** Centered **L** Left **R** Right **B** Left & Right **A** Center & Left **D** Center & Right **E** Center, Left & Right

SAMPLE ORDER CODE

UZWT 24	48	E	LW	8	ST	C

DIMENSIONS INCHES / MM

PRICING


D	W	Foundation Flat Trim	Foundation Full Knife	Flintwood Flat Trim	Flintwood Full Knife	Veneer Flat Trim	Veneer Full Knife
24 / 610	48 / 1219	836	1088	2479	2719	2604	2854
24 / 610	60 / 1524	1470	1912	3383	3722	3552	3908
30 / 762	48 / 1219	850	1104	2605	2845	2735	2986
30 / 762	60 / 1524	1483	1928	3411	3753	3582	3941

If Grommet (C), (L), (R) is specified, add 43
If Grommet (A), (B), (D) is specified, add 85
If Grommet (E) is specified, add 128

Xpress

U Z W W

Power Spine 120 HUB Worksurface Support Bundle



The 120 Hub Worksurface Support Bundle provides a support to both primary and secondary worksurface applications. Included with the kit is the Worksurface Panel Wall Bracket connects a worksurface to a panel wall providing support. The Table Leg is available with a Fixed option that provides a Intermediate fixed to worksurface support.

WHAT'S INCLUDED

Included with the kit is the Worksurface Panel Wall Bracket connects a worksurface to a panel wall providing support. The Table Leg is available with a Fixed option that provides a Intermediate fixed to worksurface support.

WHAT'S EXCLUDED

120 Hub Worksurface (UZWT) must be ordered separately.

NOTES

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Depth	Width	Leg Type	Application	Support Finish
24, 30	48, 60	**L** Standard Leg	**E** Semi Supported - 2 Legs	Foundation Mica Accent

SAMPLE ORDER CODE

UZWW 24	48	L	E	74

DIMENSIONS INCHES / MM

D	W
24 / 610	48 / 1219
24 / 610	60 / 1524
30 / 762	48 / 1219
30 / 762	60 / 1524


PRICING

Foundation	Mica/Accent
611	650
611	650
611	650
611	650


screens

screens product map


UNSDT Desk Top Casual Screen
Xpress
Page 480




UNSDE Desk Edge Screen
Xpress
Page 481




UNSDEG Desk Edge Screen – Glass
Xpress
Page 482




UNSFDE Desk Edge Screen – Full-Height
Xpress
Page 484




UNSFDG Desk Edge Screen – Full-Height Glass
Xpress
Page 486




GXCD Infinity Curved Desk Edge Screen
Xpress
Page 488




GXDD Infinity Desk Edge Screen
Xpress
Page 492




GQDD Quilted Infinity Desk Edge Screen
Page 498




GXSD Infinity Side Desk Edge Screen
Xpress
Page 502



GXFD Infinity Desk Edge Floor Screen
Page 504



GXED Infinity Side Desk Edge Floor Screen
Page 506




GXCC Infinity Screen Alignment Clip
Xpress
Page 507



screens product map


GYDD Framed Fabric Desk Edge Screen

Page 508




GYSD Framed Fabric Side Desk Edge Screen

Page 512




GYFD Framed Fabric Desk Edge Floor Screen

Page 516




GYED Framed Fabric Side Desk Edge Floor Screen

Page 518




GVGD Desk Edge Screen with Glass

Page 520



GNGD Glass 6mm Lateral Screen


Page 522



GNTD Glass 10mm Lateral Screen


Xpress

Page 523




GNWD Writable Glass Lateral Screen

Page 524



GNSD Solid Lateral Screen

Page 525



GNLD Writable Laminate Lateral Screen


Page 526



GNXD Infinity Lateral Screen

Xpress


Page 527



GNZD Smooth Felt Lateral Screen

Xpress

Page 528




screens product map

GNYD Framed Fabric Lateral Screen

Xpress


Page 529



GNMD Metal Lateral Screen

Xpress


Page 530



UNSM Modesty Screen

Xpress


Page 531



UNSF Floor Screen

Xpress

Page 532



UNSFXL Floor Screen Extended Leveling Kit


Page 534



UNSSS Storage Screen

Xpress


Page 536



UZSS Lateral Floor Screen Solid

Xpress


Page 538



UZSG Lateral Floor Screen with Glass


Xpress

Page 540




UZRG Lateral Floor Screen with Glass, with Return

Page 548




UZRS Lateral Floor Screen with Solid, with Return

Page 560




UZCG Lateral Floor Screen with Glass, with Shared Return

Page 566



UZCS Spine Lateral Floor Screen with Solid, with Shared Return


Page 572



screens product map


UGSSS Gallery Screen

Page 596




UGSGS Gallery Screen with Glass

Page 597




UGSSL Gallery Screen with Return

Page 598




UGSGL Gallery Screen with Glass with Return

Page 599




UGSST Gallery Screen with Shared Return

Page 600



UGSGT Gallery Screen with Glass with Shared Return

Page 601



UNSPS Panel Wall Add-On Screen – Solid

Page 596

UNSPG Panel Wall 10mm Add-On Screen – Glass


Xpress

Page 597

UNSPF Panel Wall Add-On Screen – 6mm Glass


Xpress

Page 598




UYSPG Panel Glass Blade for Panels with 10mm Inset Glass

Page 599




UYSPF Panel Glass Blade for Panels with 6mm Inset Glass


Page 600




UYSCG Bridged Glass Blade for Panels with 10mm Inset Glass

Page 601








screens product map

UYSCF Bridged Glass Blade for Panels with 6mm Inset Glass

Xpress


Page 602



UNSPZ Smooth Felt Add-On

Xpress


Page 603



UYSPZ Smooth Felt Blade for Panels with Inset


Xpress

Page 604



UYXD Infinity Blade for Panels with Inset

Page 606



Xpress


U N S D T
Desk Top Casual Screen

The Desk Top Screen is freestanding, providing space division and territorial desktop privacy.

WHAT'S INCLUDED
1 desk top screen with base support.

NOTES
Edge trim will be finished to match the screen when Flintwood and Natural Veneer finishes have been specified.

Xpress Screen Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program.*



PRODUCT OPTIONS

Height	Width	Screen Finish	Edge Trim Finish (Applies to Fascia Laminate)	Base Finish
13	24	Source Laminate	**SM** Aluminum Acrylic	**AC** Clear Anodized
		Flintwood (Standard)	Self Edge	Foundation
		Natural Veneer		Mica

SAMPLE ORDER CODE

UNSDT 13	24	FX		AC

DIMENSIONS INCHES / MM

H	W
13 / 330	24 / 610

PRICING

Source Laminate	Flintwood	Natural Veneer
210	239	425

Xpress

UNSDE
Desk Edge Screen


The Desk Edge Screen attaches to the worksurface to provide space division and territorial desktop privacy.

WHAT'S INCLUDED
1 desk edge screen, attachment brackets.

NOTES
Edge trim will be finished to match the screen when Flintwood and Natural Veneer finishes have been specified.

Actual width is nominal (specified) width.

Xpress Screen Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program.*



PRODUCT OPTIONS

Height	Width (1" increments)	Screen Finish	Edge Trim Finish (Applies to Fascia Laminate)	Bracket Finish
13 (42" datum height)	23 - 96	Source Laminate	**SM** Aluminum Acrylic	Foundation
		Flintwood (Standard)	Self Edge	Mica
		Natural Veneer		

SAMPLE ORDER CODE

UNSDE 13	24	FX		E

DIMENSIONS FOR MM X BY 25.4


H	W
13	23 - 24
13	25 - 27
13	28 - 30
13	31 - 33
13	34 - 36
13	37 - 39
13	40 - 42
13	43 - 45
13	46 - 48
13	49 - 51
13	52 - 54
13	55 - 57
13	58 - 60
13	61 - 63
13	64 - 66
13	67 - 69
13	70 - 72
13	73 - 75
13	76 - 78
13	79 - 81
13	82 - 84
13	85 - 87
13	88 - 90
13	91 - 93
13	94 - 96

PRICING

Source Laminate	Flintwood	Natural Veneer
266	337	347
272	344	361
278	351	368
285	362	376
294	368	384
300	376	393
307	389	400
370	464	483
432	545	569
438	555	579
446	564	586
454	572	594
460	579	604
468	585	610
473	593	617
481	604	628
484	609	634
491	619	646
497	628	654
558	708	738
623	789	821
630	798	833
634	805	838
641	812	846
647	819	851

Xpress

UNSDEG
Desk Edge Screen – Glass



The Desk Edge Screen – Glass attaches to the worksurface to provide space division and territorial desktop privacy.

WHAT'S INCLUDED
1 screen, attachment brackets.

NOTES
This Desk Edge Screen can only be applied to 30" and 36" deep worksurfaces in freestanding applications.

Actual screen height is 19" in total; 6" below the worksurface and 13" above the worksurface.

Standard Glass, Frost is a 10mm etched tempered glass.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Height	Width (1" increments)	Screen Finish	Bracket Finish
13	23 - 96	**FT** Frost Standard Glass	Foundation Mica

SAMPLE ORDER CODE

UNSDEG 13	24	FT	Q

DIMENSIONS FOR MM X BY 25.4


PRICING

H	W	
13	23 - 24	606
13	25 - 27	670
13	28 - 30	731
13	31 - 33	794
13	34 - 36	856
13	37 - 39	918
13	40 - 42	979
13	43 - 45	1045
13	46 - 48	1146
13	49 - 51	1211
13	52 - 54	1279
13	55 - 57	1354
13	58 - 60	1422
13	61 - 63	1498
13	64 - 66	1573
13	67 - 69	1648
13	70 - 72	1721
13	73 - 75	1794
13	76 - 78	1869
13	79 - 81	1944
13	82 - 84	2018
13	85 - 87	2089
13	88 - 90	2164
13	91 - 93	2239
13	94 - 96	2312

Xpress

UNSFDE

Desk Edge Screen – Full-Height



The Desk Edge Screen – Full-Height attaches to the worksurface to provide space division and privacy. Particularly suited for height-adjustable tables.

WHAT'S INCLUDED
1 screen, attachment brackets.

NOTES
Actual screen height are 28" and 37" in total; 15" below the worksurface and 13" and 22" above the worksurface.

Edge trim will be finished to match the screen when Flintwood and Natural Veneer finishes have been specified.

Xpress Screen Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program.*

PRODUCT OPTIONS

Height	Width (1" increments)	Screen Finish	Edge Trim Finish	Bracket Finish
13, 22, 28	23 - 96	Source Laminate	**SM** Aluminum Acrylic	Foundation
		Flintwood (Standard)	~ Self Edge	Mica
		Natural Veneer		

SAMPLE ORDER CODE

UNSFDE 13	48	AV	SM	7

DIMENSIONS
FOR MM X BY 25.4

PRICING

H	W	Source Laminate	Flintwood	Natural Veneer
13	23 - 24	445	824	859
13	25 - 27	460	872	910
13	28 - 30	474	920	952
13	31 - 33	489	967	1002
13	34 - 36	503	1015	1051
13	37 - 39	521	1057	1095
13	40 - 42	540	1098	1138
13	43 - 45	585	1174	1214
13	46 - 48	633	1242	1285
13	49 - 51	650	1287	1333
13	52 - 54	673	1334	1379
13	55 - 57	694	1385	1433
13	58 - 60	716	1437	1485
13	61 - 63	738	1489	1537
13	64 - 66	762	1539	1588
13	67 - 69	785	1590	1643
13	70 - 72	808	1644	1696
13	73 - 75	834	1697	1753
13	76 - 78	859	1754	1809
13	79 - 81	914	1841	1900
13	82 - 84	973	1928	1992
13	85 - 87	1000	1994	2057
13	88 - 90	1030	2054	2120
13	91 - 93	1061	2119	2189
13	94 - 96	1094	2185	2255

Pricing is continued on the following page.

Xpress

UNSFDE


Desk Edge Screen – Full-Height (Continued)

DIMENSIONS FOR MM X BY 25.4		PRICING		
H	W	Source Laminate	Flintwood	Natural Veneer
22	23 - 24	534	907	947
22	25 - 27	553	962	1000
22	28 - 30	569	1012	1049
22	31 - 33	586	1065	1101
22	34 - 36	605	1116	1155
22	37 - 39	624	1161	1203
22	40 - 42	646	1205	1252
22	43 - 45	702	1288	1335
22	46 - 48	760	1365	1414
22	49 - 51	782	1416	1466
22	52 - 54	807	1467	1517
22	55 - 57	833	1526	1575
22	58 - 60	859	1579	1630
22	61 - 63	887	1634	1688
22	64 - 66	914	1694	1748
22	67 - 69	942	1750	1806
22	70 - 72	973	1807	1866
22	73 - 75	1002	1867	1926
22	76 - 78	1031	1930	1991
22	79 - 81	1098	2025	2089
22	82 - 84	1165	2122	2191
22	85 - 87	1198	2192	2261
22	88 - 90	1235	2258	2333
22	91 - 93	1274	2330	2408
22	94 - 96	1311	2404	2481
28	23 - 24	587	997	1040
28	25 - 27	610	1058	1099
28	28 - 30	625	1114	1155
28	31 - 33	645	1172	1213
28	34 - 36	665	1228	1272
28	37 - 39	687	1276	1324
28	40 - 42	710	1326	1378
28	43 - 45	771	1417	1469
28	46 - 48	834	1501	1553
28	49 - 51	859	1558	1611
28	52 - 54	888	1613	1670
28	55 - 57	917	1679	1733
28	58 - 60	947	1737	1793
28	61 - 63	977	1799	1858
28	64 - 66	1007	1863	1921
28	67 - 69	1037	1925	1987
28	70 - 72	1069	1988	2054
28	73 - 75	1100	2055	2119
28	76 - 78	1133	2123	2190
28	79 - 81	1206	2227	2299
28	82 - 84	1281	2334	2409
28	85 - 87	1318	2410	2488
28	88 - 90	1358	2484	2564
28	91 - 93	1402	2563	2649
28	94 - 96	1441	2644	2729

Xpress

U N S F D G

Desk Edge Screen – Full-Height Glass



The Desk Edge Screen – Full-Height Glass attaches to the worksurface to provide space division and territorial desktop privacy.

WHAT'S INCLUDED
1 screen, attachment brackets.

NOTES
This Desk Edge Screen can only be applied to 30" and 36" wide worksurfaces in freestanding applications.

Actual screen height is 28" in total; 15" below the worksurface and 13" above the worksurface.

Standard Glass, Frost is a 10mm etched tempered glass.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Height	Width (1" increments)	Screen Finish	Bracket Finish
13, 22, 28	23 - 72	**FT** Frost Standard Glass	Foundation Mica

SAMPLE ORDER CODE

UNSFDG 13	23	FT	Q

DIMENSIONS FOR MM X BY 25.4		PRICING
H	W	
13	23	789
13	24	789
13	25	868
13	26	868
13	27	868
13	28	949
13	29	949
13	30	949
13	31	1033
13	32	1033
13	33	1033
13	34	1112
13	35	1112
13	36	1112
13	37	1195
13	38	1195
13	39	1195
13	40	1274
13	41	1274
13	42	1274
13	43	1357
13	44	1357
13	45	1357
13	46	1491
13	47	1491

DIMENSIONS FOR MM X BY 25.4		PRICING
H	W	
13	48	1491
13	49	1577
13	50	1577
13	51	1577
13	52	1659
13	53	1659
13	54	1659
13	55	1756
13	56	1756
13	57	1756
13	58	1853
13	59	1853
13	60	1853
13	61	1949
13	62	1949
13	63	1949
13	64	2046
13	65	2046
13	66	2046
13	67	2140
13	68	2140
13	69	2140
13	70	2239
13	71	2239
13	72	2239

Pricing is continued on the following page.

Xpress

UNSFDG


Desk Edge Screen – Full-Height Glass (Continued)

DIMENSIONS FOR MM X BY 25.4		PRICING
H	W	
22	23	916
22	24	921
22	25	1008
22	26	1012
22	27	1016
22	28	1102
22	29	1108
22	30	1114
22	31	1202
22	32	1206
22	33	1213
22	34	1297
22	35	1302
22	36	1306
22	37	1395
22	38	1402
22	39	1406
22	40	1490
22	41	1496
22	42	1499
22	43	1589
22	44	1594
22	45	1599
22	46	1737
22	47	1742
22	48	1749
22	49	1840
22	50	1844
22	51	1848
22	52	1937
22	53	1942
22	54	1946
22	55	2049
22	56	2055
22	57	2058
22	58	2160
22	59	2164
22	60	2170
22	61	2272
22	62	2276
22	63	2283
22	64	2387
22	65	2390
22	66	2395
22	67	2495
22	68	2500
22	69	2503
22	70	2608
22	71	2613
22	72	2618

DIMENSIONS FOR MM X BY 25.4		PRICING
H	W	
28	23	1003
28	24	1011
28	25	1100
28	26	1110
28	27	1116
28	28	1206
28	29	1215
28	30	1225
28	31	1315
28	32	1325
28	33	1333
28	34	1421
28	35	1429
28	36	1438
28	37	1529
28	38	1539
28	39	1546
28	40	1633
28	41	1643
28	42	1650
28	43	1742
28	44	1751
28	45	1761
28	46	1901
28	47	1911
28	48	1919
28	49	2014
28	50	2022
28	51	2031
28	52	2122
28	53	2131
28	54	2137
28	55	2244
28	56	2253
28	57	2260
28	58	2365
28	59	2374
28	60	2381
28	61	2487
28	62	2496
28	63	2504
28	64	2611
28	65	2619
28	66	2627
28	67	2732
28	68	2740
28	69	2747
28	70	2854
28	71	2863
28	72	2871

Xpress

G X C D
Infinity Curved Desk Edge Screen



The Infinity Curved Desk Edge Screen attaches to the worksurface on both on the back and lateral edge to provide a lightweight, thin, upholstered fabric screen that is expressed in a softer curvilinear aesthetic that creates space division and local desktop privacy in varying levels.

WHAT'S INCLUDED
1 infinity fabric desk edge screen, attachment brackets, wire manger (if specified).

NOTES
The screen depth is 20" with a 1/2" wire gap around the screen.

Screen is designed to accompany the District Rectangle with Radius Corners Worksurface (UNWC).

Wire manger is designed to be accompanied by the Power Bar (YEPD) or Compact Power Bar (YEPS).

Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, refer to the *Teknion Textiles Program Guide*.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Modesty Base Height	Height	Depth	Width	Orientation	Screen Finish	Hardware Finish
S Partial Modesty Height (23")	**42** for 42" datum height	20	24, 30, 36, 42, 48, 54, 60	**NL** Left	Panel Fabrics	Foundation
M Modesty Height (15")	**51** for 51" datum height			**NR** Right	Upholstery Fabrics	Mica
	57 for 57" datum height			**WL** Left with Wire Manager		Accent
				WR Right with Wire Manager		

SAMPLE ORDER CODE

GXCD S	42	20	54	WL	B204	74

DIMENSIONS
INCHES / MM

PRICING

PARTIAL MODESTY HEIGHT (S)
LEFT/RIGHT (NL/NR)

H	W	PANEL FABRIC COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	UPHOLSTERY FABRIC COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42 / 1067	24 / 610	1067	1078	1098	1166	1214	1262	1070	1125	1150	1183	1235	1266	1296	1358	1421	1448
42 / 1067	30 / 762	1129	1145	1166	1243	1296	1349	1135	1197	1225	1262	1318	1355	1387	1459	1528	1558
42 / 1067	36 / 914	1192	1210	1233	1317	1378	1436	1198	1267	1296	1340	1404	1440	1477	1556	1633	1667
42 / 1067	42 / 1067	1326	1343	1369	1463	1527	1591	1332	1407	1439	1486	1556	1597	1637	1724	1809	1844
42 / 1067	48 / 1219	1381	1402	1431	1529	1600	1671	1387	1469	1506	1556	1630	1675	1721	1814	1907	1946
42 / 1067	54 / 1372	1455	1476	1507	1615	1693	1765	1463	1550	1589	1643	1725	1775	1820	1921	2022	2064
42 / 1067	60 / 1524	1501	1526	1558	1674	1756	1837	1510	1604	1645	1704	1792	1844	1896	2002	2112	2156
51 / 1295	24 / 610	1464	1489	1521	1637	1721	1803	1471	1568	1609	1670	1756	1810	1861	1969	2077	2124
51 / 1295	30 / 762	1530	1558	1596	1727	1817	1909	1540	1649	1695	1758	1859	1918	1975	2097	2217	2270
51 / 1295	36 / 914	1629	1659	1701	1845	1946	2048	1641	1757	1809	1883	1992	2056	2122	2255	2389	2446
51 / 1295	42 / 1067	2010	2043	2088	2246	2359	2468	2022	2150	2207	2287	2407	2477	2548	2696	2841	2905
51 / 1295	48 / 1219	2097	2132	2180	2352	2472	2593	2107	2250	2310	2396	2528	2605	2681	2841	3000	3068
51 / 1295	54 / 1372	2189	2228	2280	2466	2594	2726	2202	2352	2420	2514	2654	2736	2822	2992	3165	3240
51 / 1295	60 / 1524	2272	2313	2367	2570	2707	2849	2284	2449	2519	2620	2771	2859	2948	3134	3320	3399
57 / 1448	24 / 610	1626	1654	1695	1839	1937	2036	1634	1753	1802	1874	1982	2046	2110	2242	2374	2430
57 / 1448	30 / 762	1720	1755	1797	1959	2071	2183	1732	1863	1920	1999	2122	2192	2265	2412	2560	2623
57 / 1448	36 / 914	1826	1865	1912	2092	2213	2337	1840	1982	2044	2133	2268	2348	2427	2591	2756	2824
57 / 1448	42 / 1067	2243	2284	2338	2532	2668	2803	2257	2416	2484	2582	2728	2815	2900	3081	3260	3336
57 / 1448	48 / 1219	2347	2393	2451	2661	2808	2956	2363	2533	2609	2714	2875	2968	3061	3256	3455	3538
57 / 1448	54 / 1372	2490	2538	2604	2830	2990	3150	2504	2691	2773	2887	3061	3164	3268	3480	3689	3781
57 / 1448	60 / 1524	2588	2639	2707	2952	3126	3298	2605	2804	2893	3016	3201	3312	3421	3649	3878	3974

If Accent/Mica Hardware Finish is specified for 24" - 36", add 14
If Accent/Mica Hardware Finish is specified for 42" - 60", add 29

Pricing is continued on the following page.

Xpress

GXCD

Infinity Curved Desk Edge Screen (Continued)

DIMENSIONS INCHES / MM

PRICING

PARTIAL MODESTY HEIGHT (S) (CONTINUED)

LEFT/RIGHT WITH WIRE MANAGER (WL/WR)

H	W	PANEL FABRIC COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	UPHOLSTERY FABRIC COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42 / 1067	24 / 610	1074	1087	1105	1175	1223	1269	1078	1133	1158	1192	1244	1275	1305	1366	1431	1459
42 / 1067	30 / 762	1137	1153	1175	1252	1305	1358	1144	1205	1233	1269	1328	1363	1395	1467	1538	1568
42 / 1067	36 / 914	1202	1219	1242	1327	1386	1444	1206	1276	1305	1348	1411	1448	1487	1566	1643	1675
42 / 1067	42 / 1067	1334	1354	1379	1470	1537	1599	1340	1415	1447	1494	1566	1604	1648	1732	1816	1854
42 / 1067	48 / 1219	1389	1410	1439	1539	1609	1679	1395	1477	1514	1566	1641	1684	1728	1823	1915	1956
42 / 1067	54 / 1372	1464	1486	1516	1624	1701	1776	1470	1558	1597	1651	1733	1783	1830	1932	2029	2073
42 / 1067	60 / 1524	1512	1536	1568	1682	1764	1845	1519	1614	1654	1712	1802	1854	1906	2012	2120	2166
51 / 1295	24 / 610	1471	1497	1529	1648	1728	1811	1480	1575	1619	1677	1764	1817	1870	1978	2087	2132
51 / 1295	30 / 762	1540	1568	1603	1735	1828	1918	1549	1657	1703	1767	1867	1926	1983	2104	2227	2277
51 / 1295	36 / 914	1637	1670	1709	1855	1956	2056	1649	1765	1816	1890	1999	2064	2130	2265	2396	2455
51 / 1295	42 / 1067	2019	2052	2097	2255	2366	2474	2029	2159	2214	2297	2416	2486	2558	2703	2850	2913
51 / 1295	48 / 1219	2104	2142	2189	2363	2483	2604	2117	2258	2318	2405	2537	2613	2690	2850	3010	3076
51 / 1295	54 / 1372	2197	2237	2288	2473	2605	2734	2210	2363	2428	2522	2665	2745	2829	3000	3173	3248
51 / 1295	60 / 1524	2280	2321	2377	2578	2717	2856	2291	2457	2528	2629	2778	2868	2958	3142	3329	3407
57 / 1448	24 / 610	1633	1664	1703	1846	1946	2044	1644	1761	1810	1883	1992	2056	2119	2250	2382	2440
57 / 1448	30 / 762	1728	1763	1807	1967	2079	2192	1740	1870	1927	2008	2130	2200	2272	2421	2568	2634
57 / 1448	36 / 914	1836	1873	1921	2100	2222	2345	1847	1992	2055	2144	2276	2359	2435	2600	2763	2833
57 / 1448	42 / 1067	2253	2291	2347	2541	2675	2812	2266	2424	2492	2590	2736	2823	2909	3089	3270	3345
57 / 1448	48 / 1219	2360	2403	2461	2673	2820	2967	2373	2546	2620	2727	2885	2980	3072	3270	3465	3548
57 / 1448	54 / 1372	2499	2547	2611	2839	2999	3159	2515	2699	2781	2898	3071	3172	3275	3488	3698	3790
57 / 1448	60 / 1524	2598	2645	2715	2962	3134	3305	2612	2813	2902	3026	3211	3320	3430	3658	3885	3982

MODESTY HEIGHT (M)

LEFT/RIGHT (NL/NR)

H	W	PANEL FABRIC COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	UPHOLSTERY FABRIC COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42 / 1067	24 / 610	1320	1343	1378	1494	1574	1655	1328	1422	1464	1522	1610	1662	1714	1823	1932	1976
42 / 1067	30 / 762	1434	1460	1496	1627	1719	1809	1440	1547	1594	1659	1757	1815	1873	1995	2115	2166
42 / 1067	36 / 914	1529	1558	1599	1742	1843	1944	1539	1657	1707	1780	1889	1951	2018	2150	2283	2340
42 / 1067	42 / 1067	1709	1740	1784	1942	2052	2161	1720	1846	1903	1982	2101	2173	2243	2389	2533	2594
42 / 1067	48 / 1219	1793	1829	1876	2048	2167	2287	1805	1944	2003	2092	2221	2298	2374	2532	2691	2759
42 / 1067	54 / 1372	1885	1921	1973	2159	2288	2418	1896	2048	2114	2207	2345	2428	2511	2682	2854	2926
42 / 1067	60 / 1524	1966	2006	2061	2259	2397	2537	1978	2140	2210	2310	2460	2549	2638	2823	3006	3086
51 / 1295	24 / 610	1550	1577	1615	1753	1846	1942	1558	1671	1719	1786	1890	1950	2012	2137	2265	2317
51 / 1295	30 / 762	1635	1670	1710	1863	1969	2076	1648	1771	1826	1903	2018	2086	2153	2296	2435	2496
51 / 1295	36 / 914	1737	1773	1817	1989	2104	2222	1750	1886	1945	2029	2156	2235	2308	2465	2620	2685
51 / 1295	42 / 1067	2132	2170	2222	2407	2534	2665	2146	2296	2361	2454	2592	2674	2758	2928	3098	3171
51 / 1295	48 / 1219	2230	2273	2329	2529	2669	2808	2244	2408	2480	2579	2732	2822	2910	3096	3282	3361
51 / 1295	54 / 1372	2356	2400	2460	2675	2827	2978	2368	2546	2621	2732	2895	2992	3089	3287	3488	3575
51 / 1295	60 / 1524	2446	2493	2559	2790	2954	3116	2460	2650	2733	2850	3026	3128	3232	3449	3664	3756
57 / 1448	24 / 610	1660	1689	1726	1859	1952	2046	1671	1780	1826	1895	1994	2055	2114	2236	2359	2409
57 / 1448	30 / 762	1744	1776	1817	1969	2072	2177	1755	1877	1932	2005	2119	2185	2252	2390	2529	2588
57 / 1448	36 / 914	1848	1884	1932	2095	2210	2326	1863	1996	2054	2136	2260	2335	2408	2560	2711	2775
57 / 1448	42 / 1067	2400	2440	2495	2683	2817	2946	2413	2567	2635	2732	2875	2958	3042	3219	3391	3467
57 / 1448	48 / 1219	2501	2546	2602	2808	2951	3096	2515	2684	2758	2859	3015	3107	3199	3389	3579	3662
57 / 1448	54 / 1372	2707	2758	2822	3052	3212	3374	2726	2913	2995	3111	3284	3388	3490	3703	3917	4008
57 / 1448	60 / 1524	2819	2871	2937	3189	3360	3534	2834	3038	3126	3252	3437	3548	3659	3888	4121	4218

If Accent/Mica Hardware Finish is specified for 24" - 36", add 14
If Accent/Mica Hardware Finish is specified for 42" - 60", add 29

Pricing is continued on the following page.

Xpress

G X C D


Infinity Curved Desk Edge Screen (Continued)

DIMENSIONS INCHES / MM		PRICING																	
		MODESTY HEIGHT (M) (CONTINUED)																	
		LEFT/RIGHT WITH WIRE MANAGER (WL/WR)																	
42 / 1067	24 / 610	1329	1354	1386	1501	1582	1663	1336	1433	1471	1530	1620	1672	1724	1832	1939	1987		
42 / 1067	30 / 762	1441	1468	1504	1634	1726	1816	1448	1556	1602	1670	1765	1824	1883	2002	2123	2176		
42 / 1067	36 / 914	1539	1568	1607	1753	1853	1951	1547	1666	1715	1787	1897	1962	2026	2159	2290	2349		
42 / 1067	42 / 1067	1719	1750	1792	1950	2061	2170	1727	1856	1911	1992	2109	2180	2252	2396	2543	2605		
42 / 1067	48 / 1219	1803	1837	1885	2056	2177	2297	1813	1951	2013	2100	2229	2306	2381	2541	2699	2767		
42 / 1067	54 / 1372	1892	1932	1982	2167	2298	2426	1906	2056	2122	2214	2356	2437	2519	2691	2862	2935		
42 / 1067	60 / 1524	1973	2014	2070	2269	2407	2546	1988	2149	2220	2318	2469	2559	2645	2830	3013	3094		
51 / 1295	24 / 610	1558	1588	1624	1761	1856	1950	1568	1679	1726	1794	1899	1961	2021	2147	2273	2327		
51 / 1295	30 / 762	1645	1677	1720	1871	1978	2086	1655	1780	1835	1911	2026	2094	2161	2303	2443	2504		
51 / 1295	36 / 914	1748	1781	1828	1997	2115	2230	1757	1895	1953	2040	2166	2243	2317	2472	2629	2696		
51 / 1295	42 / 1067	2142	2179	2230	2416	2545	2672	2153	2303	2368	2461	2602	2683	2765	2936	3109	3179		
51 / 1295	48 / 1219	2243	2284	2340	2541	2681	2822	2255	2420	2490	2591	2743	2832	2921	3109	3294	3374		
51 / 1295	54 / 1372	2364	2408	2469	2684	2835	2986	2378	2553	2630	2741	2905	3000	3097	3299	3496	3584		
51 / 1295	60 / 1524	2455	2501	2567	2799	2962	3123	2469	2659	2742	2857	3035	3139	3242	3457	3671	3764		
57 / 1448	24 / 610	1670	1697	1734	1869	1962	2055	1679	1787	1836	1903	2001	2061	2120	2243	2367	2419		
57 / 1448	30 / 762	1754	1785	1826	1976	2082	2184	1763	1886	1939	2012	2126	2193	2259	2397	2534	2593		
57 / 1448	36 / 914	1858	1895	1938	2104	2220	2334	1871	2003	2061	2146	2269	2344	2418	2568	2719	2787		
57 / 1448	42 / 1067	2408	2449	2501	2691	2824	2954	2423	2576	2642	2741	2882	2966	3052	3225	3402	3475		
57 / 1448	48 / 1219	2510	2554	2609	2818	2960	3102	2524	2694	2764	2869	3026	3117	3208	3398	3589	3669		
57 / 1448	54 / 1372	2717	2765	2829	3059	3221	3380	2734	2921	3004	3119	3294	3395	3498	3709	3924	4015		
57 / 1448	60 / 1524	2826	2880	2948	3196	3368	3543	2843	3048	3134	3260	3445	3556	3668	3896	4127	4225		

If Accent/Mica Hardware Finish is specified for 24" - 36", add 14
If Accent/Mica Hardware Finish is specified for 42" - 60", add 29

Xpress

G X D D
Infinity Desk Edge Screen



The Infinity Desk Edge Screen attaches to a worksurface to provide a lightweight, thin, upholstered fabric screen that is expressed in a softer curvilinear aesthetic that creates space division and local desktop privacy in varying levels.

WHAT'S INCLUDED
1 infinity fabric desk edge screen, attachment brackets, wire manger (if specified).

NOTES
Infinity screen is 1/2" less than specified size. The worksurface wire gap is 1/2", to allow for mounting of select desk edge accessories.

Wire manger is designed to be accompanied by the Power Bar (YEPD) or Compact Power Bar (YEPS).

Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, Refer to the *Teknion Textiles Program Guide*.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Modesty Base Height	Height	Width (1" increments)	Wire Manager	Screen Finish	Hardware Finish
S Partial Modesty Height (23")	**42** for 42" datum height	36 - 72	**Y** Yes	Panel Fabrics	Foundation
M Modesty Height (15")	**51** for 51" datum height		**N** No	Upholstery Fabrics	Mica
E Elevated Height (6")	**57** for 57" datum height				Accent

SAMPLE ORDER CODE

GXDD S	42	60	Y	B204	74

DIMENSIONS
CODE / INCHES
FOR MM X BY 25.4

H	W
42	36 - 38
42	39 - 41
42	42 - 44
42	45 - 47
42	48 - 50
42	51 - 53
42	54 - 56
42	57 - 59
42	60 - 62
42	63 - 65
42	66 - 68
42	69
42	70 - 72

PRICING

PARTIAL MODESTY HEIGHT (S)
WITHOUT WIRE MANAGER (N)

PANEL FABRIC							UPHOLSTERY FABRIC									
COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5		COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
889	901	917	974	1012	1051		894	941	959	988	1030	1055	1080	1131	1183	1206
929	942	959	1019	1061	1102		934	984	1004	1034	1080	1105	1133	1190	1244	1268
967	980	1000	1064	1107	1152		973	1023	1046	1080	1128	1157	1185	1244	1304	1329
1010	1022	1041	1110	1158	1205		1014	1069	1094	1128	1180	1210	1241	1303	1365	1393
1049	1065	1084	1157	1206	1257		1054	1113	1138	1175	1230	1262	1295	1361	1427	1457
1083	1099	1121	1197	1251	1304		1090	1151	1177	1215	1274	1309	1341	1411	1483	1513
1116	1131	1155	1235	1289	1347		1121	1188	1214	1256	1316	1353	1387	1463	1537	1568
1177	1196	1219	1304	1363	1419		1183	1253	1282	1326	1388	1426	1464	1542	1620	1652
1241	1257	1282	1371	1433	1494		1248	1317	1348	1393	1460	1499	1539	1620	1702	1735
1264	1283	1310	1402	1467	1529		1269	1346	1379	1424	1496	1537	1577	1662	1749	1784
1289	1310	1336	1434	1499	1568		1296	1374	1409	1459	1529	1573	1618	1704	1793	1832
1315	1335	1363	1461	1528	1597		1323	1402	1437	1486	1558	1602	1648	1735	1828	1866
1340	1359	1388	1490	1562	1632		1346	1430	1466	1516	1592	1637	1682	1779	1871	1912

If Accent/Mica Hardware Finish is specified for 36" - 43", add 14
If Accent/Mica Hardware Finish is specified for 42" - 72", add 29

Pricing is continued on the following page.

Xpress

GXDD

Infinity Desk Edge Screen (Continued)

DIMENSIONS CODE / INCHES FOR MM X BY 25.4

PRICING

PARTIAL MODESTY HEIGHT (S) (CONTINUED)

WITHOUT WIRE MANAGER (N) (CONTINUED)

		PANEL FABRIC						UPHOLSTERY FABRIC									
H	W	COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
51	36 - 38	1129	1150	1176	1274	1341	1408	1136	1214	1250	1298	1371	1414	1457	1546	1634	1674
51	39 - 41	1181	1203	1232	1335	1408	1478	1189	1274	1310	1361	1439	1486	1530	1628	1724	1764
51	42 - 44	1233	1256	1286	1396	1474	1551	1241	1332	1369	1426	1509	1558	1607	1709	1811	1856
51	45 - 47	1299	1324	1357	1474	1556	1637	1309	1404	1445	1504	1592	1645	1697	1806	1914	1961
51	48 - 50	1364	1389	1424	1549	1634	1723	1373	1474	1519	1580	1674	1731	1785	1900	2014	2063
51	51 - 53	1409	1437	1471	1604	1696	1786	1417	1526	1572	1635	1735	1794	1854	1973	2095	2148
51	54 - 56	1451	1480	1520	1658	1754	1850	1463	1574	1622	1694	1797	1859	1919	2048	2176	2229
51	57 - 59	1538	1568	1607	1754	1855	1956	1547	1666	1715	1788	1899	1965	2028	2163	2297	2352
51	60 - 62	1622	1654	1696	1848	1953	2059	1632	1756	1810	1886	2001	2070	2137	2276	2418	2477
51	63 - 65	1674	1707	1753	1911	2022	2131	1685	1814	1870	1950	2071	2142	2212	2360	2504	2568
51	66 - 68	1725	1758	1806	1971	2087	2202	1735	1871	1930	2013	2138	2212	2285	2439	2592	2657
51	69	1763	1799	1844	2013	2130	2246	1776	1912	1971	2055	2182	2257	2333	2487	2643	2710
51	70 - 72	1800	1836	1885	2059	2182	2303	1811	1953	2016	2103	2236	2313	2393	2553	2715	2785
57	36 - 38	1124	1143	1170	1264	1333	1398	1129	1206	1242	1288	1363	1406	1447	1537	1626	1662
57	39 - 41	1175	1196	1225	1328	1398	1470	1181	1264	1303	1354	1431	1476	1522	1619	1712	1754
57	42 - 44	1226	1249	1279	1388	1466	1540	1233	1323	1359	1416	1498	1547	1597	1697	1800	1843
57	45 - 47	1293	1315	1348	1466	1546	1627	1299	1394	1436	1494	1581	1633	1685	1793	1903	1948
57	48 - 50	1358	1384	1417	1542	1627	1712	1365	1467	1510	1572	1666	1721	1776	1889	2003	2052
57	51 - 53	1400	1426	1463	1594	1684	1776	1408	1514	1561	1627	1725	1783	1840	1962	2080	2132
57	54 - 56	1440	1468	1507	1644	1738	1835	1448	1561	1609	1679	1783	1843	1906	2029	2156	2212
57	57 - 59	1526	1553	1596	1738	1839	1939	1536	1652	1703	1776	1885	1948	2013	2147	2277	2336
57	60 - 62	1609	1641	1681	1833	1938	2043	1619	1741	1794	1870	1983	2052	2120	2258	2397	2458
57	63 - 65	1660	1694	1735	1895	2003	2115	1672	1800	1855	1936	2054	2124	2194	2340	2486	2548
57	66 - 68	1711	1746	1791	1956	2071	2184	1723	1856	1914	1997	2122	2194	2269	2420	2574	2638
57	69	1749	1783	1829	1996	2114	2228	1758	1895	1953	2039	2164	2238	2313	2468	2621	2689
57	70 - 72	1784	1818	1867	2042	2163	2284	1794	1937	1998	2087	2217	2296	2371	2532	2695	2762

WITH WIRE MANAGER (Y)

		PANEL FABRIC						UPHOLSTERY FABRIC									
		COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42	36 - 38	898	911	925	981	1021	1060	902	949	967	996	1039	1065	1090	1142	1192	1215
42	39 - 41	940	950	967	1028	1070	1112	942	992	1012	1042	1090	1115	1143	1198	1253	1279
42	42 - 44	977	989	1008	1071	1116	1161	980	1033	1055	1090	1136	1165	1195	1253	1312	1338
42	45 - 47	1018	1031	1049	1120	1166	1214	1022	1076	1101	1136	1189	1219	1250	1311	1374	1402
42	48 - 50	1058	1072	1094	1165	1215	1266	1064	1122	1148	1183	1237	1269	1304	1369	1437	1466
42	51 - 53	1092	1107	1129	1205	1258	1312	1098	1160	1188	1225	1282	1316	1349	1419	1491	1521
42	54 - 56	1125	1142	1163	1244	1299	1356	1129	1196	1223	1264	1326	1359	1395	1470	1544	1575
42	57 - 59	1188	1204	1227	1312	1371	1430	1192	1262	1289	1334	1396	1436	1471	1550	1628	1660
42	60 - 62	1250	1266	1289	1380	1440	1501	1255	1327	1357	1402	1468	1509	1547	1628	1710	1746
42	63 - 65	1274	1293	1317	1410	1475	1539	1280	1355	1387	1434	1504	1544	1588	1672	1756	1792
42	66 - 68	1299	1317	1346	1441	1509	1575	1305	1384	1417	1467	1539	1581	1626	1712	1803	1840
42	69	1324	1343	1371	1469	1538	1604	1332	1410	1445	1494	1568	1610	1655	1746	1836	1875
42	70 - 72	1348	1368	1396	1498	1570	1642	1355	1438	1474	1524	1600	1648	1693	1786	1881	1920

If Accent/Mica Hardware Finish is specified for 36. - 43., add 14
If Accent/Mica Hardware Finish is specified for 42. - 72., add 29

Pricing is continued on the following page.

Xpress

G X D D

Infinity Desk Edge Screen (Continued)

DIMENSIONS CODE / INCHES FOR MM X BY 25.4

PRICING

PARTIAL MODESTY HEIGHT (S) (CONTINUED)

WITH WIRE MANAGER (Y) (CONTINUED)

		PANEL FABRIC						UPHOLSTERY FABRIC									
		COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
51	36 - 38	1137	1158	1185	1282	1349	1416	1145	1223	1257	1306	1380	1421	1466	1553	1644	1682
51	39 - 41	1190	1211	1241	1343	1416	1489	1197	1282	1317	1369	1447	1494	1540	1635	1732	1775
51	42 - 44	1242	1264	1295	1407	1483	1561	1250	1340	1379	1436	1517	1568	1618	1719	1818	1865
51	45 - 47	1309	1333	1365	1483	1566	1648	1316	1411	1453	1513	1600	1654	1705	1814	1921	1968
51	48 - 50	1373	1398	1434	1557	1644	1731	1381	1483	1527	1590	1682	1738	1793	1909	2024	2072
51	51 - 53	1417	1445	1480	1614	1704	1794	1426	1536	1580	1645	1746	1805	1861	1982	2103	2155
51	54 - 56	1461	1490	1528	1667	1762	1859	1470	1582	1630	1702	1806	1867	1928	2056	2183	2238
51	57 - 59	1546	1575	1618	1762	1863	1965	1556	1674	1725	1799	1908	1972	2039	2173	2305	2363
51	60 - 62	1630	1662	1704	1858	1964	2069	1642	1764	1817	1895	2010	2077	2147	2285	2426	2486
51	63 - 65	1682	1715	1761	1919	2029	2140	1695	1823	1879	1961	2079	2150	2221	2367	2514	2577
51	66 - 68	1733	1767	1814	1980	2095	2210	1746	1881	1938	2022	2148	2221	2296	2448	2602	2667
51	69	1773	1807	1854	2022	2138	2255	1784	1920	1980	2063	2191	2266	2340	2496	2652	2719
51	70 - 72	1809	1844	1892	2069	2191	2312	1818	1964	2025	2114	2244	2321	2401	2562	2725	2794
57	36 - 38	1131	1151	1177	1274	1341	1408	1137	1215	1251	1298	1371	1414	1457	1544	1633	1672
57	39 - 41	1183	1204	1233	1336	1408	1478	1190	1274	1311	1361	1439	1486	1530	1627	1723	1762
57	42 - 44	1234	1256	1286	1396	1474	1549	1242	1332	1368	1424	1507	1556	1604	1705	1809	1853
57	45 - 47	1302	1324	1357	1474	1553	1634	1309	1404	1444	1501	1591	1643	1695	1803	1911	1957
57	48 - 50	1366	1391	1426	1550	1634	1723	1374	1475	1519	1580	1674	1728	1784	1897	2013	2061
57	51 - 53	1409	1436	1470	1602	1694	1784	1416	1522	1569	1634	1733	1791	1848	1969	2089	2142
57	54 - 56	1448	1476	1516	1652	1749	1843	1459	1569	1619	1687	1791	1853	1914	2040	2166	2221
57	57 - 59	1536	1564	1603	1749	1846	1948	1543	1660	1711	1784	1892	1957	2022	2154	2287	2344
57	60 - 62	1619	1649	1689	1841	1946	2052	1627	1751	1805	1879	1994	2061	2129	2267	2407	2468
57	63 - 65	1671	1702	1746	1904	2013	2123	1680	1809	1863	1944	2062	2132	2205	2349	2495	2558
57	66 - 68	1721	1754	1800	1965	2079	2193	1731	1865	1921	2006	2130	2205	2276	2428	2581	2645
57	69	1756	1791	1837	2003	2122	2237	1767	1904	1964	2046	2175	2246	2321	2474	2630	2697
57	70 - 72	1792	1829	1876	2051	2173	2291	1805	1945	2008	2095	2227	2303	2380	2541	2702	2771

MODESTY HEIGHT (M)

WITHOUT WIRE MANAGER (N)

		PANEL FABRIC						UPHOLSTERY FABRIC									
		COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42	36 - 38	1124	1143	1170	1264	1333	1398	1129	1206	1242	1288	1363	1406	1447	1537	1626	1662
42	39 - 41	1175	1196	1225	1328	1398	1470	1181	1264	1303	1354	1431	1476	1522	1619	1712	1754
42	42 - 44	1226	1249	1279	1388	1466	1540	1233	1323	1359	1416	1498	1547	1597	1697	1800	1843
42	45 - 47	1293	1315	1348	1466	1546	1627	1299	1394	1436	1494	1581	1633	1685	1793	1903	1948
42	48 - 50	1358	1384	1417	1542	1627	1712	1365	1467	1510	1572	1666	1721	1776	1889	2003	2052
42	51 - 53	1400	1426	1463	1594	1684	1776	1408	1514	1561	1627	1725	1783	1840	1962	2080	2132
42	54 - 56	1440	1468	1507	1644	1738	1835	1448	1561	1609	1679	1783	1843	1906	2029	2156	2212
42	57 - 59	1526	1553	1596	1738	1839	1939	1536	1652	1703	1776	1885	1948	2013	2147	2277	2336
42	60 - 62	1609	1641	1681	1833	1938	2043	1619	1741	1794	1870	1983	2052	2120	2258	2397	2458
42	63 - 65	1660	1694	1735	1895	2003	2115	1672	1800	1855	1936	2054	2124	2194	2340	2486	2548
42	66 - 68	1711	1746	1791	1956	2071	2184	1723	1856	1914	1997	2122	2194	2269	2420	2574	2638
42	69	1749	1783	1829	1996	2114	2228	1758	1895	1953	2039	2164	2238	2313	2468	2621	2689
42	70 - 72	1784	1818	1867	2042	2163	2284	1794	1937	1998	2087	2217	2296	2371	2532	2695	2762

If Accent/Mica Hardware Finish is specified for 36. - 43., add 14
If Accent/Mica Hardware Finish is specified for 42. - 72., add 29

Pricing is continued on the following page

Xpress

GXDD

Infinity Desk Edge Screen (Continued)

DIMENSIONS CODE / INCHES FOR MM X BY 25.4

PRICING

MODESTY HEIGHT (M) (CONTINUED)

WITHOUT WIRE MANAGER (N) (CONTINUED)

H	W	PANEL FABRIC COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5	UPHOLSTERY FABRIC COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
51	36 - 38	1346	1368	1400	1513	1591	1670	1354	1445	1485	1542	1626	1675	1726	1830	1935	1978
51	39 - 41	1402	1426	1460	1580	1663	1749	1409	1509	1550	1610	1702	1755	1810	1920	2031	2079
51	42 - 44	1459	1485	1520	1649	1737	1828	1467	1570	1618	1681	1779	1836	1891	2012	2130	2180
51	45 - 47	1517	1544	1581	1720	1814	1909	1526	1635	1684	1754	1858	1918	1978	2103	2230	2284
51	48 - 50	1574	1603	1644	1787	1889	1991	1582	1702	1753	1826	1935	1998	2063	2196	2330	2388
51	51 - 53	1622	1654	1696	1848	1956	2062	1632	1756	1811	1888	2002	2071	2138	2280	2421	2483
51	54 - 56	1671	1703	1749	1909	2021	2131	1680	1811	1867	1949	2071	2142	2213	2363	2511	2575
51	57 - 59	1871	1907	1951	2123	2239	2357	1884	2021	2079	2164	2290	2367	2442	2599	2755	2822
51	60 - 62	2073	2109	2159	2336	2458	2581	2086	2229	2290	2380	2514	2592	2671	2833	2998	3067
51	63 - 65	2126	2164	2216	2401	2529	2657	2138	2288	2356	2448	2588	2669	2751	2921	3094	3165
51	66 - 68	2180	2220	2273	2466	2600	2734	2192	2349	2418	2515	2660	2745	2832	3010	3189	3262
51	69	2223	2265	2318	2514	2650	2787	2237	2395	2465	2562	2711	2797	2885	3066	3246	3324
51	70 - 72	2266	2307	2364	2567	2710	2852	2277	2443	2516	2619	2772	2862	2954	3142	3330	3410
57	36 - 38	1417	1440	1471	1583	1662	1740	1424	1517	1556	1614	1697	1749	1799	1903	2006	2051
57	39 - 41	1494	1519	1551	1673	1756	1840	1500	1600	1643	1703	1793	1846	1903	2013	2124	2173
57	42 - 44	1569	1596	1630	1758	1848	1938	1577	1681	1727	1792	1889	1946	2002	2123	2240	2290
57	45 - 47	1622	1650	1687	1824	1919	2014	1630	1741	1788	1859	1964	2024	2084	2209	2336	2390
57	48 - 50	1675	1704	1746	1889	1991	2092	1684	1803	1854	1926	2035	2100	2164	2298	2431	2487
57	51 - 53	1735	1767	1810	1964	2070	2177	1748	1870	1925	2001	2117	2184	2253	2394	2534	2594
57	54 - 56	1799	1832	1876	2039	2149	2259	1809	1939	1996	2077	2199	2270	2342	2490	2639	2702
57	57 - 59	2012	2046	2093	2261	2379	2496	2024	2160	2220	2305	2431	2509	2583	2737	2894	2960
57	60 - 62	2224	2260	2310	2487	2611	2733	2237	2380	2442	2532	2666	2744	2823	2985	3149	3219
57	63 - 65	2277	2315	2367	2552	2681	2808	2289	2440	2507	2599	2737	2822	2903	3072	3245	3316
57	66 - 68	2330	2368	2423	2615	2750	2884	2342	2499	2567	2666	2810	2895	2982	3161	3337	3413
57	69	2378	2419	2472	2668	2804	2940	2391	2549	2619	2717	2865	2952	3040	3221	3402	3480
57	70 - 72	2424	2466	2522	2726	2868	3010	2437	2604	2674	2777	2930	3020	3112	3301	3488	3569

WITH WIRE MANAGER (Y)

		PANEL FABRIC COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5	UPHOLSTERY FABRIC COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42	36 - 38	1131	1151	1177	1274	1341	1408	1137	1215	1251	1298	1371	1414	1457	1544	1633	1672
42	39 - 41	1183	1204	1233	1336	1408	1478	1190	1274	1311	1361	1439	1486	1530	1627	1723	1762
42	42 - 44	1234	1256	1286	1396	1474	1549	1242	1332	1368	1424	1507	1556	1604	1705	1809	1853
42	45 - 47	1302	1324	1357	1474	1553	1634	1309	1404	1444	1501	1591	1643	1695	1803	1911	1957
42	48 - 50	1366	1391	1426	1550	1634	1723	1374	1475	1519	1580	1674	1728	1784	1897	2013	2061
42	51 - 53	1409	1436	1470	1602	1694	1784	1416	1522	1569	1634	1733	1791	1848	1969	2089	2142
42	54 - 56	1448	1476	1516	1652	1749	1843	1459	1569	1619	1687	1791	1853	1914	2040	2166	2221
42	57 - 59	1536	1564	1603	1749	1846	1948	1543	1660	1711	1784	1892	1957	2022	2154	2287	2344
42	60 - 62	1619	1649	1689	1841	1946	2052	1627	1751	1805	1879	1994	2061	2129	2267	2407	2468
42	63 - 65	1671	1702	1746	1904	2013	2123	1680	1809	1863	1944	2062	2132	2205	2349	2495	2558
42	66 - 68	1721	1754	1800	1965	2079	2193	1731	1865	1921	2006	2130	2205	2276	2428	2581	2645
42	69	1756	1791	1837	2003	2122	2237	1767	1904	1964	2046	2175	2246	2321	2474	2630	2697
42	70 - 72	1792	1829	1876	2051	2173	2291	1805	1945	2008	2095	2227	2303	2380	2541	2702	2771

If Accent/Mica Hardware Finish is specified for 36. - 43., add 14
If Accent/Mica Hardware Finish is specified for 42. - 72., add 29

Pricing is continued on the following page.

Xpress

G X D D

Infinity Desk Edge Screen (Continued)

DIMENSIONS CODE / INCHES FOR MM X BY 25.4

PRICING

MODESTY HEIGHT (M) (CONTINUED)

WITH WIRE MANAGER (Y) (CONTINUED)

		PANEL FABRIC						UPHOLSTERY FABRIC									
H	W	COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
51	36 - 38	1355	1378	1409	1521	1599	1677	1361	1453	1492	1550	1633	1684	1734	1839	1942	1988
51	39 - 41	1410	1436	1468	1590	1673	1756	1417	1517	1558	1620	1710	1763	1817	1930	2041	2088
51	42 - 44	1467	1492	1528	1657	1748	1836	1475	1579	1626	1689	1786	1844	1900	2021	2138	2189
51	45 - 47	1526	1552	1591	1727	1823	1918	1536	1645	1694	1762	1866	1926	1988	2114	2239	2291
51	48 - 50	1582	1611	1652	1797	1897	1998	1592	1710	1761	1835	1942	2008	2072	2206	2338	2395
51	51 - 53	1630	1662	1704	1858	1965	2071	1642	1764	1818	1896	2012	2079	2148	2288	2430	2490
51	54 - 56	1679	1711	1756	1918	2028	2140	1688	1818	1876	1959	2079	2150	2222	2370	2519	2583
51	57 - 59	1881	1915	1962	2131	2247	2365	1891	2028	2088	2175	2300	2377	2453	2607	2763	2829
51	60 - 62	2082	2119	2167	2344	2468	2590	2094	2238	2300	2390	2522	2602	2680	2842	3007	3074
51	63 - 65	2134	2175	2224	2409	2538	2667	2148	2298	2364	2456	2594	2676	2760	2930	3101	3173
51	66 - 68	2189	2228	2282	2473	2608	2743	2200	2359	2426	2523	2669	2755	2841	3018	3196	3272
51	69	2232	2273	2328	2522	2659	2795	2245	2404	2472	2572	2720	2805	2894	3073	3254	3332
51	70 - 72	2274	2315	2371	2576	2719	2859	2287	2454	2524	2627	2780	2872	2962	3150	3337	3419
57	36 - 38	1426	1448	1480	1594	1672	1750	1434	1526	1566	1622	1705	1756	1807	1911	2014	2059
57	39 - 41	1501	1527	1561	1681	1764	1848	1510	1609	1651	1711	1803	1856	1911	2022	2132	2180
57	42 - 44	1577	1603	1641	1767	1858	1946	1588	1689	1735	1802	1897	1956	2012	2131	2250	2300
57	45 - 47	1630	1658	1696	1833	1928	2024	1641	1751	1799	1867	1971	2031	2093	2217	2344	2397
57	48 - 50	1684	1712	1754	1897	1998	2100	1694	1811	1861	1936	2043	2107	2175	2306	2440	2496
57	51 - 53	1746	1778	1817	1971	2077	2184	1755	1879	1935	2010	2125	2193	2260	2403	2545	2605
57	54 - 56	1807	1840	1885	2046	2156	2269	1816	1948	2003	2087	2208	2277	2350	2499	2648	2711
57	57 - 59	2021	2055	2101	2272	2389	2504	2031	2168	2228	2313	2440	2516	2591	2747	2903	2968
57	60 - 62	2235	2270	2318	2496	2619	2742	2245	2390	2453	2541	2673	2752	2830	2993	3158	3226
57	63 - 65	2287	2326	2377	2561	2690	2818	2299	2449	2515	2607	2747	2829	2912	3082	3253	3325
57	66 - 68	2338	2378	2431	2623	2759	2893	2350	2509	2576	2673	2820	2905	2990	3169	3347	3422
57	69	2388	2427	2483	2675	2813	2948	2400	2559	2627	2726	2875	2960	3048	3227	3408	3487
57	70 - 72	2432	2473	2531	2734	2878	3018	2446	2612	2683	2787	2938	3030	3120	3309	3496	3577

ELEVATED HEIGHT (E)

WITHOUT WIRE MANAGER (N)

		PANEL FABRIC						UPHOLSTERY FABRIC									
H	W	COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42	36 - 38	1346	1368	1400	1513	1591	1670	1354	1445	1485	1542	1626	1675	1726	1830	1935	1978
42	39 - 41	1404	1427	1461	1581	1666	1750	1410	1510	1551	1611	1703	1756	1811	1921	2033	2080
42	42 - 44	1461	1487	1522	1651	1740	1830	1469	1573	1620	1684	1781	1839	1895	2014	2132	2183
42	45 - 47	1519	1546	1582	1721	1815	1911	1527	1637	1685	1755	1859	1919	1980	2104	2232	2285
42	48 - 50	1574	1603	1644	1787	1889	1991	1582	1702	1753	1826	1935	1998	2063	2196	2330	2388
42	51 - 53	1621	1652	1695	1846	1953	2061	1630	1755	1810	1886	2001	2070	2137	2277	2420	2481
42	54 - 56	1667	1701	1746	1907	2018	2129	1677	1809	1865	1946	2069	2138	2210	2360	2509	2572
42	57 - 59	1870	1906	1950	2122	2238	2356	1883	2019	2077	2163	2289	2366	2441	2598	2752	2820
42	60 - 62	2073	2109	2159	2336	2458	2581	2086	2229	2290	2380	2514	2592	2671	2833	2998	3067
42	63 - 65	2126	2164	2216	2401	2529	2657	2138	2288	2356	2448	2588	2669	2751	2921	3094	3165
42	66 - 68	2180	2220	2273	2466	2600	2734	2192	2349	2418	2515	2660	2745	2832	3010	3189	3262
42	69	2223	2265	2318	2514	2650	2787	2237	2395	2465	2562	2711	2797	2885	3066	3246	3324
42	70 - 72	2266	2307	2364	2567	2710	2852	2277	2443	2516	2619	2772	2862	2954	3142	3330	3410

If Accent/Mica Hardware Finish is specified for 36. - 43., add 14
If Accent/Mica Hardware Finish is specified for 42. - 72., add 29

Pricing is continued on the following page.

Xpress

GXDD

Infinity Desk Edge Screen (Continued)

DIMENSIONS CODE / INCHES FOR MM X BY 25.4

PRICING

ELEVATED HEIGHT (E) (CONTINUED)

WITHOUT WIRE MANAGER (N) (CONTINUED)


		PANEL FABRIC						UPHOLSTERY FABRIC									
H	W	COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
51	36 - 38	1417	1440	1471	1583	1662	1740	1424	1517	1556	1614	1697	1749	1799	1903	2006	2051
51	39 - 41	1494	1519	1551	1673	1756	1840	1500	1600	1643	1703	1793	1846	1903	2013	2124	2173
51	42 - 44	1569	1596	1630	1758	1848	1938	1577	1681	1727	1792	1889	1946	2002	2123	2240	2290
51	45 - 47	1622	1650	1687	1824	1919	2014	1630	1741	1788	1859	1964	2024	2084	2209	2336	2390
51	48 - 50	1675	1704	1746	1889	1991	2092	1684	1803	1854	1926	2035	2100	2164	2298	2431	2487
51	51 - 53	1735	1767	1810	1964	2070	2177	1748	1870	1925	2001	2117	2184	2253	2394	2534	2594
51	54 - 56	1799	1832	1876	2039	2149	2259	1809	1939	1996	2077	2199	2270	2342	2490	2639	2702
51	57 - 59	2012	2046	2093	2261	2379	2496	2024	2160	2220	2305	2431	2509	2583	2737	2894	2960
51	60 - 62	2224	2260	2310	2487	2611	2733	2237	2380	2442	2532	2666	2744	2823	2985	3149	3219
51	63 - 65	2277	2315	2367	2552	2681	2808	2289	2440	2507	2599	2737	2822	2903	3072	3245	3316
51	66 - 68	2330	2368	2423	2615	2750	2884	2342	2499	2567	2666	2810	2895	2982	3161	3337	3413
51	69	2378	2419	2472	2668	2804	2940	2391	2549	2619	2717	2865	2952	3040	3221	3402	3480
51	70 - 72	2424	2466	2522	2726	2868	3010	2437	2604	2674	2777	2930	3020	3112	3301	3488	3569

WITH WIRE MANAGER (Y)


		PANEL FABRIC						UPHOLSTERY FABRIC									
H	W	COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42	36 - 38	1355	1378	1409	1521	1599	1677	1361	1453	1492	1550	1633	1684	1734	1839	1942	1988
42	39 - 41	1411	1437	1469	1591	1674	1757	1418	1519	1561	1621	1711	1764	1818	1932	2042	2089
42	42 - 44	1469	1496	1530	1659	1750	1839	1477	1581	1628	1694	1788	1846	1904	2024	2142	2192
42	45 - 47	1527	1553	1592	1728	1824	1919	1537	1648	1695	1763	1867	1928	1989	2115	2240	2296
42	48 - 50	1582	1611	1652	1797	1897	1998	1592	1710	1761	1835	1942	2008	2072	2206	2338	2395
42	51 - 53	1629	1660	1703	1856	1964	2070	1641	1763	1817	1895	2010	2077	2147	2287	2428	2488
42	54 - 56	1675	1709	1754	1915	2026	2137	1685	1816	1873	1956	2076	2148	2220	2367	2516	2579
42	57 - 59	1879	1914	1961	2130	2246	2364	1890	2027	2087	2173	2299	2375	2450	2606	2762	2827
42	60 - 62	2082	2119	2167	2344	2468	2590	2094	2238	2300	2390	2522	2602	2680	2842	3007	3074
42	63 - 65	2134	2175	2224	2409	2538	2667	2148	2298	2364	2456	2594	2676	2760	2930	3101	3173
42	66 - 68	2189	2228	2282	2473	2608	2743	2200	2359	2426	2523	2669	2755	2841	3018	3196	3272
42	69	2232	2273	2328	2522	2659	2795	2245	2404	2472	2572	2720	2805	2894	3073	3254	3332
42	70 - 72	2274	2315	2371	2576	2719	2859	2287	2454	2524	2627	2780	2872	2962	3150	3337	3419
51	36 - 38	1426	1448	1480	1594	1672	1750	1434	1526	1566	1622	1705	1756	1807	1911	2014	2059
51	39 - 41	1501	1527	1561	1681	1764	1848	1510	1609	1651	1711	1803	1856	1911	2022	2132	2180
51	42 - 44	1577	1603	1641	1767	1858	1946	1588	1689	1735	1802	1897	1956	2012	2131	2250	2300
51	45 - 47	1630	1658	1696	1833	1928	2024	1641	1751	1799	1867	1971	2031	2093	2217	2344	2397
51	48 - 50	1684	1712	1754	1897	1998	2100	1694	1811	1861	1936	2043	2107	2175	2306	2440	2496
51	51 - 53	1746	1778	1817	1971	2077	2184	1755	1879	1935	2010	2125	2193	2260	2403	2545	2605
51	54 - 56	1807	1840	1885	2046	2156	2269	1816	1948	2003	2087	2208	2277	2350	2499	2648	2711
51	57 - 59	2021	2055	2101	2272	2389	2504	2031	2168	2228	2313	2440	2516	2591	2747	2903	2968
51	60 - 62	2235	2270	2318	2496	2619	2742	2245	2390	2453	2541	2673	2752	2830	2993	3158	3226
51	63 - 65	2287	2326	2377	2561	2690	2818	2299	2449	2515	2607	2747	2829	2912	3082	3253	3325
51	66 - 68	2338	2378	2431	2623	2759	2893	2350	2509	2576	2673	2820	2905	2990	3169	3347	3422
51	69	2388	2427	2483	2675	2813	2948	2400	2559	2627	2726	2875	2960	3048	3227	3408	3487
51	70 - 72	2432	2473	2531	2734	2878	3018	2446	2612	2683	2787	2938	3030	3120	3309	3496	3577

If Accent/Mica Hardware Finish is specified for 36. - 43., add 14
If Accent/Mica Hardware Finish is specified for 42. - 72., add 29

GQDD
Quilted Infinity Desk Edge Screen



Pico Pattern, Front



Diode Pattern, Back

The Quilted fabrics provide a textured aesthetic, elevating the overall feel of an area creating a tactile user experience. Both the Teknion Quilted patterns Pico and Diode, designed by Suzanne Tick, soften the surface of textiles and elevate the user experience in the workplace with textured, quilted designs that add depth and perspective to a space. The Quilted Infinity Desk Edge Screen attaches to a worksurface to provide a lightweight, thin, upholstered fabric screen that is expressed in a softer curvilinear aesthetic that creates space division and local desktop privacy in varying levels.

WHAT'S INCLUDED

1 quilted infinity fabric desk edge screen, attachment brackets, wire manger (if specified).

NOTES

Infinity screen is 1/2" less than specified size. The worksurface wire gap is 1/2", to allow for mounting of select desk edge accessories.

Wire manger is designed to be accompanied by the Power Bar (YEPD) or Compact Power Bar (YEPS).

Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, refer to the *Teknion Textiles Program Guide*. The pattern thread is designed to accompany the color way of the fabric selected.

PRODUCT OPTIONS

Quilted Pattern	Modesty Base Height	Height	Width (6" increments)	Wire Manager	Quilted Screen Finish	Hardware Finish
D Diode	**S** Partial Modesty Height (23")	**42** for 42" datum height	44 51 58 65 73 80 87	**Y** Yes	**P** Panel Fabrics	Foundation
P Pico	**M** Modesty Height (15")	**51** for 51" datum height		**N** No	**U** Upholstery Fabrics	Mica
						Accent

SAMPLE ORDER CODE

GQDD P	S	42	60	Y	B204	74

DIMENSIONS
INCHES / MM

PRICING

PARTIAL MODESTY HEIGHT (S)
WITHOUT WIRE MANAGER (N)

H	D	PANEL FABRIC COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	UPHOLSTERY FABRIC COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42 / 1067	36 / 914	1098	1107	1124	1176	1214	1251	1100	1144	1162	1191	1230	1255	1279	1328	1378	1398
42 / 1067	42 / 1067	1198	1210	1227	1288	1333	1376	1202	1252	1274	1305	1353	1379	1407	1463	1520	1544
42 / 1067	48 / 1219	1304	1318	1338	1408	1457	1506	1310	1365	1389	1426	1478	1509	1540	1603	1670	1696
42 / 1067	54 / 1372	1400	1415	1437	1514	1569	1622	1406	1468	1496	1536	1592	1627	1662	1733	1806	1836
42 / 1067	60 / 1524	1561	1579	1603	1688	1749	1809	1568	1635	1666	1710	1775	1814	1850	1930	2009	2043
42 / 1067	66 / 1676	1634	1654	1680	1775	1840	1906	1641	1717	1751	1797	1869	1911	1951	2040	2125	2161
42 / 1067	72 / 1829	1723	1742	1771	1871	1941	2010	1727	1810	1846	1897	1972	2016	2061	2155	2246	2288
51 / 1295	36 / 914	1416	1436	1461	1552	1618	1681	1421	1497	1529	1575	1645	1687	1727	1813	1897	1935
51 / 1295	42 / 1067	1564	1587	1615	1721	1794	1869	1570	1658	1695	1749	1828	1875	1922	2019	2117	2160
51 / 1295	48 / 1219	1732	1756	1788	1909	1994	2076	1740	1837	1879	1939	2029	2085	2137	2247	2359	2405
51 / 1295	54 / 1372	1859	1886	1925	2058	2152	2243	1869	1978	2025	2092	2192	2252	2312	2434	2558	2611
51 / 1295	60 / 1524	2082	2112	2153	2300	2403	2504	2092	2212	2265	2338	2450	2514	2581	2715	2852	2912
51 / 1295	66 / 1676	2222	2255	2300	2461	2575	2684	2232	2364	2421	2502	2623	2696	2767	2915	3065	3128
51 / 1295	72 / 1829	2343	2378	2426	2599	2719	2841	2352	2495	2556	2642	2773	2850	2926	3087	3246	3314

If Accent/Mica Hardware Finish is specified for widths 36" - 42", add 14
If Accent/Mica Hardware Finish is specified for widths 48" - 72", add 29

Pricing is continued on the following page.

GQDD
Quilted Infinity Desk Edge Screen (Continued)

PARTIAL MODESTY HEIGHT (S)
WITH WIRE MANAGER (Y)

DIMENSIONS INCHES / MM		PANEL FABRIC						UPHOLSTERY FABRIC									
H	D	COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42 / 1067	36 / 914	1105	1115	1131	1185	1222	1258	1108	1152	1170	1198	1237	1263	1286	1336	1386	1407
42 / 1067	42 / 1067	1206	1219	1235	1297	1341	1384	1210	1259	1282	1313	1359	1387	1415	1470	1528	1552
42 / 1067	48 / 1219	1312	1327	1347	1416	1466	1513	1317	1374	1398	1434	1487	1517	1549	1611	1677	1704
42 / 1067	54 / 1372	1408	1422	1445	1522	1577	1630	1414	1476	1504	1543	1600	1634	1671	1741	1814	1844
42 / 1067	60 / 1524	1569	1588	1611	1696	1756	1816	1575	1644	1674	1719	1783	1822	1859	1938	2018	2052
42 / 1067	66 / 1676	1643	1662	1688	1783	1847	1914	1649	1725	1758	1806	1876	1919	1961	2048	2133	2168
42 / 1067	72 / 1829	1731	1751	1780	1879	1949	2019	1735	1817	1855	1906	1980	2025	2070	2163	2255	2297
51 / 1295	36 / 914	1424	1444	1469	1561	1626	1689	1430	1506	1538	1583	1654	1695	1735	1820	1906	1942
51 / 1295	42 / 1067	1572	1594	1624	1728	1803	1876	1579	1666	1703	1756	1836	1884	1932	2027	2125	2167
51 / 1295	48 / 1219	1740	1764	1797	1918	2001	2085	1749	1845	1888	1948	2039	2093	2147	2257	2366	2413
51 / 1295	54 / 1372	1867	1895	1934	2067	2160	2252	1876	1987	2032	2100	2200	2259	2319	2442	2564	2619
51 / 1295	60 / 1524	2089	2120	2161	2308	2410	2514	2100	2220	2272	2347	2457	2522	2589	2725	2859	2920
51 / 1295	66 / 1676	2230	2265	2308	2470	2582	2694	2240	2371	2428	2511	2634	2703	2775	2924	3072	3137
51 / 1295	72 / 1829	2350	2388	2434	2607	2727	2849	2363	2502	2563	2650	2781	2857	2935	3095	3254	3323

MODESTY HEIGHT (M)
WITHOUT WIRE MANAGER (N)

		PANEL FABRIC						UPHOLSTERY FABRIC									
H	D	COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42 / 1067	36 / 914	1409	1429	1455	1544	1609	1673	1415	1490	1521	1568	1637	1679	1720	1803	1888	1922
42 / 1067	42 / 1067	1557	1579	1607	1714	1785	1859	1564	1649	1687	1740	1818	1867	1912	2009	2107	2149
42 / 1067	48 / 1219	1732	1756	1788	1909	1992	2073	1740	1837	1877	1938	2028	2080	2133	2243	2356	2400
42 / 1067	54 / 1372	1859	1886	1922	2056	2149	2242	1867	1975	2024	2089	2190	2247	2307	2430	2552	2606
42 / 1067	60 / 1524	2080	2112	2152	2299	2401	2501	2092	2210	2260	2336	2446	2511	2577	2711	2848	2905
42 / 1067	66 / 1676	2228	2261	2306	2466	2578	2690	2240	2370	2426	2507	2629	2698	2771	2918	3066	3131
42 / 1067	72 / 1829	2350	2387	2432	2606	2725	2845	2361	2501	2561	2648	2777	2854	2930	3089	3248	3315
51 / 1295	36 / 914	1844	1866	1896	2002	2077	2152	1853	1938	1975	2029	2112	2159	2207	2306	2404	2448
51 / 1295	42 / 1067	2032	2057	2092	2214	2300	2387	2040	2140	2183	2245	2337	2393	2450	2561	2674	2725
51 / 1295	48 / 1219	2227	2255	2296	2434	2531	2627	2237	2349	2398	2469	2575	2637	2698	2826	2955	3010
51 / 1295	54 / 1372	2395	2426	2470	2625	2734	2842	2404	2531	2586	2665	2780	2850	2920	3064	3207	3269
51 / 1295	60 / 1524	2878	2912	2959	3132	3251	3368	2887	3028	3088	3173	3304	3380	3457	3614	3773	3841
51 / 1295	66 / 1676	3057	3096	3148	3335	3466	3596	3070	3222	3286	3383	3523	3607	3692	3864	4038	4110
51 / 1295	72 / 1829	3224	3268	3323	3523	3664	3803	3239	3403	3472	3575	3726	3816	3905	4091	4278	4355

If Accent/Mica Hardware Finish is specified for widths 36. - 42., add 14
If Accent/Mica Hardware Finish is specified for widths 48. - 72., add 29

Pricing is continued on the following page.

G Q D D

Quilted Infinity Desk Edge Screen (Continued)

DIMENSIONS INCHES / MM


PRICING

MODESTY HEIGHT (M)																			
WITH WIRE MANAGER (Y)																			
		PANEL FABRIC						UPHOLSTERY FABRIC											
H	D	COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42 / 1067	36 / 914	1417	1437	1463	1552	1618	1681	1422	1498	1529	1575	1645	1687	1727	1811	1896	1932
42 / 1067	42 / 1067	1566	1588	1615	1723	1793	1867	1572	1657	1695	1749	1828	1875	1920	2018	2116	2156
42 / 1067	48 / 1219	1740	1764	1797	1918	1999	2082	1749	1845	1886	1946	2036	2088	2142	2252	2364	2408
42 / 1067	54 / 1372	1867	1895	1932	2063	2156	2250	1875	1982	2031	2099	2197	2257	2315	2439	2560	2613
42 / 1067	60 / 1524	2088	2120	2160	2307	2409	2510	2100	2217	2269	2344	2454	2519	2584	2719	2855	2913
42 / 1067	66 / 1676	2237	2270	2314	2473	2586	2698	2247	2378	2434	2515	2637	2706	2778	2926	3073	3139
42 / 1067	72 / 1829	2360	2394	2441	2613	2733	2853	2368	2510	2570	2655	2787	2862	2938	3097	3255	3324
51 / 1295	36 / 914	1853	1874	1904	2010	2086	2160	1860	1946	1982	2039	2120	2166	2214	2314	2412	2455
51 / 1295	42 / 1067	2041	2064	2100	2222	2308	2394	2048	2149	2191	2254	2345	2400	2457	2570	2683	2733
51 / 1295	48 / 1219	2236	2265	2303	2442	2540	2636	2244	2359	2407	2477	2582	2644	2706	2834	2963	3018
51 / 1295	54 / 1372	2403	2434	2479	2635	2742	2850	2412	2540	2593	2672	2789	2857	2928	3071	3215	3276
51 / 1295	60 / 1524	2885	2920	2967	3140	3257	3377	2896	3036	3096	3181	3312	3389	3465	3622	3781	3849
51 / 1295	66 / 1676	3065	3103	3156	3344	3474	3605	3079	3230	3295	3391	3532	3615	3699	3872	4045	4120
51 / 1295	72 / 1829	3232	3275	3331	3532	3671	3811	3246	3410	3482	3582	3733	3824	3912	4098	4285	4366

If Accent/Mica Hardware Finish is specified for widths 36. - 42., add 14
If Accent/Mica Hardware Finish is specified for widths 48. - 72., add 29

Xpress

G X S D
Infinity Side Desk Edge Screen



The Infinity Side Desk Edge Screen attaches to a worksurface to provide a lightweight, thin, upholstered fabric screen that is expressed in a softer curvilinear aesthetic that creates space division and lateral desktop privacy in varying levels.

WHAT'S INCLUDED
1 infinity side desk edge screen, attachment brackets.

NOTES
Infinity side screen is 1/2" less than specified size. Screen is designed to have no gap between worksurface and Side Screen.

Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, refer to the *Teknion Textiles Program Guide*.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Modesty Base Height		Height		Depth	Screen Finish	Hardware Finish
S	Partial Modesty Height	**42**	for 42" datum height	18, 24, 30, 36	Panel Fabrics	Foundation
M	Modesty Height (15")	**51**	for 51" datum height		Upholstery Fabrics	Mica
E	Elevated Height (6")	**57**	for 57" datum height			Accent

SAMPLE ORDER CODE

GXSD S	42	24	B204	74

DIMENSIONS
INCHES / MM

PRICING

PARTIAL MODESTY HEIGHT

H	D	PANEL FABRIC COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	UPHOLSTERY FABRIC COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42 / 1067	18 / 457	665	671	678	709	730	751	668	691	701	716	738	752	764	792	820	830
42 / 1067	24 / 610	740	748	761	797	823	850	743	775	789	806	834	851	868	902	937	951
42 / 1067	30 / 762	819	827	838	886	917	949	821	858	874	897	932	951	973	1014	1055	1072
42 / 1067	36 / 914	890	901	917	971	1008	1044	894	937	955	984	1023	1048	1071	1122	1172	1192
51 / 1295	18 / 457	800	810	824	875	912	947	803	845	861	888	927	949	973	1018	1067	1085
51 / 1295	24 / 610	912	924	943	1007	1053	1098	916	967	991	1023	1072	1100	1129	1190	1250	1275
51 / 1295	30 / 762	1021	1038	1058	1137	1191	1248	1027	1091	1118	1157	1215	1252	1286	1358	1431	1461
51 / 1295	36 / 914	1130	1150	1175	1267	1332	1395	1136	1211	1244	1289	1359	1402	1441	1527	1611	1649
57 / 1448	18 / 457	830	843	856	907	947	980	834	879	897	921	961	982	1008	1054	1102	1124
57 / 1448	24 / 610	961	975	993	1060	1107	1153	966	1019	1044	1076	1129	1157	1188	1249	1311	1338
57 / 1448	30 / 762	1100	1118	1142	1227	1286	1343	1105	1175	1205	1249	1312	1349	1387	1464	1543	1575
57 / 1448	36 / 914	1124	1143	1170	1264	1333	1398	1129	1206	1242	1288	1363	1406	1447	1537	1626	1662

If Accent/Mica Hardware Finish is specified, add 14

Pricing is continued on the following page.

Xpress

GXSD

Infinity Side Desk Edge Screen (Continued)

DIMENSIONS INCHES / MM

PRICING

MODESTY HEIGHT


H	D	PANEL FABRIC COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	UPHOLSTERY FABRIC COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42 / 1067	18 / 457	798	808	823	874	910	944	801	844	860	887	924	948	969	1015	1064	1083
42 / 1067	24 / 610	907	920	940	1003	1046	1092	912	963	986	1018	1068	1097	1124	1182	1242	1267
42 / 1067	30 / 762	1016	1033	1054	1131	1188	1241	1022	1085	1113	1152	1211	1248	1281	1353	1422	1455
42 / 1067	36 / 914	1124	1143	1168	1258	1324	1387	1129	1204	1235	1282	1353	1393	1434	1517	1602	1637
51 / 1295	18 / 457	1022	1034	1051	1110	1151	1191	1027	1074	1095	1125	1170	1196	1222	1276	1332	1355
51 / 1295	24 / 610	1131	1146	1168	1243	1295	1347	1136	1197	1225	1262	1317	1353	1385	1453	1522	1552
51 / 1295	30 / 762	1241	1258	1285	1376	1439	1501	1248	1320	1354	1398	1468	1509	1549	1632	1715	1753
51 / 1295	36 / 914	1347	1368	1398	1506	1580	1654	1355	1440	1477	1531	1614	1660	1709	1809	1907	1949
57 / 1448	18 / 457	1053	1065	1083	1143	1185	1225	1058	1107	1129	1158	1204	1230	1257	1312	1368	1393
57 / 1448	24 / 610	1181	1197	1220	1296	1349	1403	1188	1250	1279	1315	1374	1408	1441	1512	1583	1615
57 / 1448	30 / 762	1318	1340	1366	1466	1534	1602	1327	1406	1440	1491	1564	1607	1651	1741	1832	1869
57 / 1448	36 / 914	1445	1468	1499	1611	1690	1768	1455	1544	1582	1641	1726	1776	1826	1932	2033	2079

ELEVATED MODESTY HEIGHT

		PANEL FABRIC COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	UPHOLSTERY FABRIC COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42 / 1067	18 / 457	1028	1040	1057	1116	1157	1197	1033	1080	1100	1130	1175	1202	1227	1282	1336	1359
42 / 1067	24 / 610	1136	1151	1173	1249	1299	1353	1142	1202	1228	1266	1323	1356	1388	1459	1527	1557
42 / 1067	30 / 762	1243	1262	1287	1379	1441	1506	1250	1324	1356	1402	1470	1512	1551	1634	1720	1755
42 / 1067	36 / 914	1347	1368	1398	1506	1580	1654	1355	1440	1477	1531	1614	1660	1709	1809	1907	1949
51 / 1295	18 / 457	1054	1067	1083	1143	1182	1223	1058	1105	1127	1157	1202	1227	1253	1309	1363	1386
51 / 1295	24 / 610	1180	1195	1215	1289	1342	1394	1183	1244	1273	1310	1365	1398	1433	1500	1570	1600
51 / 1295	30 / 762	1304	1323	1348	1439	1501	1567	1310	1385	1416	1463	1530	1572	1611	1696	1780	1815
51 / 1295	36 / 914	1418	1440	1470	1577	1652	1726	1426	1513	1550	1604	1685	1733	1781	1881	1978	2022

If Accent/Mica Hardware Finish is specified, add 14

G X F D
Infinity Desk Edge Floor Screen



The Infinity Desk Edge Floor Screen attaches to a worksurface to provide a lightweight, thin, upholstered fabric screen that is expressed in a softer curvilinear aesthetic that creates space division and local desktop privacy down to the floor level.

WHAT'S INCLUDED
1 infinity desk edge floor screen, attachment brackets, wire manger (if specified).

NOTES
Infinity Floor screen is 1/2" less than specified size. The worksurface wire gap is 1/2", to allow for mounting of select desk edge accessories.

Wire manger is designed to be accompanied by the Power Bar (YEPD) or Compact Power Bar (YEPS).

The screen is available in select Panel and Upholstery fabrics, refer to the *Teknion Textiles Program Guide*.

PRODUCT OPTIONS

Modesty Base Height	Height	Width (1" increments)	Screen Finish	Hardware Finish
F Floor Height (1")	**42** for 42" datum height	36 - 72	Panel Fabrics	Foundation
	51 for 51" datum height		Upholstery Fabrics	Mica
				Accent

SAMPLE ORDER CODE

GXFD F	42	60	B204	74

DIMENSIONS
CODE / INCHES
FOR MM X BY 25.4

PRICING

		PANEL FABRIC						UPHOLSTERY FABRIC									
H	W	COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42	36 - 38	1550	1573	1604	1719	1794	1873	1557	1650	1688	1748	1830	1881	1932	2035	2138	2183
42	39 - 41	1610	1634	1670	1788	1873	1957	1619	1719	1758	1818	1911	1965	2019	2130	2240	2288
42	42 - 44	1672	1697	1733	1861	1950	2041	1680	1784	1830	1895	1992	2049	2104	2224	2343	2394
42	45 - 47	1731	1757	1794	1934	2027	2123	1738	1850	1897	1967	2071	2131	2192	2317	2443	2498
42	48 - 50	1788	1817	1859	2002	2103	2206	1799	1916	1967	2041	2149	2213	2277	2410	2546	2602
42	51 - 53	1840	1871	1914	2067	2175	2280	1850	1973	2028	2104	2221	2288	2357	2498	2639	2699
42	54 - 56	1891	1925	1969	2131	2243	2352	1903	2033	2089	2173	2291	2364	2435	2584	2733	2796
42	57 - 59	2129	2163	2209	2379	2496	2613	2140	2276	2336	2421	2548	2623	2699	2855	3011	3076
42	60 - 62	2364	2400	2449	2625	2748	2872	2375	2519	2581	2671	2803	2883	2960	3123	3286	3358
42	63 - 65	2421	2458	2511	2696	2824	2952	2432	2583	2649	2742	2882	2963	3045	3217	3388	3459
42	66 - 68	2477	2516	2570	2763	2896	3033	2488	2645	2714	2812	2958	3042	3128	3306	3486	3561
42	69	2522	2562	2618	2812	2948	3086	2534	2695	2763	2860	3010	3096	3183	3364	3545	3622
42	70 - 72	2567	2608	2666	2868	3011	3151	2579	2745	2818	2920	3072	3164	3254	3443	3631	3712

If Accent/Mica Hardware Finish is specified for 36" - 43", add 14
If Accent/Mica Hardware Finish is specified for 44" - 72", add 29

Pricing is continued on the following page.

GXFD
Infinity Desk Edge Floor Screen (Continued)


DIMENSIONS CODE / INCHES FOR MM X BY 25.4

PRICING

H	W	PANEL FABRIC COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5	UPHOLSTERY FABRIC COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
51	36 - 38	1632	1655	1687	1800	1877	1956	1641	1732	1771	1829	1912	1964	2013	2117	2221	2266
51	39 - 41	1710	1734	1767	1889	1972	2056	1719	1816	1859	1919	2010	2063	2119	2229	2340	2389
51	42 - 44	1787	1814	1850	1978	2069	2156	1797	1900	1946	2012	2107	2166	2222	2342	2460	2511
51	45 - 47	1844	1871	1909	2046	2142	2237	1854	1965	2012	2080	2184	2245	2306	2431	2559	2612
51	48 - 50	1899	1928	1968	2114	2213	2314	1908	2026	2076	2150	2258	2325	2389	2521	2654	2711
51	51 - 53	1965	1996	2039	2191	2298	2404	1973	2099	2153	2229	2344	2412	2481	2621	2763	2824
51	54 - 56	2029	2063	2107	2270	2380	2492	2041	2173	2228	2310	2431	2501	2575	2722	2872	2935
51	57 - 59	2277	2313	2360	2529	2645	2763	2289	2427	2486	2572	2698	2774	2850	3006	3162	3226
51	60 - 62	2526	2562	2612	2789	2912	3035	2538	2682	2744	2833	2966	3045	3123	3285	3452	3519
51	63 - 65	2581	2619	2671	2855	2983	3112	2592	2743	2808	2902	3041	3123	3206	3376	3547	3619
51	66 - 68	2637	2674	2728	2921	3057	3191	2648	2804	2873	2971	3117	3201	3286	3465	3644	3720
51	69	2689	2728	2782	2978	3116	3251	2701	2859	2929	3027	3176	3261	3350	3531	3711	3788
51	70 - 72	2741	2781	2838	3041	3183	3325	2752	2918	2990	3094	3246	3336	3428	3617	3804	3885

If Accent/Mica Hardware Finish is specified for 36" - 43", add 14
If Accent/Mica Hardware Finish is specified for 44" - 72", add 29

G X E D
Infinity Side Desk Edge Floor Screen



The Infinity Side Desk Edge Floor Screen attaches to a worksurface to provide a lightweight, thin, upholstered fabric screen that is expressed in a softer curvilinear aesthetic that creates space division and lateral desktop privacy down to the floor level.

WHAT'S INCLUDED
1 infinity fabric side desk edge floor screen, attachment brackets.

NOTES
Infinity side floor screen is 1/2" less than specified size. Screen is designed to have no gap between worksurface and Side Screen.

Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, refer to the *Teknion Textiles Program Guide*.

PRODUCT OPTIONS

Modesty Base Height	Height	Depth	Screen Finish	Hardware Finish
F Floor Height (1")	**42** for 42" datum height	24, 30, 36	Panel Fabrics	Foundation
	51 for 51" datum height		Upholstery Fabrics	Mica
				Accent

SAMPLE ORDER CODE

GXED F	42	24	B204	74

DIMENSIONS
INCHES / MM

H	D
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914

PRICING

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
1327	1341	1363	1438	1490	1542
1440	1460	1486	1575	1641	1703
1551	1573	1603	1710	1785	1859
1384	1396	1418	1494	1546	1598
1513	1530	1557	1649	1711	1776
1633	1655	1685	1792	1867	1941

UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
1332	1391	1418	1457	1513	1546	1579	1649	1719	1749
1446	1521	1552	1599	1670	1709	1750	1833	1916	1951
1558	1645	1682	1737	1817	1866	1914	2013	2112	2154
1387	1447	1475	1513	1569	1602	1634	1704	1775	1805
1519	1594	1626	1672	1740	1781	1820	1906	1989	2025
1642	1727	1764	1818	1900	1948	1996	2095	2193	2237

If Accent/Mica Hardware Finish is specified, add 14

Xpress

GXCC

Infinity Screen Alignment Clip

The Infinity Screen Alignment Clip can be placed to align two Infinity screens.

WHAT'S INCLUDED
1 alignment clip.

NOTES

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Finish
Foundation
Mica
Accent


SAMPLE ORDER CODE

GXCC 74

PRICING

Foundation	Mica/Accent
43	50

GYDD
Framed Fabric Desk Edge Screen



The Framed Fabric Desk Edge Screen attaches to the worksurface on to provide an upholstered fabric screen that is outlined by frame that creates space division and local desktop privacy in at various heights both above and below the worksurface.

WHAT'S INCLUDED
1 fabric desk edge screen, attachment brackets.

NOTES
Framed screens match the width of the worksurface for tight fit applications. Recommended to have 1/2" wire gap between screen and worksurface.

Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, refer to the *Teknion Textiles Program Guide*.

PRODUCT OPTIONS

Modesty Base Height	Height	Width (1" increments)	Screen Finish	Hardware Finish
S Partial Modesty Height (23")	**42** for 42" datum height	36 - 72	Panel Fabrics	Foundation
M Modesty Height (15")	**51** for 51" datum height		Upholstery Fabrics	Mica
E Elevated Height (6")	**57** for 57" datum height			Accent

SAMPLE ORDER CODE

GYDD S	42	60	B204	74

DIMENSIONS
CODE / INCHES
FOR MM X BY 25.4

PRICING

PARTIAL MODESTY HEIGHT (S)

H	W	PANEL FABRIC COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5	UPHOLSTERY FABRIC COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42	36 - 38	796	807	823	881	918	958	800	846	864	894	936	962	986	1039	1091	1113
42	39 - 41	845	857	874	935	977	1018	849	898	918	949	995	1021	1048	1104	1160	1183
42	42 - 44	890	904	922	986	1031	1075	895	948	971	1004	1051	1080	1108	1168	1227	1253
42	45 - 47	906	918	937	1007	1054	1101	911	965	989	1023	1075	1105	1136	1198	1262	1288
42	48 - 50	917	932	951	1023	1074	1125	921	980	1007	1042	1098	1129	1162	1228	1295	1324
42	51 - 53	984	1000	1021	1098	1151	1204	989	1051	1078	1116	1174	1207	1242	1312	1384	1414
42	54 - 56	1051	1068	1091	1172	1226	1282	1055	1122	1150	1191	1252	1286	1323	1396	1470	1501
42	57 - 59	1060	1076	1100	1185	1244	1303	1067	1135	1163	1206	1269	1309	1346	1422	1500	1536
42	60 - 62	1069	1085	1110	1200	1259	1323	1074	1146	1176	1222	1287	1328	1366	1447	1529	1566
42	63 - 65	1105	1125	1151	1243	1309	1371	1112	1188	1221	1266	1336	1378	1418	1504	1590	1626
42	66 - 68	1145	1163	1191	1287	1355	1421	1151	1228	1263	1312	1385	1427	1470	1558	1649	1685
42	69	1155	1175	1203	1302	1368	1437	1162	1242	1276	1326	1398	1441	1487	1575	1667	1705
42	70 - 72	1165	1185	1214	1315	1387	1459	1172	1255	1289	1341	1417	1464	1509	1603	1697	1737

If Accent/Mica Hardware Finish is specified for 36. - 43., add 14
If Accent/Mica Hardware Finish is specified for 44. - 72., add 29

Pricing is continued on the following page.

GYDD
Framed Fabric Desk Edge Screen (Continued)

PARTIAL MODESTY HEIGHT (S) (CONTINUED)

DIMENSIONS CODE / INCHES FOR MM X BY 25.4		PRICING																	
		PANEL FABRIC						UPHOLSTERY FABRIC											
H	W	COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
51	36 - 38	984	1004	1031	1128	1196	1262	991	1069	1102	1152	1226	1267	1311	1400	1490	1528
51	39 - 41	1061	1083	1112	1215	1287	1359	1069	1153	1190	1242	1318	1365	1411	1509	1603	1645
51	42 - 44	1137	1161	1191	1303	1379	1457	1145	1235	1275	1332	1414	1464	1513	1614	1715	1761
51	45 - 47	1160	1183	1218	1334	1416	1498	1168	1263	1305	1364	1451	1506	1557	1666	1775	1818
51	48 - 50	1180	1205	1241	1364	1449	1538	1189	1288	1334	1395	1490	1546	1600	1715	1830	1879
51	51 - 53	1250	1276	1312	1445	1537	1627	1257	1365	1411	1476	1575	1634	1694	1814	1936	1988
51	54 - 56	1317	1347	1386	1524	1620	1715	1328	1440	1489	1558	1662	1725	1785	1914	2041	2095
51	57 - 59	1335	1365	1407	1551	1652	1754	1346	1464	1514	1589	1697	1762	1828	1962	2094	2152
51	60 - 62	1353	1384	1424	1577	1682	1787	1361	1486	1539	1615	1731	1799	1866	2006	2147	2207
51	63 - 65	1407	1439	1485	1643	1754	1863	1417	1546	1602	1682	1803	1873	1944	2092	2237	2300
51	66 - 68	1460	1494	1540	1705	1820	1937	1470	1605	1663	1749	1873	1946	2021	2175	2328	2393
51	69	1477	1513	1558	1727	1844	1962	1490	1627	1685	1768	1896	1971	2046	2202	2359	2424
51	70 - 72	1494	1529	1579	1754	1876	1997	1506	1649	1710	1799	1930	2008	2087	2247	2409	2480
57	36 - 38	985	1004	1031	1127	1195	1259	991	1069	1102	1151	1225	1266	1310	1396	1487	1524
57	39 - 41	1064	1083	1112	1215	1286	1358	1069	1152	1190	1241	1317	1364	1410	1506	1600	1642
57	42 - 44	1138	1161	1191	1303	1379	1453	1146	1235	1274	1329	1411	1461	1510	1610	1712	1756
57	45 - 47	1161	1183	1218	1334	1415	1496	1168	1263	1304	1363	1449	1501	1553	1662	1771	1816
57	48 - 50	1181	1205	1241	1364	1448	1537	1189	1288	1333	1394	1489	1543	1598	1711	1828	1875
57	51 - 53	1251	1276	1312	1444	1536	1626	1257	1364	1410	1476	1574	1632	1689	1811	1932	1982
57	54 - 56	1318	1347	1386	1522	1619	1712	1328	1439	1489	1557	1660	1723	1784	1909	2036	2092
57	57 - 59	1336	1365	1407	1550	1650	1751	1346	1464	1514	1588	1696	1758	1824	1957	2089	2148
57	60 - 62	1354	1384	1424	1575	1681	1786	1361	1486	1539	1614	1727	1794	1863	2001	2142	2202
57	63 - 65	1408	1439	1483	1642	1751	1860	1417	1546	1600	1681	1800	1870	1941	2087	2232	2296
57	66 - 68	1461	1494	1540	1704	1818	1935	1470	1604	1662	1748	1870	1944	2018	2168	2321	2388
57	69	1477	1513	1558	1726	1843	1959	1490	1626	1684	1767	1895	1968	2043	2197	2351	2419
57	70 - 72	1494	1529	1577	1753	1873	1995	1506	1648	1709	1797	1928	2003	2082	2243	2404	2471

MODESTY HEIGHT (M)

		PANEL FABRIC						UPHOLSTERY FABRIC									
		COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42	36 - 38	985	1004	1031	1127	1195	1259	991	1069	1102	1151	1225	1266	1310	1396	1487	1524
42	39 - 41	1064	1083	1112	1215	1286	1358	1069	1152	1190	1241	1317	1364	1410	1506	1600	1642
42	42 - 44	1138	1161	1191	1303	1379	1453	1146	1235	1274	1329	1411	1461	1510	1610	1712	1756
42	45 - 47	1161	1183	1218	1334	1415	1496	1168	1263	1304	1363	1449	1501	1553	1662	1771	1816
42	48 - 50	1181	1205	1241	1364	1448	1537	1189	1288	1333	1394	1489	1543	1598	1711	1828	1875
42	51 - 53	1251	1276	1312	1444	1536	1626	1257	1364	1410	1476	1574	1632	1689	1811	1932	1982
42	54 - 56	1318	1347	1386	1522	1619	1712	1328	1439	1489	1557	1660	1723	1784	1909	2036	2092
42	57 - 59	1336	1365	1407	1550	1650	1751	1346	1464	1514	1588	1696	1758	1824	1957	2089	2148
42	60 - 62	1354	1384	1424	1575	1681	1786	1361	1486	1539	1614	1727	1794	1863	2001	2142	2202
42	63 - 65	1408	1439	1483	1642	1751	1860	1417	1546	1600	1681	1800	1870	1941	2087	2232	2296
42	66 - 68	1461	1494	1540	1704	1818	1935	1470	1604	1662	1748	1870	1944	2018	2168	2321	2388
42	69	1477	1513	1558	1726	1843	1959	1490	1626	1684	1767	1895	1968	2043	2197	2351	2419
42	70 - 72	1494	1529	1577	1753	1873	1995	1506	1648	1709	1797	1928	2003	2082	2243	2404	2471

If Accent/Mica Hardware Finish is specified for 36. - 43., add 14
If Accent/Mica Hardware Finish is specified for 44. - 72., add 29

Pricing is continued on the following page

G Y D D

Framed Fabric Desk Edge Screen (Continued)

DIMENSIONS CODE / INCHES FOR MM X BY 25.4

PRICING

MODESTY HEIGHT (M) (CONTINUED)

H	W	PANEL FABRIC COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5	UPHOLSTERY FABRIC COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
51	36 - 38	1095	1118	1150	1262	1340	1417	1101	1195	1233	1289	1374	1424	1475	1579	1682	1727
51	39 - 41	1172	1196	1228	1349	1434	1517	1177	1279	1318	1380	1470	1524	1579	1689	1802	1848
51	42 - 44	1248	1273	1309	1437	1526	1615	1255	1358	1406	1469	1567	1624	1680	1800	1918	1968
51	45 - 47	1267	1295	1333	1469	1566	1659	1276	1387	1436	1504	1607	1670	1728	1855	1981	2035
51	48 - 50	1287	1316	1357	1500	1602	1703	1296	1415	1466	1539	1648	1711	1778	1909	2043	2100
51	51 - 53	1380	1411	1453	1605	1712	1818	1389	1514	1569	1645	1761	1829	1896	2039	2179	2239
51	54 - 56	1471	1506	1550	1711	1823	1935	1483	1614	1671	1753	1873	1944	2016	2164	2313	2377
51	57 - 59	1489	1522	1569	1738	1856	1972	1499	1635	1696	1781	1908	1983	2059	2214	2370	2437
51	60 - 62	1504	1540	1590	1765	1889	2012	1516	1659	1723	1811	1944	2024	2101	2265	2428	2498
51	63 - 65	1569	1605	1658	1843	1971	2100	1580	1731	1797	1889	2028	2112	2193	2364	2534	2607
51	66 - 68	1633	1673	1726	1919	2054	2186	1645	1803	1870	1968	2115	2199	2285	2462	2642	2717
51	69	1651	1693	1748	1941	2077	2213	1663	1823	1891	1991	2138	2224	2313	2493	2673	2751
51	70 - 72	1667	1709	1764	1968	2112	2253	1680	1845	1918	2021	2175	2265	2356	2545	2732	2812
57	36 - 38	1213	1235	1267	1380	1459	1537	1221	1312	1353	1409	1492	1543	1594	1697	1802	1845
57	39 - 41	1312	1336	1369	1491	1574	1658	1318	1418	1461	1521	1611	1666	1721	1832	1942	1991
57	42 - 44	1410	1437	1471	1600	1689	1780	1418	1522	1569	1633	1731	1787	1844	1965	2082	2132
57	45 - 47	1433	1460	1497	1633	1728	1824	1440	1551	1599	1670	1773	1833	1892	2019	2147	2199
57	48 - 50	1453	1483	1522	1667	1767	1869	1463	1580	1630	1704	1813	1877	1942	2074	2209	2266
57	51 - 53	1546	1577	1620	1773	1879	1987	1556	1680	1734	1811	1926	1995	2062	2205	2344	2405
57	54 - 56	1641	1673	1719	1879	1991	2101	1650	1781	1837	1919	2041	2112	2183	2333	2481	2545
57	57 - 59	1655	1689	1735	1907	2024	2140	1667	1805	1863	1948	2074	2152	2227	2381	2538	2605
57	60 - 62	1672	1707	1756	1935	2056	2179	1682	1828	1889	1978	2112	2191	2269	2431	2594	2666
57	63 - 65	1749	1785	1837	2022	2150	2277	1758	1909	1975	2069	2208	2289	2371	2543	2714	2787
57	66 - 68	1823	1861	1915	2107	2243	2377	1835	1992	2059	2156	2303	2389	2473	2652	2830	2906
57	69	1840	1881	1936	2130	2267	2403	1854	2012	2080	2179	2328	2413	2501	2682	2862	2940
57	70 - 72	1856	1897	1953	2156	2300	2441	1869	2035	2106	2209	2363	2454	2545	2733	2920	3000

ELEVATED HEIGHT (E)

		PANEL FABRIC COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5	UPHOLSTERY FABRIC COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42	36 - 38	1099	1122	1153	1266	1343	1421	1105	1198	1236	1295	1379	1430	1478	1582	1687	1732
42	39 - 41	1175	1200	1233	1355	1438	1521	1182	1282	1324	1385	1475	1528	1582	1695	1806	1854
42	42 - 44	1251	1276	1312	1440	1529	1620	1258	1363	1409	1474	1570	1628	1684	1805	1921	1972
42	45 - 47	1273	1299	1336	1474	1569	1663	1281	1391	1439	1509	1611	1673	1733	1859	1987	2040
42	48 - 50	1293	1320	1361	1506	1605	1707	1302	1418	1469	1543	1651	1715	1781	1914	2048	2103
42	51 - 53	1385	1416	1459	1610	1719	1824	1394	1519	1573	1650	1764	1833	1900	2042	2183	2244
42	54 - 56	1477	1512	1556	1719	1829	1939	1489	1620	1675	1757	1879	1949	2022	2170	2318	2381
42	57 - 59	1494	1528	1574	1746	1861	1978	1506	1643	1702	1786	1914	1991	2064	2221	2377	2442
42	60 - 62	1509	1544	1594	1771	1892	2016	1520	1663	1726	1815	1948	2027	2104	2269	2432	2501
42	63 - 65	1573	1610	1662	1846	1975	2103	1583	1734	1802	1892	2033	2116	2197	2367	2540	2612
42	66 - 68	1637	1677	1731	1922	2057	2192	1650	1807	1875	1972	2119	2205	2289	2468	2645	2721
42	69	1655	1696	1751	1945	2082	2217	1670	1828	1896	1995	2144	2229	2317	2498	2676	2756
42	70 - 72	1672	1712	1768	1972	2116	2257	1684	1850	1921	2025	2178	2269	2360	2548	2735	2817

If Accent/Mica Hardware Finish is specified for 36. - 43., add 14
If Accent/Mica Hardware Finish is specified for 44. - 72., add 29

Pricing is continued on the following page.

GYDD
Framed Fabric Desk Edge Screen (Continued)

DIMENSIONS CODE / INCHES FOR MM X BY 25.4

PRICING


ELEVATED HEIGHT (E) (CONTINUED)

H	W	PANEL FABRIC COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5	UPHOLSTERY FABRIC COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
51	36 - 38	1213	1235	1267	1380	1459	1537	1221	1312	1353	1409	1492	1543	1594	1697	1802	1845
51	39 - 41	1312	1336	1369	1491	1574	1658	1318	1418	1461	1521	1611	1666	1721	1832	1942	1991
51	42 - 44	1410	1437	1471	1600	1689	1780	1418	1522	1569	1633	1731	1787	1844	1965	2082	2132
51	45 - 47	1433	1460	1497	1633	1728	1824	1440	1551	1599	1670	1773	1833	1892	2019	2147	2199
51	48 - 50	1453	1483	1522	1667	1767	1869	1463	1580	1630	1704	1813	1877	1942	2074	2209	2266
51	51 - 53	1546	1577	1620	1773	1879	1987	1556	1680	1734	1811	1926	1995	2062	2205	2344	2405
51	54 - 56	1641	1673	1719	1879	1991	2101	1650	1781	1837	1919	2041	2112	2183	2333	2481	2545
51	57 - 59	1655	1689	1735	1907	2024	2140	1667	1805	1863	1948	2074	2152	2227	2381	2538	2605
51	60 - 62	1672	1707	1756	1935	2056	2179	1682	1828	1889	1978	2112	2191	2269	2431	2594	2666
51	63 - 65	1749	1785	1837	2022	2150	2277	1758	1909	1975	2069	2208	2289	2371	2543	2714	2787
51	66 - 68	1823	1861	1915	2107	2243	2377	1835	1992	2059	2156	2303	2389	2473	2652	2830	2906
51	69	1840	1881	1936	2130	2267	2403	1854	2012	2080	2179	2328	2413	2501	2682	2862	2940
51	70 - 72	1856	1897	1953	2156	2300	2441	1869	2035	2106	2209	2363	2454	2545	2733	2920	3000

If Accent/Mica Hardware Finish is specified for 36. - 43., add 14
If Accent/Mica Hardware Finish is specified for 44. - 72., add 29

GYSD

Framed Fabric Side Desk Edge Screen



The Framed Fabric Side Desk Edge Screen attaches to the worksurface on to provide an upholstered fabric screen that is outlined by frame that creates space division and local desktop privacy in at various heights both above and below the worksurface.

WHAT'S INCLUDED

1 framed fabric side desk edge screen, attachment brackets, corner connection hardware (if specified).

NOTES

Framed screens match the width of the worksurface for tight fit applications.

Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, refer to the *Teknion Textiles Program Guide*.

PRODUCT OPTIONS

Modesty Base Height	Height	Depth	Corner Connection	Screen Finish	Hardware Finish
S Partial Modesty Height (23")	**42** for 42" datum height	18, 24, 30, 36	**N** No	Panel Fabrics	Foundation
M Modesty Height (15")	**51** for 51" datum height		**R** Right	Upholstery Fabrics	Mica
E Elevated Height (6")	**57** for 57" datum height		**L** Left		Accent

SAMPLE ORDER CODE

GYSD S	42	24	N	B204	74

DIMENSIONS
INCHES / MM

PRICING

PARTIAL MODESTY HEIGHT (S)
NO CORNER CONNECTION (N)

H	D	PANEL FABRIC COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	UPHOLSTERY FABRIC COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42 / 1067	18 / 203	619	625	635	665	685	705	623	646	656	672	694	707	718	746	775	787
42 / 1067	24 / 610	681	690	701	738	764	791	685	715	729	746	776	792	808	844	879	891
42 / 1067	30 / 762	743	753	766	812	844	875	746	785	800	823	858	879	898	941	981	1000
42 / 1067	36 / 914	797	807	823	876	914	950	800	844	861	889	929	954	978	1028	1076	1099
51 / 1295	18 / 203	715	726	739	791	827	860	717	761	777	803	843	863	887	934	980	1002
51 / 1295	24 / 610	823	836	856	918	965	1010	828	881	902	936	985	1012	1041	1101	1161	1188
51 / 1295	30 / 762	932	948	969	1048	1101	1157	937	1002	1028	1068	1127	1162	1197	1268	1341	1371
51 / 1295	36 / 914	985	1004	1030	1122	1185	1251	991	1067	1099	1145	1214	1256	1296	1381	1467	1501
57 / 1448	18 / 203	700	709	725	775	808	845	702	743	762	789	824	849	869	916	963	984
57 / 1448	24 / 610	823	836	856	918	963	1008	828	881	902	935	984	1012	1040	1099	1158	1183
57 / 1448	30 / 762	932	948	969	1046	1101	1155	937	1002	1028	1068	1127	1161	1196	1266	1338	1369
57 / 1448	36 / 914	985	1004	1030	1121	1185	1250	991	1067	1098	1144	1213	1255	1295	1379	1464	1499

If Accent/Mica Hardware Finish is specified, add 14

Pricing is continued on the following page.

GYSD

Framed Fabric Side Desk Edge Screen (Continued)

DIMENSIONS INCHES / MM

PRICING

PARTIAL MODESTY HEIGHT (S) (CONTINUED)

RIGHT/LEFT CORNER CONNECTION (R/L)

H	D	PANEL FABRIC COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	UPHOLSTERY FABRIC COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42 / 1067	18 / 203	633	638	646	676	698	716	635	657	668	684	705	717	731	760	787	797
42 / 1067	24 / 610	694	701	711	751	776	801	698	728	739	760	789	803	821	856	889	904
42 / 1067	30 / 762	756	764	777	823	856	887	760	796	812	834	869	889	911	951	993	1011
42 / 1067	36 / 914	808	820	834	888	925	962	812	856	874	901	942	966	989	1040	1090	1110
51 / 1295	18 / 203	731	740	756	806	843	876	734	776	793	820	858	881	902	949	996	1016
51 / 1295	24 / 610	838	853	871	935	980	1024	844	895	918	951	1002	1028	1057	1118	1176	1203
51 / 1295	30 / 762	948	963	985	1065	1118	1173	952	1016	1044	1083	1143	1177	1213	1285	1357	1387
51 / 1295	36 / 914	1002	1019	1045	1137	1202	1266	1007	1082	1115	1161	1230	1273	1312	1396	1483	1519
57 / 1448	18 / 203	715	726	739	791	824	860	717	761	777	803	841	863	886	932	979	1000
57 / 1448	24 / 610	838	853	871	935	979	1023	844	895	918	950	1000	1028	1055	1115	1174	1200
57 / 1448	30 / 762	948	963	985	1064	1118	1172	952	1016	1044	1083	1143	1176	1211	1282	1355	1386
57 / 1448	36 / 914	1002	1019	1045	1136	1202	1264	1007	1082	1113	1160	1228	1269	1311	1394	1478	1516

MODESTY HEIGHT (M)

NO CORNER CONNECTION (N)

		PANEL FABRIC COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	UPHOLSTERY FABRIC COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42 / 1067	18 / 203	700	709	725	775	808	845	702	743	762	789	824	849	869	916	963	984
42 / 1067	24 / 610	823	836	856	918	963	1008	828	881	902	935	984	1012	1040	1099	1158	1183
42 / 1067	30 / 762	932	948	969	1046	1101	1155	937	1002	1028	1068	1127	1161	1196	1266	1338	1369
42 / 1067	36 / 914	985	1004	1030	1121	1185	1250	991	1067	1098	1144	1213	1255	1295	1379	1464	1499
51 / 1295	18 / 203	853	863	882	941	980	1021	857	904	924	954	1000	1024	1051	1105	1161	1183
51 / 1295	24 / 610	916	929	951	1027	1078	1130	920	980	1008	1045	1101	1135	1168	1236	1306	1336
51 / 1295	30 / 762	978	996	1022	1113	1176	1241	984	1058	1091	1136	1205	1248	1286	1369	1453	1490
51 / 1295	36 / 914	1097	1118	1148	1255	1329	1404	1102	1190	1227	1282	1363	1410	1459	1557	1655	1700
57 / 1448	18 / 203	921	934	950	1010	1049	1091	925	974	993	1023	1069	1095	1121	1175	1230	1253
57 / 1448	24 / 610	1012	1027	1048	1124	1175	1227	1016	1076	1104	1143	1198	1232	1264	1334	1404	1434
57 / 1448	30 / 762	1101	1121	1146	1236	1302	1364	1107	1182	1214	1259	1329	1369	1410	1494	1577	1614
57 / 1448	36 / 914	1214	1235	1266	1373	1447	1521	1222	1309	1346	1400	1480	1528	1575	1675	1775	1816

RIGHT/LEFT CORNER CONNECTION (R/L)

		PANEL FABRIC COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	UPHOLSTERY FABRIC COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42 / 1067	18 / 203	715	726	739	791	824	860	717	761	777	803	841	863	886	932	979	1000
42 / 1067	24 / 610	838	853	871	935	979	1023	844	895	918	950	1000	1028	1055	1115	1174	1200
42 / 1067	30 / 762	948	963	985	1064	1118	1172	952	1016	1044	1083	1143	1176	1211	1282	1355	1386
42 / 1067	36 / 914	1002	1019	1045	1136	1202	1264	1007	1082	1113	1160	1228	1269	1311	1394	1478	1516
51 / 1295	18 / 203	869	882	898	958	997	1039	874	921	942	973	1016	1042	1069	1124	1177	1202
51 / 1295	24 / 610	934	948	969	1044	1097	1148	937	997	1024	1064	1120	1152	1185	1255	1324	1355
51 / 1295	30 / 762	995	1014	1040	1130	1195	1257	1002	1075	1107	1153	1223	1263	1304	1387	1470	1507
51 / 1295	36 / 914	1113	1135	1165	1273	1347	1419	1121	1206	1244	1299	1380	1427	1475	1574	1673	1715
57 / 1448	18 / 203	942	952	971	1030	1070	1110	947	993	1014	1044	1090	1115	1142	1196	1251	1274
57 / 1448	24 / 610	1033	1046	1069	1144	1196	1249	1038	1098	1125	1162	1219	1252	1285	1355	1422	1453
57 / 1448	30 / 762	1121	1138	1165	1256	1318	1384	1127	1202	1233	1280	1348	1388	1430	1513	1597	1632
57 / 1448	36 / 914	1234	1256	1286	1393	1468	1542	1242	1328	1365	1419	1500	1549	1597	1696	1793	1837

If Accent/Mica Hardware Finish is specified, add 14

Pricing is continued on the following page.

GYSD

Framed Fabric Side Desk Edge Screen (Continued)

DIMENSIONS INCHES / MM

PRICING

ELEVATED HEIGHT (E)

NO CORNER CONNECTION (N)

H	D	PANEL FABRIC COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	UPHOLSTERY FABRIC COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42 / 1067	18 / 203	857	868	886	944	985	1024	860	910	928	959	1004	1030	1055	1110	1165	1189
42 / 1067	24 / 610	920	935	955	1031	1083	1135	924	985	1012	1049	1105	1138	1173	1242	1311	1341
42 / 1067	30 / 762	981	1002	1027	1118	1181	1244	988	1064	1095	1142	1210	1251	1289	1374	1459	1494
42 / 1067	36 / 914	1100	1122	1152	1258	1334	1408	1107	1195	1232	1286	1366	1415	1463	1562	1659	1703
51 / 1295	18 / 203	921	934	950	1010	1049	1091	925	974	993	1023	1069	1095	1121	1175	1230	1253
51 / 1295	24 / 610	1012	1027	1048	1124	1175	1227	1016	1076	1104	1143	1198	1232	1264	1334	1404	1434
51 / 1295	30 / 762	1101	1121	1146	1236	1302	1364	1107	1182	1214	1259	1329	1369	1410	1494	1577	1614
51 / 1295	36 / 914	1214	1235	1266	1373	1447	1521	1222	1309	1346	1400	1480	1528	1575	1675	1775	1816


RIGHT/LEFT CORNER CONNECTION (R/L)

		PANEL FABRIC COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	UPHOLSTERY FABRIC COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42 / 1067	18 / 203	874	886	902	962	1003	1042	879	925	947	977	1021	1046	1072	1128	1182	1205
42 / 1067	24 / 610	937	951	974	1048	1100	1152	942	1003	1030	1068	1124	1157	1190	1258	1328	1358
42 / 1067	30 / 762	1000	1018	1044	1135	1198	1262	1005	1080	1112	1158	1227	1267	1309	1391	1475	1512
42 / 1067	36 / 914	1118	1138	1170	1276	1353	1424	1125	1211	1250	1304	1385	1433	1478	1579	1677	1721
51 / 1295	18 / 203	942	952	971	1030	1070	1110	947	993	1014	1044	1090	1115	1142	1196	1251	1274
51 / 1295	24 / 610	1033	1046	1069	1144	1196	1249	1038	1098	1125	1162	1219	1252	1285	1355	1422	1453
51 / 1295	30 / 762	1121	1138	1165	1256	1318	1384	1127	1202	1233	1280	1348	1388	1430	1513	1597	1632
51 / 1295	36 / 914	1234	1256	1286	1393	1468	1542	1242	1328	1365	1419	1500	1549	1597	1696	1793	1837

If Accent/Mica Hardware Finish is specified, add 14

GYFD

Framed Fabric Desk Edge Floor Screen



The Framed Fabric Desk Edge Floor Screen attaches to the worksurface on to provide an upholstered fabric screen that is outlined by frame that creates space division and local desktop privacy in at various heights both above and below the worksurface to the floor level.

WHAT'S INCLUDED
1 framed fabric desk edge floor screen, attachment brackets.

NOTES
Framed floor screens match the width of the worksurface for tight fit applications. Recommended to have 1/2" wire gap between screen and worksurface.

Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, refer to the *Teknion Textiles Program Guide*.

PRODUCT OPTIONS

Modesty Base Height	Height	Width (1" increments)	Screen Finish	Hardware Finish
F Floor Height (1")	**42** for 42" datum height	36 - 72	Panel Fabrics	Foundation
	51 for 51" datum height		Upholstery Fabrics	Mica
				Accent

SAMPLE ORDER CODE

GYFD F	42	60	B204	74

DIMENSIONS
CODE / INCHES
FOR MM X BY 25.4

PRICING

		PANEL FABRIC						UPHOLSTERY FABRIC									
H	W	COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42	36 - 38	1200	1223	1255	1366	1445	1522	1206	1299	1338	1395	1478	1529	1580	1684	1787	1833
42	39 - 41	1302	1326	1358	1478	1564	1648	1309	1408	1448	1510	1600	1654	1709	1818	1932	1978
42	42 - 44	1400	1426	1463	1591	1680	1768	1409	1513	1558	1624	1721	1779	1835	1953	2072	2123
42	45 - 47	1421	1448	1487	1624	1720	1814	1431	1542	1590	1658	1762	1823	1884	2009	2134	2189
42	48 - 50	1444	1471	1513	1657	1757	1859	1451	1570	1621	1695	1803	1867	1934	2064	2199	2255
42	51 - 53	1537	1568	1609	1762	1869	1975	1546	1671	1725	1802	1916	1983	2052	2193	2335	2395
42	54 - 56	1629	1662	1707	1869	1980	2092	1641	1771	1828	1909	2029	2101	2175	2321	2470	2533
42	57 - 59	1645	1680	1726	1896	2013	2130	1657	1793	1854	1938	2064	2142	2216	2371	2528	2593
42	60 - 62	1660	1697	1748	1922	2046	2168	1673	1816	1879	1968	2101	2180	2258	2421	2586	2654
42	63 - 65	1737	1776	1828	2012	2140	2269	1750	1899	1966	2057	2197	2280	2363	2532	2703	2775
42	66 - 68	1813	1853	1906	2099	2232	2366	1824	1981	2049	2148	2291	2378	2465	2642	2822	2895
42	69	1830	1870	1925	2120	2257	2393	1843	2001	2071	2168	2317	2404	2492	2672	2853	2930
42	70 - 72	1845	1888	1944	2148	2289	2431	1859	2025	2097	2199	2351	2442	2533	2722	2910	2990

If Accent/Mica Hardware Finish is specified for 36" - 43", add 14
If Accent/Mica Hardware Finish is specified for 44" - 72", add 29

Pricing is continued on the following page.

GYFD

Framed Fabric Desk Edge Floor Screen (Continued)

DIMENSIONS
CODE / INCHES
FOR MM X BY 25.4


PRICING

H	W	PANEL FABRIC COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr.5	UPHOLSTERY FABRIC COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
51	36 - 38	1233	1256	1287	1400	1477	1556	1241	1333	1371	1430	1513	1564	1614	1719	1820	1866
51	39 - 41	1333	1357	1389	1512	1596	1679	1340	1439	1480	1542	1632	1685	1740	1853	1964	2010
51	42 - 44	1431	1457	1492	1621	1710	1800	1439	1543	1590	1654	1751	1809	1865	1983	2102	2153
51	45 - 47	1451	1478	1517	1654	1750	1844	1461	1572	1620	1688	1792	1854	1914	2040	2166	2220
51	48 - 50	1474	1501	1543	1687	1787	1889	1483	1600	1651	1725	1833	1897	1964	2095	2229	2285
51	51 - 53	1567	1598	1641	1792	1899	2006	1575	1701	1755	1832	1946	2014	2082	2223	2365	2426
51	54 - 56	1659	1694	1737	1899	2010	2122	1671	1802	1858	1939	2061	2131	2205	2351	2500	2563
51	57 - 59	1675	1710	1756	1926	2043	2160	1687	1824	1884	1968	2095	2173	2246	2403	2559	2623
51	60 - 62	1693	1727	1778	1953	2076	2199	1703	1846	1909	1998	2131	2210	2288	2453	2615	2684
51	63 - 65	1767	1806	1858	2042	2170	2299	1780	1930	1996	2088	2228	2310	2393	2562	2734	2805
51	66 - 68	1843	1883	1936	2129	2261	2396	1855	2012	2079	2178	2325	2408	2495	2672	2852	2926
51	69	1860	1900	1956	2150	2287	2423	1873	2031	2101	2199	2348	2434	2522	2702	2883	2960
51	70 - 72	1876	1918	1973	2178	2319	2461	1889	2055	2126	2229	2381	2472	2563	2752	2940	3020

If Accent/Mica Hardware Finish is specified for 36" - 43", add 14
If Accent/Mica Hardware Finish is specified for 44" - 72", add 29

GYED

Framed Fabric Side Desk Edge Floor Screen



The Framed Fabric Side Desk Edge Floor Screen attaches to the worksurface to provide an upholstered fabric screen that is outlined by frame that creates space division and local desktop privacy in at various heights both above and below the worksurface to the floor level.

WHAT'S INCLUDED

1 framed fabric desk edge floor screen, attachment brackets, corner connection hardware (if specified).

NOTES

Framed screens match the depth of the worksurface for tight fit applications.

Fabric will be applied in the railroad direction in select Panel and Upholstery fabrics, refer to the *Teknion Textiles Program Guide*.

PRODUCT OPTIONS

Modesty Base Height	Height	Depth	Corner Connection	Screen Finish	Hardware Finish
F Floor Height (1")	**42** for 42" datum height	18, 24, 30, 36	**N** No	Panel Fabrics	Foundation
	51 for 51" datum height		**R** Right	Upholstery Fabrics	Mica
			L Left		Accent

SAMPLE ORDER CODE

GYED F	42	24	L	B204	74

DIMENSIONS INCHES / MM

PRICING

		NO CORNER CONNECTION (N)														
		PANEL FABRIC						UPHOLSTERY FABRIC								
H	D	COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42 / 1067	18 / 203	894	906	922	981	1022	1064	898	947	966	996	1041	1068	1094	1148	1203	1226
42 / 1067	24 / 610	1000	1014	1035	1110	1162	1214	1004	1065	1092	1129	1185	1219	1252	1320	1389	1419
42 / 1067	30 / 762	1087	1105	1131	1223	1286	1349	1094	1168	1200	1248	1315	1356	1395	1478	1564	1599
42 / 1067	36 / 914	1202	1223	1253	1359	1436	1509	1207	1295	1333	1387	1468	1516	1564	1662	1761	1805
51 / 1295	18 / 203	969	980	997	1057	1098	1137	974	1021	1041	1071	1116	1143	1168	1223	1279	1302
51 / 1295	24 / 610	1058	1072	1095	1170	1222	1274	1064	1124	1151	1189	1244	1279	1311	1380	1448	1478
51 / 1295	30 / 762	1200	1219	1244	1335	1398	1463	1205	1281	1312	1358	1427	1468	1509	1592	1675	1711
51 / 1295	36 / 914	1262	1283	1313	1419	1496	1569	1268	1356	1393	1447	1528	1575	1624	1724	1820	1865
		RIGHT/LEFT CORNER CONNECTION (R/L)															
42 / 1067	18 / 203	914	925	943	1003	1042	1083	918	966	986	1016	1061	1087	1113	1168	1223	1248
42 / 1067	24 / 610	1019	1034	1055	1130	1182	1234	1023	1084	1112	1150	1205	1237	1273	1341	1410	1440
42 / 1067	30 / 762	1107	1127	1152	1243	1306	1369	1113	1189	1221	1266	1335	1376	1416	1499	1582	1620
42 / 1067	36 / 914	1222	1243	1274	1380	1455	1528	1228	1315	1354	1408	1489	1537	1582	1682	1781	1824
51 / 1295	18 / 203	969	980	997	1057	1098	1137	974	1021	1041	1071	1116	1143	1168	1223	1279	1302
51 / 1295	24 / 610	1058	1072	1095	1170	1222	1274	1064	1124	1151	1189	1244	1279	1311	1380	1448	1478
51 / 1295	30 / 762	1200	1219	1244	1335	1398	1463	1205	1281	1312	1358	1427	1468	1509	1592	1675	1711
51 / 1295	36 / 914	1262	1283	1313	1419	1496	1569	1268	1356	1393	1447	1528	1575	1624	1724	1820	1865


If Accent/Mica Hardware Finish is specified, add 14

G V G D
Desk Edge Screen with Glass

The Desk Edge Screen with Glass Top Screen attaches to the worksurface to provide space division and local desktop privacy in various heights both above and below the worksurface to the floor level.

WHAT'S INCLUDED
1 Desk Edge Screen with Glass Top, attachment brackets, levelers

NOTES
Edge trim will be finished to match the screen when Flintwood and Natural Veneer finishes have been specified.



PRODUCT OPTIONS

Modesty Base Height	Height	Width	Screen Finish	Glass Finish	Hardware Finish
F Floor Height (1")	**G** 42"H Total (31" Solid, 11" Glass)	48, 54, 60, 66, 72, 78, 84, 90, 96	Source Laminate	**CL** Clear	Foundation
	K 51"H Total (44" Solid, 7" Glass)		Flintwood	**FT** Frost	Mica
	M 51"H Total (31" Solid, 20" Glass)		Natural Veneer		Accent
	D Inset 42"H Total (29" Solid, 13" Glass)				
	E Inset 51"H Total (42" Solid, 9" Glass)				
	F Inset 51"H Total (29" Solid, 22" Glass)				
	N 57"H Total (44" Solid, 13" Glass)				
	H Inset 57"H Total (42" Solid, 15" Glass)				

SAMPLE ORDER CODE

GVGD F	G	60	5N	CL	74

DIMENSIONS
INCHES / MM

H	W
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829
42 / 1067	78 / 1981
42 / 1067	84 / 2134
42 / 1067	90 / 2286
42 / 1067	96 / 2438

PRICING

42"H TOTAL (31" SOLID, 11" GLASS) (G) & INSET 42"H TOTAL (29" SOLID, 13" GLASS) (D)					
Source Laminate		Flintwood		Natural Veneer	
Clear	Frost	Clear	Frost	Clear	Frost
860	1084	1483	1577	1483	1761
1102	1359	1892	1982	1892	2210
1145	1421	1962	2064	1962	2300
1394	1701	2374	2474	2374	2758
1457	1781	2480	2590	2480	2884
1637	1990	2780	2894	2780	3221
1785	2163	3028	3144	3028	3500
1935	2337	3275	3396	3275	3781
2082	2510	3523	3648	3523	4059

If Accent/Mica Hardware Finish is specified, add 25

Pricing is continued on the following page.

GVGD
Desk Edge Screen with Glass (Continued)

DIMENSIONS INCHES / MM

PRICING

51"H TOTAL (44" SOLID, 7" GLASS) (K) & INSET 51"H TOTAL (42" SOLID, 9" GLASS) (E)

H	W	Source Laminate		Flintwood		Natural Veneer	
		Clear	Frost	Clear	Frost	Clear	Frost
51 / 1295	48 / 1219	955	1145	1660	1704	1753	1903
51 / 1295	54 / 1372	1192	1411	2063	2102	2177	2342
51 / 1295	60 / 1524	1289	1528	2235	2274	2352	2533
51 / 1295	66 / 1676	1378	1630	2378	2423	2507	2698
51 / 1295	72 / 1829	1468	1740	2534	2584	2672	2879
51 / 1295	78 / 1981	1620	1914	2793	2842	2943	3164
51 / 1295	84 / 2134	1741	2054	2999	3051	3161	3394
51 / 1295	90 / 2286	1861	2194	3204	3257	3377	3625
51 / 1295	96 / 2438	1982	2336	3411	3466	3594	3856

51"H TOTAL (31" SOLID, 20" GLASS) (M) & INSET 51"H TOTAL (29" SOLID, 22" GLASS) (F)


		Source Laminate		Flintwood		Natural Veneer	
		Clear	Frost	Clear	Frost	Clear	Frost
51 / 1295	48 / 1219	988	1303	1671	1843	1762	2055
51 / 1295	54 / 1372	1235	1589	2077	2252	2190	2509
51 / 1295	60 / 1524	1327	1710	2232	2424	2351	2699
51 / 1295	66 / 1676	1421	1845	2381	2607	2511	2903
51 / 1295	72 / 1829	1513	1975	2534	2785	2672	3100
51 / 1295	78 / 1981	1667	2164	2790	3054	2940	3399
51 / 1295	84 / 2134	1792	2326	2992	3278	3155	3648
51 / 1295	90 / 2286	1915	2485	3196	3501	3367	3896
51 / 1295	96 / 2438	2039	2645	3399	3726	3582	4145

57"H TOTAL (44" SOLID, 13" GLASS) (N) & INSET 57"H TOTAL (42" SOLID, 15" GLASS) (H)

		Source Laminate		Flintwood		Natural Veneer	
		Clear	Frost	Clear	Frost	Clear	Frost
57 / 1448	48 / 1219	1051	1259	1828	1875	1927	2093
57 / 1448	54 / 1372	1311	1552	2456	2501	2589	2788
57 / 1448	60 / 1524	1418	1681	2615	2665	2758	2967
57 / 1448	66 / 1676	1516	1793	2790	2843	2940	3166
57 / 1448	72 / 1829	1614	1914	2790	2843	2940	3166
57 / 1448	78 / 1981	1781	2104	3173	3230	3345	3594
57 / 1448	84 / 2134	1915	2259	3399	3457	3582	3847
57 / 1448	90 / 2286	2048	2414	3625	3684	3820	4099
57 / 1448	96 / 2438	2180	2568	3851	3912	4059	4352

If Accent/Mica Hardware Finish is specified, add 25

G N G D
Glass 6mm Lateral Screen



The Glass 6mm Lateral Screen attaches to the worksurface to provide user-adjustable lateral space division and privacy.

WHAT'S INCLUDED
Glass screen and attachment hardware.

NOTES
Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.

Screen datum heights are:
- 42" (13" height of screen from worksurface)
- 51" (22" height of screen from worksurface)
- 57" (28" height of screen from worksurface)

Can only be applied to both flat and knife edge District worksurface.

Glass finishes are 6mm tempered glass.

Includes a spacer that is required to mounted to a knife edge.

PRODUCT OPTIONS

Height	Depth	Screen Finish	Hardware Finish
42 for 42" datum height	23, 29, 35	**CL** Clear	Foundation
51 for 51" datum height		**FT** Frost	Mica
57 for 57" datum height			Accent

SAMPLE ORDER CODE

GNGD 42	**29**	**FT**	**74**

DIMENSIONS
INCHES / MM

PRICING

H	D	Standard Glass, Clear	Standard Glass, Frost
42 / 1067	23 / 584	411	491
42 / 1067	29 / 737	450	545
42 / 1067	35 / 889	499	617
51 / 1295	23 / 584	462	593
51 / 1295	29 / 737	507	668
51 / 1295	35 / 889	572	762
57 / 1448	23 / 584	491	655
57 / 1448	29 / 737	543	743
57 / 1448	35 / 889	612	852

If Accent/Mica Hardware Finish is specified, add 14

Xpress

GNTD
Glass 10mm Lateral Screen

The Glass 10mm Lateral Screen attaches to the worksurface to provide user-adjustable lateral space division and privacy.

WHAT'S INCLUDED
Glass screen and attachment hardware.

NOTES
Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.


Screen datum heights are:
- 42" (13" height of screen from worksurface)
- 51" (22" height of screen from worksurface)
- 57" (28" height of screen from worksurface)

Can only be applied to both flat and knife edge District worksurface.

Glass finishes are 10mm tempered glass.

Includes a spacer that is required to mounted to a knife edge.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Height	Depth	Screen Finish	Hardware Finish
42 for 42" datum height	23, 29, 35	**CL** Clear	Foundation
51 for 51" datum height		**FT** Frost	Mica
57 for 57" datum height			Accent

SAMPLE ORDER CODE

GNTD 42	30	FT	74


DIMENSIONS
INCHES / MM

PRICING

H	D	Standard Glass, Clear	Standard Glass, Frost
42 / 1067	23 / 584	427	559
42 / 1067	29 / 737	479	631
42 / 1067	35 / 889	544	716
51 / 1295	23 / 584	513	702
51 / 1295	29 / 737	578	800
51 / 1295	35 / 889	661	917
57 / 1448	23 / 584	556	778
57 / 1448	29 / 737	631	897
57 / 1448	35 / 889	724	1031

If Accent/Mica Hardware Finish is specified, add 14

G N W D
Writable Glass Lateral Screen



The Writable Glass Lateral Screen attaches to the worksurface to provide additional functionality, user-adjustable lateral space division and privacy.

WHAT'S INCLUDED
Writable glass screen and attachment hardware.

NOTES
Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.

Screen datum heights are:
- 42" (13" height of screen from worksurface)
- 51" (22" height of screen from worksurface)
- 57" (28" height of screen from worksurface)

Can only be applied to both flat and knife edge District worksurface.

Glass finishes are 10mm laminated glass.

Includes a spacer that is required to mounted to a knife edge.

PRODUCT OPTIONS

Height	Depth	Screen Finish	Hardware Finish
42 for 42" datum height	23, 29, 35	**A6** Frost White	Foundation
51 for 51" datum height		**H3** Polar White	Mica
57 for 57" datum height			Accent

SAMPLE ORDER CODE

GNWD 42	**30**	**A6**	**74**

DIMENSIONS
INCHES / MM

H	D
42 / 1067	23 / 584
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	23 / 584
51 / 1295	29 / 737
51 / 1295	35 / 889
57 / 1448	23 / 584
57 / 1448	29 / 737
57 / 1448	35 / 889

PRICING

Frost White	Polar White
567	650
645	732
738	830
766	800
881	886
992	1014
849	975
980	1114
1131	1275

If Accent/Mica Hardware Finish is specified, add 14

GNSD
Solid Lateral Screen

The Solid Lateral Screen attaches to the worksurface to provide user-adjustable lateral space division and privacy.


WHAT'S INCLUDED
Solid screen and attachment hardware.

NOTES
Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.

Screen datum heights are:
- 42" (13" height of screen from worksurface)
- 51" (22" height of screen from worksurface)
- 57" (28" height of screen from worksurface)

Can only be applied to both flat and knife edge District worksurface.

Includes a spacer that is required to mounted to a knife edge.



PRODUCT OPTIONS

Height	Depth	Screen Finish	Hardware Finish
42 for 42" datum height	23, 29, 35	Source Laminate	Foundation
51 for 51" datum height		Flintwood	Mica
57 for 57" datum height		Natural Veneer	Accent

SAMPLE ORDER CODE

GNSD 42	30	2V	74

DIMENSIONS
INCHES / MM


H	D
42 / 1067	23 / 584
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	23 / 584
51 / 1295	29 / 737
51 / 1295	35 / 889
57 / 1448	23 / 584
57 / 1448	29 / 737
57 / 1448	35 / 889

PRICING

Source Laminate	Flintwood	Natural Veneer
376	618	634
409	677	696
467	740	761
422	718	738
464	794	817
543	888	913
462	792	812
512	875	898
597	978	1005

If Accent/Mica Hardware Finish is specified, add 14

G N L D
Writable Laminate Lateral Screen



The Writable Laminate Lateral Screen attaches to the worksurface to provide additional functionality, user-adjustable lateral space division and privacy.

WHAT'S INCLUDED
Writable laminate screen and attachment hardware.

NOTES
Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.

Screen datum heights are:
- 42" (13" height of screen from worksurface)
- 51" (22" height of screen from worksurface)
- 57" (28" height of screen from worksurface)

Can only be applied to both flat and knife edge District worksurface.

Includes a spacer that is required to mounted to a knife edge.

PRODUCT OPTIONS

Height	Depth	Screen Finish	Hardware Finish
42 for 42" datum height	23, 29, 35	Writable Laminate	Foundation
51 for 51" datum height		**5D** White	Mica
57 for 57" datum height			Accent

SAMPLE ORDER CODE

GNLD 42	30	5D	74

DIMENSIONS
INCHES / MM

PRICING

H	D	Foundation	Mica/Accent
42 / 1067	23 / 584	576	589
42 / 1067	29 / 737	633	646
42 / 1067	35 / 889	897	912
51 / 1295	23 / 584	678	695
51 / 1295	29 / 737	762	776
51 / 1295	35 / 889	913	928
57 / 1448	23 / 584	747	763
57 / 1448	29 / 737	837	853
57 / 1448	35 / 889	1005	1019

Xpress

GNXD
Infinity Lateral Screen

The Infinity Lateral Screen attaches to the worksurface to provide a lightweight, thin, upholstered fabric screen that is expressed in a softer curvilinear aesthetic that creates space division and user-adjustable lateral desktop privacy.

WHAT'S INCLUDED
Infinity screen and attachment hardware.


NOTES
Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.

Screen datum heights are:
- 42" (13" height of screen from worksurface)
- 51" (22" height of screen from worksurface)
- 57" (28" height of screen from worksurface)

Can only be applied to both flat and knife edge District worksurface.

Includes a spacer that is required to mounted to a knife edge.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Height	Depth	Screen Finish	Hardware Finish
42 for 42" datum height	23, 29, 35	Panel Fabrics	Foundation
51 for 51" datum height		Upholstery Fabrics	Mica
57 for 57" datum height			Accent

SAMPLE ORDER CODE

GNXD 42	24	B204	74

DIMENSIONS INCHES / MM


PRICING

H	D	PANEL FABRIC COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	UPHOLSTERY FABRIC COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
42 / 1067	23 / 584	751	755	762	789	805	822	752	770	781	793	812	823	833	857	881	889
42 / 1067	29 / 737	815	821	829	859	882	902	817	843	853	868	890	904	917	947	974	985
42 / 1067	35 / 889	869	876	887	922	948	973	872	901	914	932	959	975	991	1023	1057	1071
51 / 1295	23 / 584	833	841	853	889	916	942	836	867	881	898	927	943	961	995	1030	1044
51 / 1295	29 / 737	890	899	913	959	991	1022	894	932	948	971	1005	1024	1045	1087	1129	1146
51 / 1295	35 / 889	969	979	995	1048	1085	1122	973	1015	1034	1061	1101	1127	1150	1200	1250	1269
57 / 1448	23 / 584	883	890	904	943	971	997	887	918	934	951	982	1000	1018	1054	1091	1107
57 / 1448	29 / 737	971	980	995	1045	1080	1114	975	1015	1033	1058	1095	1116	1140	1183	1230	1250
57 / 1448	35 / 889	1068	1078	1097	1155	1196	1236	1071	1120	1138	1168	1214	1242	1267	1324	1377	1400

If Accent/Mica Hardware Finish is specified, add 14

Xpress

G N Z D
Smooth Felt Lateral Screen



The Smooth Felt Lateral Screen attaches to the worksurface to provide lateral space division and privacy.

WHAT'S INCLUDED
Smooth Felt screen and attachment hardware.

NOTES
Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.

Screen datum heights are:
- 42" (13" height of screen from worksurface)
- 51" (22" height of screen from worksurface)

Can only be applied to both flat and knife edge District worksurface.

Includes a spacer that is required to mounted to a knife edge.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Height	Depth	Smooth Felt Finish	Hardware Finish
42 for 42" datum height	23, 29, 35	**R4** Strata	Foundation
51 for 51" datum height		**R5** Pewter	Mica
		R6 Lunar	Accent

SAMPLE ORDER CODE

GNZD 42	29	R4	74

DIMENSIONS
INCHES / MM

H	D
42 / 1067	23 / 584
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	23 / 584
51 / 1295	29 / 737
51 / 1295	35 / 889

PRICING

Foundation	Mica/Accent
390	402
491	507
529	545
498	520
593	612
635	654

Xpress

GNYD

Framed Fabric Lateral Screen

The Framed Fabric Lateral Screen attaches to the worksurface to provide user-adjustable lateral space division and privacy.

WHAT'S INCLUDED

Framed fabric screen and attachment hardware.

NOTES


Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.

Screen datum heights are:
- 42" (13" height of screen from worksurface)
- 51" (22" height of screen from worksurface)

Can only be applied to both flat and knife edge District worksurface.

Includes a spacer that is required to mounted to a knife edge.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Height	Depth	Screen Finish	Hardware Finish
42 for 42" datum height	23, 29, 35	Panel Fabrics	Foundation
51 for 51" datum height		Upholstery Fabrics	Mica
57 for 57" datum height			Accent

SAMPLE ORDER CODE

GNYD 42	24	B204	74

DIMENSIONS INCHES / MM

H	D
42 / 1067	23 / 584
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	23 / 584
51 / 1295	29 / 737
51 / 1295	35 / 889
57 / 1448	23 / 584
57 / 1448	29 / 737
57 / 1448	35 / 889

PRICING


PANEL FABRIC						
H	D	COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
42 / 1067	23 / 584	713	717	726	752	768	787
42 / 1067	29 / 737	776	782	791	821	843	863
42 / 1067	35 / 889	828	834	845	882	906	929
51 / 1295	23 / 584	793	800	812	850	875	901
51 / 1295	29 / 737	849	857	869	916	948	979
51 / 1295	35 / 889	922	934	949	1003	1040	1075
57 / 1448	23 / 584	822	830	843	881	907	934
57 / 1448	29 / 737	880	889	902	950	982	1015
57 / 1448	35 / 889	957	969	984	1040	1080	1116

UPHOLSTERY FABRIC									
COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
715	736	743	758	776	789	797	821	844	854
777	803	814	829	853	864	879	907	935	947
830	859	872	889	917	934	949	981	1015	1030
796	827	838	858	887	902	920	954	989	1004
851	888	904	927	962	981	1003	1044	1085	1102
925	969	988	1015	1055	1080	1102	1153	1203	1225
826	857	871	889	920	935	954	989	1027	1040
883	922	937	962	1000	1018	1040	1084	1127	1144
961	1007	1024	1054	1095	1121	1144	1197	1249	1272

If Accent/Mica Hardware Finish is specified, add 14

Xpress

G N M D
Metal Lateral Screen



The Metal Lateral Screen attaches to the worksurface to provide a thin, metal screen that is expressed in a softer curvilinear aesthetic with an opportunity to add color that creates space division and user-adjustable lateral desktop privacy.

WHAT'S INCLUDED
Metal screen and attachment hardware.

NOTES
Designed for a full depth application. Specify depth of the screen that is same as worksurface depth only.

Screen datum heights are:
- 42" (13" height of screen from worksurface)
- 51" (22" height of screen from worksurface)
- 57" (28" height of screen from worksurface)

Can only be applied to both flat and knife edge District worksurface.

Includes a spacer that is required to mounted to a knife edge.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Height	Depth	Finish	Hardware Finish
42 for 42" datum height	23, 29, 35	Foundation	Foundation
51 for 51" datum height		Mica	Mica
		Accent	Accent

SAMPLE ORDER CODE

GNMD 42	**30**	**74**	**74**

DIMENSIONS
INCHES / MM

H	D
42 / 1067	23 / 584
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	23 / 584
51 / 1295	29 / 737
51 / 1295	35 / 889

PRICING

Foundation	Mica/Accent
389	404
424	446
473	496
417	434
457	482
511	536

Xpress


UNSM
Modesty Screen

The Modesty Screen provides visual privacy below worksurface.

WHAT'S INCLUDED
1 screen, attachment brackets.

NOTES
Edge trim will be finished to match the screen when Flintwood and Natural Veneer finishes have been specified.

Xpress Screen Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program.*



PRODUCT OPTIONS

Height	Width (6" increments)	Screen Finish	Edge Trim Finish (Applies to Fascia Laminate)	Bracket Finish
13	24 - 96	Source Laminate	**SM** Aluminum Acrylic	Foundation
		Flintwood (Standard)	Self Edge	Mica
		Natural Veneer		

SAMPLE ORDER CODE

UNSM 13	**48**	**XM**		**7**

DIMENSIONS
INCHES / MM


H	W
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

PRICING

Source Laminate	Flintwood	Natural Veneer
250	495	522
264	540	564
272	583	608
284	630	654
349	730	762
364	776	808
372	820	853
389	863	898
397	910	944
407	952	993
420	996	1039
429	1041	1078
438	1090	1124

Xpress

U N S F
Floor Screen



The Floor Screen attaches to the worksurface to provide space division. Its Top Rail supports selected Personal Organizers (PAX) (see the Screens Application Guide for details) It also accepts attachment of a Vertical Cable Manager (UNVC) (see electrics section).

WHAT'S INCLUDED
1 floor screen, attachment brackets, levelers.

NOTES
Actual width is nominal (specified) width.

Grain direction is vertical on 51" heights and horizontal on 42" heights.

Edge trim will be finished to match the screen when Flintwood and Natural Veneer finishes have been specified.

Not all height/width combinations are available. See pricing for exact offering.

Extended levelers are available (UNSFXL) and can be found in the *Connections & Trims* section.

Xpress Screen Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program.*

PRODUCT OPTIONS

Height	Width (1" increments)	Screen Finish	Edge Trim Finish (Applies to Fascia Laminate)	Bracket/Foot Cover Finish	Top Rail Finish
42, 51, 57	23 - 96	Source Laminate	**SM** Aluminum Acrylic	Foundation	Foundation
		Flintwood (Standard)	Self Edge	Mica	Mica
		Natural Veneer			

SAMPLE ORDER CODE

UNSF 42	30	MP		7	7

DIMENSIONS
FOR MM X BY 25.4

PRICING

H	W	Source Laminate	Flintwood	Natural Veneer
42	23 - 24	604	971	1113
42	25 - 27	625	1028	1181
42	28 - 30	648	1082	1244
42	31 - 33	670	1143	1312
42	34 - 36	690	1198	1376
42	37 - 39	716	1244	1431
42	40 - 42	741	1294	1489
42	43 - 45	771	1348	1547
42	46 - 48	803	1398	1604
42	49 - 51	836	1453	1671
42	52 - 54	867	1510	1734
42	55 - 57	901	1572	1803
42	58 - 60	937	1630	1873
42	61 - 63	975	1697	1948
42	64 - 66	1011	1761	2022
42	67 - 69	1053	1833	2102
42	70 - 72	1094	1903	2183
42	73 - 75	1137	1976	2272
42	76 - 78	1181	2055	2360
42	79 - 81	1227	2137	2456
42	82 - 84	1275	2220	2549
42	85 - 87	1326	2307	2650
42	88 - 90	1376	2395	2751
42	91 - 93	1431	2492	2863
42	94 - 96	1487	2589	2973

Pricing is continued on the following page.

Xpress

UNSF


Floor Screen (Continued)

DIMENSIONS FOR MM X BY 25.4		PRICING		
H	W	Source Laminate	Flintwood	Natural Veneer
51	23 - 24	511	1223	1264
51	25 - 27	526	1311	1356
51	28 - 30	544	1396	1446
51	31 - 33	559	1487	1537
51	34 - 36	579	1574	1627
51	37 - 39	602	1637	1693
51	40 - 42	625	1702	1755
51	43 - 45	648	1767	1828
51	46 - 48	673	1837	1896
57	23 - 24	559	1347	1391
57	25 - 27	580	1441	1491
57	28 - 30	600	1537	1591
57	31 - 33	616	1635	1689
57	34 - 36	636	1732	1788
57	37 - 39	661	1802	1861
57	40 - 42	690	1873	1930
57	43 - 45	715	1944	2010
57	46 - 48	740	2021	2086

U N S F X L
Floor Screen Extended Leveling Kit

Floor Screen Extended Levelers increase the Floor Screen leveling range by an additional 1".

WHAT'S INCLUDED
2 extended levelers.




PRICING

37	

Xpress

UNSSS
Storage Screen



The Storage Screen attaches to District low and high credenzas to provide additional privacy.

WHAT'S INCLUDED
1 storage screen, attachment brackets, levelers.

NOTES
Actual width is nominal (specified) width.

Grain direction is vertical on 51" heights and horizontal on 48" heights.

Edge trim will be finished to match the screen when Flintwood and Natural Veneer finishes have been specified.

Not all height/width combinations are available. See pricing for exact offering.

Xpress Screen Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program.*

PRODUCT OPTIONS

Height	Width (30 - 96 in 1" increments)	Screen Finish	Mid Rail/Bracket/ Foot Cover Finish	Top Rail Finish	Storage Type
42, 51, 57	24, 30 - 96	Source Laminate Flintwood (Standard) Natural Veneer	Foundation Mica	Foundation Mica	**A** Low Credenza Standard **B** Low Credenza Elevated **C** High Credenza Standard **D** High Credenza Elevated

SAMPLE ORDER CODE

UNSSS 42	30	MP	7	7	A

DIMENSIONS
FOR MM X BY 25.4

H	W
42	24
42	30
42	31 - 33
42	34 - 36
42	37 - 39
42	40 - 42
42	43 - 45
42	46 - 48
42	49 - 51
42	52 - 54
42	55 - 57
42	58 - 60
42	61 - 63
42	64 - 66
42	67 - 69
42	70 - 72
42	73 - 75
42	76 - 78
42	79 - 81
42	82 - 84
42	85 - 87
42	88 - 90
42	91 - 93
42	94 - 96

PRICING

Source Laminate	Flintwood	Natural Veneer
483	963	1055
521	1075	1180
540	1129	1237
553	1190	1304
578	1236	1354
600	1282	1406
620	1334	1463
645	1388	1519
672	1441	1577
699	1498	1637
726	1561	1704
755	1619	1773
785	1681	1840
814	1748	1911
846	1816	1989
881	1886	2063
913	1962	2147
949	2040	2228
985	2122	2317
1023	2205	2410
1067	2289	2507
1105	2375	2600
1151	2471	2706
1196	2567	2808

Pricing is continued on the following page.

Xpress

UNSSS

Storage Screen (Continued)


DIMENSIONS FOR MM X BY 25.4

PRICING

H	W	Source Laminate	Flintwood	Natural Veneer
51	24	514	1282	1326
51	30	548	1464	1517
51	31 - 33	564	1561	1611
51	34 - 36	581	1654	1707
51	37 - 39	605	1721	1778
51	40 - 42	630	1785	1843
51	43 - 45	654	1858	1918
51	46 - 48	677	1930	1992
57	24	565	1410	1459
57	30	603	1610	1670
57	31 - 33	619	1717	1773
57	34 - 36	640	1818	1877
57	37 - 39	665	1892	1953
57	40 - 42	692	1965	2027
57	43 - 45	718	2043	2109
57	46 - 48	746	2123	2191

Xpress

U Z S S
Lateral Floor Screen Solid



Solid Lateral Floor Screen attaches to a District or Power Spine Panel to provide casual lateral space division.

WHAT'S INCLUDED
1 lateral solid screen, attachment brackets.

NOTES
Screens 48" in width and above will include a support foot.

Support foot and bracket finish can be specified separately.

The Bracket location is determined by the location of the bracket in relation to the screen.

Worksurface Connection is not panel supporting. The left handed orientation will have the visible mounting brackets on the right and the support foot (if required) will be on the left. The right handed orientation will have the visible mounting brackets on the left and the support foot (if required) will be on the right.

If Bracket Attachment End Mounted Single or Double (ES/EB) or Mid Spine (MS) is selected for depths 48" and above with No Screen Support (N) an Anchor for Height-Adjustable Table (UZAS) or Bracket for Height-Adjustable Table (UZBS) needs to be ordered separately.

Xpress Screen finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program.*

PRODUCT OPTIONS

Bracket Attachment	Height	Depth	Handedness	Screen Support	Screen Finish	Bracket Finish	Foot Finish
ES End Mounted Single	29, 42, 51, 57	24, 30 ,36, 42, 48, 60, 72	**L** Left	**N** None	Source Laminate	Foundation	Foundation
EB End Mounted Double			**R** Right	**F** Foot	Flintwood	Mica	Mica
ED End Mounted Shared			**N** Not Applicable	**W** Worksurface Connection	Natural Veneer	Accent	Accent
MS Mid Spine							

SAMPLE ORDER CODE

UZSS ES	51	30	R	N	AG	74	74

DIMENSIONS
INCHES / MM

PRICING

H	D	NO SUPPORT (N) Source Laminate	Flintwood	Natural Veneer
29 / 737	24 / 610	331	481	481
29 / 737	30 / 762	378	549	549
29 / 737	36 / 914	449	651	651
29 / 737	42 / 1067	473	686	686
29 / 737	48 / 1219	497	721	721
29 / 737	60 / 1524	709	1028	1028
29 / 737	72 / 1829	732	1063	1063
42 / 1067	24 / 610	484	828	828
42 / 1067	30 / 762	510	921	921
42 / 1067	36 / 914	560	1022	1022
42 / 1067	42 / 1067	595	1118	1118
42 / 1067	48 / 1219	699	1318	1318
42 / 1067	60 / 1524	864	1629	1629
42 / 1067	72 / 1829	973	1824	1824
51 / 1295	24 / 610	504	918	918
51 / 1295	30 / 762	569	1034	1034
51 / 1295	36 / 914	633	1150	1150
51 / 1295	42 / 1067	696	1266	1266
51 / 1295	48 / 1219	791	n/a	n/a
51 / 1295	60 / 1524	977	n/a	n/a
51 / 1295	72 / 1829	1102	n/a	n/a

Pricing is continued on the following page.

Xpress


UZSS

Lateral Floor Screen Solid (Continued)

DIMENSIONS INCHES / MM		PRICING		
		NO SUPPORT (N) (CONTINUED)		
H	D	Source Laminate	Flintwood	Natural Veneer
57 / 1448	24 / 610	520	748	748
57 / 1448	30 / 762	638	920	920
57 / 1448	36 / 914	709	1021	1021
57 / 1448	42 / 1067	803	1157	1157
57 / 1448	48 / 1219	898	n/a	n/a
57 / 1448	60 / 1524	1181	n/a	n/a
57 / 1448	72 / 1829	1228	n/a	n/a
		WORKSURFACE CONNECTION (W)		
H	D	Source Laminate	Flintwood	Natural Veneer
29 / 737	24 / 610	353	512	512
29 / 737	30 / 762	401	582	582
29 / 737	36 / 914	475	689	689
29 / 737	42 / 1067	499	723	723
29 / 737	48 / 1219	497	721	721
29 / 737	60 / 1524	709	1028	1028
29 / 737	72 / 1829	732	1063	1063
42 / 1067	24 / 610	517	860	860
42 / 1067	30 / 762	542	954	954
42 / 1067	36 / 914	594	1055	1055
42 / 1067	42 / 1067	630	1151	1151
42 / 1067	48 / 1219	699	1318	1318
42 / 1067	60 / 1524	864	1629	1629
42 / 1067	72 / 1829	973	1824	1824
51 / 1295	24 / 610	537	951	951
51 / 1295	30 / 762	603	1067	1067
51 / 1295	36 / 914	665	1182	1182
51 / 1295	42 / 1067	729	1298	1298
51 / 1295	48 / 1219	791	n/a	n/a
51 / 1295	60 / 1524	977	n/a	n/a
51 / 1295	72 / 1829	1102	n/a	n/a
57 / 1448	24 / 610	552	795	795
57 / 1448	30 / 762	673	970	970
57 / 1448	36 / 914	744	1072	1072
57 / 1448	42 / 1067	841	1210	1210
57 / 1448	48 / 1219	898	n/a	n/a
57 / 1448	60 / 1524	1181	n/a	n/a
57 / 1448	72 / 1829	1228	n/a	n/a
		FOOT (F)		
H	D	Source Laminate	Flintwood	Natural Veneer
29 / 737	48 / 1219	538	781	781
29 / 737	60 / 1524	757	1099	1099
29 / 737	72 / 1829	777	1127	1127
42 / 1067	48 / 1219	762	1381	1381
42 / 1067	60 / 1524	928	1693	1693
42 / 1067	72 / 1829	1035	1888	1888
51 / 1295	48 / 1219	853	n/a	n/a
51 / 1295	60 / 1524	1039	n/a	n/a
51 / 1295	72 / 1829	1166	n/a	n/a
57 / 1448	48 / 1219	964	n/a	n/a
57 / 1448	60 / 1524	1253	n/a	n/a
57 / 1448	72 / 1829	1296	n/a	n/a

Xpress

U Z S G
Lateral Floor Screen with Glass



Solid Lateral Screen and Glass top attaches to a District or Power Spine Panel to provide casual lateral space division.

WHAT'S INCLUDED
1 lateral solid screen, attachment brackets.

NOTES
Screens 48" in width and above will include a support foot.

Support foot and trim default to the same finish. The bracket finish can be specified separately.

The Bracket location is determined by the location of the bracket in relation to the screen.

Worksurface Connection is not panel supporting. The left handed orientation will have the visible mounting brackets on the right and the support foot (if required) will be on the left. The right handed orientation will have the visible mounting brackets on the left and the support foot (if required) will be on the right.

Inset specific option (D) are designed to line up with the glass add-on in a complete Inset panel

If Bracket Attachment End Mounted Single or Double (ES/EB) or Mid Spine (MS) is selected for depths 48" and above with No Screen Support (N) an Anchor for Height-Adjustable Table (UZAS) or Bracket for Height-Adjustable Table (UZBS) needs to be ordered separately.

Xpress Screen finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program.*

PRODUCT OPTIONS

Bracket Attachment	Height	Depth	Handedness
ES End Mounted Single	**G** 42" Total (31" plus 11" glass)	24, 30 ,36, 42, 48, 60, 72	**L** Left
EB End Mounted Double	**K** 51" Total (44" plus 7" glass)		**R** Right
ED End Mounted Shared	**M** 51" Total (31" plus 20" glass)		**N** Not Applicable
MS Mid Spine	**N** 57" Total (44" plus 13" glass)		
	D Inset 42" Total (29" plus 13" glass)		
	E Inset 51" Total (42" plus 9" glass)		
	F Inset 51" Total (29" plus 22" glass)		
	H Inset 57" Total (42" plus 15" glass)		

SAMPLE ORDER CODE

UZSG ES	G	30	R

PRODUCT OPTIONS CONTINUED

Screen Support	Screen Finish	Glass Finish	Bracket Finish	Trim & Foot Finish
N None	Source Laminate	**CL** Clear	Foundation	Foundation
F Foot	Flintwood	**FT** Frost	Mica	Mica
W Worksurface Connection	Natural Veneer		Accent	Accent

SAMPLE ORDER CODE CONTINUED

N	AG	CL	74	74

See Pricing on the following page.

Xpress

U Z S G

Lateral Floor Screen with Glass (Continued)

DIMENSIONS INCHES / MM

PRICING

END MOUNTED SINGLE (ES) & MID SPINE (MS)

INSET 42" TOTAL (29" PLUS 13" GLASS) (D)

NO SUPPORT (N)

D	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	647	789	1083	1133	1083	1258
30 / 762	716	879	1200	1259	1200	1400
36 / 914	787	969	1317	1389	1317	1543
42 / 1067	854	1060	1436	1519	1436	1685
48 / 1219	860	1084	1483	1577	1483	1761
60 / 1524	1145	1421	1962	2064	1962	2300
72 / 1829	1468	1740	2534	2584	2672	2879

WORKSURFACE CONNECTION (W)

	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	680	821	1115	1166	1115	1293
30 / 762	748	911	1233	1294	1233	1433
36 / 914	820	1003	1350	1422	1350	1575
42 / 1067	887	1092	1468	1551	1468	1719
48 / 1219	860	1084	1483	1577	1483	1761
60 / 1524	1145	1421	1962	2064	1962	2300
72 / 1829	1468	1740	2534	2584	2672	2879

FOOT (F)

	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	924	1146	1546	1641	1546	1823
60 / 1524	1207	1485	2025	2129	2025	2364
72 / 1829	1530	1803	2599	2648	2735	2942

INSET 51" TOTAL (42" PLUS 9" GLASS) (E)

NO SUPPORT (N)

D	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	691	812	1172	1191	1233	1324
30 / 762	768	907	1304	1329	1371	1477
36 / 914	849	1004	1438	1471	1513	1633
42 / 1067	918	1092	1570	1613	1652	1787
48 / 1219	955	1145	1660	1704	1753	1903
60 / 1524	1289	1528	2235	2274	2352	2533
72 / 1829	1468	1740	2534	2584	2672	2879

WORKSURFACE CONNECTION (W)

	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	724	845	1204	1223	1266	1356
30 / 762	800	941	1336	1363	1404	1510
36 / 914	881	1037	1470	1506	1546	1666
42 / 1067	951	1125	1603	1645	1685	1820
48 / 1219	955	1145	1660	1704	1753	1903
60 / 1524	1289	1528	2235	2274	2352	2533
72 / 1829	1468	1740	2534	2584	2672	2879

Pricing is continued on the following page.

Xpress

U Z S G

Lateral Floor Screen with Glass (Continued)

DIMENSIONS INCHES / MM | **PRICING**

END MOUNTED SINGLE (ES) & MID SPINE (MS) (CONTINUED)

INSET 51" TOTAL (42" PLUS 9" GLASS) (E) (CONTINUED)

FOOT (F)

	Source Laminate		Flintwood		Natural Veneer	
D	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	1018	1207	1724	1767	1815	1966
60 / 1524	1354	1591	2297	2337	2418	2598
72 / 1829	1530	1803	2599	2648	2735	2942

INSET 51" TOTAL (29" PLUS 22" GLASS) (F)

NO SUPPORT (N)

	Source Laminate		Flintwood		Natural Veneer	
D	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	707	898	1163	1259	1226	1400
30 / 762	785	1008	1294	1410	1363	1568
36 / 914	861	1113	1424	1558	1499	1732
42 / 1067	941	1221	1553	1707	1635	1899
48 / 1219	1051	1365	1733	1906	1824	2117
60 / 1524	1389	1773	2296	2486	2416	2763
72 / 1829	1575	2039	2599	2848	2735	3163

WORKSURFACE CONNECTION (W)

	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	739	931	1196	1294	1258	1433
30 / 762	819	1040	1326	1444	1395	1600
36 / 914	895	1145	1457	1591	1531	1764
42 / 1067	941	1221	1553	1707	1635	1899
48 / 1219	988	1303	1671	1843	1762	2055
60 / 1524	1327	1710	2232	2424	2351	2699
72 / 1829	1513	1975	2534	2785	2672	3100

FOOT (F)

	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	1051	1365	1733	1906	1824	2117
60 / 1524	1389	1773	2296	2486	2416	2763
72 / 1829	1575	2039	2599	2848	2735	3163

INSET 57" TOTAL (42" PLUS 15" GLASS) (H)

NO SUPPORT (N)

	Source Laminate		Flintwood		Natural Veneer	
D	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	992	1181	1500	1575	1544	1729
30 / 762	1120	1333	1694	1778	1742	1951
36 / 914	1313	1564	1986	2084	2043	2288
42 / 1067	1370	1631	2072	2176	2132	2388
48 / 1219	1465	1743	2214	2325	2279	2552
60 / 1524	2007	2390	3034	3186	3122	3497
72 / 1829	2078	2473	3141	3298	3232	3620

Pricing is continued on the following page.

U Z S G

Lateral Floor Screen with Glass (Continued)

DIMENSIONS INCHES / MM | **PRICING**

END MOUNTED SINGLE (ES) & MID SPINE (MS) (CONTINUED)

INSET 57" TOTAL (42" PLUS 15" GLASS) (H) (CONTINUED)

WORKSURFACE CONNECTION (W)

D	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	1042	1241	1575	1654	1621	1815
30 / 762	1176	1401	1778	1867	1830	2049
36 / 914	1380	1643	2086	2190	2147	2404
42 / 1067	1439	1713	2176	2284	2238	2507
48 / 1219	1539	1832	2326	2443	2394	2681
60 / 1524	2108	2509	3187	3346	3279	3672
72 / 1829	2182	2596	3298	3463	3393	3801

FOOT (F)

	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	1611	1918	2436	2558	2507	2807
60 / 1524	2209	2629	3339	3506	3436	3847
72 / 1829	2286	2720	3455	3628	3555	3981

42" TOTAL (31" PLUS 11" GLASS) (G)

NO SUPPORT (N)

D	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	647	789	1083	1133	1083	1258
30 / 762	716	879	1200	1259	1200	1400
36 / 914	787	969	1317	1389	1317	1543
42 / 1067	854	1060	1436	1519	1436	1685
48 / 1219	860	1084	1483	1577	1483	1761
60 / 1524	1145	1421	1962	2064	1962	2300
72 / 1829	1468	1740	2534	2584	2672	2879

WORKSURFACE CONNECTION (W)

	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	680	821	1115	1166	1115	1293
30 / 762	748	911	1233	1294	1233	1433
36 / 914	820	1003	1350	1422	1350	1575
42 / 1067	887	1092	1468	1551	1468	1719
48 / 1219	860	1084	1483	1577	1483	1761
60 / 1524	1145	1421	1962	2064	1962	2300
72 / 1829	1468	1740	2534	2584	2672	2879

FOOT (F)

	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	924	1146	1546	1641	1546	1823
60 / 1524	1207	1485	2025	2129	2025	2364
72 / 1829	1530	1803	2599	2648	2735	2942

Pricing is continued on the following page.

Xpress

U Z S G

Lateral Floor Screen with Glass (Continued)

DIMENSIONS INCHES / MM | **PRICING**

END MOUNTED DOUBLE (EB)

INSET 51" TOTAL (42" PLUS 9" GLASS) (E)

NO SUPPORT (N)

D	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	691	812	1172	1191	1233	1324
30 / 762	768	907	1304	1329	1371	1477
36 / 914	849	1004	1438	1471	1513	1633
42 / 1067	918	1092	1570	1613	1652	1787
48 / 1219	955	1145	1660	1704	1753	1903
60 / 1524	1289	1528	2235	2274	2352	2533
72 / 1829	1468	1740	2534	2584	2672	2879

WORKSURFACE CONNECTION (W)

	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	724	845	1204	1223	1266	1356
30 / 762	800	941	1336	1363	1404	1510
36 / 914	881	1037	1470	1506	1546	1666
42 / 1067	951	1125	1603	1645	1685	1820
48 / 1219	955	1145	1660	1704	1753	1903
60 / 1524	1289	1528	2235	2274	2352	2533
72 / 1829	1468	1740	2534	2584	2672	2879

FOOT (F)

	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	1018	1207	1724	1767	1815	1966
60 / 1524	1354	1591	2297	2337	2418	2598
72 / 1829	1530	1803	2599	2648	2735	2942

INSET 51" TOTAL (29" PLUS 22" GLASS) (F)

NO SUPPORT (N)

D	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	707	898	1163	1259	1226	1400
30 / 762	785	1008	1294	1410	1363	1568
36 / 914	861	1113	1424	1558	1499	1732
42 / 1067	941	1221	1553	1707	1635	1899
48 / 1219	1051	1365	1733	1906	1824	2117
60 / 1524	1389	1773	2296	2486	2416	2763
72 / 1829	1575	2039	2599	2848	2735	3163

WORKSURFACE CONNECTION (W)

	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	739	931	1196	1294	1258	1433
30 / 762	819	1040	1326	1444	1395	1600
36 / 914	895	1145	1457	1591	1531	1764
42 / 1067	941	1221	1553	1707	1635	1899
48 / 1219	988	1303	1671	1843	1762	2055
60 / 1524	1327	1710	2232	2424	2351	2699
72 / 1829	1513	1975	2534	2785	2672	3100

Pricing is continued on the following page.

Xpress

U Z S G

Lateral Floor Screen with Glass (Continued)

DIMENSIONS INCHES / MM

PRICING

END MOUNTED DOUBLE (EB) (CONTINUED)

INSET 51" TOTAL (29" PLUS 22" GLASS) (F) (CONTINUED)

FOOT (F)

D	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	1051	1365	1733	1906	1824	2117
60 / 1524	1389	1773	2296	2486	2416	2763
72 / 1829	1575	2039	2599	2848	2735	3163

INSET 57" TOTAL (42" PLUS 15" GLASS) (H)

NO SUPPORT (N)

D	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	992	1181	1500	1575	1544	1729
30 / 762	1120	1333	1694	1778	1742	1951
36 / 914	1313	1564	1986	2084	2043	2288
42 / 1067	1370	1631	2072	2176	2132	2388
48 / 1219	1465	1743	2214	2325	2279	2552
60 / 1524	2007	2390	3034	3186	3122	3497
72 / 1829	2078	2473	3141	3298	3232	3620

WORKSURFACE CONNECTION (W)

	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	1042	1241	1575	1654	1621	1815
30 / 762	1176	1401	1778	1867	1830	2049
36 / 914	1380	1643	2086	2190	2147	2404
42 / 1067	1439	1713	2176	2284	2238	2507
48 / 1219	1539	1832	2326	2443	2394	2681
60 / 1524	2108	2509	3187	3346	3279	3672
72 / 1829	2182	2596	3298	3463	3393	3801

FOOT (F)

	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	1611	1918	2436	2558	2507	2807
60 / 1524	2209	2629	3339	3506	3436	3847
72 / 1829	2286	2720	3455	3628	3555	3981

51" TOTAL (44" PLUS 7" GLASS) (K), 51" TOTAL (31" PLUS 20" GLASS) (M) & 57" TOTAL (44" PLUS 13" GLASS) (N)

NO SUPPORT (N)

D	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	1313	1564	1986	2084	2043	2288
30 / 762	1313	1564	1986	2084	2043	2288
36 / 914	1313	1564	1986	2084	2043	2288
42 / 1067	1313	1564	1986	2084	2043	2288
48 / 1219	1313	1564	1986	2084	2043	2288
60 / 1524	1313	1564	1986	2084	2043	2288
72 / 1829	1313	1564	1986	2084	2043	2288

Pricing is continued on the following page.

Xpress

U Z S G

Lateral Floor Screen with Glass (Continued)

DIMENSIONS INCHES / MM | **PRICING**

END MOUNTED DOUBLE (EB) (CONTINUED)

51" TOTAL (44" PLUS 7" GLASS) (K), 51" TOTAL (31" PLUS 20" GLASS) (M) & 57" TOTAL (44" PLUS 13" GLASS) (N) (CONTINUED)

WORKSURFACE CONNECTION (W)

	Source Laminate		Flintwood		Natural Veneer	
D	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	1313	1564	1986	2084	2043	2288
30 / 762	1313	1564	1986	2084	2043	2288
36 / 914	1313	1564	1986	2084	2043	2288
42 / 1067	1313	1564	1986	2084	2043	2288
48 / 1219	1370	1631	2072	2176	2132	2388
60 / 1524	1370	1631	2072	2176	2132	2388
72 / 1829	1370	1631	2072	2176	2132	2388

FOOT (F)

	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	1313	1564	1986	2084	2043	2288
60 / 1524	1313	1564	1986	2084	2043	2288
72 / 1829	1313	1564	1986	2084	2043	2288

END MOUNTED SHARED (ED)

INSET 42" TOTAL (29" PLUS 13" GLASS) (D) & INSET 42" TOTAL (31" PLUS 11" GLASS) (G)

NO SUPPORT (N)

	Source Laminate		Flintwood		Natural Veneer	
D	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	691	812	1172	1191	1233	1324
30 / 762	768	907	1304	1329	1371	1477
36 / 914	849	1004	1438	1471	1513	1633
42 / 1067	918	1092	1570	1613	1652	1787
48 / 1219	955	1145	1660	1704	1753	1903
60 / 1524	1289	1528	2235	2274	2352	2533
72 / 1829	1468	1740	2534	2584	2672	2879

INSET 51" TOTAL (42" PLUS 9" GLASS) E)

NO SUPPORT (N)

	Source Laminate		Flintwood		Natural Veneer	
D	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	707	898	1163	1259	1226	1400
30 / 762	785	1008	1294	1410	1363	1568
36 / 914	861	1113	1424	1558	1499	1732
42 / 1067	941	1221	1553	1707	1635	1899
48 / 1219	1051	1365	1733	1906	1824	2117
60 / 1524	1389	1773	2296	2486	2416	2763
72 / 1829	1575	2039	2599	2848	2735	3163

INSET 51" TOTAL (29" PLUS 22" GLASS) (F)

NO SUPPORT (N)

	Source Laminate		Flintwood		Natural Veneer	
D	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	992	1181	1500	1575	1544	1729
30 / 762	1120	1333	1694	1778	1742	1951
36 / 914	1313	1564	1986	2084	2043	2288
42 / 1067	1370	1631	2072	2176	2132	2388
48 / 1219	1465	1743	2214	2325	2279	2552
60 / 1524	2007	2390	3034	3186	3122	3497
72 / 1829	2078	2473	3141	3298	3232	3620

Pricing is continued on the following page.

Xpress

U Z S G

Lateral Floor Screen with Glass (Continued)

DIMENSIONS INCHES / MM

PRICING

END MOUNTED SHARED (ED) (CONTINUED)

INSET 57" TOTAL (42" PLUS 15" GLASS) H)

NO SUPPORT (N)

D	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	1313	1564	1986	2084	2043	2288
30 / 762	1313	1564	1986	2084	2043	2288
36 / 914	1313	1564	1986	2084	2043	2288
42 / 1067	1313	1564	1986	2084	2043	2288
48 / 1219	1313	1564	1986	2084	2043	2288
60 / 1524	1313	1564	1986	2084	2043	2288
72 / 1829	1313	1564	1986	2084	2043	2288


51" TOTAL (44" PLUS 7" GLASS) (K), 51" TOTAL (31" PLUS 20" GLASS) (M) & 57" TOTAL (44" PLUS 13" GLASS) (N)

NO SUPPORT (N)

D	Source Laminate		Flintwood		Natural Veneer	
	Clear	Frost	Clear	Frost	Clear	Frost
24 / 610	1313	1564	1986	2084	2043	2288
30 / 762	1313	1564	1986	2084	2043	2288
36 / 914	1313	1564	1986	2084	2043	2288
42 / 1067	1313	1564	1986	2084	2043	2288
48 / 1219	1313	1564	1986	2084	2043	2288
60 / 1524	1313	1564	1986	2084	2043	2288
72 / 1829	1313	1564	1986	2084	2043	2288

U Z R G

Lateral Floor Screen with Glass, with Return



Solid Lateral Screen with Glass top and return attaches to a District or Power Spine Panel to provide casual lateral space division.

WHAT'S INCLUDED

1 lateral solid screen with glass and return, attachment brackets.

NOTES

Support foot and trim default to the same finish. The bracket finish can be specified separately.

The Bracket location is determined by the location of the bracket in relation to the screen. The left handed orientation will have the visible mounting brackets on the right and the return will be on the left. The right handed orientation will have the visible mounting brackets on the left and the return will be on the right.

Inset specific option (D, E, F, H) are designed to line up with the glass add-on in a complete Inset panel.

Bracket Attachments (ES) and (EB) are not available with Heights (G), (K), (M) and (N).

PRODUCT OPTIONS

Bracket Attachment	Height	Screen Depth	Return Depth
ES End Mounted Single	**G** 42" Total (31" plus 11" glass)	48, 49, 50, 60, 61, 62, 72, 73, 74	18, 20, 24, 25, 30, 31
EB End Mounted Double	**K** 51" Total (44" plus 7" glass)		
MS Mid Spine	**M** 51" Total (31" plus 20" glass)		
	N 57" Total (44" plus 13" glass)		
	D Inset 42" Total (29" plus 13" glass)		
	E Inset 51" Total (42" plus 9" glass)		
	F Inset 51" Total (29" plus 22" glass)		
	H Inset 57" Total (42" plus 15" glass)		

SAMPLE ORDER CODE

UZRG ES	G	48	18

PRODUCT OPTIONS (CONTINUED)

Handedness	Screen Support	Screen Finish	Glass Finish	Bracket Finish	Trim & Foot Finish
L Left	**N** None	Source Laminate	**CL** Clear	Foundation	Foundation
R Right		Flintwood	**FT** Frost	Mica	Mica
		Natural Veneer		Accent	Accent

SAMPLE ORDER CODE (CONTINUED)

R	N	AG	CL	74	

See Pricing on the following page.

UZRG

Lateral Floor Screen with Glass, with Return (Continued)

DIMENSIONS INCHES / MM

PRICING

42" TOTAL (31" PLUS 11" GLASS) (G)

Screen Depth	Return Depth	Source Laminate Clear	Source Laminate Frost	Flintwood Clear	Flintwood Frost	Natural Veneer Clear	Natural Veneer Frost
48 / 1219	18 / 457	1677	2047	2803	2943	2792	3239
48 / 1219	20 / 508	1701	2076	2844	2985	2831	3284
48 / 1219	24 / 610	1771	2162	2961	3110	2949	3420
48 / 1219	25 / 635	1795	2191	3002	3151	2989	3467
48 / 1219	30 / 762	1842	2248	3080	3233	3066	3558
48 / 1219	31 / 787	1890	2307	3160	3318	3146	3649
49 / 1245	18 / 457	1686	2058	2819	2960	2807	3256
49 / 1245	20 / 508	1710	2087	2859	3002	2847	3302
49 / 1245	24 / 610	1781	2174	2977	3126	2964	3439
49 / 1245	25 / 635	1805	2203	3017	3168	3005	3485
49 / 1245	30 / 762	1851	2260	3095	3250	3082	3575
49 / 1245	31 / 787	1899	2318	3175	3334	3162	3668
50 / 1270	18 / 457	1696	2070	2834	2977	2823	3274
50 / 1270	20 / 508	1720	2099	2875	3018	2862	3321
50 / 1270	24 / 610	1790	2185	2992	3142	2980	3457
50 / 1270	25 / 635	1814	2214	3033	3185	3020	3504
50 / 1270	30 / 762	1861	2271	3111	3267	3097	3593
50 / 1270	31 / 787	1909	2329	3191	3350	3177	3685
60 / 1524	18 / 457	1913	2335	3198	3357	3185	3694
60 / 1524	20 / 508	1961	2393	3277	3441	3263	3786
60 / 1524	24 / 610	2007	2450	3356	3523	3341	3877
60 / 1524	25 / 635	2031	2479	3395	3565	3381	3922
60 / 1524	30 / 762	2102	2565	3514	3689	3499	4058
60 / 1524	31 / 787	2126	2594	3553	3731	3539	4105
61 / 1549	18 / 457	1922	2345	3214	3374	3200	3711
61 / 1549	20 / 508	1970	2404	3293	3458	3279	3804
61 / 1549	24 / 610	2017	2461	3372	3540	3357	3894
61 / 1549	25 / 635	2041	2490	3411	3581	3396	3940
61 / 1549	30 / 762	2111	2577	3529	3706	3515	4077
61 / 1549	31 / 787	2135	2606	3569	3748	3554	4123
62 / 1575	18 / 457	1933	2359	3230	3392	3217	3732
62 / 1575	20 / 508	1979	2416	3309	3474	3295	3821
62 / 1575	24 / 610	2026	2472	3387	3556	3373	3912
62 / 1575	25 / 635	2050	2502	3427	3598	3412	3959
62 / 1575	30 / 762	2121	2588	3545	3722	3531	4095
62 / 1575	31 / 787	2144	2617	3585	3764	3570	4140
72 / 1828	18 / 457	2244	2739	3752	3939	3736	4334
72 / 1828	20 / 508	2291	2796	3830	4021	3814	4424
72 / 1828	24 / 610	2362	2882	3948	4146	3932	4560
72 / 1828	25 / 635	2409	2940	4027	4229	4011	4653
72 / 1828	30 / 762	2456	2998	4106	4311	4088	4743
72 / 1828	31 / 787	2504	3056	4186	4395	4168	4834
73 / 1854	18 / 457	2254	2750	3767	3955	3752	4351
73 / 1854	20 / 508	2300	2807	3845	4038	3829	4442
73 / 1854	24 / 610	2371	2894	3964	4161	3947	4578
73 / 1854	25 / 635	2419	2952	4044	4245	4026	4670
73 / 1854	30 / 762	2466	3009	4122	4327	4104	4761
73 / 1854	31 / 787	2513	3067	4202	4412	4184	4853

Pricing is continued on the following page.

U Z R G

Lateral Floor Screen with Glass, with Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

42" TOTAL (31" PLUS 11" GLASS) (G) (CONTINUED)

		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
74 / 1880	18 / 457	2263	2762	3783	3972	3767	4370
74 / 1880	20 / 508	2310	2819	3861	4054	3844	4459
74 / 1880	24 / 610	2380	2905	3979	4178	3963	4597
74 / 1880	25 / 635	2428	2963	4059	4262	4042	4689
74 / 1880	30 / 762	2475	3020	4137	4344	4120	4778
74 / 1880	31 / 787	2523	3079	4217	4428	4200	4871

51" TOTAL (44" PLUS 7" GLASS) (K)

		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	18 / 457	1805	2126	2712	2827	2840	3109
48 / 1219	20 / 508	1829	2154	2747	2865	2877	3149
48 / 1219	24 / 610	1899	2237	2853	2975	2988	3272
48 / 1219	25 / 635	1946	2292	2924	3047	3062	3352
48 / 1219	30 / 762	2017	2375	3030	3159	3173	3473
48 / 1219	31 / 787	2041	2403	3066	3196	3211	3515
49 / 1245	18 / 457	1814	2136	2725	2842	2854	3124
49 / 1245	20 / 508	1838	2164	2762	2879	2892	3166
49 / 1245	24 / 610	1909	2247	2868	2989	3003	3287
49 / 1245	25 / 635	1955	2302	2937	3063	3076	3368
49 / 1245	30 / 762	2026	2386	3044	3173	3188	3490
49 / 1245	31 / 787	2050	2414	3080	3211	3225	3531
50 / 1270	18 / 457	1823	2148	2740	2856	2869	3141
50 / 1270	20 / 508	1847	2176	2775	2894	2906	3181
50 / 1270	24 / 610	1918	2259	2881	3004	3017	3304
50 / 1270	25 / 635	1965	2314	2952	3078	3091	3384
50 / 1270	30 / 762	2036	2398	3060	3190	3204	3508
50 / 1270	31 / 787	2059	2425	3094	3225	3240	3547
60 / 1524	18 / 457	2254	2654	3386	3529	3545	3882
60 / 1524	20 / 508	2276	2681	3420	3565	3581	3921
60 / 1524	24 / 610	2348	2765	3527	3677	3694	4045
60 / 1524	25 / 635	2371	2792	3562	3713	3730	4083
60 / 1524	30 / 762	2466	2903	3704	3861	3879	4246
60 / 1524	31 / 787	2513	2960	3776	3936	3954	4328
61 / 1549	18 / 457	2263	2665	3400	3544	3560	3897
61 / 1549	20 / 508	2286	2692	3434	3580	3596	3937
61 / 1549	24 / 610	2357	2776	3542	3693	3709	4060
61 / 1549	25 / 635	2380	2803	3576	3728	3745	4100
61 / 1549	30 / 762	2475	2914	3718	3877	3893	4263
61 / 1549	31 / 787	2523	2971	3790	3951	3969	4345
62 / 1575	18 / 457	2272	2675	3414	3559	3575	3914
62 / 1575	20 / 508	2296	2705	3449	3596	3613	3954
62 / 1575	24 / 610	2367	2788	3555	3707	3724	4077
62 / 1575	25 / 635	2390	2814	3590	3742	3759	4115
62 / 1575	30 / 762	2484	2926	3732	3891	3909	4279
62 / 1575	31 / 787	2532	2982	3804	3966	3984	4361

Pricing is continued on the following page.

U Z R G

Lateral Floor Screen with Glass, with Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

51" TOTAL (44" PLUS 7" GLASS) (K) (CONTINUED)

		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
72 / 1828	18 / 457	2300	2709	3456	3602	3619	3962
72 / 1828	20 / 508	2324	2737	3492	3640	3656	4003
72 / 1828	24 / 610	2395	2820	3598	3751	3767	4125
72 / 1828	25 / 635	2419	2848	3633	3788	3805	4166
72 / 1828	30 / 762	2513	2960	3776	3936	3954	4328
72 / 1828	31 / 787	2560	3015	3846	4010	4027	4410
73 / 1854	18 / 457	2310	2720	3470	3618	3633	3978
73 / 1854	20 / 508	2334	2748	3506	3655	3671	4019
73 / 1854	24 / 610	2404	2831	3612	3765	3782	4141
73 / 1854	25 / 635	2428	2859	3648	3803	3820	4182
73 / 1854	30 / 762	2523	2971	3790	3951	3969	4345
73 / 1854	31 / 787	2569	3026	3860	4024	4042	4425
74 / 1880	18 / 457	2319	2730	3484	3632	3648	3994
74 / 1880	20 / 508	2343	2759	3520	3670	3686	4035
74 / 1880	24 / 610	2414	2843	3626	3780	3798	4157
74 / 1880	25 / 635	2437	2871	3661	3817	3835	4199
74 / 1880	30 / 762	2532	2982	3804	3966	3984	4361
74 / 1880	31 / 787	2579	3037	3874	4039	4057	4442

51" TOTAL (31" PLUS 20" GLASS) (M)

		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	18 / 457	1913	2335	2848	3075	2952	3336
48 / 1219	20 / 508	1937	2364	2883	3114	2989	3378
48 / 1219	24 / 610	2007	2450	2988	3227	3098	3500
48 / 1219	25 / 635	2031	2479	3023	3266	3135	3543
48 / 1219	30 / 762	2078	2535	3093	3340	3207	3624
48 / 1219	31 / 787	2126	2594	3165	3417	3281	3707
49 / 1245	18 / 457	1922	2345	2861	3090	2966	3353
49 / 1245	20 / 508	1946	2375	2897	3128	3004	3394
49 / 1245	24 / 610	2017	2461	3002	3243	3113	3517
49 / 1245	25 / 635	2041	2490	3038	3281	3149	3559
49 / 1245	30 / 762	2088	2549	3109	3358	3223	3643
49 / 1245	31 / 787	2135	2606	3178	3433	3296	3724
50 / 1270	18 / 457	1933	2359	2877	3107	2983	3371
50 / 1270	20 / 508	1955	2387	2911	3144	3018	3410
50 / 1270	24 / 610	2026	2472	3016	3257	3127	3534
50 / 1270	25 / 635	2050	2502	3052	3296	3164	3575
50 / 1270	30 / 762	2098	2560	3123	3373	3238	3658
50 / 1270	31 / 787	2144	2617	3193	3447	3310	3740
60 / 1524	18 / 457	2150	2623	3200	3456	3318	3749
60 / 1524	20 / 508	2196	2681	3270	3532	3390	3831
60 / 1524	24 / 610	2244	2739	3340	3608	3464	3914
60 / 1524	25 / 635	2267	2767	3375	3645	3499	3953
60 / 1524	30 / 762	2338	2852	3480	3758	3608	4077
60 / 1524	31 / 787	2362	2882	3516	3797	3645	4119

Pricing is continued on the following page.

U Z R G

Lateral Floor Screen with Glass, with Return (Continued)

DIMENSIONS INCHES / MM

PRICING

51" TOTAL (31" PLUS 20" GLASS) (M) (CONTINUED)

		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
61 / 1549	18 / 457	2159	2635	3214	3471	3332	3765
61 / 1549	20 / 508	2206	2692	3283	3546	3405	3847
61 / 1549	24 / 610	2254	2750	3355	3623	3479	3931
61 / 1549	25 / 635	2276	2778	3389	3659	3514	3970
61 / 1549	30 / 762	2348	2866	3495	3775	3624	4095
61 / 1549	31 / 787	2371	2894	3529	3812	3659	4135
62 / 1575	18 / 457	2168	2646	3228	3486	3347	3782
62 / 1575	20 / 508	2215	2703	3298	3562	3419	3863
62 / 1575	24 / 610	2263	2762	3368	3639	3493	3946
62 / 1575	25 / 635	2286	2789	3403	3675	3527	3987
62 / 1575	30 / 762	2357	2877	3510	3790	3639	4111
62 / 1575	31 / 787	2380	2905	3543	3827	3674	4152
72 / 1828	18 / 457	2480	3027	3692	3988	3828	4325
72 / 1828	20 / 508	2527	3084	3761	4062	3899	4406
72 / 1828	24 / 610	2598	3169	3866	4176	4008	4530
72 / 1828	25 / 635	2645	3228	3938	4253	4082	4613
72 / 1828	30 / 762	2692	3285	4007	4327	4155	4695
72 / 1828	31 / 787	2740	3344	4078	4404	4229	4778
73 / 1854	18 / 457	2489	3038	3706	4002	3842	4342
73 / 1854	20 / 508	2536	3095	3776	4077	3914	4423
73 / 1854	24 / 610	2608	3182	3882	4192	4025	4548
73 / 1854	25 / 635	2655	3240	3951	4268	4097	4630
73 / 1854	30 / 762	2701	3296	4021	4343	4170	4711
73 / 1854	31 / 787	2749	3355	4093	4420	4243	4795
74 / 1880	18 / 457	2499	3049	3720	4017	3857	4358
74 / 1880	20 / 508	2546	3106	3789	4093	3928	4440
74 / 1880	24 / 610	2617	3194	3896	4208	4040	4564
74 / 1880	25 / 635	2664	3251	3966	4283	4111	4646
74 / 1880	30 / 762	2712	3309	4037	4360	4185	4730
74 / 1880	31 / 787	2759	3366	4106	4434	4258	4811

57" TOTAL (44" PLUS 13" GLASS) (N)

		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	18 / 457	2041	2347	3052	3112	3205	3430
48 / 1219	20 / 508	2064	2375	3087	3148	3243	3470
48 / 1219	24 / 610	2135	2456	3193	3256	3354	3589
48 / 1219	25 / 635	2182	2509	3262	3328	3428	3668
48 / 1219	30 / 762	2254	2592	3369	3437	3540	3788
48 / 1219	31 / 787	2276	2618	3404	3472	3576	3827
49 / 1245	18 / 457	2050	2357	3065	3126	3220	3445
49 / 1245	20 / 508	2074	2386	3101	3163	3258	3486
49 / 1245	24 / 610	2144	2467	3206	3271	3368	3604
49 / 1245	25 / 635	2192	2522	3278	3344	3444	3685
49 / 1245	30 / 762	2263	2603	3384	3452	3554	3804
49 / 1245	31 / 787	2286	2629	3417	3486	3591	3842

Pricing is continued on the following page.

U Z R G

Lateral Floor Screen with Glass, with Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

57" TOTAL (44" PLUS 13" GLASS) (N) (CONTINUED)

		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
50 / 1270	18 / 457	2059	2369	3080	3141	3235	3461
50 / 1270	20 / 508	2083	2396	3115	3177	3273	3501
50 / 1270	24 / 610	2154	2477	3221	3285	3383	3620
50 / 1270	25 / 635	2202	2532	3292	3358	3459	3701
50 / 1270	30 / 762	2272	2614	3398	3465	3570	3819
50 / 1270	31 / 787	2296	2641	3433	3502	3607	3860
60 / 1524	18 / 457	2489	2863	3723	3797	3911	4184
60 / 1524	20 / 508	2513	2890	3758	3833	3948	4225
60 / 1524	24 / 610	2584	2973	3864	3941	4059	4343
60 / 1524	25 / 635	2608	3000	3899	3977	4097	4384
60 / 1524	30 / 762	2701	3107	4039	4120	4243	4540
60 / 1524	31 / 787	2749	3162	4110	4192	4318	4620
61 / 1549	18 / 457	2499	2874	3736	3811	3925	4200
61 / 1549	20 / 508	2523	2902	3772	3847	3963	4240
61 / 1549	24 / 610	2593	2983	3878	3955	4074	4359
61 / 1549	25 / 635	2617	3010	3913	3992	4111	4399
61 / 1549	30 / 762	2712	3119	4054	4135	4260	4558
61 / 1549	31 / 787	2759	3173	4125	4207	4334	4636
62 / 1575	18 / 457	2508	2885	3750	3826	3940	4215
62 / 1575	20 / 508	2532	2912	3786	3862	3977	4256
62 / 1575	24 / 610	2603	2993	3891	3969	4088	4374
62 / 1575	25 / 635	2627	3021	3927	4005	4126	4415
62 / 1575	30 / 762	2721	3129	4069	4150	4274	4574
62 / 1575	31 / 787	2768	3183	4138	4221	4348	4653
72 / 1828	18 / 457	2536	2918	3792	3868	3984	4263
72 / 1828	20 / 508	2560	2945	3828	3905	4022	4302
72 / 1828	24 / 610	2631	3026	3934	4013	4132	4422
72 / 1828	25 / 635	2655	3054	3969	4049	4171	4461
72 / 1828	30 / 762	2749	3162	4110	4192	4318	4620
72 / 1828	31 / 787	2796	3216	4181	4264	4392	4699
73 / 1854	18 / 457	2546	2928	3806	3883	3999	4279
73 / 1854	20 / 508	2569	2955	3842	3919	4037	4319
73 / 1854	24 / 610	2640	3037	3947	4026	4148	4438
73 / 1854	25 / 635	2664	3064	3984	4062	4185	4478
73 / 1854	30 / 762	2759	3173	4125	4207	4334	4636
73 / 1854	31 / 787	2805	3226	4194	4279	4406	4715
74 / 1880	18 / 457	2556	2939	3821	3898	4015	4296
74 / 1880	20 / 508	2579	2966	3856	3933	4051	4335
74 / 1880	24 / 610	2649	3047	3962	4041	4162	4453
74 / 1880	25 / 635	2673	3074	3997	4077	4200	4494
74 / 1880	30 / 762	2768	3183	4138	4221	4348	4653
74 / 1880	31 / 787	2816	3239	4210	4294	4423	4733

Pricing is continued on the following page.

U Z R G

Lateral Floor Screen with Glass, with Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

		INSET 42" TOTAL (29" PLUS 13" GLASS) (D)					
		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	18 / 457	1677	2047	2803	2956	2803	3252
48 / 1219	20 / 508	1701	2076	2844	2998	2844	3298
48 / 1219	24 / 610	1771	2162	2961	3122	2961	3435
48 / 1219	25 / 635	1795	2191	3002	3151	2989	3467
48 / 1219	30 / 762	1842	2248	3080	3247	3080	3572
48 / 1219	31 / 787	1890	2307	3160	3318	3146	3649
49 / 1245	18 / 457	1686	2058	2819	2960	2807	3256
49 / 1245	20 / 508	1710	2087	2859	3002	2847	3302
49 / 1245	24 / 610	1781	2174	2977	3126	2964	3439
49 / 1245	25 / 635	1805	2203	3017	3168	3005	3485
49 / 1245	30 / 762	1851	2260	3095	3250	3082	3575
49 / 1245	31 / 787	1899	2318	3175	3334	3162	3668
50 / 1270	18 / 457	1696	2070	2834	2977	2823	3274
50 / 1270	20 / 508	1720	2099	2875	3018	2862	3321
50 / 1270	24 / 610	1790	2185	2992	3142	2980	3457
50 / 1270	25 / 635	1814	2214	3033	3185	3020	3504
50 / 1270	30 / 762	1861	2271	3111	3267	3097	3593
50 / 1270	31 / 787	1909	2329	3191	3350	3177	3685
60 / 1524	18 / 457	1913	2335	3198	3372	3198	3709
60 / 1524	20 / 508	1961	2393	3277	3456	3277	3802
60 / 1524	24 / 610	2007	2450	3356	3538	3356	3892
60 / 1524	25 / 635	2031	2479	3395	3565	3381	3922
60 / 1524	30 / 762	2102	2565	3514	3705	3514	4076
60 / 1524	31 / 787	2126	2594	3553	3731	3539	4105
61 / 1549	18 / 457	1922	2345	3214	3374	3200	3711
61 / 1549	20 / 508	1970	2404	3293	3458	3279	3804
61 / 1549	24 / 610	2017	2461	3372	3540	3357	3894
61 / 1549	25 / 635	2041	2490	3411	3581	3396	3940
61 / 1549	30 / 762	2111	2577	3529	3706	3515	4077
61 / 1549	31 / 787	2135	2606	3569	3748	3554	4123
62 / 1575	18 / 457	1933	2359	3230	3392	3217	3732
62 / 1575	20 / 508	1979	2416	3309	3474	3295	3821
62 / 1575	24 / 610	2026	2472	3387	3556	3373	3912
62 / 1575	25 / 635	2050	2502	3427	3598	3412	3959
62 / 1575	30 / 762	2121	2588	3545	3722	3531	4095
62 / 1575	31 / 787	2144	2617	3585	3764	3570	4140
72 / 1828	18 / 457	2244	2739	3752	3955	3752	4351
72 / 1828	20 / 508	2291	2796	3830	4038	3830	4443
72 / 1828	24 / 610	2338	2852	3908	4121	3908	4533
72 / 1828	25 / 635	2362	2882	3948	4146	3932	4560
72 / 1828	30 / 762	2409	2940	4027	4246	4027	4672
72 / 1828	31 / 787	2456	2998	4106	4311	4088	4743
73 / 1854	18 / 457	2254	2750	3767	3955	3752	4351
73 / 1854	20 / 508	2300	2807	3845	4038	3829	4442
73 / 1854	24 / 610	2348	2866	3925	4122	3909	4534
73 / 1854	25 / 635	2371	2894	3964	4161	3947	4578
73 / 1854	30 / 762	2419	2952	4044	4245	4026	4670
73 / 1854	31 / 787	2466	3009	4122	4327	4104	4761

Pricing is continued on the following page.

UZRG

Lateral Floor Screen with Glass, with Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

INSET 42" TOTAL (29" PLUS 13" GLASS) (D) (CONTINUED)

		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
74 / 1880	18 / 457	2263	2762	3783	3972	3767	4370
74 / 1880	20 / 508	2310	2819	3861	4054	3844	4459
74 / 1880	24 / 610	2357	2877	3941	4138	3924	4552
74 / 1880	25 / 635	2380	2905	3979	4178	3963	4597
74 / 1880	30 / 762	2428	2963	4059	4262	4042	4689
74 / 1880	31 / 787	2475	3020	4137	4344	4120	4778

INSET 51" TOTAL (42" PLUS 9" GLASS) (E)

		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	18 / 457	1795	2120	3052	3112	3205	3462
48 / 1219	20 / 508	1818	2146	3090	3152	3247	3506
48 / 1219	24 / 610	1890	2231	3212	3276	3375	3645
48 / 1219	25 / 635	1937	2286	3292	3357	3458	3734
48 / 1219	30 / 762	2007	2369	3411	3480	3584	3870
48 / 1219	31 / 787	2031	2397	3452	3521	3627	3917
49 / 1245	18 / 457	1805	2130	3067	3128	3222	3480
49 / 1245	20 / 508	1829	2158	3108	3170	3265	3526
49 / 1245	24 / 610	1899	2242	3228	3293	3391	3662
49 / 1245	25 / 635	1946	2297	3307	3374	3474	3753
49 / 1245	30 / 762	2017	2380	3428	3496	3601	3889
49 / 1245	31 / 787	2041	2408	3468	3537	3644	3935
50 / 1270	18 / 457	1814	2141	3083	3145	3239	3498
50 / 1270	20 / 508	1838	2169	3123	3187	3281	3544
50 / 1270	24 / 610	1909	2253	3244	3308	3408	3680
50 / 1270	25 / 635	1955	2308	3323	3389	3491	3771
50 / 1270	30 / 762	2026	2391	3443	3512	3618	3907
50 / 1270	31 / 787	2050	2420	3484	3553	3660	3952
60 / 1524	18 / 457	2244	2648	3814	3890	4006	4327
60 / 1524	20 / 508	2267	2675	3853	3929	4048	4371
60 / 1524	24 / 610	2338	2759	3973	4052	4174	4507
60 / 1524	25 / 635	2362	2788	4014	4094	4216	4554
60 / 1524	30 / 762	2456	2899	4174	4258	4386	4736
60 / 1524	31 / 787	2504	2955	4256	4340	4471	4828
61 / 1549	18 / 457	2254	2660	3830	3907	4024	4345
61 / 1549	20 / 508	2276	2687	3868	3946	4065	4390
61 / 1549	24 / 610	2348	2771	3991	4070	4192	4528
61 / 1549	25 / 635	2371	2798	4029	4110	4233	4572
61 / 1549	30 / 762	2466	2910	4190	4273	4402	4754
61 / 1549	31 / 787	2513	2966	4271	4357	4487	4846
62 / 1575	18 / 457	2263	2671	3845	3922	4041	4364
62 / 1575	20 / 508	2286	2697	3885	3963	4081	4407
62 / 1575	24 / 610	2357	2782	4006	4086	4209	4546
62 / 1575	25 / 635	2380	2809	4045	4126	4250	4590
62 / 1575	30 / 762	2475	2921	4206	4290	4419	4772
62 / 1575	31 / 787	2523	2978	4287	4373	4504	4865

Pricing is continued on the following page.

U Z R G

Lateral Floor Screen with Glass, with Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

INSET 51" TOTAL (42" PLUS 9" GLASS) (E) (CONTINUED)

		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
72 / 1828	18 / 457	2291	2703	3893	3971	4091	4418
72 / 1828	20 / 508	2315	2733	3934	4013	4133	4464
72 / 1828	24 / 610	2386	2816	4054	4135	4259	4600
72 / 1828	25 / 635	2409	2844	4095	4177	4301	4646
72 / 1828	30 / 762	2504	2955	4256	4340	4471	4828
72 / 1828	31 / 787	2551	3010	4335	4421	4554	4919
73 / 1854	18 / 457	2300	2715	3910	3988	4107	4435
73 / 1854	20 / 508	2324	2743	3950	4029	4150	4481
73 / 1854	24 / 610	2395	2826	4070	4151	4275	4618
73 / 1854	25 / 635	2419	2855	4110	4192	4318	4664
73 / 1854	30 / 762	2513	2966	4271	4357	4487	4846
73 / 1854	31 / 787	2560	3021	4350	4438	4571	4936
74 / 1880	18 / 457	2310	2726	3925	4003	4124	4453
74 / 1880	20 / 508	2334	2754	3966	4045	4166	4500
74 / 1880	24 / 610	2404	2838	4085	4167	4292	4636
74 / 1880	25 / 635	2428	2866	4127	4209	4335	4682
74 / 1880	30 / 762	2523	2978	4287	4373	4504	4865
74 / 1880	31 / 787	2569	3033	4367	4454	4587	4954

INSET 51" TOTAL (29" PLUS 22" GLASS) (F)

		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	18 / 457	1890	2420	3121	3402	3300	3794
48 / 1219	20 / 508	1913	2449	3159	3443	3340	3841
48 / 1219	24 / 610	1984	2540	3277	3572	3465	3985
48 / 1219	25 / 635	2031	2601	3355	3656	3547	4079
48 / 1219	30 / 762	2078	2660	3432	3740	3628	4173
48 / 1219	31 / 787	2126	2721	3511	3827	3711	4268
49 / 1245	18 / 457	1899	2431	3137	3419	3316	3814
49 / 1245	20 / 508	1922	2460	3174	3460	3356	3860
49 / 1245	24 / 610	1994	2553	3293	3589	3482	4003
49 / 1245	25 / 635	2041	2612	3369	3673	3563	4098
49 / 1245	30 / 762	2088	2673	3448	3759	3647	4193
49 / 1245	31 / 787	2135	2734	3526	3843	3728	4287
50 / 1270	18 / 457	1909	2444	3152	3436	3333	3833
50 / 1270	20 / 508	1933	2474	3192	3479	3375	3881
50 / 1270	24 / 610	2003	2564	3308	3606	3497	4022
50 / 1270	25 / 635	2050	2625	3385	3691	3579	4117
50 / 1270	30 / 762	2098	2686	3464	3776	3662	4212
50 / 1270	31 / 787	2144	2745	3542	3860	3745	4306
60 / 1524	18 / 457	2173	2781	3588	3911	3793	4363
60 / 1524	20 / 508	2196	2812	3627	3953	3835	4411
60 / 1524	24 / 610	2267	2902	3744	4081	3959	4552
60 / 1524	25 / 635	2315	2963	3822	4166	4042	4648
60 / 1524	30 / 762	2362	3023	3900	4251	4124	4742
60 / 1524	31 / 787	2409	3085	3979	4337	4207	4838

Pricing is continued on the following page.

U Z R G

Lateral Floor Screen with Glass, with Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

INSET 51" TOTAL (29" PLUS 22" GLASS) (F) (CONTINUED)

		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
61 / 1549	18 / 457	2182	2793	3603	3927	3810	4381
61 / 1549	20 / 508	2206	2824	3643	3970	3852	4429
61 / 1549	24 / 610	2276	2914	3759	4098	3975	4571
61 / 1549	25 / 635	2324	2976	3838	4184	4058	4667
61 / 1549	30 / 762	2371	3035	3916	4268	4139	4761
61 / 1549	31 / 787	2419	3096	3994	4353	4224	4856
62 / 1575	18 / 457	2192	2806	3621	3946	3828	4402
62 / 1575	20 / 508	2215	2835	3658	3988	3868	4448
62 / 1575	24 / 610	2286	2926	3775	4114	3991	4589
62 / 1575	25 / 635	2334	2987	3854	4201	4075	4686
62 / 1575	30 / 762	2380	3047	3931	4285	4156	4779
62 / 1575	31 / 787	2428	3109	4010	4371	4239	4875
72 / 1828	18 / 457	2267	2902	3744	4081	3959	4552
72 / 1828	20 / 508	2291	2933	3783	4124	4000	4600
72 / 1828	24 / 610	2362	3023	3900	4251	4124	4742
72 / 1828	25 / 635	2409	3085	3979	4337	4207	4838
72 / 1828	30 / 762	2456	3144	4056	4421	4289	4932
72 / 1828	31 / 787	2504	3205	4135	4507	4372	5028
73 / 1854	18 / 457	2276	2914	3759	4098	3975	4571
73 / 1854	20 / 508	2300	2945	3799	4140	4017	4619
73 / 1854	24 / 610	2371	3035	3916	4268	4139	4761
73 / 1854	25 / 635	2419	3096	3994	4353	4224	4856
73 / 1854	30 / 762	2466	3156	4072	4438	4305	4951
73 / 1854	31 / 787	2513	3218	4151	4524	4389	5046
74 / 1880	18 / 457	2286	2926	3775	4114	3991	4589
74 / 1880	20 / 508	2310	2957	3814	4157	4032	4638
74 / 1880	24 / 610	2380	3047	3931	4285	4156	4779
74 / 1880	25 / 635	2428	3109	4010	4371	4239	4875
74 / 1880	30 / 762	2475	3168	4087	4455	4321	4970
74 / 1880	31 / 787	2523	3229	4166	4540	4404	5065

INSET 57" TOTAL (42" PLUS 15" GLASS) (H)

		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	18 / 457	2135	2478	3234	3315	3404	3669
48 / 1219	20 / 508	2159	2506	3271	3353	3442	3709
48 / 1219	24 / 610	2230	2588	3378	3462	3554	3831
48 / 1219	25 / 635	2276	2642	3448	3535	3629	3912
48 / 1219	30 / 762	2348	2725	3558	3646	3744	4034
48 / 1219	31 / 787	2371	2751	3592	3682	3780	4074
49 / 1245	18 / 457	2144	2488	3249	3330	3419	3684
49 / 1245	20 / 508	2168	2516	3285	3367	3457	3726
49 / 1245	24 / 610	2239	2599	3392	3476	3570	3847
49 / 1245	25 / 635	2286	2653	3463	3549	3645	3927
49 / 1245	30 / 762	2357	2736	3571	3660	3759	4051
49 / 1245	31 / 787	2380	2763	3606	3697	3795	4090

Pricing is continued on the following page.

U Z R G

Lateral Floor Screen with Glass, with Return (Continued)

DIMENSIONS
INCHES / MM


PRICING

INSET 57" TOTAL (42" PLUS 15" GLASS) (H) (CONTINUED)

		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
50 / 1270	18 / 457	2154	2500	3262	3345	3434	3701
50 / 1270	20 / 508	2178	2528	3299	3382	3472	3741
50 / 1270	24 / 610	2248	2610	3406	3491	3585	3863
50 / 1270	25 / 635	2296	2665	3479	3566	3661	3945
50 / 1270	30 / 762	2367	2747	3586	3675	3774	4067
50 / 1270	31 / 787	2390	2773	3620	3710	3810	4106
60 / 1524	18 / 457	2584	2999	3915	4013	4120	4440
60 / 1524	20 / 508	2608	3027	3950	4050	4158	4481
60 / 1524	24 / 610	2679	3109	4057	4159	4270	4602
60 / 1524	25 / 635	2701	3135	4093	4194	4307	4641
60 / 1524	30 / 762	2796	3245	4236	4342	4457	4804
60 / 1524	31 / 787	2844	3300	4308	4416	4534	4886
61 / 1549	18 / 457	2593	3010	3928	4027	4134	4456
61 / 1549	20 / 508	2617	3037	3965	4065	4173	4497
61 / 1549	24 / 610	2688	3119	4072	4174	4285	4618
61 / 1549	25 / 635	2712	3147	4108	4211	4323	4659
61 / 1549	30 / 762	2805	3255	4250	4357	4473	4820
61 / 1549	31 / 787	2853	3311	4322	4430	4549	4902
62 / 1575	18 / 457	2603	3020	3943	4042	4150	4472
62 / 1575	20 / 508	2627	3048	3979	4078	4187	4512
62 / 1575	24 / 610	2697	3131	4086	4188	4300	4634
62 / 1575	25 / 635	2721	3158	4122	4226	4339	4676
62 / 1575	30 / 762	2816	3268	4265	4372	4490	4838
62 / 1575	31 / 787	2862	3322	4336	4445	4563	4918
72 / 1828	18 / 457	2631	3054	3986	4085	4194	4520
72 / 1828	20 / 508	2655	3081	4022	4122	4232	4561
72 / 1828	24 / 610	2725	3163	4129	4232	4345	4683
72 / 1828	25 / 635	2749	3191	4164	4269	4384	4723
72 / 1828	30 / 762	2844	3300	4308	4416	4534	4886
72 / 1828	31 / 787	2890	3355	4378	4488	4608	4966
73 / 1854	18 / 457	2640	3064	3999	4100	4209	4536
73 / 1854	20 / 508	2664	3092	4035	4136	4247	4577
73 / 1854	24 / 610	2735	3174	4142	4246	4360	4698
73 / 1854	25 / 635	2759	3201	4179	4284	4398	4740
73 / 1854	30 / 762	2853	3311	4322	4430	4549	4902
73 / 1854	31 / 787	2900	3365	4393	4503	4624	4982
74 / 1880	18 / 457	2649	3074	4014	4114	4225	4552
74 / 1880	20 / 508	2673	3102	4050	4151	4262	4593
74 / 1880	24 / 610	2744	3185	4157	4261	4375	4715
74 / 1880	25 / 635	2768	3213	4193	4298	4413	4756
74 / 1880	30 / 762	2862	3322	4336	4445	4563	4918
74 / 1880	31 / 787	2909	3377	4407	4518	4638	4999

U Z R S

Lateral Floor Screen with Solid, with Return



Solid Lateral Floor Screen with return attaches to a District or Power Spine Panel to provide casual lateral space division.

WHAT'S INCLUDED
1 lateral solid screen with return, attachment brackets.

NOTES
Support foot and bracket finish can be specified separately.

If heights 51" or 57" is selected, only Source Laminate is available.

The Bracket location is determined by the location of the bracket in relation to the screen. The left handed orientation will have the visible mounting brackets on the right and the return will be on the left. The right handed orientation will have the visible mounting brackets on the left and the return will be on the right.

PRODUCT OPTIONS

Bracket Attachment	Height	Screen Depth	Return Depth	Handedness	Screen Support	Screen Finish	Bracket Finish	Foot Finish
ES End Mounted Single	29, 42, 51, 57	48, 49, 50, 60, 61, 62, 72, 73, 74	18, 20, 24, 25, 30, 31	**L** Left	**N** None	Source Laminate	Foundation	Foundation
EB End Mounted Double				**R** Right		Flintwood	Mica	Mica
MS Mid Spine						Natural Veneer	Accent	Accent

SAMPLE ORDER CODE

UZRS ES	29	48	18	R	N	AG	74	74

DIMENSIONS
INCHES / MM

Height	Screen Depth	Return Depth
29 / 737	48 / 1219	18 / 457
29 / 737	48 / 1219	20 / 508
29 / 737	48 / 1219	24 / 610
29 / 737	48 / 1219	25 / 635
29 / 737	48 / 1219	30 / 762
29 / 737	48 / 1219	31 / 787
29 / 737	49 / 1245	18 / 457
29 / 737	49 / 1245	20 / 508
29 / 737	49 / 1245	24 / 610
29 / 737	49 / 1245	25 / 635
29 / 737	49 / 1245	30 / 762
29 / 737	49 / 1245	31 / 787
29 / 737	50 / 1270	18 / 457
29 / 737	50 / 1270	20 / 508
29 / 737	50 / 1270	24 / 610
29 / 737	50 / 1270	25 / 635
29 / 737	50 / 1270	30 / 762
29 / 737	50 / 1270	31 / 787

PRICING

Source Laminate	Flintwood	Veneer
803	1414	1414
812	1431	1431
836	1472	1472
851	1498	1498
898	1580	1580
907	1597	1597
812	1431	1431
822	1447	1447
846	1489	1489
860	1515	1515
907	1597	1597
916	1614	1614
822	1447	1447
831	1463	1463
855	1506	1506
870	1531	1531
916	1614	1614
926	1630	1630

Pricing is continued on the following page.

UZRS

Lateral Floor Screen with Solid, with Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

Height	Screen Depth	Return Depth	Source Laminate	Flintwood	Veneer
29 / 737	60 / 1524	18 / 457	1039	1829	1829
29 / 737	60 / 1524	20 / 508	1063	1871	1871
29 / 737	60 / 1524	24 / 610	1072	1888	1888
29 / 737	60 / 1524	25 / 635	1087	1913	1913
29 / 737	60 / 1524	30 / 762	1134	1996	1996
29 / 737	60 / 1524	31 / 787	1143	2012	2012
29 / 737	61 / 1549	18 / 457	1049	1847	1847
29 / 737	61 / 1549	20 / 508	1072	1888	1888
29 / 737	61 / 1549	24 / 610	1082	1904	1904
29 / 737	61 / 1549	25 / 635	1096	1929	1929
29 / 737	61 / 1549	30 / 762	1143	2012	2012
29 / 737	61 / 1549	31 / 787	1153	2030	2030
29 / 737	62 / 1575	18 / 457	1059	1864	1864
29 / 737	62 / 1575	20 / 508	1082	1904	1904
29 / 737	62 / 1575	24 / 610	1091	1920	1920
29 / 737	62 / 1575	25 / 635	1105	1946	1946
29 / 737	62 / 1575	30 / 762	1153	2030	2030
29 / 737	62 / 1575	31 / 787	1163	2047	2047
29 / 737	72 / 1829	18 / 457	1063	1871	1871
29 / 737	72 / 1829	20 / 508	1087	1913	1913
29 / 737	72 / 1829	24 / 610	1096	1929	1929
29 / 737	72 / 1829	25 / 635	1134	1996	1996
29 / 737	72 / 1829	30 / 762	1157	2037	2037
29 / 737	72 / 1829	31 / 787	1167	2054	2054
29 / 737	73 / 1854	18 / 457	1072	1888	1888
29 / 737	73 / 1854	20 / 508	1096	1929	1929
29 / 737	73 / 1854	24 / 610	1105	1946	1946
29 / 737	73 / 1854	25 / 635	1143	2012	2012
29 / 737	73 / 1854	30 / 762	1167	2054	2054
29 / 737	73 / 1854	31 / 787	1176	2071	2071
29 / 737	74 / 1880	18 / 457	1082	1904	1904
29 / 737	74 / 1880	20 / 508	1105	1946	1946
29 / 737	74 / 1880	24 / 610	1115	1963	1963
29 / 737	74 / 1880	25 / 635	1153	2030	2030
29 / 737	74 / 1880	30 / 762	1176	2071	2071
29 / 737	74 / 1880	31 / 787	1185	2087	2087
42 / 1067	48 / 1219	18 / 457	1039	1829	1829
42 / 1067	48 / 1219	20 / 508	1063	1871	1871
42 / 1067	48 / 1219	24 / 610	1111	1955	1955
42 / 1067	48 / 1219	25 / 635	1181	2080	2080
42 / 1067	48 / 1219	30 / 762	1205	2122	2122
42 / 1067	48 / 1219	31 / 787	1228	2162	2162

Pricing is continued on the following page.

U Z R S

Lateral Floor Screen with Solid, with Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

Height	Screen Depth	Return Depth	Source Laminate	Flintwood	Veneer
42 / 1067	49 / 1245	18 / 457	1049	1847	1847
42 / 1067	49 / 1245	20 / 508	1072	1888	1888
42 / 1067	49 / 1245	24 / 610	1120	1972	1972
42 / 1067	49 / 1245	25 / 635	1191	2096	2096
42 / 1067	49 / 1245	30 / 762	1215	2138	2138
42 / 1067	49 / 1245	31 / 787	1237	2179	2179
42 / 1067	50 / 1270	18 / 457	1059	1864	1864
42 / 1067	50 / 1270	20 / 508	1082	1904	1904
42 / 1067	50 / 1270	24 / 610	1129	1989	1989
42 / 1067	50 / 1270	25 / 635	1200	2112	2112
42 / 1067	50 / 1270	30 / 762	1224	2155	2155
42 / 1067	50 / 1270	31 / 787	1247	2194	2194
42 / 1067	60 / 1524	18 / 457	1441	2537	2537
42 / 1067	60 / 1524	20 / 508	1488	2619	2619
42 / 1067	60 / 1524	24 / 610	1536	2703	2703
42 / 1067	60 / 1524	25 / 635	1606	2827	2827
42 / 1067	60 / 1524	30 / 762	1630	2870	2870
42 / 1067	60 / 1524	31 / 787	1653	2910	2910
42 / 1067	61 / 1549	18 / 457	1450	2553	2553
42 / 1067	61 / 1549	20 / 508	1497	2636	2636
42 / 1067	61 / 1549	24 / 610	1545	2720	2720
42 / 1067	61 / 1549	25 / 635	1616	2844	2844
42 / 1067	61 / 1549	30 / 762	1640	2886	2886
42 / 1067	61 / 1549	31 / 787	1662	2926	2926
42 / 1067	62 / 1575	18 / 457	1460	2569	2569
42 / 1067	62 / 1575	20 / 508	1507	2652	2652
42 / 1067	62 / 1575	24 / 610	1554	2736	2736
42 / 1067	62 / 1575	25 / 635	1625	2860	2860
42 / 1067	62 / 1575	30 / 762	1649	2903	2903
42 / 1067	62 / 1575	31 / 787	1673	2945	2945
42 / 1067	72 / 1829	18 / 457	1488	2619	2619
42 / 1067	72 / 1829	20 / 508	1512	2661	2661
42 / 1067	72 / 1829	24 / 610	1582	2786	2786
42 / 1067	72 / 1829	25 / 635	1606	2827	2827
42 / 1067	72 / 1829	30 / 762	1653	2910	2910
42 / 1067	72 / 1829	31 / 787	1677	2952	2952
42 / 1067	73 / 1854	18 / 457	1497	2636	2636
42 / 1067	73 / 1854	20 / 508	1521	2678	2678
42 / 1067	73 / 1854	24 / 610	1592	2802	2802
42 / 1067	73 / 1854	25 / 635	1616	2844	2844
42 / 1067	73 / 1854	30 / 762	1662	2926	2926
42 / 1067	73 / 1854	31 / 787	1686	2968	2968

Pricing is continued on the following page.

UZRS

Lateral Floor Screen with Solid, with Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

Height	Screen Depth	Return Depth	Source Laminate	Flintwood	Veneer
42 / 1067	74 / 1880	18 / 457	1507	2652	2652
42 / 1067	74 / 1880	20 / 508	1530	2694	2694
42 / 1067	74 / 1880	24 / 610	1601	2819	2819
42 / 1067	74 / 1880	25 / 635	1625	2860	2860
42 / 1067	74 / 1880	30 / 762	1673	2945	2945
42 / 1067	74 / 1880	31 / 787	1696	2985	2985
51 / 1295	48 / 1219	18 / 457	1205	n/a	n/a
51 / 1295	48 / 1219	20 / 508	1228	n/a	n/a
51 / 1295	48 / 1219	24 / 610	1299	n/a	n/a
51 / 1295	48 / 1219	25 / 635	1323	n/a	n/a
51 / 1295	48 / 1219	30 / 762	1393	n/a	n/a
51 / 1295	48 / 1219	31 / 787	1417	n/a	n/a
51 / 1295	49 / 1245	18 / 457	1215	n/a	n/a
51 / 1295	49 / 1245	20 / 508	1237	n/a	n/a
51 / 1295	49 / 1245	24 / 610	1309	n/a	n/a
51 / 1295	49 / 1245	25 / 635	1332	n/a	n/a
51 / 1295	49 / 1245	30 / 762	1403	n/a	n/a
51 / 1295	49 / 1245	31 / 787	1427	n/a	n/a
51 / 1295	50 / 1270	18 / 457	1224	n/a	n/a
51 / 1295	50 / 1270	20 / 508	1247	n/a	n/a
51 / 1295	50 / 1270	24 / 610	1318	n/a	n/a
51 / 1295	50 / 1270	25 / 635	1341	n/a	n/a
51 / 1295	50 / 1270	30 / 762	1413	n/a	n/a
51 / 1295	50 / 1270	31 / 787	1436	n/a	n/a
51 / 1295	60 / 1524	18 / 457	1582	n/a	n/a
51 / 1295	60 / 1524	20 / 508	1606	n/a	n/a
51 / 1295	60 / 1524	24 / 610	1677	n/a	n/a
51 / 1295	60 / 1524	25 / 635	1701	n/a	n/a
51 / 1295	60 / 1524	30 / 762	1771	n/a	n/a
51 / 1295	60 / 1524	31 / 787	1795	n/a	n/a
51 / 1295	61 / 1549	18 / 457	1592	n/a	n/a
51 / 1295	61 / 1549	20 / 508	1616	n/a	n/a
51 / 1295	61 / 1549	24 / 610	1686	n/a	n/a
51 / 1295	61 / 1549	25 / 635	1710	n/a	n/a
51 / 1295	61 / 1549	30 / 762	1781	n/a	n/a
51 / 1295	61 / 1549	31 / 787	1805	n/a	n/a
51 / 1295	62 / 1575	18 / 457	1601	n/a	n/a
51 / 1295	62 / 1575	20 / 508	1625	n/a	n/a
51 / 1295	62 / 1575	24 / 610	1696	n/a	n/a
51 / 1295	62 / 1575	25 / 635	1720	n/a	n/a
51 / 1295	62 / 1575	30 / 762	1790	n/a	n/a
51 / 1295	62 / 1575	31 / 787	1814	n/a	n/a

Pricing is continued on the following page.

U Z R S

Lateral Floor Screen with Solid, with Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

Height	Screen Depth	Return Depth	Source Laminate	Flintwood	Veneer
51 / 1295	72 / 1829	18 / 457	1701	n/a	n/a
51 / 1295	72 / 1829	20 / 508	1725	n/a	n/a
51 / 1295	72 / 1829	24 / 610	1795	n/a	n/a
51 / 1295	72 / 1829	25 / 635	1818	n/a	n/a
51 / 1295	72 / 1829	30 / 762	1890	n/a	n/a
51 / 1295	72 / 1829	31 / 787	1937	n/a	n/a
51 / 1295	73 / 1854	18 / 457	1710	n/a	n/a
51 / 1295	73 / 1854	20 / 508	1734	n/a	n/a
51 / 1295	73 / 1854	24 / 610	1805	n/a	n/a
51 / 1295	73 / 1854	25 / 635	1829	n/a	n/a
51 / 1295	73 / 1854	30 / 762	1899	n/a	n/a
51 / 1295	73 / 1854	31 / 787	1946	n/a	n/a
51 / 1295	74 / 1880	18 / 457	1720	n/a	n/a
51 / 1295	74 / 1880	20 / 508	1743	n/a	n/a
51 / 1295	74 / 1880	24 / 610	1814	n/a	n/a
51 / 1295	74 / 1880	25 / 635	1838	n/a	n/a
51 / 1295	74 / 1880	30 / 762	1909	n/a	n/a
51 / 1295	74 / 1880	31 / 787	1955	n/a	n/a
57 / 1448	48 / 1219	18 / 457	1393	n/a	n/a
57 / 1448	48 / 1219	20 / 508	1417	n/a	n/a
57 / 1448	48 / 1219	24 / 610	1488	n/a	n/a
57 / 1448	48 / 1219	25 / 635	1512	n/a	n/a
57 / 1448	48 / 1219	30 / 762	1582	n/a	n/a
57 / 1448	48 / 1219	31 / 787	1606	n/a	n/a
57 / 1448	49 / 1245	18 / 457	1403	n/a	n/a
57 / 1448	49 / 1245	20 / 508	1427	n/a	n/a
57 / 1448	49 / 1245	24 / 610	1497	n/a	n/a
57 / 1448	49 / 1245	25 / 635	1521	n/a	n/a
57 / 1448	49 / 1245	30 / 762	1592	n/a	n/a
57 / 1448	49 / 1245	31 / 787	1616	n/a	n/a
57 / 1448	50 / 1270	18 / 457	1413	n/a	n/a
57 / 1448	50 / 1270	20 / 508	1436	n/a	n/a
57 / 1448	50 / 1270	24 / 610	1507	n/a	n/a
57 / 1448	50 / 1270	25 / 635	1530	n/a	n/a
57 / 1448	50 / 1270	30 / 762	1601	n/a	n/a
57 / 1448	50 / 1270	31 / 787	1625	n/a	n/a
57 / 1448	60 / 1524	18 / 457	1771	n/a	n/a
57 / 1448	60 / 1524	20 / 508	1795	n/a	n/a
57 / 1448	60 / 1524	24 / 610	1866	n/a	n/a
57 / 1448	60 / 1524	25 / 635	1890	n/a	n/a
57 / 1448	60 / 1524	30 / 762	1961	n/a	n/a
57 / 1448	60 / 1524	31 / 787	1984	n/a	n/a

Pricing is continued on the following page.

U Z R S

Lateral Floor Screen with Solid, with Return (Continued)


DIMENSIONS
INCHES / MM

PRICING

Height	Screen Depth	Return Depth	Source Laminate	Flintwood	Veneer
57 / 1448	61 / 1549	18 / 457	1781	n/a	n/a
57 / 1448	61 / 1549	20 / 508	1805	n/a	n/a
57 / 1448	61 / 1549	24 / 610	1875	n/a	n/a
57 / 1448	61 / 1549	25 / 635	1899	n/a	n/a
57 / 1448	61 / 1549	30 / 762	1970	n/a	n/a
57 / 1448	61 / 1549	31 / 787	1994	n/a	n/a
57 / 1448	62 / 1575	18 / 457	1790	n/a	n/a
57 / 1448	62 / 1575	20 / 508	1814	n/a	n/a
57 / 1448	62 / 1575	24 / 610	1885	n/a	n/a
57 / 1448	62 / 1575	25 / 635	1909	n/a	n/a
57 / 1448	62 / 1575	30 / 762	1979	n/a	n/a
57 / 1448	62 / 1575	31 / 787	2003	n/a	n/a
57 / 1448	72 / 1829	18 / 457	1890	n/a	n/a
57 / 1448	72 / 1829	20 / 508	1913	n/a	n/a
57 / 1448	72 / 1829	24 / 610	1984	n/a	n/a
57 / 1448	72 / 1829	25 / 635	2007	n/a	n/a
57 / 1448	72 / 1829	30 / 762	2078	n/a	n/a
57 / 1448	72 / 1829	31 / 787	2126	n/a	n/a
57 / 1448	73 / 1854	18 / 457	1899	n/a	n/a
57 / 1448	73 / 1854	20 / 508	1922	n/a	n/a
57 / 1448	73 / 1854	24 / 610	1994	n/a	n/a
57 / 1448	73 / 1854	25 / 635	2017	n/a	n/a
57 / 1448	73 / 1854	30 / 762	2088	n/a	n/a
57 / 1448	73 / 1854	31 / 787	2135	n/a	n/a
57 / 1448	74 / 1880	18 / 457	1909	n/a	n/a
57 / 1448	74 / 1880	20 / 508	1933	n/a	n/a
57 / 1448	74 / 1880	24 / 610	2003	n/a	n/a
57 / 1448	74 / 1880	25 / 635	2026	n/a	n/a
57 / 1448	74 / 1880	30 / 762	2098	n/a	n/a
57 / 1448	74 / 1880	31 / 787	2144	n/a	n/a

U Z C G

Lateral Floor Screen with Glass, with Shared Return



Solid Lateral Screen with Glass top and shared return attaches to a District or Power Spine Panel to provide casual lateral space division.

WHAT'S INCLUDED

1 lateral solid screen with glass and shared return, attachment brackets.

NOTES

Support foot and trim default to the same finish. The bracket finish can be specified separately.

The Bracket location is determined by the location of the bracket in relation to the screen. The left handed orientation will have the visible mounting brackets on the right and the shared return will be on the left. The right handed orientation will have the visible mounting brackets on the left and the shared return will be on the right.

Inset specific option (D, E, F, H) are designed to line up with the glass add-on in a complete Inset panel.

PRODUCT OPTIONS

Bracket Attachment	Height	Screen Depth	Return Depth
MS Mid Spine	**D** Inset 42" Total (29" plus 13" glass)	48, 49, 50, 60, 61, 62, 72, 73, 74	36, 40, 48, 50, 60, 62
	E Inset 51" Total (42" plus 9" glass)		
	F Inset 51" Total (29" plus 22" glass)		
	H Inset 57" Total (42" plus 15" glass)		

SAMPLE ORDER CODE

UZCG MS	**D**	**48**	**18**

PRODUCT OPTIONS (CONTINUED)

Handedness	Screen Support	Screen Finish	Glass Finish	Hardware Finish
L Left	**N** None	Source Laminate	**CL** Clear	Foundation
R Right		Flintwood	**FT** Frost	Mica
		Natural Veneer		Accent

SAMPLE ORDER CODE (CONTINUED)

R	**N**	**AG**	**CL**	**74**

See Pricing on the following page.

UZCG

Lateral Floor Screen with Glass, with Shared Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

INSET 42" TOTAL (29" PLUS 13" GLASS) (D)

		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	36 / 914	1984	2461	3372	3555	3372	3948
48 / 1219	40 / 1016	2007	2489	3411	3596	3411	3994
48 / 1219	48 / 1219	2173	2694	3692	3892	3692	4323
48 / 1219	50 / 1270	2196	2724	3732	3935	3732	4370
48 / 1219	60 / 1524	2315	2871	3933	4147	3933	4606
48 / 1219	62 / 1575	2338	2899	3972	4188	3972	4652
49 / 1245	36 / 914	1994	2473	3387	3572	3387	3967
49 / 1245	40 / 1016	2017	2501	3427	3613	3427	4013
49 / 1245	48 / 1219	2182	2706	3707	3909	3707	4342
49 / 1245	50 / 1270	2206	2736	3748	3951	3748	4389
49 / 1245	60 / 1524	2324	2882	3949	4164	3949	4625
49 / 1245	62 / 1575	2348	2912	3990	4207	3990	4672
50 / 1270	36 / 914	2003	2484	3404	3589	3404	3986
50 / 1270	40 / 1016	2026	2512	3442	3629	3442	4031
50 / 1270	48 / 1219	2192	2719	3725	3927	3725	4362
50 / 1270	50 / 1270	2215	2747	3763	3968	3763	4407
50 / 1270	60 / 1524	2334	2895	3965	4181	3965	4643
50 / 1270	62 / 1575	2357	2924	4005	4224	4005	4691
60 / 1524	36 / 914	2244	2783	3813	4021	3813	4466
60 / 1524	40 / 1016	2267	2812	3852	4061	3852	4511
60 / 1524	48 / 1219	2432	3016	4132	4358	4132	4840
60 / 1524	50 / 1270	2456	3046	4173	4400	4173	4887
60 / 1524	60 / 1524	2575	3193	4374	4612	4374	5123
60 / 1524	62 / 1575	2598	3221	4413	4654	4413	5168
61 / 1549	36 / 914	2254	2795	3829	4038	3829	4484
61 / 1549	40 / 1016	2276	2823	3868	4078	3868	4530
61 / 1549	48 / 1219	2442	3028	4149	4374	4149	4858
61 / 1549	50 / 1270	2466	3058	4189	4417	4189	4906
61 / 1549	60 / 1524	2584	3204	4390	4629	4390	5141
61 / 1549	62 / 1575	2608	3234	4430	4672	4430	5189
62 / 1575	36 / 914	2263	2806	3844	4054	3844	4503
62 / 1575	40 / 1016	2286	2834	3884	4095	3884	4548
62 / 1575	48 / 1219	2452	3041	4166	4393	4166	4879
62 / 1575	50 / 1270	2475	3069	4205	4433	4205	4925
62 / 1575	60 / 1524	2593	3217	4406	4645	4406	5160
62 / 1575	62 / 1575	2617	3246	4447	4689	4447	5207
72 / 1828	36 / 914	2575	3193	4374	4612	4374	5123
72 / 1828	40 / 1016	2621	3251	4454	4696	4454	5216
72 / 1828	48 / 1219	2810	3486	4775	5035	4775	5592
72 / 1828	50 / 1270	2834	3515	4816	5078	4816	5640
72 / 1828	60 / 1524	2952	3660	5015	5287	5015	5873
72 / 1828	62 / 1575	2976	3691	5056	5331	5056	5921
73 / 1854	36 / 914	2584	3204	4390	4629	4390	5141
73 / 1854	40 / 1016	2631	3262	4470	4713	4470	5234
73 / 1854	48 / 1219	2820	3497	4791	5052	4791	5611
73 / 1854	50 / 1270	2844	3526	4831	5094	4831	5658
73 / 1854	60 / 1524	2961	3672	5031	5305	5031	5892
73 / 1854	62 / 1575	2985	3702	5071	5348	5071	5939

Pricing is continued on the following page.

U Z C G

Lateral Floor Screen with Glass, with Shared Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

INSET 42" TOTAL (29" PLUS 13" GLASS) (D) (CONTINUED)

		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
74 / 1880	36 / 914	2593	3217	4406	4645	4406	5160
74 / 1880	40 / 1016	2640	3274	4485	4730	4485	5253
74 / 1880	48 / 1219	2829	3509	4806	5068	4806	5629
74 / 1880	50 / 1270	2853	3539	4847	5111	4847	5677
74 / 1880	60 / 1524	2972	3685	5049	5323	5049	5913
74 / 1880	62 / 1575	2994	3713	5087	5364	5087	5958

INSET 51" TOTAL (42" PLUS 9" GLASS) (E)

		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	36 / 914	2102	2502	3602	3674	3785	4087
48 / 1219	40 / 1016	2173	2586	3724	3798	3912	4225
48 / 1219	48 / 1219	2362	2810	4048	4128	4253	4592
48 / 1219	50 / 1270	2409	2868	4129	4212	4338	4685
48 / 1219	60 / 1524	2551	3036	4371	4459	4592	4960
48 / 1219	62 / 1575	2598	3091	4451	4540	4677	5051
49 / 1245	36 / 914	2111	2513	3619	3691	3802	4105
49 / 1245	40 / 1016	2182	2596	3739	3814	3928	4243
49 / 1245	48 / 1219	2371	2822	4064	4145	4269	4610
49 / 1245	50 / 1270	2419	2879	4146	4229	4355	4704
49 / 1245	60 / 1524	2560	3047	4388	4475	4609	4978
49 / 1245	62 / 1575	2608	3103	4470	4559	4695	5071
50 / 1270	36 / 914	2121	2524	3634	3707	3818	4124
50 / 1270	40 / 1016	2192	2609	3757	3833	3947	4263
50 / 1270	48 / 1219	2380	2833	4079	4161	4286	4629
50 / 1270	50 / 1270	2428	2890	4161	4244	4372	4721
50 / 1270	60 / 1524	2569	3058	4403	4492	4627	4997
50 / 1270	62 / 1575	2617	3115	4485	4575	4712	5089
60 / 1524	36 / 914	2504	2980	4291	4377	4508	4869
60 / 1524	40 / 1016	2575	3064	4413	4501	4636	5007
60 / 1524	48 / 1219	2764	3289	4737	4831	4976	5374
60 / 1524	50 / 1270	2787	3316	4775	4871	5017	5418
60 / 1524	60 / 1524	2952	3513	5059	5160	5314	5739
60 / 1524	62 / 1575	2976	3542	5099	5201	5358	5786
61 / 1549	36 / 914	2513	2991	4308	4394	4525	4887
61 / 1549	40 / 1016	2584	3075	4428	4517	4653	5025
61 / 1549	48 / 1219	2773	3301	4752	4848	4993	5392
61 / 1549	50 / 1270	2796	3328	4792	4887	5034	5437
61 / 1549	60 / 1524	2961	3524	5074	5176	5331	5758
61 / 1549	62 / 1575	2985	3552	5116	5218	5375	5805
62 / 1575	36 / 914	2523	3003	4323	4410	4543	4905
62 / 1575	40 / 1016	2593	3087	4445	4533	4669	5043
62 / 1575	48 / 1219	2782	3311	4769	4864	5010	5410
62 / 1575	50 / 1270	2805	3338	4807	4904	5051	5455
62 / 1575	60 / 1524	2972	3537	5092	5194	5350	5778
62 / 1575	62 / 1575	2994	3564	5132	5234	5391	5823

Pricing is continued on the following page.

U Z C G

Lateral Floor Screen with Glass, with Shared Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

INSET 51" TOTAL (42" PLUS 9" GLASS) (E) (CONTINUED)

		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
72 / 1828	36 / 914	2598	3091	4451	4540	4677	5051
72 / 1828	40 / 1016	2669	3177	4575	4666	4805	5190
72 / 1828	48 / 1219	2857	3401	4897	4994	5144	5556
72 / 1828	50 / 1270	2881	3429	4937	5036	5188	5602
72 / 1828	60 / 1524	3070	3654	5261	5366	5527	5970
72 / 1828	62 / 1575	3094	3682	5303	5409	5571	6017
73 / 1854	36 / 914	2608	3103	4470	4559	4695	5071
73 / 1854	40 / 1016	2679	3188	4590	4683	4823	5209
73 / 1854	48 / 1219	2868	3413	4914	5013	5163	5576
73 / 1854	50 / 1270	2890	3440	4954	5053	5204	5621
73 / 1854	60 / 1524	3080	3666	5278	5383	5545	5989
73 / 1854	62 / 1575	3103	3694	5319	5425	5588	6035
74 / 1880	36 / 914	2617	3115	4485	4575	4712	5089
74 / 1880	40 / 1016	2688	3199	4607	4698	4840	5226
74 / 1880	48 / 1219	2877	3425	4930	5029	5180	5594
74 / 1880	50 / 1270	2900	3452	4970	5069	5221	5639
74 / 1880	60 / 1524	3089	3676	5294	5400	5562	6006
74 / 1880	62 / 1575	3113	3705	5334	5441	5604	6053

INSET 51" TOTAL (29" PLUS 22" GLASS) (F)

		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	36 / 914	2244	2761	3534	3852	3698	4253
48 / 1219	40 / 1016	2267	2789	3570	3891	3735	4295
48 / 1219	48 / 1219	2456	3021	3867	4215	4047	4654
48 / 1219	50 / 1270	2480	3052	3906	4257	4086	4699
48 / 1219	60 / 1524	2575	3167	4054	4419	4242	4878
48 / 1219	62 / 1575	2598	3195	4090	4458	4280	4922
49 / 1245	36 / 914	2254	2772	3548	3868	3713	4270
49 / 1245	40 / 1016	2276	2800	3585	3907	3751	4314
49 / 1245	48 / 1219	2466	3033	3883	4232	4062	4671
49 / 1245	50 / 1270	2489	3063	3920	4272	4102	4717
49 / 1245	60 / 1524	2584	3179	4069	4434	4258	4896
49 / 1245	62 / 1575	2608	3208	4106	4476	4297	4941
50 / 1270	36 / 914	2263	2783	3564	3884	3729	4288
50 / 1270	40 / 1016	2286	2812	3599	3923	3766	4332
50 / 1270	48 / 1219	2475	3044	3897	4247	4078	4689
50 / 1270	50 / 1270	2499	3074	3935	4289	4118	4735
50 / 1270	60 / 1524	2593	3191	4083	4451	4273	4913
50 / 1270	62 / 1575	2617	3220	4121	4492	4312	4959
60 / 1524	36 / 914	2480	3052	3906	4257	4086	4699
60 / 1524	40 / 1016	2551	3138	4017	4378	4203	4833
60 / 1524	48 / 1219	2716	3341	4277	4661	4475	5146
60 / 1524	50 / 1270	2740	3371	4314	4703	4514	5191
60 / 1524	60 / 1524	2881	3544	4536	4945	4747	5459
60 / 1524	62 / 1575	2905	3574	4575	4986	4787	5505

Pricing is continued on the following page.

U Z C G

Lateral Floor Screen with Glass, with Shared Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

INSET 51" TOTAL (29" PLUS 22" GLASS) (F) (CONTINUED)

		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
61 / 1549	36 / 914	2489	3063	3920	4272	4102	4717
61 / 1549	40 / 1016	2560	3149	4031	4394	4218	4851
61 / 1549	48 / 1219	2725	3353	4291	4678	4491	5164
61 / 1549	50 / 1270	2749	3382	4328	4718	4530	5210
61 / 1549	60 / 1524	2890	3555	4551	4961	4763	5477
61 / 1549	62 / 1575	2914	3586	4589	5002	4802	5522
62 / 1575	36 / 914	2499	3074	3935	4289	4118	4735
62 / 1575	40 / 1016	2569	3161	4046	4410	4234	4869
62 / 1575	48 / 1219	2735	3364	4306	4693	4506	5181
62 / 1575	50 / 1270	2759	3393	4344	4735	4545	5227
62 / 1575	60 / 1524	2900	3567	4566	4977	4778	5494
62 / 1575	62 / 1575	2924	3597	4604	5018	4817	5540
72 / 1828	36 / 914	2621	3225	4128	4499	4319	4967
72 / 1828	40 / 1016	2645	3254	4165	4540	4359	5012
72 / 1828	48 / 1219	2834	3487	4463	4865	4670	5371
72 / 1828	50 / 1270	2857	3515	4499	4904	4708	5414
72 / 1828	60 / 1524	2976	3660	4686	5107	4903	5639
72 / 1828	62 / 1575	3000	3691	4723	5148	4943	5683
73 / 1854	36 / 914	2631	3236	4142	4515	4335	4985
73 / 1854	40 / 1016	2655	3266	4180	4556	4374	5030
73 / 1854	48 / 1219	2844	3498	4478	4880	4686	5388
73 / 1854	50 / 1270	2868	3527	4515	4922	4724	5434
73 / 1854	60 / 1524	2985	3672	4700	5123	4919	5656
73 / 1854	62 / 1575	3009	3702	4738	5164	4958	5701
74 / 1880	36 / 914	2640	3248	4157	4531	4350	5003
74 / 1880	40 / 1016	2664	3277	4194	4573	4390	5047
74 / 1880	48 / 1219	2853	3510	4493	4897	4700	5406
74 / 1880	50 / 1270	2877	3539	4530	4937	4740	5452
74 / 1880	60 / 1524	2994	3683	4715	5139	4933	5674
74 / 1880	62 / 1575	3018	3713	4752	5180	4973	5719

INSET 57" TOTAL (42" PLUS 15" GLASS) (H)

		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
48 / 1219	36 / 914	2338	2713	3542	3630	3727	4017
48 / 1219	40 / 1016	2409	2796	3650	3741	3841	4139
48 / 1219	48 / 1219	2598	3014	3935	4033	4141	4463
48 / 1219	50 / 1270	2645	3070	4007	4107	4217	4545
48 / 1219	60 / 1524	2787	3234	4221	4327	4443	4788
48 / 1219	62 / 1575	2834	3289	4294	4401	4519	4870
49 / 1245	36 / 914	2348	2725	3558	3646	3744	4034
49 / 1245	40 / 1016	2419	2807	3665	3756	3857	4156
49 / 1245	48 / 1219	2608	3027	3950	4050	4158	4481
49 / 1245	50 / 1270	2655	3081	4022	4122	4232	4561
49 / 1245	60 / 1524	2796	3245	4236	4342	4457	4804
49 / 1245	62 / 1575	2844	3300	4308	4416	4534	4886

Pricing is continued on the following page.

U Z C G

Lateral Floor Screen with Glass, with Shared Return (Continued)

DIMENSIONS
INCHES / MM


PRICING

INSET 57" TOTAL (42" PLUS 15" GLASS) (H) (CONTINUED)

		Source Laminate		Flintwood		Natural Veneer	
Screen Depth	Return Depth	Clear	Frost	Clear	Frost	Clear	Frost
50 / 1270	36 / 914	2357	2736	3571	3660	3759	4051
50 / 1270	40 / 1016	2428	2818	3678	3771	3871	4172
50 / 1270	48 / 1219	2617	3037	3965	4065	4173	4497
50 / 1270	50 / 1270	2664	3092	4035	4136	4247	4577
50 / 1270	60 / 1524	2805	3255	4250	4357	4473	4820
50 / 1270	62 / 1575	2853	3311	4322	4430	4549	4902
60 / 1524	36 / 914	2740	3179	4151	4255	4368	4708
60 / 1524	40 / 1016	2810	3261	4258	4364	4481	4829
60 / 1524	48 / 1219	3000	3481	4544	4658	4783	5153
60 / 1524	50 / 1270	3023	3509	4580	4695	4820	5195
60 / 1524	60 / 1524	3189	3701	4830	4951	5084	5479
60 / 1524	62 / 1575	3212	3727	4865	4987	5120	5518
61 / 1549	36 / 914	2749	3191	4164	4269	4384	4723
61 / 1549	40 / 1016	2820	3273	4271	4378	4496	4845
61 / 1549	48 / 1219	3009	3492	4558	4672	4797	5170
61 / 1549	50 / 1270	3033	3520	4594	4710	4836	5211
61 / 1549	60 / 1524	3198	3711	4845	4965	5098	5494
61 / 1549	62 / 1575	3221	3738	4879	5002	5135	5534
62 / 1575	36 / 914	2759	3201	4179	4284	4398	4740
62 / 1575	40 / 1016	2829	3283	4286	4393	4510	4860
62 / 1575	48 / 1219	3018	3502	4573	4687	4812	5186
62 / 1575	50 / 1270	3042	3531	4608	4724	4850	5227
62 / 1575	60 / 1524	3207	3723	4858	4980	5114	5511
62 / 1575	62 / 1575	3231	3750	4895	5017	5151	5551
72 / 1828	36 / 914	2834	3289	4294	4401	4519	4870
72 / 1828	40 / 1016	2905	3372	4401	4511	4632	4991
72 / 1828	48 / 1219	3094	3591	4687	4804	4933	5317
72 / 1828	50 / 1270	3117	3618	4722	4840	4970	5355
72 / 1828	60 / 1524	3306	3837	5008	5134	5271	5680
72 / 1828	62 / 1575	3330	3864	5044	5171	5309	5722
73 / 1854	36 / 914	2844	3300	4308	4416	4534	4886
73 / 1854	40 / 1016	2914	3382	4415	4526	4646	5007
73 / 1854	48 / 1219	3103	3602	4701	4819	4948	5332
73 / 1854	50 / 1270	3127	3629	4738	4856	4986	5374
73 / 1854	60 / 1524	3315	3847	5023	5148	5285	5696
73 / 1854	62 / 1575	3339	3875	5059	5186	5324	5737
74 / 1880	36 / 914	2853	3311	4322	4430	4549	4902
74 / 1880	40 / 1016	2924	3393	4429	4540	4661	5024
74 / 1880	48 / 1219	3113	3613	4715	4833	4962	5348
74 / 1880	50 / 1270	3137	3641	4751	4871	5001	5389
74 / 1880	60 / 1524	3325	3859	5036	5163	5301	5712
74 / 1880	62 / 1575	3349	3886	5072	5200	5338	5753

UZCS

Lateral Floor Screen with Solid, with Shared Return



Solid Lateral Floor Screen with shared return that attaches to a District or Power Spine Panel to provide casual lateral space division.

WHAT'S INCLUDED
1 lateral solid screen with shared return, attachment brackets.

NOTES
Support foot and bracket finish can be specified separately.

The Bracket location is determined by the location of the bracket in relation to the screen. The left handed orientation will have the visible mounting brackets on the right and the shared return will be on the left. The right handed orientation will have the visible mounting brackets on the left and the shared return will be on the right.

PRODUCT OPTIONS

Bracket Attachment	Height	Screen Depth	Return Depth	Handedness	Screen Support	Screen Finish	Bracket Finish	Foot Finish
MS Mid Spine	29, 42, 51, 57	48, 49, 50, 60, 61, 62, 72, 73, 74	36, 40, 48, 50, 60, 62	**L** Left **R** Right	**N** None	Source Laminate Flintwood Natural Veneer	Foundation Mica Accent	Foundation Mica Accent

SAMPLE ORDER CODE

UZCS MS	29	48	36	R	N	AG	74	74

DIMENSIONS
INCHES / MM

Height	Screen Depth	Return Depth
29 / 737	48 / 1219	36 / 914
29 / 737	48 / 1219	40 / 1016
29 / 737	48 / 1219	48 / 1219
29 / 737	48 / 1219	50 / 1270
29 / 737	48 / 1219	60 / 1524
29 / 737	48 / 1219	62 / 1575
29 / 737	49 / 1245	36 / 914
29 / 737	49 / 1245	40 / 1016
29 / 737	49 / 1245	48 / 1219
29 / 737	49 / 1245	50 / 1270
29 / 737	49 / 1245	60 / 1524
29 / 737	49 / 1245	62 / 1575
29 / 737	50 / 1270	36 / 914
29 / 737	50 / 1270	40 / 1016
29 / 737	50 / 1270	48 / 1219
29 / 737	50 / 1270	50 / 1270
29 / 737	50 / 1270	60 / 1524
29 / 737	50 / 1270	62 / 1575

PRICING

Source Laminate	Flintwood	Veneer
1039	1943	1943
1056	1974	1974
1087	2031	2031
1134	2121	2121
1205	2253	2253
1228	2297	2297
1049	1963	1963
1065	1992	1992
1096	2050	2050
1143	2137	2137
1215	2272	2272
1237	2315	2315
1059	1980	1980
1075	2012	2012
1105	2068	2068
1153	2157	2157
1224	2289	2289
1247	2332	2332

Pricing is continued on the following page.

UZCS

Lateral Floor Screen with Solid, with Shared Return (Continued)

DIMENSIONS
INCHES / MM

Height	Screen Depth	Return Depth
29 / 737	60 / 1524	36 / 914
29 / 737	60 / 1524	40 / 1016
29 / 737	60 / 1524	48 / 1219
29 / 737	60 / 1524	50 / 1270
29 / 737	60 / 1524	60 / 1524
29 / 737	60 / 1524	62 / 1575
29 / 737	61 / 1549	36 / 914
29 / 737	61 / 1549	40 / 1016
29 / 737	61 / 1549	48 / 1219
29 / 737	61 / 1549	50 / 1270
29 / 737	61 / 1549	60 / 1524
29 / 737	61 / 1549	62 / 1575
29 / 737	62 / 1575	36 / 914
29 / 737	62 / 1575	40 / 1016
29 / 737	62 / 1575	48 / 1219
29 / 737	62 / 1575	50 / 1270
29 / 737	62 / 1575	60 / 1524
29 / 737	62 / 1575	62 / 1575
29 / 737	72 / 1829	36 / 914
29 / 737	72 / 1829	40 / 1016
29 / 737	72 / 1829	48 / 1219
29 / 737	72 / 1829	50 / 1270
29 / 737	72 / 1829	60 / 1524
29 / 737	72 / 1829	62 / 1575
29 / 737	73 / 1854	36 / 914
29 / 737	73 / 1854	40 / 1016
29 / 737	73 / 1854	48 / 1219
29 / 737	73 / 1854	50 / 1270
29 / 737	73 / 1854	60 / 1524
29 / 737	73 / 1854	62 / 1575
29 / 737	74 / 1880	36 / 914
29 / 737	74 / 1880	40 / 1016
29 / 737	74 / 1880	48 / 1219
29 / 737	74 / 1880	50 / 1270
29 / 737	74 / 1880	60 / 1524
29 / 737	74 / 1880	62 / 1575
42 / 1067	48 / 1219	36 / 914
42 / 1067	48 / 1219	40 / 1016
42 / 1067	48 / 1219	48 / 1219
42 / 1067	48 / 1219	50 / 1270
42 / 1067	48 / 1219	60 / 1524
42 / 1067	48 / 1219	62 / 1575

PRICING

Source Laminate	Flintwood	Veneer
1276	2385	2385
1299	2429	2429
1323	2473	2473
1370	2563	2563
1441	2694	2694
1465	2740	2740
1285	2404	2404
1309	2449	2449
1332	2492	2492
1380	2581	2581
1450	2713	2713
1474	2758	2758
1295	2422	2422
1318	2467	2467
1341	2509	2509
1389	2599	2599
1460	2730	2730
1484	2775	2775
1299	2429	2429
1323	2473	2473
1370	2561	2561
1417	2650	2650
1488	2782	2782
1512	2827	2827
1309	2449	2449
1332	2492	2492
1380	2581	2581
1427	2668	2668
1497	2800	2800
1521	2845	2845
1318	2467	2467
1341	2509	2509
1389	2599	2599
1436	2686	2686
1507	2818	2818
1530	2862	2862
1299	2429	2429
1347	2517	2517
1465	2738	2738
1512	2827	2827
1630	3047	3047
1653	3092	3092

Pricing is continued on the following page.

U Z C S

Lateral Floor Screen with Solid, with Shared Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

Height	Screen Depth	Return Depth	Source Laminate	Flintwood	Veneer
42 / 1067	49 / 1245	36 / 914	1309	2449	2449
42 / 1067	49 / 1245	40 / 1016	1356	2536	2536
42 / 1067	49 / 1245	48 / 1219	1474	2758	2758
42 / 1067	49 / 1245	50 / 1270	1521	2845	2845
42 / 1067	49 / 1245	60 / 1524	1640	3066	3066
42 / 1067	49 / 1245	62 / 1575	1662	3109	3109
42 / 1067	50 / 1270	36 / 914	1318	2467	2467
42 / 1067	50 / 1270	40 / 1016	1365	2554	2554
42 / 1067	50 / 1270	48 / 1219	1484	2775	2775
42 / 1067	50 / 1270	50 / 1270	1530	2862	2862
42 / 1067	50 / 1270	60 / 1524	1649	3084	3084
42 / 1067	50 / 1270	62 / 1575	1673	3128	3128
42 / 1067	60 / 1524	36 / 914	1725	3224	3224
42 / 1067	60 / 1524	40 / 1016	1771	3312	3312
42 / 1067	60 / 1524	48 / 1219	1890	3533	3533
42 / 1067	48 / 1219	50 / 1270	1937	3622	3622
42 / 1067	60 / 1524	60 / 1524	2055	3842	3842
42 / 1067	48 / 1219	62 / 1575	2078	3886	3886
42 / 1067	61 / 1549	36 / 914	1734	3244	3244
42 / 1067	61 / 1549	40 / 1016	1781	3331	3331
42 / 1067	61 / 1549	48 / 1219	1899	3552	3552
42 / 1067	61 / 1549	50 / 1270	1946	3640	3640
42 / 1067	61 / 1549	60 / 1524	2064	3861	3861
42 / 1067	61 / 1549	62 / 1575	2088	3906	3906
42 / 1067	62 / 1575	36 / 914	1743	3260	3260
42 / 1067	62 / 1575	40 / 1016	1790	3349	3349
42 / 1067	62 / 1575	48 / 1219	1909	3570	3570
42 / 1067	62 / 1575	50 / 1270	1955	3657	3657
42 / 1067	62 / 1575	60 / 1524	2074	3879	3879
42 / 1067	62 / 1575	62 / 1575	2098	3923	3923
42 / 1067	72 / 1829	36 / 914	1748	3268	3268
42 / 1067	72 / 1829	40 / 1016	1818	3401	3401
42 / 1067	72 / 1829	48 / 1219	1937	3621	3621
42 / 1067	72 / 1829	50 / 1270	1984	3711	3711
42 / 1067	72 / 1829	60 / 1524	2102	3931	3931
42 / 1067	72 / 1829	62 / 1575	2126	3976	3976
42 / 1067	73 / 1854	36 / 914	1757	3286	3286
42 / 1067	73 / 1854	40 / 1016	1829	3420	3420
42 / 1067	73 / 1854	48 / 1219	1946	3640	3640
42 / 1067	73 / 1854	50 / 1270	1994	3729	3729
42 / 1067	73 / 1854	60 / 1524	2111	3948	3948
42 / 1067	73 / 1854	62 / 1575	2135	3993	3993

Pricing is continued on the following page.

UZCS

Lateral Floor Screen with Solid, with Shared Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

Height	Screen Depth	Return Depth	Source Laminate	Flintwood	Veneer
42 / 1067	74 / 1880	36 / 914	1766	3303	3303
42 / 1067	74 / 1880	40 / 1016	1838	3438	3438
42 / 1067	74 / 1880	48 / 1219	1955	3657	3657
42 / 1067	74 / 1880	50 / 1270	2003	3747	3747
42 / 1067	74 / 1880	60 / 1524	2121	3966	3966
42 / 1067	74 / 1880	62 / 1575	2144	4011	4011
51 / 1295	48 / 1219	36 / 914	1536	n/a	n/a
51 / 1295	48 / 1219	40 / 1016	1582	n/a	n/a
51 / 1295	48 / 1219	48 / 1219	1725	n/a	n/a
51 / 1295	48 / 1219	50 / 1270	1748	n/a	n/a
51 / 1295	48 / 1219	60 / 1524	1890	n/a	n/a
51 / 1295	48 / 1219	62 / 1575	1937	n/a	n/a
51 / 1295	49 / 1245	36 / 914	1545	n/a	n/a
51 / 1295	49 / 1245	40 / 1016	1592	n/a	n/a
51 / 1295	49 / 1245	48 / 1219	1734	n/a	n/a
51 / 1295	49 / 1245	50 / 1270	1757	n/a	n/a
51 / 1295	49 / 1245	60 / 1524	1899	n/a	n/a
51 / 1295	49 / 1245	62 / 1575	1946	n/a	n/a
51 / 1295	50 / 1270	36 / 914	1554	n/a	n/a
51 / 1295	50 / 1270	40 / 1016	1601	n/a	n/a
51 / 1295	50 / 1270	48 / 1219	1743	n/a	n/a
51 / 1295	50 / 1270	50 / 1270	1766	n/a	n/a
51 / 1295	50 / 1270	60 / 1524	1909	n/a	n/a
51 / 1295	50 / 1270	62 / 1575	1955	n/a	n/a
51 / 1295	60 / 1524	36 / 914	1890	n/a	n/a
51 / 1295	60 / 1524	40 / 1016	1937	n/a	n/a
51 / 1295	60 / 1524	48 / 1219	2078	n/a	n/a
51 / 1295	60 / 1524	50 / 1270	2126	n/a	n/a
51 / 1295	60 / 1524	60 / 1524	2220	n/a	n/a
51 / 1295	60 / 1524	62 / 1575	2267	n/a	n/a
51 / 1295	61 / 1549	36 / 914	1899	n/a	n/a
51 / 1295	61 / 1549	40 / 1016	1946	n/a	n/a
51 / 1295	61 / 1549	48 / 1219	2088	n/a	n/a
51 / 1295	61 / 1549	50 / 1270	2135	n/a	n/a
51 / 1295	61 / 1549	60 / 1524	2230	n/a	n/a
51 / 1295	61 / 1549	62 / 1575	2276	n/a	n/a
51 / 1295	62 / 1575	36 / 914	1909	n/a	n/a
51 / 1295	62 / 1575	40 / 1016	1955	n/a	n/a
51 / 1295	62 / 1575	48 / 1219	2098	n/a	n/a
51 / 1295	62 / 1575	50 / 1270	2144	n/a	n/a
51 / 1295	62 / 1575	60 / 1524	2239	n/a	n/a
51 / 1295	62 / 1575	62 / 1575	2286	n/a	n/a

Pricing is continued on the following page.

U Z C S

Lateral Floor Screen with Solid, with Shared Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

Height	Screen Depth	Return Depth	Source Laminate	Flintwood	Veneer
51 / 1295	72 / 1829	36 / 914	2031	n/a	n/a
51 / 1295	72 / 1829	40 / 1016	2078	n/a	n/a
51 / 1295	72 / 1829	48 / 1219	2196	n/a	n/a
51 / 1295	72 / 1829	50 / 1270	2220	n/a	n/a
51 / 1295	72 / 1829	60 / 1524	2409	n/a	n/a
51 / 1295	72 / 1829	62 / 1575	2456	n/a	n/a
51 / 1295	73 / 1854	36 / 914	2041	n/a	n/a
51 / 1295	73 / 1854	40 / 1016	2088	n/a	n/a
51 / 1295	73 / 1854	48 / 1219	2206	n/a	n/a
51 / 1295	73 / 1854	50 / 1270	2230	n/a	n/a
51 / 1295	73 / 1854	60 / 1524	2419	n/a	n/a
51 / 1295	73 / 1854	62 / 1575	2466	n/a	n/a
51 / 1295	74 / 1880	36 / 914	2050	n/a	n/a
51 / 1295	74 / 1880	40 / 1016	2098	n/a	n/a
51 / 1295	74 / 1880	48 / 1219	2215	n/a	n/a
51 / 1295	74 / 1880	50 / 1270	2239	n/a	n/a
51 / 1295	74 / 1880	60 / 1524	2428	n/a	n/a
51 / 1295	74 / 1880	62 / 1575	2475	n/a	n/a
57 / 1448	48 / 1219	36 / 914	1725	n/a	n/a
57 / 1448	48 / 1219	40 / 1016	1771	n/a	n/a
57 / 1448	48 / 1219	48 / 1219	1913	n/a	n/a
57 / 1448	48 / 1219	50 / 1270	1937	n/a	n/a
57 / 1448	48 / 1219	60 / 1524	2078	n/a	n/a
57 / 1448	48 / 1219	62 / 1575	2126	n/a	n/a
57 / 1448	49 / 1245	36 / 914	1734	n/a	n/a
57 / 1448	49 / 1245	40 / 1016	1781	n/a	n/a
57 / 1448	49 / 1245	48 / 1219	1922	n/a	n/a
57 / 1448	49 / 1245	50 / 1270	1946	n/a	n/a
57 / 1448	49 / 1245	60 / 1524	2088	n/a	n/a
57 / 1448	49 / 1245	62 / 1575	2135	n/a	n/a
57 / 1448	50 / 1270	36 / 914	1743	n/a	n/a
57 / 1448	50 / 1270	40 / 1016	1790	n/a	n/a
57 / 1448	50 / 1270	48 / 1219	1933	n/a	n/a
57 / 1448	50 / 1270	50 / 1270	1955	n/a	n/a
57 / 1448	50 / 1270	60 / 1524	2098	n/a	n/a
57 / 1448	50 / 1270	62 / 1575	2144	n/a	n/a
57 / 1448	60 / 1524	36 / 914	2078	n/a	n/a
57 / 1448	60 / 1524	40 / 1016	2126	n/a	n/a
57 / 1448	60 / 1524	48 / 1219	2267	n/a	n/a
57 / 1448	48 / 1219	50 / 1270	2315	n/a	n/a
57 / 1448	60 / 1524	60 / 1524	2409	n/a	n/a
57 / 1448	48 / 1219	62 / 1575	2456	n/a	n/a

Pricing is continued on the following page.

UZCS

Lateral Floor Screen with Solid, with Shared Return (Continued)


DIMENSIONS
INCHES / MM

Height	Screen Depth	Return Depth
57 / 1448	61 / 1549	36 / 914
57 / 1448	61 / 1549	40 / 1016
57 / 1448	61 / 1549	48 / 1219
57 / 1448	61 / 1549	50 / 1270
57 / 1448	61 / 1549	60 / 1524
57 / 1448	61 / 1549	62 / 1575
57 / 1448	62 / 1575	36 / 914
57 / 1448	62 / 1575	40 / 1016
57 / 1448	62 / 1575	48 / 1219
57 / 1448	62 / 1575	50 / 1270
57 / 1448	62 / 1575	60 / 1524
57 / 1448	62 / 1575	62 / 1575
57 / 1448	72 / 1829	36 / 914
57 / 1448	72 / 1829	40 / 1016
57 / 1448	72 / 1829	48 / 1219
57 / 1448	72 / 1829	50 / 1270
57 / 1448	72 / 1829	60 / 1524
57 / 1448	72 / 1829	62 / 1575
57 / 1448	73 / 1854	36 / 914
57 / 1448	73 / 1854	40 / 1016
57 / 1448	73 / 1854	48 / 1219
57 / 1448	73 / 1854	50 / 1270
57 / 1448	73 / 1854	60 / 1524
57 / 1448	73 / 1854	62 / 1575
57 / 1448	74 / 1880	36 / 914
57 / 1448	74 / 1880	40 / 1016
57 / 1448	74 / 1880	48 / 1219
57 / 1448	74 / 1880	50 / 1270
57 / 1448	74 / 1880	60 / 1524
57 / 1448	74 / 1880	62 / 1575

PRICING

Source Laminate	Flintwood	Veneer
2088	n/a	n/a
2135	n/a	n/a
2276	n/a	n/a
2324	n/a	n/a
2419	n/a	n/a
2466	n/a	n/a
2098	n/a	n/a
2144	n/a	n/a
2286	n/a	n/a
2334	n/a	n/a
2428	n/a	n/a
2475	n/a	n/a
2220	n/a	n/a
2267	n/a	n/a
2386	n/a	n/a
2409	n/a	n/a
2598	n/a	n/a
2645	n/a	n/a
2230	n/a	n/a
2276	n/a	n/a
2395	n/a	n/a
2419	n/a	n/a
2608	n/a	n/a
2655	n/a	n/a
2239	n/a	n/a
2286	n/a	n/a
2404	n/a	n/a
2428	n/a	n/a
2617	n/a	n/a
2664	n/a	n/a

UGSSS
Gallery Screen



Gallery Screen attaches to a District or Power Spine Panel to provide casual lateral space division.

WHAT'S INCLUDED
1 gallery screen, attachment brackets.

NOTES
Handedness of the screen is determined when a user is facing the panel, what hand the screen on.

Bracket Attachment (ED) and (MS) are not available with Handedness Left (L) and Right (R).

Bracket Attachment (ES) or (EB) is not available with Handedness Not Applicable (N).

If Height 51" is selected, Depths 48", 60", 72" are not available with Screen Finish Flintwood and Natural Veneer.

Edge trim finishes default to screen finish.

PRODUCT OPTIONS

Bracket Attachment	Height	Depth	Handedness	Screen Support	Screen Finish	Leveler Finish
ES End Mounted Single	42, 51	24, 30, 36, 42, 48, 60, 72, 84	**N** Not Applicable	**N** None	Foundation Laminate	Foundation
EB End Mounted Double			**L** Left		Flintwood	Mica
ED End Mounted Shared			**R** Right		Natural Veneer	Accent
MS Mid Spine						

SAMPLE ORDER CODE

UGSSS ES	51	30	R	N	AG	74

DIMENSIONS
INCHES / MM

PRICING

H	W	Foundation Laminate	Flintwood	Natural Veneer
42 / 1067	24 / 610	780	990	990
42 / 1067	30 / 762	924	1163	1163
42 / 1067	36 / 914	1158	1427	1427
42 / 1067	42 / 1067	1283	1581	1581
42 / 1067	48 / 1219	1357	1683	1683
42 / 1067	60 / 1524	1639	2023	2023
42 / 1067	72 / 1829	2061	2505	2505
42 / 1067	84 / 2134	2484	2987	2987
51 / 1295	24 / 610	1004	1242	1242
51 / 1295	30 / 762	1252	1524	1524
51 / 1295	36 / 914	1419	1727	1727
51 / 1295	42 / 1067	1482	1824	1824
51 / 1295	48 / 1219	1729	N/A	n/a
51 / 1295	60 / 1524	2326	N/A	n/a
51 / 1295	72 / 1829	2594	N/A	n/a
51 / 1295	84 / 2134	3153	3743	3743

UGSGS
Gallery Screen with Glass

Gallery Screen with Glass attaches to a District or Power Spine Panel to provide casual lateral space division.

WHAT'S INCLUDED
1 gallery screen with glass, attachment brackets.

NOTES
Handedness of the screen is determined when a user is facing the panel, what hand the screen on.

Bracket Attachment (ED) and (MS) are not available with Handedness Left (L) and Right (R).

Bracket Attachment (ES) or (EB) is not available with Handedness Not Applicable (N).

Edge trim finishes default to screen finish.



PRODUCT OPTIONS

Bracket Attachment	Height	Depth	Handedness	Screen Support	Screen Finish	Glass Finish	Leveler Finish
ES End Mounted Single	**E** Inset 51" total (42" plus 9" glass)	24, 30, 36, 42, 48, 60, 72, 84	**N** Not Applicable	**N** None	Foundation Laminate	**CL** Clear	Foundation
EB End Mounted Double	**H** Inset 57"total (42" plus 15" glass)		**L** Left		Flintwood	**FT** Frost	Mica
ED End Mounted Shared			**R** Right		Natural Veneer		Accent
MS Mid Spine							

SAMPLE ORDER CODE

UGSGS ES	E	30	R	N	AG	CL	74

DIMENSIONS
INCHES / MM

PRICING

H	D	Foundation Laminate Clear	Foundation Laminate Frost	Flintwood Clear	Flintwood Frost	Natural Veneer Clear	Natural Veneer Frost
51 / 1295	24 / 610	1030	1120	1250	1330	1250	1330
51 / 1295	30 / 762	1232	1345	1483	1584	1483	1584
51 / 1295	36 / 914	1524	1659	1807	1928	1807	1928
51 / 1295	42 / 1067	1685	1842	1999	2140	1999	2140
51 / 1295	48 / 1219	1774	1954	2117	2280	2117	2280
51 / 1295	60 / 1524	2090	2315	2494	2699	2494	2699
51 / 1295	72 / 1829	2598	2867	3065	3310	3065	3310
51 / 1295	84 / 2134	3055	3369	3586	3871	3586	3871
57 / 1448	24 / 610	1060	1198	1281	1409	1281	1409
57 / 1448	30 / 762	1270	1443	1522	1683	1522	1683
57 / 1448	36 / 914	1570	1777	1854	2047	1854	2047
57 / 1448	42 / 1067	1738	1980	2053	2279	2053	2279
57 / 1448	48 / 1219	1836	2112	2180	2439	2180	2439
57 / 1448	60 / 1524	2167	2512	2572	2897	2572	2897
57 / 1448	72 / 1829	2690	3104	3159	3549	3159	3549
57 / 1448	84 / 2134	3163	3646	3695	4150	3695	4150

UGSSL

Gallery Screen with Return


Gallery Screen with Return attaches to a District or Power Spine Panel to provide casual lateral space division.

WHAT'S INCLUDED
1 gallery screen with return, attachment brackets.

NOTES
If Height 51" is selected then only Foundation Laminate option is available.

The handedness of the screen is determined by the location of the return in relation to the user facing.

Edge trim finishes default to screen finish.



PRODUCT OPTIONS

Bracket Attachment	Height	Depth	Return Depth	Handedness	Screen Support	Screen Finish	Leveler Finish
ES End Mounted Single **EB** End Mounted Double **MS** Mid Spine	42, 51	48, 49, 50, 60, 61, 62, 72, 73, 74, 84, 85, 86	18, 20, 24, 25, 30, 31	**L** Left **R** Right	**N** None	Foundation Laminate Flintwood Natural Veneer	Foundation Mica Accent

SAMPLE ORDER CODE

UGSSL ES	42	48	18	R	N	AG	74

DIMENSIONS
INCHES / MM

Height	Depth	Return Depth
42 / 1067	48 / 1219	18 / 457
42 / 1067	48 / 1219	20 / 508
42 / 1067	48 / 1219	24 / 610
42 / 1067	48 / 1219	25 / 635
42 / 1067	48 / 1219	30 / 762
42 / 1067	48 / 1219	31 / 787
42 / 1067	49 / 1245	18 / 457
42 / 1067	49 / 1245	20 / 508
42 / 1067	49 / 1245	24 / 610
42 / 1067	49 / 1245	25 / 635
42 / 1067	49 / 1245	30 / 762
42 / 1067	49 / 1245	31 / 787
42 / 1067	50 / 1270	18 / 457
42 / 1067	50 / 1270	20 / 508
42 / 1067	50 / 1270	24 / 610
42 / 1067	50 / 1270	25 / 635
42 / 1067	50 / 1270	30 / 762
42 / 1067	50 / 1270	31 / 787

PRICING

Foundation Laminate	Flintwood	Veneer
2080	2600	2600
2161	2690	2690
2177	2725	2725
2317	2871	2871
2322	2899	2899
2366	2949	2949
2155	2681	2681
2237	2771	2771
2253	2806	2806
2393	2952	2952
2397	2980	2980
2442	3030	3030
2156	2687	2687
2238	2777	2777
2254	2812	2812
2394	2958	2958
2398	2986	2986
2443	3036	3036

Pricing is continued on the following page.

UGSSL

Gallery Screen with Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

Height	Depth	Return Depth	Foundation Laminate	Flintwood	Veneer
42 / 1067	60 / 1524	18 / 457	2361	2940	2940
42 / 1067	60 / 1524	20 / 508	2442	3030	3030
42 / 1067	60 / 1524	24 / 610	2458	3065	3065
42 / 1067	60 / 1524	25 / 635	2598	3212	3212
42 / 1067	60 / 1524	30 / 762	2603	3239	3239
42 / 1067	60 / 1524	31 / 787	2647	3289	3289
42 / 1067	61 / 1549	18 / 457	2736	3325	3325
42 / 1067	61 / 1549	20 / 508	2817	3415	3415
42 / 1067	61 / 1549	24 / 610	2833	3450	3450
42 / 1067	61 / 1549	25 / 635	2973	3596	3596
42 / 1067	61 / 1549	30 / 762	2978	3624	3624
42 / 1067	61 / 1549	31 / 787	3022	3674	3674
42 / 1067	62 / 1575	18 / 457	2737	3331	3331
42 / 1067	62 / 1575	20 / 508	2818	3421	3421
42 / 1067	62 / 1575	24 / 610	2834	3456	3456
42 / 1067	62 / 1575	25 / 635	2974	3602	3602
42 / 1067	62 / 1575	30 / 762	2979	3630	3630
42 / 1067	62 / 1575	31 / 787	3023	3680	3680
42 / 1067	72 / 1829	18 / 457	2784	3424	3424
42 / 1067	72 / 1829	20 / 508	2865	3514	3514
42 / 1067	72 / 1829	24 / 610	2881	3549	3549
42 / 1067	72 / 1829	25 / 635	3021	3696	3696
42 / 1067	72 / 1829	30 / 762	3026	3724	3724
42 / 1067	72 / 1829	31 / 787	3070	3773	3773
42 / 1067	73 / 1854	18 / 457	2785	3430	3430
42 / 1067	73 / 1854	20 / 508	2866	3520	3520
42 / 1067	73 / 1854	24 / 610	2882	3555	3555
42 / 1067	73 / 1854	25 / 635	3022	3701	3701
42 / 1067	73 / 1854	30 / 762	3027	3729	3729
42 / 1067	73 / 1854	31 / 787	3071	3779	3779
42 / 1067	74 / 1880	18 / 457	2785	3435	3435
42 / 1067	74 / 1880	20 / 508	2867	3526	3526
42 / 1067	74 / 1880	24 / 610	2883	3561	3561
42 / 1067	74 / 1880	25 / 635	3023	3707	3707
42 / 1067	74 / 1880	30 / 762	3028	3735	3735
42 / 1067	74 / 1880	31 / 787	3072	3785	3785
42 / 1067	84 / 2134	18 / 457	3206	3908	3908
42 / 1067	84 / 2134	20 / 508	3288	3998	3998
42 / 1067	84 / 2134	24 / 610	3304	4033	4033
42 / 1067	84 / 2134	25 / 635	3444	4180	4180
42 / 1067	84 / 2134	30 / 762	3448	4208	4208
42 / 1067	84 / 2134	31 / 787	3493	4257	4257

Pricing is continued on the following page.

UGSSL

Gallery Screen with Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

Height	Depth	Return Depth	Foundation Laminate	Flintwood	Veneer
42 / 1067	85 / 2159	18 / 457	3207	3914	3914
42 / 1067	85 / 2159	20 / 508	3289	4004	4004
42 / 1067	85 / 2159	24 / 610	3305	4039	4039
42 / 1067	85 / 2159	25 / 635	3444	4185	4185
42 / 1067	85 / 2159	30 / 762	3449	4213	4213
42 / 1067	85 / 2159	31 / 787	3494	4263	4263
42 / 1067	86 / 2184	18 / 457	3208	3919	3919
42 / 1067	86 / 2184	20 / 508	3289	4010	4010
42 / 1067	86 / 2184	24 / 610	3306	4045	4045
42 / 1067	86 / 2184	25 / 635	3445	4191	4191
42 / 1067	86 / 2184	30 / 762	3450	4219	4219
42 / 1067	86 / 2184	31 / 787	3495	4268	4268
51 / 1295	48 / 1219	18 / 457	2613	n/a	n/a
51 / 1295	48 / 1219	20 / 508	2645	n/a	n/a
51 / 1295	48 / 1219	24 / 610	2774	n/a	n/a
51 / 1295	48 / 1219	25 / 635	2884	n/a	n/a
51 / 1295	48 / 1219	30 / 762	3021	n/a	n/a
51 / 1295	48 / 1219	31 / 787	3038	n/a	n/a
51 / 1295	49 / 1245	18 / 457	2999	n/a	n/a
51 / 1295	49 / 1245	20 / 508	3031	n/a	n/a
51 / 1295	49 / 1245	24 / 610	3160	n/a	n/a
51 / 1295	49 / 1245	25 / 635	3270	n/a	n/a
51 / 1295	49 / 1245	30 / 762	3408	n/a	n/a
51 / 1295	49 / 1245	31 / 787	3424	n/a	n/a
51 / 1295	50 / 1270	18 / 457	3003	n/a	n/a
51 / 1295	50 / 1270	20 / 508	3036	n/a	n/a
51 / 1295	50 / 1270	24 / 610	3165	n/a	n/a
51 / 1295	50 / 1270	25 / 635	3275	n/a	n/a
51 / 1295	50 / 1270	30 / 762	3412	n/a	n/a
51 / 1295	50 / 1270	31 / 787	3429	n/a	n/a
51 / 1295	60 / 1524	18 / 457	3209	n/a	n/a
51 / 1295	60 / 1524	20 / 508	3242	n/a	n/a
51 / 1295	60 / 1524	24 / 610	3371	n/a	n/a
51 / 1295	60 / 1524	25 / 635	3480	n/a	n/a
51 / 1295	60 / 1524	30 / 762	3618	n/a	n/a
51 / 1295	60 / 1524	31 / 787	3634	n/a	n/a
51 / 1295	61 / 1549	18 / 457	3210	n/a	n/a
51 / 1295	61 / 1549	20 / 508	3243	n/a	n/a
51 / 1295	61 / 1549	24 / 610	3372	n/a	n/a
51 / 1295	61 / 1549	25 / 635	3482	n/a	n/a
51 / 1295	61 / 1549	30 / 762	3619	n/a	n/a
51 / 1295	61 / 1549	31 / 787	3635	n/a	n/a

Pricing is continued on the following page.

UGSSL

Gallery Screen with Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

Height	Depth	Return Depth	Foundation Laminate	Flintwood	Veneer
51 / 1295	62 / 1575	18 / 457	3211	n/a	n/a
51 / 1295	62 / 1575	20 / 508	3244	n/a	n/a
51 / 1295	62 / 1575	24 / 610	3373	n/a	n/a
51 / 1295	62 / 1575	25 / 635	3483	n/a	n/a
51 / 1295	62 / 1575	30 / 762	3620	n/a	n/a
51 / 1295	62 / 1575	31 / 787	3636	n/a	n/a
51 / 1295	72 / 1829	18 / 457	3477	n/a	n/a
51 / 1295	72 / 1829	20 / 508	3510	n/a	n/a
51 / 1295	72 / 1829	24 / 610	3639	n/a	n/a
51 / 1295	72 / 1829	25 / 635	3749	n/a	n/a
51 / 1295	72 / 1829	30 / 762	3886	n/a	n/a
51 / 1295	72 / 1829	31 / 787	3902	n/a	n/a
51 / 1295	73 / 1854	18 / 457	3489	n/a	n/a
51 / 1295	73 / 1854	20 / 508	3522	n/a	n/a
51 / 1295	73 / 1854	24 / 610	3651	n/a	n/a
51 / 1295	73 / 1854	25 / 635	3761	n/a	n/a
51 / 1295	73 / 1854	30 / 762	3898	n/a	n/a
51 / 1295	73 / 1854	31 / 787	3915	n/a	n/a
51 / 1295	74 / 1880	18 / 457	3502	n/a	n/a
51 / 1295	74 / 1880	20 / 508	3534	n/a	n/a
51 / 1295	74 / 1880	24 / 610	3663	n/a	n/a
51 / 1295	74 / 1880	25 / 635	3773	n/a	n/a
51 / 1295	74 / 1880	30 / 762	3911	n/a	n/a
51 / 1295	74 / 1880	31 / 787	3927	n/a	n/a
51 / 1295	84 / 2134	18 / 457	4036	n/a	n/a
51 / 1295	84 / 2134	20 / 508	4069	n/a	n/a
51 / 1295	84 / 2134	24 / 610	4198	n/a	n/a
51 / 1295	84 / 2134	25 / 635	4308	n/a	n/a
51 / 1295	84 / 2134	30 / 762	4445	n/a	n/a
51 / 1295	84 / 2134	31 / 787	4461	n/a	n/a
51 / 1295	85 / 2159	18 / 457	4048	n/a	n/a
51 / 1295	85 / 2159	20 / 508	4081	n/a	n/a
51 / 1295	85 / 2159	24 / 610	4210	n/a	n/a
51 / 1295	85 / 2159	25 / 635	4320	n/a	n/a
51 / 1295	85 / 2159	30 / 762	4457	n/a	n/a
51 / 1295	85 / 2159	31 / 787	4474	n/a	n/a
51 / 1295	86 / 2184	18 / 457	4061	n/a	n/a
51 / 1295	86 / 2184	20 / 508	4093	n/a	n/a
51 / 1295	86 / 2184	24 / 610	4223	n/a	n/a
51 / 1295	86 / 2184	25 / 635	4332	n/a	n/a
51 / 1295	86 / 2184	30 / 762	4470	n/a	n/a
51 / 1295	86 / 2184	31 / 787	4486	n/a	n/a

UGSGL


Gallery Screen with Glass with Return

Gallery Screen with Glass with Return attaches to a District or Power Spine Panel to provide casual lateral space division.

WHAT'S INCLUDED
1 gallery screen with glass with return, attachment brackets.

NOTES
Handedness of the screen is determined by the location of the return in relation to the user facing.

Edge trim finishes default to screen finish.



PRODUCT OPTIONS

Bracket Attachment	Height	Depth	Return Depth	Handedness	Screen Support	Screen Finish	Glass Finish	Leveler Finish
ES End Mounted Single	**E** Inset 51" total (42" plus 9" glass)	48, 49, 50, 60, 61, 62, 72, 73, 74, 84, 85, 86	18, 20, 24, 25, 30, 31	**L** Left	**N** None	Foundation Laminate	**CL** Clear	Foundation
EB End Mounted Double	**H** Inset 57" total (42" plus 15" glass)			**R** Right		Flintwood	**FT** Frost	Mica
MS Mid Spine						Natural Veneer		Accent

SAMPLE ORDER CODE

UGSGL ES	E	48	18	R	N	AG	CL	74

DIMENSIONS
INCHES / MM

Height	Depth	Return Depth
51 / 1295	48 / 1219	18 / 457
51 / 1295	48 / 1219	20 / 508
51 / 1295	48 / 1219	24 / 610
51 / 1295	48 / 1219	25 / 635
51 / 1295	48 / 1219	30 / 762
51 / 1295	48 / 1219	31 / 787
51 / 1295	49 / 1245	18 / 457
51 / 1295	49 / 1245	20 / 508
51 / 1295	49 / 1245	24 / 610
51 / 1295	49 / 1245	25 / 635
51 / 1295	49 / 1245	30 / 762
51 / 1295	49 / 1245	31 / 787
51 / 1295	50 / 1270	18 / 457
51 / 1295	50 / 1270	20 / 508
51 / 1295	50 / 1270	24 / 610
51 / 1295	50 / 1270	25 / 635
51 / 1295	50 / 1270	30 / 762
51 / 1295	50 / 1270	31 / 787

PRICING

Foundation Laminate		Flintwood		Veneer	
Clear	**Frost**	**Clear**	**Frost**	**Clear**	**Frost**
2709	2955	3220	3479	3220	3479
2800	3052	3318	3586	3318	3586
2848	3115	3385	3668	3385	3668
3000	3271	3543	3830	3543	3830
3051	3341	3617	3924	3617	3924
3107	3400	3678	3988	3678	3988
2792	3041	3308	3572	3308	3572
2883	3139	3406	3678	3406	3678
2931	3202	3474	3761	3474	3761
3083	3358	3631	3923	3631	3923
3134	3427	3706	4016	3706	4016
3190	3487	3766	4081	3766	4081
2796	3048	3316	3584	3316	3584
2886	3146	3414	3690	3414	3690
2935	3209	3482	3773	3482	3773
3087	3365	3639	3935	3639	3935
3138	3435	3714	4028	3714	4028
3193	3494	3774	4093	3774	4093

Pricing is continued on the following page.

UGSGL

Gallery Screen with Glass with Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

Height	Depth	Return Depth	Foundation Laminate Clear	Foundation Laminate Frost	Flintwood Clear	Flintwood Frost	Veneer Clear	Veneer Frost
51 / 1295	60 / 1524	18 / 457	3026	3316	3594	3900	3594	3900
51 / 1295	60 / 1524	20 / 508	3117	3413	3692	4007	3692	4007
51 / 1295	60 / 1524	24 / 610	3165	3477	3760	4089	3760	4089
51 / 1295	60 / 1524	25 / 635	3317	3632	3917	4251	3917	4251
51 / 1295	60 / 1524	30 / 762	3368	3702	3992	4345	3992	4345
51 / 1295	60 / 1524	31 / 787	3423	3761	4052	4409	4052	4409
51 / 1295	61 / 1549	18 / 457	3458	3752	4034	4346	4034	4346
51 / 1295	61 / 1549	20 / 508	3549	3850	4133	4453	4133	4453
51 / 1295	61 / 1549	24 / 610	3597	3913	4200	4535	4200	4535
51 / 1295	61 / 1549	25 / 635	3749	4068	4358	4697	4358	4697
51 / 1295	61 / 1549	30 / 762	3800	4138	4432	4791	4432	4791
51 / 1295	61 / 1549	31 / 787	3856	4197	4493	4855	4493	4855
51 / 1295	62 / 1575	18 / 457	3462	3759	4042	4358	4042	4358
51 / 1295	62 / 1575	20 / 508	3552	3857	4141	4465	4141	4465
51 / 1295	62 / 1575	24 / 610	3601	3920	4208	4547	4208	4547
51 / 1295	62 / 1575	25 / 635	3753	4076	4366	4709	4366	4709
51 / 1295	62 / 1575	30 / 762	3804	4145	4440	4803	4440	4803
51 / 1295	62 / 1575	31 / 787	3859	4205	4501	4867	4501	4867
51 / 1295	72 / 1829	18 / 457	3535	3869	4162	4515	4162	4515
51 / 1295	72 / 1829	20 / 508	3625	3966	4260	4622	4260	4622
51 / 1295	72 / 1829	24 / 610	3673	4030	4327	4704	4327	4704
51 / 1295	72 / 1829	25 / 635	3825	4185	4485	4866	4485	4866
51 / 1295	72 / 1829	30 / 762	3876	4255	4560	4960	4560	4960
51 / 1295	72 / 1829	31 / 787	3932	4314	4620	5024	4620	5024
51 / 1295	73 / 1854	18 / 457	3543	3880	4174	4532	4174	4532
51 / 1295	73 / 1854	20 / 508	3633	3978	4273	4638	4273	4638
51 / 1295	73 / 1854	24 / 610	3682	4041	4340	4721	4340	4721
51 / 1295	73 / 1854	25 / 635	3833	4197	4498	4883	4498	4883
51 / 1295	73 / 1854	30 / 762	3884	4267	4572	4976	4572	4976
51 / 1295	73 / 1854	31 / 787	3940	4326	4633	5041	4633	5041
51 / 1295	74 / 1880	18 / 457	3546	3888	4182	4544	4182	4544
51 / 1295	74 / 1880	20 / 508	3637	3985	4281	4650	4281	4650
51 / 1295	74 / 1880	24 / 610	3685	4049	4348	4732	4348	4732
51 / 1295	74 / 1880	25 / 635	3837	4204	4506	4895	4506	4895
51 / 1295	74 / 1880	30 / 762	3888	4274	4580	4988	4580	4988
51 / 1295	74 / 1880	31 / 787	3944	4333	4641	5053	4641	5053
51 / 1295	84 / 2134	18 / 457	3993	4371	4678	5079	4678	5079
51 / 1295	84 / 2134	20 / 508	4083	4469	4777	5185	4777	5185
51 / 1295	84 / 2134	24 / 610	4131	4532	4844	5268	4844	5268
51 / 1295	84 / 2134	25 / 635	4283	4688	5002	5430	5002	5430
51 / 1295	84 / 2134	30 / 762	4334	4757	5076	5523	5076	5523
51 / 1295	84 / 2134	31 / 787	4390	4817	5137	5588	5137	5588

Pricing is continued on the following page.

UGSGL

Gallery Screen with Glass with Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

Height	Depth	Return Depth	Foundation Laminate Clear	Foundation Laminate Frost	Flintwood Clear	Flintwood Frost	Veneer Clear	Veneer Frost
51 / 1295	85 / 2159	18 / 457	4001	4383	4691	5095	4691	5095
51 / 1295	85 / 2159	20 / 508	4091	4481	4790	5202	4790	5202
51 / 1295	85 / 2159	24 / 610	4139	4544	4857	5284	4857	5284
51 / 1295	85 / 2159	25 / 635	4291	4699	5015	5446	5015	5446
51 / 1295	85 / 2159	30 / 762	4342	4769	5089	5540	5089	5540
51 / 1295	85 / 2159	31 / 787	4398	4828	5150	5604	5150	5604
51 / 1295	86 / 2184	18 / 457	4004	4390	4699	5107	4699	5107
51 / 1295	86 / 2184	20 / 508	4095	4488	4798	5214	4798	5214
51 / 1295	86 / 2184	24 / 610	4143	4551	4865	5296	4865	5296
51 / 1295	86 / 2184	25 / 635	4295	4707	5023	5458	5023	5458
51 / 1295	86 / 2184	30 / 762	4346	4776	5097	5552	5097	5552
51 / 1295	86 / 2184	31 / 787	4401	4836	5158	5616	5158	5616
57 / 1448	48 / 1219	18 / 457	2794	3069	3305	3596	3305	3596
57 / 1448	48 / 1219	20 / 508	2887	3276	3406	3813	3406	3813
57 / 1448	48 / 1219	24 / 610	2940	3352	3478	3908	3478	3908
57 / 1448	48 / 1219	25 / 635	3094	3511	3637	4074	3637	4074
57 / 1448	48 / 1219	30 / 762	3151	3597	3718	4184	3718	4184
57 / 1448	48 / 1219	31 / 787	3208	3660	3780	4252	3780	4252
57 / 1448	49 / 1245	18 / 457	2878	3159	3394	3691	3394	3691
57 / 1448	49 / 1245	20 / 508	2971	3366	3495	3908	3495	3908
57 / 1448	49 / 1245	24 / 610	3025	3442	3568	4004	3568	4004
57 / 1448	49 / 1245	25 / 635	3178	3601	3727	4169	3727	4169
57 / 1448	49 / 1245	30 / 762	3235	3687	3808	4279	3808	4279
57 / 1448	49 / 1245	31 / 787	3292	3750	3869	4347	3869	4347
57 / 1448	50 / 1270	18 / 457	2883	3170	3404	3706	3404	3706
57 / 1448	50 / 1270	20 / 508	2976	3376	3505	3923	3505	3923
57 / 1448	50 / 1270	24 / 610	3029	3453	3577	4019	3577	4019
57 / 1448	50 / 1270	25 / 635	3183	3612	3736	4184	3736	4184
57 / 1448	50 / 1270	30 / 762	3240	3698	3817	4295	3817	4295
57 / 1448	50 / 1270	31 / 787	3297	3760	3879	4362	3879	4362
57 / 1448	60 / 1524	18 / 457	3126	3470	3695	4056	3695	4056
57 / 1448	60 / 1524	20 / 508	3219	3677	3796	4273	3796	4273
57 / 1448	60 / 1524	24 / 610	3272	3753	3868	4369	3868	4369
57 / 1448	60 / 1524	25 / 635	3426	3912	4027	4534	4027	4534
57 / 1448	60 / 1524	30 / 762	3483	3998	4108	4644	4108	4644
57 / 1448	60 / 1524	31 / 787	3540	4060	4170	4712	4170	4712
57 / 1448	61 / 1549	18 / 457	3560	3909	4136	4506	4136	4506
57 / 1448	61 / 1549	20 / 508	3652	4116	4238	4723	4238	4723
57 / 1448	61 / 1549	24 / 610	3706	4193	4310	4818	4310	4818
57 / 1448	61 / 1549	25 / 635	3859	4351	4469	4984	4469	4984
57 / 1448	61 / 1549	30 / 762	3917	4438	4550	5094	4550	5094
57 / 1448	61 / 1549	31 / 787	3973	4500	4612	5162	4612	5162

Pricing is continued on the following page.

UGSGL

Gallery Screen with Glass with Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

Height	Depth	Return Depth	Foundation Laminate Clear	Foundation Laminate Frost	Flintwood Clear	Flintwood Frost	Veneer Clear	Veneer Frost
57 / 1448	62 / 1575	18 / 457	3564	3920	4146	4521	4146	4521
57 / 1448	62 / 1575	20 / 508	3657	4127	4247	4738	4247	4738
57 / 1448	62 / 1575	24 / 610	3711	4203	4319	4834	4319	4834
57 / 1448	62 / 1575	25 / 635	3864	4362	4478	4999	4478	4999
57 / 1448	62 / 1575	30 / 762	3921	4448	4559	5109	4559	5109
57 / 1448	62 / 1575	31 / 787	3978	4511	4621	5177	4621	5177
57 / 1448	72 / 1829	18 / 457	3650	4062	4278	4711	4278	4711
57 / 1448	72 / 1829	20 / 508	3743	4269	4379	4928	4379	4928
57 / 1448	72 / 1829	24 / 610	3796	4346	4451	5024	4451	5024
57 / 1448	72 / 1829	25 / 635	3949	4504	4610	5189	4610	5189
57 / 1448	72 / 1829	30 / 762	4007	4590	4691	5299	4691	5299
57 / 1448	72 / 1829	31 / 787	4064	4653	4753	5367	4753	5367
57 / 1448	73 / 1854	18 / 457	3659	4077	4292	4731	4292	4731
57 / 1448	73 / 1854	20 / 508	3752	4284	4393	4948	4393	4948
57 / 1448	73 / 1854	24 / 610	3806	4361	4465	5044	4465	5044
57 / 1448	73 / 1854	25 / 635	3959	4519	4624	5209	4624	5209
57 / 1448	73 / 1854	30 / 762	4016	4606	4705	5319	4705	5319
57 / 1448	73 / 1854	31 / 787	4073	4668	4767	5387	4767	5387
57 / 1448	74 / 1880	18 / 457	3664	4088	4301	4746	4301	4746
57 / 1448	74 / 1880	20 / 508	3757	4295	4402	4963	4402	4963
57 / 1448	74 / 1880	24 / 610	3810	4371	4475	5059	4475	5059
57 / 1448	74 / 1880	25 / 635	3964	4530	4634	5224	4634	5224
57 / 1448	74 / 1880	30 / 762	4021	4616	4715	5334	4715	5334
57 / 1448	74 / 1880	31 / 787	4078	4679	4776	5402	4776	5402
57 / 1448	84 / 2134	18 / 457	4123	4604	4810	5315	4810	5315
57 / 1448	84 / 2134	20 / 508	4216	4811	4911	5532	4911	5532
57 / 1448	84 / 2134	24 / 610	4270	4887	4984	5627	4984	5627
57 / 1448	84 / 2134	25 / 635	4423	5046	5143	5793	5143	5793
57 / 1448	84 / 2134	30 / 762	4480	5132	5223	5903	5223	5903
57 / 1448	84 / 2134	31 / 787	4537	5195	5285	5971	5285	5971
57 / 1448	85 / 2159	18 / 457	4133	4619	4824	5335	4824	5335
57 / 1448	85 / 2159	20 / 508	4225	4826	4925	5552	4925	5552
57 / 1448	85 / 2159	24 / 610	4279	4903	4998	5647	4998	5647
57 / 1448	85 / 2159	25 / 635	4432	5061	5157	5813	5157	5813
57 / 1448	85 / 2159	30 / 762	4490	5148	5237	5923	5237	5923
57 / 1448	85 / 2159	31 / 787	4546	5210	5299	5991	5299	5991
57 / 1448	86 / 2184	18 / 457	4137	4630	4833	5350	4833	5350
57 / 1448	86 / 2184	20 / 508	4230	4837	4935	5567	4935	5567
57 / 1448	86 / 2184	24 / 610	4284	4913	5007	5663	5007	5663
57 / 1448	86 / 2184	25 / 635	4437	5072	5166	5828	5166	5828
57 / 1448	86 / 2184	30 / 762	4494	5158	5247	5938	5247	5938
57 / 1448	86 / 2184	31 / 787	4551	5221	5309	6006	5309	6006

UGSST


Gallery Screen with Shared Return

Gallery Screen with Shared Return that attaches to a District or Power Spine Panel to provide casual lateral space division.

WHAT'S INCLUDED
1 gallery screen with shared return, attachment brackets.

NOTES
If Height 51" is selected then only Foundation Laminate Option available.

Edge trim finishes default to screen finish.



PRODUCT OPTIONS

Bracket Attachment	Height	Screen Depth	Return Depth	Screen Support	Screen Finish	Leveler Finish
MS Mid Spine	42, 51	48, 49, 50, 60, 61, 62, 72, 73, 74, 84, 85, 86	36, 40, 48, 50, 60, 62	**N** None	Foundation Laminate Flintwood Natural Veneer	Foundation Mica Accent

SAMPLE ORDER CODE

UGSST MS	42	48	36	N	AG	74

DIMENSIONS
INCHES / MM

Height	Depth	Return Depth
42 / 1067	48 / 1219	36 / 914
42 / 1067	48 / 1219	40 / 1016
42 / 1067	48 / 1219	48 / 1219
42 / 1067	48 / 1219	50 / 1270
42 / 1067	48 / 1219	60 / 1524
42 / 1067	48 / 1219	62 / 1575
42 / 1067	49 / 1245	36 / 914
42 / 1067	49 / 1245	40 / 1016
42 / 1067	49 / 1245	48 / 1219
42 / 1067	49 / 1245	50 / 1270
42 / 1067	49 / 1245	60 / 1524
42 / 1067	49 / 1245	62 / 1575
42 / 1067	50 / 1270	36 / 914
42 / 1067	50 / 1270	40 / 1016
42 / 1067	50 / 1270	48 / 1219
42 / 1067	50 / 1270	50 / 1270
42 / 1067	50 / 1270	60 / 1524
42 / 1067	50 / 1270	62 / 1575

PRICING

Foundation Laminate	Flintwood	Veneer
2080	2600	2600
2161	2690	2690
2177	2725	2725
2317	2871	2871
2322	2899	2899
2366	2949	2949
2155	2681	2681
2237	2771	2771
2253	2806	2806
2393	2952	2952
2397	2980	2980
2442	3030	3030
2156	2687	2687
2238	2777	2777
2254	2812	2812
2394	2958	2958
2398	2986	2986
2443	3036	3036

Pricing is continued on the following page.

UGSST

Gallery Screen with Shared Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

Height	Depth	Return Depth	Foundation Laminate	Flintwood	Veneer
42 / 1067	60 / 1524	36 / 914	2361	2940	2940
42 / 1067	60 / 1524	40 / 1016	2442	3030	3030
42 / 1067	60 / 1524	48 / 1219	2458	3065	3065
42 / 1067	60 / 1524	50 / 1270	2598	3212	3212
42 / 1067	60 / 1524	60 / 1524	2603	3239	3239
42 / 1067	60 / 1524	62 / 1575	2647	3289	3289
42 / 1067	61 / 1549	36 / 914	2736	3325	3325
42 / 1067	61 / 1549	40 / 1016	2817	3415	3415
42 / 1067	61 / 1549	48 / 1219	2833	3450	3450
42 / 1067	61 / 1549	50 / 1270	2973	3596	3596
42 / 1067	61 / 1549	60 / 1524	2978	3624	3624
42 / 1067	61 / 1549	62 / 1575	3022	3674	3674
42 / 1067	62 / 1575	36 / 914	2737	3331	3331
42 / 1067	62 / 1575	40 / 1016	2818	3421	3421
42 / 1067	62 / 1575	48 / 1219	2834	3456	3456
42 / 1067	62 / 1575	50 / 1270	2974	3602	3602
42 / 1067	62 / 1575	60 / 1524	2979	3630	3630
42 / 1067	62 / 1575	62 / 1575	3023	3680	3680
42 / 1067	72 / 1829	36 / 914	2784	3424	3424
42 / 1067	72 / 1829	40 / 1016	2865	3514	3514
42 / 1067	72 / 1829	48 / 1219	2881	3549	3549
42 / 1067	72 / 1829	50 / 1270	3021	3696	3696
42 / 1067	72 / 1829	60 / 1524	3026	3724	3724
42 / 1067	72 / 1829	62 / 1575	3070	3773	3773
42 / 1067	73 / 1854	36 / 914	2785	3430	3430
42 / 1067	73 / 1854	40 / 1016	2866	3520	3520
42 / 1067	73 / 1854	48 / 1219	2882	3555	3555
42 / 1067	73 / 1854	50 / 1270	3022	3701	3701
42 / 1067	73 / 1854	60 / 1524	3027	3729	3729
42 / 1067	73 / 1854	62 / 1575	3071	3779	3779
42 / 1067	74 / 1880	36 / 914	2785	3435	3435
42 / 1067	74 / 1880	40 / 1016	2867	3526	3526
42 / 1067	74 / 1880	48 / 1219	2883	3561	3561
42 / 1067	74 / 1880	50 / 1270	3023	3707	3707
42 / 1067	74 / 1880	60 / 1524	3028	3735	3735
42 / 1067	74 / 1880	62 / 1575	3072	3785	3785
42 / 1067	84 / 2134	36 / 914	3206	3908	3908
42 / 1067	84 / 2134	40 / 1016	3288	3998	3998
42 / 1067	84 / 2134	48 / 1219	3304	4033	4033
42 / 1067	84 / 2134	50 / 1270	3444	4180	4180
42 / 1067	84 / 2134	60 / 1524	3448	4208	4208
42 / 1067	84 / 2134	62 / 1575	3493	4257	4257

Pricing is continued on the following page.

UGSST

Gallery Screen with Shared Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

Height	Depth	Return Depth	Foundation Laminate	Flintwood	Veneer
42 / 1067	85 / 2159	36 / 914	3207	3914	3914
42 / 1067	85 / 2159	40 / 1016	3289	4004	4004
42 / 1067	85 / 2159	48 / 1219	3305	4039	4039
42 / 1067	85 / 2159	50 / 1270	3444	4185	4185
42 / 1067	85 / 2159	60 / 1524	3449	4213	4213
42 / 1067	85 / 2159	62 / 1575	3494	4263	4263
42 / 1067	86 / 2184	36 / 914	3208	3919	3919
42 / 1067	86 / 2184	40 / 1016	3289	4010	4010
42 / 1067	86 / 2184	48 / 1219	3306	4045	4045
42 / 1067	86 / 2184	50 / 1270	3445	4191	4191
42 / 1067	86 / 2184	60 / 1524	3450	4219	4219
42 / 1067	86 / 2184	62 / 1575	3495	4268	4268
51 / 1295	48 / 1219	36 / 914	2613	n/a	n/a
51 / 1295	48 / 1219	40 / 1016	2645	n/a	n/a
51 / 1295	48 / 1219	48 / 1219	2774	n/a	n/a
51 / 1295	48 / 1219	50 / 1270	2884	n/a	n/a
51 / 1295	48 / 1219	60 / 1524	3021	n/a	n/a
51 / 1295	48 / 1219	62 / 1575	3038	n/a	n/a
51 / 1295	49 / 1245	36 / 914	2999	n/a	n/a
51 / 1295	49 / 1245	40 / 1016	3031	n/a	n/a
51 / 1295	49 / 1245	48 / 1219	3160	n/a	n/a
51 / 1295	49 / 1245	50 / 1270	3270	n/a	n/a
51 / 1295	49 / 1245	60 / 1524	3408	n/a	n/a
51 / 1295	49 / 1245	62 / 1575	3424	n/a	n/a
51 / 1295	50 / 1270	36 / 914	3003	n/a	n/a
51 / 1295	50 / 1270	40 / 1016	3036	n/a	n/a
51 / 1295	50 / 1270	48 / 1219	3165	n/a	n/a
51 / 1295	50 / 1270	50 / 1270	3275	n/a	n/a
51 / 1295	50 / 1270	60 / 1524	3412	n/a	n/a
51 / 1295	50 / 1270	62 / 1575	3429	n/a	n/a
51 / 1295	60 / 1524	36 / 914	3209	n/a	n/a
51 / 1295	60 / 1524	40 / 1016	3242	n/a	n/a
51 / 1295	60 / 1524	48 / 1219	3371	n/a	n/a
51 / 1295	60 / 1524	50 / 1270	3480	n/a	n/a
51 / 1295	60 / 1524	60 / 1524	3618	n/a	n/a
51 / 1295	60 / 1524	62 / 1575	3634	n/a	n/a
51 / 1295	61 / 1549	36 / 914	3210	n/a	n/a
51 / 1295	61 / 1549	40 / 1016	3243	n/a	n/a
51 / 1295	61 / 1549	48 / 1219	3372	n/a	n/a
51 / 1295	61 / 1549	50 / 1270	3482	n/a	n/a
51 / 1295	61 / 1549	60 / 1524	3619	n/a	n/a
51 / 1295	61 / 1549	62 / 1575	3635	n/a	n/a

Pricing is continued on the following page.

UGSST

Gallery Screen with Shared Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

Height	Depth	Return Depth	Foundation Laminate	Flintwood	Veneer
51 / 1295	62 / 1575	36 / 914	3211	n/a	n/a
51 / 1295	62 / 1575	40 / 1016	3244	n/a	n/a
51 / 1295	62 / 1575	48 / 1219	3373	n/a	n/a
51 / 1295	62 / 1575	50 / 1270	3483	n/a	n/a
51 / 1295	62 / 1575	60 / 1524	3620	n/a	n/a
51 / 1295	62 / 1575	62 / 1575	3636	n/a	n/a
51 / 1295	72 / 1829	36 / 914	3477	n/a	n/a
51 / 1295	72 / 1829	40 / 1016	3510	n/a	n/a
51 / 1295	72 / 1829	48 / 1219	3639	n/a	n/a
51 / 1295	72 / 1829	50 / 1270	3749	n/a	n/a
51 / 1295	72 / 1829	60 / 1524	3886	n/a	n/a
51 / 1295	72 / 1829	62 / 1575	3902	n/a	n/a
51 / 1295	73 / 1854	36 / 914	3489	n/a	n/a
51 / 1295	73 / 1854	40 / 1016	3522	n/a	n/a
51 / 1295	73 / 1854	48 / 1219	3651	n/a	n/a
51 / 1295	73 / 1854	50 / 1270	3761	n/a	n/a
51 / 1295	73 / 1854	60 / 1524	3898	n/a	n/a
51 / 1295	73 / 1854	62 / 1575	3915	n/a	n/a
51 / 1295	74 / 1880	36 / 914	3502	n/a	n/a
51 / 1295	74 / 1880	40 / 1016	3534	n/a	n/a
51 / 1295	74 / 1880	48 / 1219	3663	n/a	n/a
51 / 1295	74 / 1880	50 / 1270	3773	n/a	n/a
51 / 1295	74 / 1880	60 / 1524	3911	n/a	n/a
51 / 1295	74 / 1880	62 / 1575	3927	n/a	n/a
51 / 1295	84 / 2134	36 / 914	4036	n/a	n/a
51 / 1295	84 / 2134	40 / 1016	4069	n/a	n/a
51 / 1295	84 / 2134	48 / 1219	4198	n/a	n/a
51 / 1295	84 / 2134	50 / 1270	4308	n/a	n/a
51 / 1295	84 / 2134	60 / 1524	4445	n/a	n/a
51 / 1295	84 / 2134	62 / 1575	4461	n/a	n/a
51 / 1295	85 / 2159	36 / 914	4048	n/a	n/a
51 / 1295	85 / 2159	40 / 1016	4081	n/a	n/a
51 / 1295	85 / 2159	48 / 1219	4210	n/a	n/a
51 / 1295	85 / 2159	50 / 1270	4320	n/a	n/a
51 / 1295	85 / 2159	60 / 1524	4457	n/a	n/a
51 / 1295	85 / 2159	62 / 1575	4474	n/a	n/a
51 / 1295	86 / 2184	36 / 914	4061	n/a	n/a
51 / 1295	86 / 2184	40 / 1016	4093	n/a	n/a
51 / 1295	86 / 2184	48 / 1219	4223	n/a	n/a
51 / 1295	86 / 2184	50 / 1270	4332	n/a	n/a
51 / 1295	86 / 2184	60 / 1524	4470	n/a	n/a
51 / 1295	86 / 2184	62 / 1575	4486	n/a	n/a


UGSGT

Gallery Screen with Glass with Shared Return

Gallery Screen with Glass with Shared Return attaches to a District or Power Spine Panel to provide casual lateral space division.

WHAT'S INCLUDED
1 gallery screen with glass with shared return, attachment brackets.

NOTES
Edge trim finishes default to screen finish.



PRODUCT OPTIONS

Bracket Attachment	Height	Depth	Return Depth	Screen Support	Screen Finish	Glass Finish	Leveler Finish
MS Mid Spine	**E** Inset 51" total (42" plus 9" glass) **H** Inset 57" total (42" plus 15" glass)	48, 49, 50, 60, 61, 62, 72, 73, 74, 84, 85, 86	36, 40, 48, 50, 60, 62	**N** None	Foundation Laminate Flintwood Natural Veneer	**CL** Clear **FT** Frost	Foundation Mica Accent

SAMPLE ORDER CODE

UGSGT MS	E	48	18	N	AG	CL	74

DIMENSIONS
INCHES / MM

Height	Depth	Return Depth
51 / 1295	48 / 1219	36 / 914
51 / 1295	48 / 1219	40 / 1016
51 / 1295	48 / 1219	48 / 1219
51 / 1295	48 / 1219	50 / 1270
51 / 1295	48 / 1219	60 / 1524
51 / 1295	48 / 1219	62 / 1575
51 / 1295	49 / 1245	36 / 914
51 / 1295	49 / 1245	40 / 1016
51 / 1295	49 / 1245	48 / 1219
51 / 1295	49 / 1245	50 / 1270
51 / 1295	49 / 1245	60 / 1524
51 / 1295	49 / 1245	62 / 1575
51 / 1295	50 / 1270	36 / 914
51 / 1295	50 / 1270	40 / 1016
51 / 1295	50 / 1270	48 / 1219
51 / 1295	50 / 1270	50 / 1270
51 / 1295	50 / 1270	60 / 1524
51 / 1295	50 / 1270	62 / 1575

PRICING

Foundation Laminate		Flintwood		Veneer	
Clear	**Frost**	**Clear**	**Frost**	**Clear**	**Frost**
3340	3650	3950	4250	3950	4250
3399	3650	4028	4350	4028	4350
3590	3866	4258	4609	4258	4609
3677	3957	4355	4713	4355	4713
3907	4219	4634	5028	4634	5028
4342	4653	5083	5485	5083	5485
3422	3661	4038	4348	4038	4348
3482	3734	4117	4442	4117	4442
3673	3950	4347	4701	4347	4701
3759	4042	4443	4805	4443	4805
3989	4304	4722	5120	4722	5120
4425	4738	5172	5577	5172	5577
3426	3668	4046	4360	4046	4360
3486	3741	4125	4453	4125	4453
3677	3957	4355	4713	4355	4713
3763	4049	4452	4817	4452	4817
3993	4311	4730	5132	4730	5132
4428	4745	5180	5589	5180	5589

Pricing is continued on the following page.

UGSGT

Gallery Screen with Glass with Shared Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

Height	Depth	Return Depth	Foundation Laminate Clear	Foundation Laminate Frost	Flintwood Clear	Flintwood Frost	Veneer Clear	Veneer Frost
51 / 1295	60 / 1524	36 / 914	3656	3930	4325	4675	4325	4675
51 / 1295	60 / 1524	40 / 1016	3716	4003	4404	4769	4404	4769
51 / 1295	60 / 1524	48 / 1219	3907	4219	4634	5028	4634	5028
51 / 1295	60 / 1524	50 / 1270	3993	4311	4730	5132	4730	5132
51 / 1295	60 / 1524	60 / 1524	4223	4572	5009	5448	5009	5448
51 / 1295	60 / 1524	62 / 1575	4658	5006	5459	5904	5459	5904
51 / 1295	61 / 1549	36 / 914	4088	4357	4766	5120	4766	5120
51 / 1295	61 / 1549	40 / 1016	4147	4430	4845	5214	4845	5214
51 / 1295	61 / 1549	48 / 1219	4338	4646	5075	5473	5075	5473
51 / 1295	61 / 1549	50 / 1270	4425	4738	5172	5577	5172	5577
51 / 1295	61 / 1549	60 / 1524	4655	4999	5451	5892	5451	5892
51 / 1295	61 / 1549	62 / 1575	5090	5433	5900	6349	5900	6349
51 / 1295	62 / 1575	36 / 914	4091	4364	4775	5132	4775	5132
51 / 1295	62 / 1575	40 / 1016	4151	4437	4853	5225	4853	5225
51 / 1295	62 / 1575	48 / 1219	4342	4653	5083	5485	5083	5485
51 / 1295	62 / 1575	50 / 1270	4428	4745	5180	5589	5180	5589
51 / 1295	62 / 1575	60 / 1524	4658	5006	5459	5904	5459	5904
51 / 1295	62 / 1575	62 / 1575	5094	5440	5909	6361	5909	6361
51 / 1295	72 / 1829	36 / 914	4164	4471	4894	5288	4894	5288
51 / 1295	72 / 1829	40 / 1016	4223	4544	4973	5382	4973	5382
51 / 1295	72 / 1829	48 / 1219	4414	4760	5203	5641	5203	5641
51 / 1295	72 / 1829	50 / 1270	4501	4852	5299	5745	5299	5745
51 / 1295	72 / 1829	60 / 1524	4731	5114	5578	6061	5578	6061
51 / 1295	72 / 1829	62 / 1575	5166	5547	6028	6517	6028	6517
51 / 1295	73 / 1854	36 / 914	4172	4483	4907	5305	4907	5305
51 / 1295	73 / 1854	40 / 1016	4232	4556	4986	5398	4986	5398
51 / 1295	73 / 1854	48 / 1219	4423	4772	5216	5658	5216	5658
51 / 1295	73 / 1854	50 / 1270	4509	4864	5312	5762	5312	5762
51 / 1295	73 / 1854	60 / 1524	4739	5125	5591	6077	5591	6077
51 / 1295	73 / 1854	62 / 1575	5174	5559	6041	6534	6041	6534
51 / 1295	74 / 1880	36 / 914	4175	4490	4915	5317	4915	5317
51 / 1295	74 / 1880	40 / 1016	4235	4563	4994	5410	4994	5410
51 / 1295	74 / 1880	48 / 1219	4426	4779	5224	5670	5224	5670
51 / 1295	74 / 1880	50 / 1270	4512	4871	5320	5773	5320	5773
51 / 1295	74 / 1880	60 / 1524	4742	5132	5599	6089	5599	6089
51 / 1295	74 / 1880	62 / 1575	5178	5566	6049	6546	6049	6546
51 / 1295	84 / 2134	36 / 914	4621	4963	5412	5850	5412	5850
51 / 1295	84 / 2134	40 / 1016	4681	5036	5491	5944	5491	5944
51 / 1295	84 / 2134	48 / 1219	4872	5252	5721	6203	5721	6203
51 / 1295	84 / 2134	50 / 1270	4958	5344	5818	6307	5818	6307
51 / 1295	84 / 2134	60 / 1524	5188	5605	6096	6623	6096	6623
51 / 1295	84 / 2134	62 / 1575	5624	6039	6546	7079	6546	7079

Pricing is continued on the following page.

UGSGT

Gallery Screen with Glass with Shared Return (Continued)

DIMENSIONS
INCHES / MM

PRICING

Height	Depth	Return Depth	Foundation Laminate Clear	Foundation Laminate Frost	Flintwood Clear	Flintwood Frost	Veneer Clear	Veneer Frost
51 / 1295	85 / 2159	36 / 914	4629	4974	5425	5867	5425	5867
51 / 1295	85 / 2159	40 / 1016	4689	5047	5504	5960	5504	5960
51 / 1295	85 / 2159	48 / 1219	4880	5263	5734	6220	5734	6220
51 / 1295	85 / 2159	50 / 1270	4966	5355	5830	6324	5830	6324
51 / 1295	85 / 2159	60 / 1524	5196	5617	6109	6639	6109	6639
51 / 1295	85 / 2159	62 / 1575	5632	6051	6559	7096	6559	7096
51 / 1295	86 / 2184	36 / 914	4633	4981	5433	5879	5433	5879
51 / 1295	86 / 2184	40 / 1016	4693	5054	5512	5972	5512	5972
51 / 1295	86 / 2184	48 / 1219	4884	5270	5742	6232	5742	6232
51 / 1295	86 / 2184	50 / 1270	4970	5362	5838	6335	5838	6335
51 / 1295	86 / 2184	60 / 1524	5200	5624	6117	6651	6117	6651
51 / 1295	86 / 2184	62 / 1575	5635	6058	6567	7108	6567	7108
57 / 1448	48 / 1219	36 / 914	3447	3847	4058	4535	4058	4535
57 / 1448	48 / 1219	40 / 1016	3512	3933	4142	4642	4142	4642
57 / 1448	48 / 1219	48 / 1219	3713	4175	4383	4928	4383	4928
57 / 1448	48 / 1219	50 / 1270	3802	4273	4482	5038	4482	5038
57 / 1448	48 / 1219	60 / 1524	4045	4567	4773	5387	4773	5387
57 / 1448	48 / 1219	62 / 1575	4483	5007	5226	5850	5226	5850
57 / 1448	49 / 1245	36 / 914	3531	3935	4148	4630	4148	4630
57 / 1448	49 / 1245	40 / 1016	3596	4021	4232	4737	4232	4737
57 / 1448	49 / 1245	48 / 1219	3797	4263	4472	5023	4472	5023
57 / 1448	49 / 1245	50 / 1270	3886	4361	4572	5134	4572	5134
57 / 1448	49 / 1245	60 / 1524	4129	4655	4863	5482	4863	5482
57 / 1448	49 / 1245	62 / 1575	4567	5095	5316	5945	5316	5945
57 / 1448	50 / 1270	36 / 914	3536	3945	4157	4645	4157	4645
57 / 1448	50 / 1270	40 / 1016	3601	4031	4241	4752	4241	4752
57 / 1448	50 / 1270	48 / 1219	3802	4273	4482	5038	4482	5038
57 / 1448	50 / 1270	50 / 1270	3891	4371	4581	5149	4581	5149
57 / 1448	50 / 1270	60 / 1524	4134	4665	4873	5497	4873	5497
57 / 1448	50 / 1270	62 / 1575	4571	5105	5325	5961	5325	5961
57 / 1448	60 / 1524	36 / 914	3779	4239	4449	4994	4449	4994
57 / 1448	60 / 1524	40 / 1016	3843	4325	4533	5101	4533	5101
57 / 1448	60 / 1524	48 / 1219	4045	4567	4773	5387	4773	5387
57 / 1448	60 / 1524	50 / 1270	4134	4665	4873	5497	4873	5497
57 / 1448	60 / 1524	60 / 1524	4376	4959	5164	5846	5164	5846
57 / 1448	60 / 1524	62 / 1575	4814	5399	5617	6309	5617	6309
57 / 1448	61 / 1549	36 / 914	4212	4669	4892	5442	4892	5442
57 / 1448	61 / 1549	40 / 1016	4277	4755	4976	5549	4976	5549
57 / 1448	61 / 1549	48 / 1219	4478	4997	5216	5835	5216	5835
57 / 1448	61 / 1549	50 / 1270	4567	5095	5316	5945	5316	5945
57 / 1448	61 / 1549	60 / 1524	4809	5389	5607	6294	5607	6294
57 / 1448	61 / 1549	62 / 1575	5247	5829	6060	6757	6060	6757

Pricing is continued on the following page.

UGSGT

Gallery Screen with Glass with Shared Return (Continued)

DIMENSIONS
INCHES / MM


PRICING

Height	Depth	Return Depth	Foundation Laminate Clear	Foundation Laminate Frost	Flintwood Clear	Flintwood Frost	Veneer Clear	Veneer Frost
57 / 1448	62 / 1575	36 / 914	4216	4679	4901	5457	4901	5457
57 / 1448	62 / 1575	40 / 1016	4281	4765	4985	5564	4985	5564
57 / 1448	62 / 1575	48 / 1219	4483	5007	5226	5850	5226	5850
57 / 1448	62 / 1575	50 / 1270	4571	5105	5325	5961	5325	5961
57 / 1448	62 / 1575	60 / 1524	4814	5399	5617	6309	5617	6309
57 / 1448	62 / 1575	62 / 1575	5252	5840	6069	6773	6069	6773
57 / 1448	72 / 1829	36 / 914	4302	4819	5034	5647	5034	5647
57 / 1448	72 / 1829	40 / 1016	4367	4905	5118	5754	5118	5754
57 / 1448	72 / 1829	48 / 1219	4568	5147	5358	6040	5358	6040
57 / 1448	72 / 1829	50 / 1270	4657	5245	5457	6150	5457	6150
57 / 1448	72 / 1829	60 / 1524	4900	5539	5749	6499	5749	6499
57 / 1448	72 / 1829	62 / 1575	5337	5979	6201	6962	6201	6962
57 / 1448	73 / 1854	36 / 914	4311	4834	5048	5667	5048	5667
57 / 1448	73 / 1854	40 / 1016	4376	4919	5132	5773	5132	5773
57 / 1448	73 / 1854	48 / 1219	4577	5161	5372	6059	5372	6059
57 / 1448	73 / 1854	50 / 1270	4666	5260	5471	6170	5471	6170
57 / 1448	73 / 1854	60 / 1524	4909	5553	5763	6519	5763	6519
57 / 1448	73 / 1854	62 / 1575	5347	5994	6215	6982	6215	6982
57 / 1448	74 / 1880	36 / 914	4316	4844	5057	5682	5057	5682
57 / 1448	74 / 1880	40 / 1016	4381	4930	5141	5789	5141	5789
57 / 1448	74 / 1880	48 / 1219	4582	5172	5382	6075	5382	6075
57 / 1448	74 / 1880	50 / 1270	4671	5270	5481	6185	5481	6185
57 / 1448	74 / 1880	60 / 1524	4914	5564	5772	6534	5772	6534
57 / 1448	74 / 1880	62 / 1575	5352	6004	6225	6997	6225	6997
57 / 1448	84 / 2134	36 / 914	4775	5349	5567	6249	5567	6249
57 / 1448	84 / 2134	40 / 1016	4839	5435	5651	6355	5651	6355
57 / 1448	84 / 2134	48 / 1219	5041	5677	5892	6641	5892	6641
57 / 1448	84 / 2134	50 / 1270	5130	5775	5991	6752	5991	6752
57 / 1448	84 / 2134	60 / 1524	5372	6069	6283	7101	6283	7101
57 / 1448	84 / 2134	62 / 1575	5810	6509	6735	7564	6735	7564
57 / 1448	85 / 2159	36 / 914	4784	5364	5581	6268	5581	6268
57 / 1448	85 / 2159	40 / 1016	4849	5450	5665	6375	5665	6375
57 / 1448	85 / 2159	48 / 1219	5050	5692	5906	6661	5906	6661
57 / 1448	85 / 2159	50 / 1270	5139	5790	6005	6772	6005	6772
57 / 1448	85 / 2159	60 / 1524	5382	6084	6297	7120	6297	7120
57 / 1448	85 / 2159	62 / 1575	5820	6524	6749	7584	6749	7584
57 / 1448	86 / 2184	36 / 914	4789	5374	5591	6284	5591	6284
57 / 1448	86 / 2184	40 / 1016	4854	5460	5675	6390	5675	6390
57 / 1448	86 / 2184	48 / 1219	5055	5702	5915	6676	5915	6676
57 / 1448	86 / 2184	50 / 1270	5144	5800	6014	6787	6014	6787
57 / 1448	86 / 2184	60 / 1524	5387	6094	6306	7136	6306	7136
57 / 1448	86 / 2184	62 / 1575	5824	6534	6759	7599	6759	7599

UNSPS
Panel Wall Add-On Screen – Solid

The Panel Wall Add-On Screen – Solid is added on top of Panel Walls to provide space division as a flexible alternative to fixed-height Panel Walls.

WHAT'S INCLUDED
1 add-on screen, support frame, attachment hardware.



PRODUCT OPTIONS

Height	Width (6" increments)	Screen Finish	Support Frame Finish
09, 13, 15	24 - 96	Flintwood Natural Veneer	**AC** Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNSPS 15	48	FN	AC

DIMENSIONS INCHES / MM

PRICING

H	W	Flintwood	Natural Veneer
9 / 229	24 / 610	436	455
9 / 229	30 / 762	482	502
9 / 229	36 / 914	542	567
9 / 229	42 / 1067	593	620
9 / 229	48 / 1219	645	673
9 / 229	54 / 1372	698	725
9 / 229	60 / 1524	748	777
9 / 229	66 / 1676	800	833
9 / 229	72 / 1829	853	887
9 / 229	78 / 1981	901	940
9 / 229	84 / 2134	952	991
9 / 229	90 / 2286	1008	1048
9 / 229	96 / 2438	1060	1102
13 / 330	24 / 610	474	495
13 / 330	30 / 762	540	564
13 / 330	36 / 914	602	628
13 / 330	42 / 1067	666	696
13 / 330	48 / 1219	728	762
13 / 330	54 / 1372	792	822
13 / 330	60 / 1524	854	888
13 / 330	66 / 1676	918	952
13 / 330	72 / 1829	980	1021
13 / 330	78 / 1981	1045	1085
13 / 330	84 / 2134	1107	1152
13 / 330	90 / 2286	1172	1219
13 / 330	96 / 2438	1234	1283

DIMENSIONS INCHES / MM

PRICING

H	W	Flintwood	Natural Veneer
15 / 381	24 /610	492	517
15 / 381	30 /762	559	585
15 / 381	36 /914	630	656
15 / 381	42 / 1067	698	728
15 / 381	48 / 1219	764	797
15 / 381	54 / 1372	833	864
15 / 381	60 / 1524	898	935
15 / 381	66 / 1676	967	1008
15 / 381	72 / 1829	1035	1076
15 / 381	78 / 1981	1104	1148
15 / 381	84 / 2134	1172	1219
15 / 381	90 / 2286	1236	1286
15 / 381	96 / 2438	1309	1358

Xpress

UNSPG

Panel Wall 10mm Add-On Screen – Glass

The Panel Wall Add-On Screen – Glass is added on top of Panel Walls to provide a lighter, frameless alternative to windows.


WHAT'S INCLUDED
1 10 mm add-on screen, support frame, attachment hardware.

NOTES
Standard Glass, Clear is a tempered glass finish.

Specialty Glass Vanceva is a laminated glass finish.

For finishes information, see *Finishes + Materials Guide*.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Height	Width (6" increments)	Screen Finish	Support Frame Finish
09, 13, 15	24 - 96	**5/CL** Clear Specialty Glass Laminated	**AC** Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNSPG 15	48	A5	AC

DIMENSIONS INCHES / MM

H	W
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
9 / 229	66 / 1676
9 / 229	72 / 1829
9 / 229	78 / 1981
9 / 229	84 / 2134
9 / 229	90 / 2286
9 / 229	96 / 2438
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

PRICING

Standard Glass	Specialty Glass	
Clear	Frost	Gr. 7
340	517	553
393	579	624
464	657	713
526	736	797
587	806	882
648	881	963
711	951	1045
775	1028	1127
834	1098	1206
895	1172	1287
962	1242	1374
1022	1318	1455
1083	1388	1537
369	559	612
436	645	707
503	726	805
571	808	899
635	888	991
701	975	1090
768	1054	1183
836	1138	1280
901	1222	1371
971	1305	1467
1039	1384	1566
1101	1464	1658
1168	1549	1751

DIMENSIONS INCHES / MM

H	W
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
15 / 381	90 / 2286
15 / 381	96 / 2438


PRICING

Standard Glass	Specialty Glass	
Clear	Frost	Gr. 7
387	585	645
453	672	743
522	758	846
588	846	947
657	932	1049
731	1021	1152
797	1104	1251
867	1192	1356
934	1276	1453
1007	1368	1557
1074	1453	1658
1143	1540	1756
1214	1626	1860

Xpress

UNSPF

Panel Wall Add-On Screen - 6mm Glass



The Panel Wall Add-On Screen – Glass is added on top of Panel Walls to provide a lighter, frameless alternative to windows.

WHAT'S INCLUDED
1 6mm add-on screen, support frame, attachment hardware.

NOTES
Standard Glass, Clear and Frost is a tempered glass finish.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Height	Width (6" increments)	Screen Finish	Hardware Finish
09, 13, 15	24 - 96	**CL** Clear	Foundation
		FT Frost	Mica
			AC Clear Anodized

SAMPLE ORDER CODE

UNSPF 15	48	CL	AC

DIMENSIONS INCHES / MM

PRICING

H	W	Standard Glass Clear	Standard Glass Frost
9 / 229	24 / 610	272	412
9 / 229	30 / 762	314	461
9 / 229	36 / 914	371	526
9 / 229	42 / 1067	422	587
9 / 229	48 / 1219	469	645
9 / 229	54 / 1372	520	703
9 / 229	60 / 1524	571	762
9 / 229	66 / 1676	619	823
9 / 229	72 / 1829	669	879
9 / 229	78 / 1981	716	937
9 / 229	84 / 2134	769	992
9 / 229	90 / 2286	819	1055
9 / 229	96 / 2438	867	1112
13 / 330	24 / 610	296	450
13 / 330	30 / 762	349	517
13 / 330	36 / 914	401	581
13 / 330	42 / 1067	457	647
13 / 330	48 / 1219	507	710
13 / 330	54 / 1372	559	778
13 / 330	60 / 1524	615	844
13 / 330	66 / 1676	670	911
13 / 330	72 / 1829	721	978
13 / 330	78 / 1981	776	1044
13 / 330	84 / 2134	830	1107
13 / 330	90 / 2286	882	1172
13 / 330	96 / 2438	935	1237

DIMENSIONS INCHES / MM

PRICING

H	W	Standard Glass Clear	Standard Glass Frost
15 / 381	24 / 610	309	467
15 / 381	30 / 762	363	540
15 / 381	36 / 914	420	606
15 / 381	42 / 1067	472	676
15 / 381	48 / 1219	526	746
15 / 381	54 / 1372	585	819
15 / 381	60 / 1524	638	883
15 / 381	66 / 1676	694	954
15 / 381	72 / 1829	746	1021
15 / 381	78 / 1981	805	1095
15 / 381	84 / 2134	859	1162
15 / 381	90 / 2286	914	1233
15 / 381	96 / 2438	971	1299

UYSPG

Panel Glass Blade for Panels with 10mm Inset Glass

The Panel Wall with Inset Glass – Glass blade is embedded into the top of a UY Panel Walls to provide a frameless alternative to windows with a low amount of exposed trim.


WHAT'S INCLUDED
1 add-on 10mm Glass Blade.

WHAT'S EXCLUDED
Panel Top Trim for Panels with Inset Glass (UYTT) or Bridged Top Trim for Panels with Inset Glass (UYCT) required to connect to UY Panel Wall.

NOTES
Standard Glass, Clear is a tempered glass finish.

Specialty Glass Vanceva is a laminated glass finish.

For finishes information, see *Finishes + Materials Guide*.



PRODUCT OPTIONS

Height	Width (6" increments)	Application		Screen Finish
09, 13, 15	24 - 96	**N** Both Notched	**S** Both Standard	**5/CL** Clear
		B Both Extended	**C** Both Corner	Specialty Glass Laminated
		E One Side Extended	**D** Corner & Extended	
		F Notched & Extended	**G** One Side Corner	
		K One Side Notched	**H** Corner & Notched	

SAMPLE ORDER CODE

UYSPG 15	42	S	CL

DIMENSIONS INCHES / MM

H	W
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
9 / 229	66 / 1676
9 / 229	72 / 1829
9 / 229	78 / 1981
9 / 229	84 / 2134
9 / 229	90 / 2286
9 / 229	96 / 2438
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

PRICING

Standard Glass Clear	Specialty Glass Frost	Specialty Glass Gr. 7
214	370	397
247	417	451
294	474	515
334	528	575
370	581	635
409	634	694
450	686	753
488	740	812
525	791	868
564	844	928
606	894	989
645	950	1048
681	1000	1105
240	422	455
284	483	526
328	545	602
370	608	670
412	666	736
455	731	806
499	792	879
544	854	948
586	916	1016
631	978	1090
675	1039	1157
715	1099	1226
761	1161	1294

DIMENSIONS INCHES / MM

H	W
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
15 / 381	90 / 2286
15 / 381	96 / 2438


PRICING

Standard Glass Clear	Specialty Glass Frost	Specialty Glass Gr. 7
250	437	480
295	503	553
340	569	630
384	635	702
428	699	777
474	766	854
518	828	925
564	894	1002
608	958	1074
654	1027	1151
699	1092	1226
740	1155	1296
791	1221	1371

Xpress

U Y S P F

Panel Glass Blade for Panels with 6mm Inset Glass



The Panel Wall with Inset Glass – Glass blade is embedded into the top of a UY Panel Walls to provide a frameless alternative to windows with a low amount of exposed trim.

WHAT'S INCLUDED
1 6mm add-on Glass Blade.

WHAT'S EXCLUDED
Panel Top Trim for Panels with Inset Glass (UYTT) or Bridged Top Trim for Panels with Inset Glass (UYCT) required to connect to UY Panel Wall.

NOTES
Standard Glass, Clear and Frost is a tempered glass finish.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Height	Width (6" increments)	Application		Screen Finish
09, 13, 15	24 - 96	**N** Both Notched	**S** Both Standard	**CL** Clear
		B Both Extended	**C** Both Corner	**FT** Frost
		E One Side Extended	**D** Corner & Extended	
		F Notched & Extended	**G** One Side Corner	
		K One Side Notched	**H** Corner & Notched	

SAMPLE ORDER CODE

UYSPF 15	42	S	CL

DIMENSIONS INCHES / MM

PRICING

H	W	Standard Glass Clear	Specialty Glass Frost
9 / 229	24 / 610	151	259
9 / 229	30 / 762	175	292
9 / 229	36 / 914	206	332
9 / 229	42 / 1067	235	370
9 / 229	48 / 1219	259	406
9 / 229	54 / 1372	286	443
9 / 229	60 / 1524	314	481
9 / 229	66 / 1676	341	518
9 / 229	72 / 1829	368	553
9 / 229	78 / 1981	395	589
9 / 229	84 / 2134	424	625
9 / 229	90 / 2286	452	666
9 / 229	96 / 2438	479	700
13 / 330	24 / 610	167	296
13 / 330	30 / 762	202	338
13 / 330	36 / 914	228	381
13 / 330	42 / 1067	259	425
13 / 330	48 / 1219	287	465
13 / 330	54 / 1372	317	513
13 / 330	60 / 1524	349	553
13 / 330	66 / 1676	381	600
13 / 330	72 / 1829	409	641
13 / 330	78 / 1981	442	685
13 / 330	84 / 2134	473	728
13 / 330	90 / 2286	499	769
13 / 330	96 / 2438	532	812

DIMENSIONS INCHES / MM

PRICING

H	W	Standard Glass Clear	Specialty Glass Frost
15 / 381	24 / 610	178	308
15 / 381	30 / 762	208	353
15 / 381	36 / 914	239	398
15 / 381	42 / 1067	270	445
15 / 381	48 / 1219	300	489
15 / 381	54 / 1372	332	536
15 / 381	60 / 1524	363	580
15 / 381	66 / 1676	395	625
15 / 381	72 / 1829	425	671
15 / 381	78 / 1981	458	718
15 / 381	84 / 2134	489	764
15 / 381	90 / 2286	518	808
15 / 381	96 / 2438	553	854

UYSCG

Bridged Glass Blade for Panels with 10mm Inset Glass

The Panel Wall with Inset Glass – Glass blade is embedded into the top of a UY Panel Walls and designed to cover a panel connection to provide a frameless alternative to windows with a low amount of exposed trim.


WHAT'S INCLUDED
1 add-on 10mm Glass Blade.

WHAT'S EXCLUDED
Panel Top Trim for Panels with Inset Glass (UYTT) or Bridged Top Trim for Panels with Inset Glass (UYCT) required to connect to UY Panel Wall.

NOTES
Standard Glass, Clear is a tempered glass finish.

Specialty Glass Vanceva is a laminated glass finish.

For finishes information, see *Finishes + Materials Guide*.



PRODUCT OPTIONS

Height	Width (6" increments)	Application		Screen Finish
09, 13, 15	48 - 96	**N** Both Notched	**S** Both Extended	**5/CL** Clear
		B Both Extended	**C** Both Corner	Specialty Glass Laminated
		E One Side Extended	**D** Corner & Extended	
		F Notched & Extended	**G** One Side Corner	
		K One Side Notched	**H** Corner & Notched	

SAMPLE ORDER CODE

UYSCG 15	48	S	CL

DIMENSIONS INCHES / MM

H	W
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
9 / 229	66 / 1676
9 / 229	72 / 1829
9 / 229	78 / 1981
9 / 229	84 / 2134
9 / 229	90 / 2286
9 / 229	96 / 2438
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

PRICING

Standard Glass	Specialty Glass	
Clear	Frost	Gr. 7
370	581	635
409	634	694
450	686	753
488	740	812
525	791	868
564	844	928
606	894	989
645	950	1048
681	1000	1105
412	666	736
455	731	806
499	792	879
544	854	948
586	916	1016
631	978	1090
675	1039	1157
715	1099	1226
761	1161	1294

DIMENSIONS INCHES / MM

H	W
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
15 / 381	90 / 2286
15 / 381	96 / 2438


PRICING

Standard Glass	Specialty Glass	
Clear	Frost	Gr. 7
428	699	777
474	766	854
518	828	925
564	894	1002
608	958	1074
654	1027	1151
699	1092	1226
740	1155	1296
791	1221	1371

Xpress

U Y S C F

Bridged Glass Blade for Panels with 6mm Inset Glass



Bridged Glass Blade for Panels with Inset Glass is embedded into the top of a UY Panel Walls and designed to cover a panel connection to provide a frameless alternative to windows with a low amount of exposed trim.

WHAT'S INCLUDED
1 6mm add-on Glass Blade.

WHAT'S EXCLUDED
Panel Top Trim for Panels with Inset Glass (UYTT) or Bridged Top Trim for Panels with Inset Glass (UYCT) required to connect to UY Panel Wall.

NOTES
Standard Glass, Clear and Frost is a tempered glass finish.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Height	Width (6" increments)	Application		Screen Finish
09, 13, 15	48 - 96	**N** Both Notched	**S** Both Extended	**CL** Clear
		B Both Extended	**C** Both Corner	**FT** Frost
		E One Side Extended	**D** Corner & Extended	
		F Notched & Extended	**G** One Side Corner	
		K One Side Notched	**H** Corner & Notched	

SAMPLE ORDER CODE

UYSCF 15	48	S	CL

DIMENSIONS INCHES / MM

H	W
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
9 / 229	66 / 1676
9 / 229	72 / 1829
9 / 229	78 / 1981
9 / 229	84 / 2134
9 / 229	90 / 2286
9 / 229	96 / 2438
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

PRICING

Standard Glass Clear	Standard Glass Frost
259	406
286	443
314	481
341	518
368	553
395	589
424	625
452	666
479	700
287	465
317	513
349	553
381	600
409	641
442	685
473	728
499	769
532	812

DIMENSIONS INCHES / MM

H	W
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
15 / 381	90 / 2286
15 / 381	96 / 2438

PRICING

Standard Glass Clear	Standard Glass Frost
300	489
332	536
363	580
395	625
425	671
458	718
489	764
518	808
553	854

Xpress


UNSPZ
Smooth Felt Add-On

The Smooth Felt Add-On is added on top of a UN Panel Walls to provide a lighter frameless appearance.

WHAT'S INCLUDED
1 add-on Smooth Felt Add-On Blade, support frame, attachment hardware

NOTES
Smooth Felt Blade is 1/2" in thickness.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Height	Width (6" increments)	Application	Corner Condition	Smooth Felt Finish	Support Frame Finish
09, 13, 15	24 - 96	**B** Both Extended	**R** Radius/Square	**QR** Admiral Blue	Foundation
		E One Side Extended	**S** Square/Square	**R6** Lunar	Mica
		S Both Standard	**M** Radius/Radius	**R5** Pewter	Accent
				QT River Rock	
				QS Sumac	

SAMPLE ORDER CODE

UNSPZ 15	42	S	R	R5	AC

DIMENSIONS INCHES / MM		PRICING
H	W	
9 / 229	24 / 610	236
9 / 229	30 / 762	287
9 / 229	36 / 914	341
9 / 229	42 / 1067	394
9 / 229	48 / 1219	406
9 / 229	54 / 1372	499
9 / 229	60 / 1524	593
9 / 229	66 / 1676	606
9 / 229	72 / 1829	613
9 / 229	78 / 1981	710
9 / 229	84 / 2134	764
9 / 229	90 / 2286	819
9 / 229	96 / 2438	869


DIMENSIONS INCHES / MM		PRICING
H	W	
13 / 330	24 / 610	255
13 / 330	30 / 762	321
13 / 330	36 / 914	375
13 / 330	42 / 1067	468
13 / 330	48 / 1219	479
13 / 330	54 / 1372	638
13 / 330	60 / 1524	661
13 / 330	66 / 1676	673
13 / 330	72 / 1829	690
13 / 330	78 / 1981	849
13 / 330	84 / 2134	849
13 / 330	90 / 2286	859
13 / 330	96 / 2438	875

DIMENSIONS INCHES / MM		PRICING
H	W	
15 / 381	24 / 610	265
15 / 381	30 / 762	337
15 / 381	36 / 914	391
15 / 381	42 / 1067	468
15 / 381	48 / 1219	479
15 / 381	54 / 1372	638
15 / 381	60 / 1524	687
15 / 381	66 / 1676	700
15 / 381	72 / 1829	711
15 / 381	78 / 1981	849
15 / 381	84 / 2134	849
15 / 381	90 / 2286	859
15 / 381	96 / 2438	875

Xpress

U Y S P Z

Smooth Felt Blade for Panels with Inset



The Smooth Felt Blade for Panels with Inset is embedded into the top of a Panel Wall (UY).

WHAT'S INCLUDED
1 add-on Smooth Felt Add-On Blade.

WHAT'S EXCLUDED
Panel Top Trim for Panels with Inset Smooth Felt (UZTT) required to connect to Panel Wall (UY).

NOTES
Smooth Felt Blade is 1/2" in thickness

Radius End (R) corner condition comes with a 2" radius on one end.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Height	Width (6" increments)	Application	Corner Condition	Smooth Felt Finish
09, 13, 15	24 - 96	**N** Both Notched	**R** Radius/Square	**QR** Admiral Blue
		B Both Extended	**S** Square/Square	**R6** Lunar
		E One Side Extended	**M** Radius/Radius	**R5** Pewter
		F Notched & Extended		**QT** River Rock
		K One Side Notched		**QS** Sumac
		S Both Standard		
		C Both Corner		
		D Corner & Extended		
		G One Side Corner		

SAMPLE ORDER CODE

UYSPZ 15	42	S	R	R5


DIMENSIONS INCHES / MM		PRICING
H	W	
9 / 229	24 / 610	74
9 / 229	30 / 762	106
9 / 229	36 / 914	106
9 / 229	42 / 1067	167
9 / 229	48 / 1219	167
9 / 229	54 / 1372	167
9 / 229	60 / 1524	202
9 / 229	66 / 1676	202
9 / 229	72 / 1829	202
9 / 229	78 / 1981	326
9 / 229	84 / 2134	326
9 / 229	90 / 2286	326
9 / 229	96 / 2438	326

DIMENSIONS INCHES / MM		PRICING
H	W	
13 / 330	24 / 610	101
13 / 330	30 / 762	148
13 / 330	36 / 914	148
13 / 330	42 / 1067	246
13 / 330	48 / 1219	246
13 / 330	54 / 1372	246
13 / 330	60 / 1524	279
13 / 330	66 / 1676	279
13 / 330	72 / 1829	279
13 / 330	78 / 1981	485
13 / 330	84 / 2134	485
13 / 330	90 / 2286	485
13 / 330	96 / 2438	485

DIMENSIONS INCHES / MM		PRICING
H	W	
15 / 381	24 / 610	117
15 / 381	30 / 762	167
15 / 381	36 / 914	167
15 / 381	42 / 1067	246
15 / 381	48 / 1219	246
15 / 381	54 / 1372	246
15 / 381	60 / 1524	326
15 / 381	66 / 1676	326
15 / 381	72 / 1829	326
15 / 381	78 / 1981	498
15 / 381	84 / 2134	498
15 / 381	90 / 2286	498
15 / 381	96 / 2438	498

U Y X D

Infinity Blade for Panels with Inset



The Infinity Blade is embedded into the top of a Panel Wall to provide a frameless alternative to windows with a low amount of exposed trim.

WHAT'S INCLUDED
1 Infinity fabric blade.

WHAT'S EXCLUDED
Panel Top Trim for Panels with Inset Glass for 6mm (UYTT) is required to connect to UY Panel Wall (UY).

NOTES
Infinity blade is 1/2" in thickness.

PRODUCT OPTIONS

Height	Width (6" increments)	Application	Corner Condition	Screen Finish
09, 13, 15	24 - 72	**B** Both Extended **E** One Side Extended **S** Both Standard **C** Both Corner **D** Corner & Extended **G** One Side Corner	**M** Radius/Radius	Panel Fabric Upholstery Fabric

SAMPLE ORDER CODE

UYXD 15	42	S	M	L341

DIMENSIONS INCHES / MM

PRICING

H	D	PANEL FABRIC COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	UPHOLSTERY FABRIC COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
9 / 229	24 / 610	337	341	351	366	378	388	338	359	369	382	402	415	426	451	475	485
9 / 229	30 / 762	366	378	426	435	450	465	374	398	408	424	446	459	473	499	526	538
9 / 229	36 / 914	382	402	431	443	464	481	398	424	435	451	474	488	503	531	560	572
9 / 229	42 / 1067	402	416	446	462	480	497	411	438	450	467	490	505	520	549	579	591
9 / 229	48 / 1219	428	449	468	490	518	537	445	474	486	504	530	545	561	593	625	639
9 / 229	54 / 1372	461	473	497	526	549	569	468	498	511	530	557	574	590	623	658	672
9 / 229	60 / 1524	513	530	562	586	617	644	525	560	575	596	629	647	667	705	744	761
9 / 229	66 / 1676	527	543	575	607	633	665	538	575	591	613	646	667	687	727	768	785
9 / 229	72 / 1829	549	567	605	633	667	697	561	600	616	641	676	698	719	762	805	824
13 / 330	24 / 610	358	378	398	436	462	479	374	398	408	424	446	459	473	499	526	538
13 / 330	30 / 762	411	439	531	567	605	638	435	463	476	494	518	534	550	581	612	625
13 / 330	36 / 914	438	473	551	569	602	647	468	498	511	530	557	574	590	623	658	672
13 / 330	42 / 1067	463	501	561	593	638	675	496	528	541	561	590	608	625	661	697	713
13 / 330	48 / 1219	487	530	574	625	669	715	525	558	574	594	625	643	663	700	738	754
13 / 330	54 / 1372	538	567	642	673	720	767	561	597	613	636	668	688	709	748	789	806
13 / 330	60 / 1524	612	662	746	787	833	898	655	698	717	744	783	807	832	880	928	949
13 / 330	66 / 1676	642	675	769	818	865	930	668	713	734	762	802	828	852	903	953	975
13 / 330	72 / 1829	659	709	809	844	903	971	701	749	770	801	846	872	899	952	1007	1030

Pricing is continued on the following page.

U Y X D

Infinity Blade for Panels with Inset (Continued)

DIMENSIONS
INCHES / MM

H	D
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829

PRICING

PANEL FABRIC

COM/ Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5
387	402	419	482	532	559
442	463	559	602	641	689
451	497	559	609	665	722
484	520	565	643	710	762
552	582	619	724	805	858
577	614	650	769	854	911
652	686	741	873	971	1034
667	709	755	896	1001	1068
683	732	780	925	1037	1105


UPHOLSTERY FABRIC

COM/ Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10
398	424	435	451	474	488	503	531	560	572
459	488	502	521	548	563	580	613	646	660
491	523	537	557	586	603	620	656	691	707
514	548	562	583	613	631	649	686	723	740
576	613	629	652	686	705	726	768	809	827
608	647	664	689	724	745	767	810	855	874
678	724	743	771	812	836	862	911	962	984
701	748	770	799	843	870	895	948	1001	1023
725	774	797	828	874	902	930	984	1041	1065

connections & trims

connections & trims product map


UNTT Top Trim
Xpress
Page 612




UYTT Panel Top Trim for Panels with Inset Glass for 6mm or 10mm
Xpress
Page 613




UZTT Panel Top Trim for Panels with Inset Smooth Felt
Xpress
Page 614



UNTTP Top Trim – Power Pole Access
Xpress
Page 615



UYCT Bridged Top Trim for Panels with Inset Glass for 6mm or 10mm
Xpress
Page 616



UNTE End Trim
Xpress
Page 617



UATE End Trim for Freestanding District
Xpress
Page 618



UNTM Intermediate End Trim
Xpress
Page 619



UNPCR2 Two-Way 90°
Xpress
Page 620



UNPCR3 Three-Way 90°
Xpress
Page 621



UNPCR4 Four-Way 90°
Xpress
Page 622



UNPCCR Two-Way 180° Spacer
Xpress
Page 623



connections & trims product map

UNIC2 Two-Way Intermediate 90°

Xpress

Page 624



UNIC3 Three-Way Intermediate 90°

Xpress


Page 625



UNIC4 Four-Way Intermediate 90°

Xpress


Page 626



UNICC Two-Way Intermediate 180°

Xpress

Page 627



UYPC2 Two-Way 90° Corner Cap for Panels with Inset Glass for 6mm or 10mm

Xpress

Page 628



UNTC Transition Cover

Xpress


Page 629



UYTC Top Trim Cover for Panels with Inset Glass for 6mm or 10mm

Xpress

Page 630



UNPCW Wall Start

Xpress

Page 631



Xpress


U N T T
Top Trim

The Top Trim finishes the top of a panel wall, full-height window or add-on window.

WHAT'S INCLUDED
Top trim, attachment hardware, gasket.

NOTES

Xpress Available through *Tèknion's Xpress Program.*



PRODUCT OPTIONS

Width (6" increments)	Finish
24 - 96	**AC** Clear Anodized
	Foundation
	Mica

SAMPLE ORDER CODE

UNTT 48	AC

DIMENSIONS INCHES / MM

PRICING

W	
24 / 610	73
30 / 762	80
36 / 914	88
42 / 1067	97
48 / 1219	103
54 / 1372	117
60 / 1524	124
66 / 1676	133
72 / 1829	143
78 / 1981	153
84 / 2134	160
90 / 2286	174
96 / 2438	179

Xpress

UYTT

Panel Top Trim for Panels with Inset Glass for 6mm or 10mm

The Top Trim designed to be inserted into UY Panel Wall to embed the related UY glass blade.

WHAT'S INCLUDED
Top trim, attachment hardware, gasket.

NOTES
6mm option designed to work in conjunction with UYSPF and UYSCF.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Width (6" increments)	Application	Finish
24 - 96	**B** Both 10mm Extended	**AC** Clear Anodized
	E One Side 10mm Extended	Foundation
	S Both 10mm Standard	Mica
	A Both 6mm Extended	
	D One Side 6mm Extended	
	R Both 6mm Standard	

SAMPLE ORDER CODE

UYTT 48	**B**	**AC**

DIMENSIONS INCHES / MM

W
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438

PRICING

127
134
156
171
183
205
216
235
251
268
281
300
310

Xpress

U Z T T


Panel Top Trim for Panels with Inset Smooth Felt

The Top Trim for Panels with Inset Smooth Felt is designed to be inserted into UY Panel Wall to embed the related UY Smooth Felt blade

WHAT'S INCLUDED
Top trim, attachment hardware, gasket

NOTES
Designed to work in conjunction with UYSPZ.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Width (6" increments)	Application	Finish
24 - 96	**B** Both 10mm Extended	**AC** Clear Anodized
	E One Side 10mm Extended	Foundation
	S Both 10mm Standard	Mica

SAMPLE ORDER CODE

UZTT 48	B	AC

DIMENSIONS INCHES / MM

W	PRICING
24 / 610	127
30 / 762	134
36 / 914	156
42 / 1067	171
48 / 1219	183
54 / 1372	205
60 / 1524	216
66 / 1676	235
72 / 1829	251
78 / 1981	268
84 / 2134	281
90 / 2286	300
96 / 2438	310

Xpress

UNTTP
Top Trim – Power Pole Access

The Top Trim – Power Pole Access finishes the top of a panel wall with a cut out for off-module power pole applications.


WHAT'S INCLUDED
Top trim, attachment hardware, gasket.

NOTES
The cut out is located 9" from one end of the top trim.

Trim is non-handed.

Required for off-module Power Pole (UNQEP) applications.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Width (6" increments)	Finish
24 - 96	**AC** Clear Anodized
	Foundation
	Mica

SAMPLE ORDER CODE

UNTTP 96	AC

DIMENSIONS INCHES / MM

PRICING

W	
24 / 610	136
30 / 762	142
36 / 914	153
42 / 1067	163
48 / 1219	175
54 / 1372	182
60 / 1524	187
66 / 1676	203
72 / 1829	211
78 / 1981	219
84 / 2134	225
90 / 2286	238
96 / 2438	242

Xpress


U Y C T
Bridged Top Trim for Panels with Inset Glass for 6mm or 10mm

The Top Trim designed to be inserted into the UY Panel Walls and designed to cover a panel connection to embed related UY glass blade.

WHAT'S INCLUDED
Top trim, attachment hardware, gasket.

NOTES

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Width (6" increments)	Application	Bracket	Finish
48 - 96	**B** Both 10mm Extended	**N** No Bracket	**AC** Clear Anodized
	E One Side 10mm Extended	**1** One Bracket	Foundation
	S Both 10mm Standard	**2** Two Bracket	Mica
	A Both 6mm Extended		
	D One Side 6mm Extended		
	R Both 6mm Standard		

SAMPLE ORDER CODE

UYCT 48	S	N	AC

DIMENSIONS INCHES / MM

W
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438

PRICING

183
205
216
235
251
268
281
300
310

Xpress

UNTE
End Trim

The End Trim finishes the end of a panel wall, full-height window or add-on window combination.

WHAT'S INCLUDED
End trim, attachment hardware.

NOTES

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Height	Finish
29, 42, 51, 66	**AC** Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNTE 51	Q

DIMENSIONS INCHES / MM

H
29 / 737
42 / 1067
51 / 1295
66 / 1676

PRICING

90
114
131
156

Xpress

U A T E
End Trim for Freestanding District

The End Trim finishes the end of a panel wall.

WHAT'S INCLUDED
End trim, attachment hardware.

NOTES
End Trim is to only be applied to District Panel that is supported by the Free standing Foot (UAFFN).

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Height	End Trim Finish
29, 42, 51	**AC** Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UATE 51	Q

DIMENSIONS
INCHES / MM

H
29 / 29
42 / 42
51 / 51

PRICING

90
114
131

Xpress

UNTM
Intermediate End Trim

The Intermediate End Trim finishes the end of a panel wall, full-height window or add-on window in a change of height location.

WHAT'S INCLUDED
Intermediate end trim, attachment hardware.

NOTES

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Height	Finish
09, 13, 15, 22, 24, 37	**AC** Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNTM 51	Q

DIMENSIONS INCHES / MM

H
9 / 229
13 / 330
15 / 381
22 / 559
24 / 610
37 / 940

PRICING

54
58
60
81
87
100

Xpress

U N P C R 2
Two-Way 90°



The Two-Way 90° connector provides a finished connection for two panel walls and windows at 90° in same-height or varying-height configurations.

WHAT'S INCLUDED
Corner trim, corner brackets, attachment hardware, top cap, elevated panel wall foot (as specified).

NOTES
Panel wall type indicates the panel wall mix at the 90° connection.

Internal (non-visible) brackets are painted in Ebony.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Panel Type	Height	Finish
FF One Flush Panel/Flush Full-Height Window / Convertible Panel and One Flush Panel /Flush Full-Height Window/Convertible Panel Wall	29, 42, 51, 66	**AC** Clear Anodized
EE One Elevated Panel/Elevated Full-Height Window and One Elevated Panel/Elevated Full-Height Window		Foundation
EA One Flush Panel/Flush Full-Height Window / Convertible Panel Wall and One Elevated Panel /Elevated Full-Height Window		Mica

SAMPLE ORDER CODE

UNPCR2 FF	51	AC

DIMENSIONS
INCHES / MM

H
29 / 737
42 / 1067
51 / 1295
66 / 1676

PRICING

Panel Type (FF)	All Other Panel Types
188	285
246	340
289	387
344	436

Xpress

UNPCR3
Three-Way 90˚



The Three-Way 90˚ connector provides a finished connection for three panel walls and windows at 90˚ in same-height or varying-height configurations.

WHAT'S INCLUDED
1 trim, corner brackets, attachment hardware, top cap, elevated panel wall foot (as specified).

WHAT'S EXCLUDED
Panel wall type indicates the panel wall mix at the 90˚ connection.

When Trim option (0) is selected, a Transition Cover (UNTC) must be ordered separately to cover the open side.

NOTES

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Panel Type	Height	Trim	Finish
FF Flush Panels/Flush Full-Height Windows/Convertible Panel Wall	29, 42, 51, 66	**0** No Vertical Cover (select when a two-way intermediate 180˚ connection is above a three-way 90˚ connection)	**AC** Clear Anodized
EE Elevated Panels/Elevated Full-Height Windows			Foundation
EA One Elevated Panel/Elevated Full-Height Window and two Flush Panels/Flush Full-Height Windows/Convertible Panel Wall			Mica
EB Two Elevated Panels/Elevated Full-Height Windows at 90˚ and One Panel/Flush Full-Height Window/Convertible Panel Wall		**1** One Vertical Cover (completely finishes connection)	
EC Two Elevated Panels/Elevated Full-Height Windows at 180˚ and One Flush Panel/Flush Full-Height Window/Convertible Panel Wall			

SAMPLE ORDER CODE

UNPCR3 EA	66	1	7

DIMENSIONS INCHES / MM

H
29 / 737
42 / 1067
51 / 1295
66 / 1676

PRICING

NO TRIM COVER (0)		WITH TRIM COVER (1)	
Panel Type (FF)	All Other Panel Types	Panel Type (FF)	All Other Panel Types
92	186	184	278
117	211	235	330
136	233	278	372
163	258	330	424

Xpress

U N P C R 4
Four-Way 90˚



The Four-Way 90˚ connector provides a finished connection for four panel walls and windows at 90˚ in same-height or varying-height configurations.

WHAT'S INCLUDED
Corner brackets, attachment hardware, top cap, gasket, elevated panel wall F-foot (as specified).

NOTES
Panel wall type indicates the panel wall mix at the 90˚ connection.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Panel Type		Height	Finish
FF	Four Flush Panels/Flush Full-Height Windows/Convertible Panel Wall	29, 42, 51, 66	**AC** Clear Anodized
EE	Four Elevated Panels/Elevated Full-Height Windows		Foundation
EA	One Elevated Panel/Elevated Full-Height Window and 3 Flush Panels/Flush Full-Height Windows/Convertible Panel Wall		Mica
EB	Two Elevated Panels/Elevated Full-Height Windows at 90˚ and Two Flush Panels/Flush Full-Height Windows// Convertible Panel Wall at 90˚		
EC	Two Elevated Panels/Elevated Full-Height Windows at 180˚ and Two Flush Panels/Flush Full-Height Windows/ Convertible Panel Wall at 180˚		
ED	Three Elevated Panels/Elevated Full-Height Windows and One Flush Panel/Flush Full-Height Window		

SAMPLE ORDER CODE

UNPCR4 EC	29	AC

DIMENSIONS
INCHES / MM

H
29 / 737
42 / 1067
51 / 1295
66 / 1676

PRICING

Panel Type (FF)	All Other Panel Types
129	225
160	258
187	287
217	314

Xpress

UNPCCR
Two-Way 180° Spacer

The Two-Way 180° Spacer connector provides finished spacer connection between two panel walls and windows joined at 180° equal to the thickness of one panel wall.

WHAT'S INCLUDED
2 trims, brackets, attachment hardware, top cap, elevated panel wall foot (as specified).

NOTES
Panel wall type indicates the panel wall mix at the 180° connection.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Panel Type	Height	Finish
FF Flush Panels/Flush Full-Height Windows / Convertible Panel Wall	29, 42, 51, 66	**AC** Clear Anodized
EE Elevated Panels/Elevated Full-Height Windows		Foundation
EA One Flush Panel/Flush Full-Height Window /Convertible Panel Wall and One Elevated Panel/Elevated Full-Height Window		Mica

SAMPLE ORDER CODE

UNPCCR EE	51	AC

DIMENSIONS
INCHES / MM

H
29 / 737
42 / 1067
51 / 1295
66 / 1676

PRICING

Panel Type (FF)	All Other Panel Types
186	285
234	334
276	375
328	424

Xpress

UNIC2

Two-Way Intermediate 90°

The Two-Way Intermediate 90° connector provides finished connection to the exposed ends of panel walls and windows or add-on windows above a three- or four-way connector in change-of-height configuration.

WHAT'S INCLUDED
Corner trim, corner brackets, attachment hardware.

WHAT'S EXCLUDED
Does not have a top cap.

NOTES

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Height	Finish
09, 13, 15, 22, 24, 37	**AC** Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNIC2 22	AC

DIMENSIONS INCHES / MM

H
9 / 229
13 / 330
15 / 381
22 / 559
24 / 610
37 / 940

PRICING

85
113
119
157
167
203

Xpress

UNIC3

Three-Way Intermediate 90°


The Three-Way Intermediate 90° connector provides finished connection to the exposed ends of panel walls and windows above a four-way connector in change-of-height configuration.

WHAT'S INCLUDED
Trim, corner brackets, attachment hardware.

WHAT'S EXCLUDED
Does not have a top cap.

NOTES

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Height	Finish
09, 13, 15, 22, 24, 37	**AC** Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNIC3 09	7

DIMENSIONS INCHES / MM

H
9 / 229
13 / 330
15 / 381
22 / 559
24 / 610
37 / 940


PRICING

85
119
122
160
165
187

Xpress

UNIC4

Four-Way Intermediate 90°



The Four-Way Intermediate 90° connector provides intermediate four-way connection when add-on windows are added above an existing four-way connection.

WHAT'S INCLUDED
Corner brackets, attachment hardware.

WHAT'S EXCLUDED
Does not have a top cap.

NOTES
Finished in Ebony.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Height
09, 13, 15, 22, 24, 37

SAMPLE ORDER CODE

UNIC4 15

DIMENSIONS INCHES / MM	PRICING
H	
9 / 229	58
13 / 330	88
15 / 381	89
22 / 559	122
24 / 610	124
37 / 940	126

Xpress

UNICC

Two-Way Intermediate 180˚


The Two-Way Intermediate 180˚ connector provides intermediate two-way spacer connection.

WHAT'S INCLUDED
2 trims, brackets, attachment hardware.

WHAT'S EXCLUDED
Does not have a top cap.

NOTES
When Trim option 1 is selected, a Transition Cover (UNTC) must be ordered separately to cover the open side.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Height	Trim	Finish
09, 13, 15, 22, 24, 37	**1** One Vertical Cover (select when a two-way intermediate 180˚ connection is above a three-way 90˚ connection) **2** Two Vertical Covers (completely finishes both sides with equal length trim covers)	**AC** Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNICC 37	2	AC

DIMENSIONS
INCHES / MM

H
9 / 229
13 / 330
15 / 381
22 / 559
24 / 610
37 / 940

PRICING

One Vertical Cover	Two Vertical Covers
57	89
73	110
74	113
96	148
99	157
119	181

Xpress

U Y P C 2

Two-Way 90° Corner Cap for Panels with Inset Glass for 6mm or 10mm

The Two-Way 90° Corner cap provides a finished connection for two corner application UY glass blades at 90° in same-height.

WHAT'S INCLUDED
Corner cap.

NOTES

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Glass Thickness		Finish	
6	6mm Thickness	**AC**	Clear Anodized
10	10mm Thickness		Foundation
			Mica

SAMPLE ORDER CODE

UYPC2 6	AC

PRICING

44

Xpress

UNTC
Transition Cover

The Transition Cover provides a vertical trim cover when a two-way intermediate 180° panel wall connection occurs above a three-way connection.

WHAT'S INCLUDED
Transition cover, attachment hardware.

WHAT'S EXCLUDED
Does not have a top cap.

NOTES

Panel Wall Type indicates the panel wall mix at the 90° connection.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Panel Type	Height	Finish
FF Three Flush Panels	42, 51, 66	**AC** Clear Anodized
EE Three Elevated Panels		Foundation
EA Two Flush Panels and One Elevated Panel		Mica
EB One Flush Panel and Two Elevated Panels at 90°		
EC One Flush Panel and Two Elevated Panels at 180°		

SAMPLE ORDER CODE

UNTC FF	2	AC

DIMENSIONS INCHES / MM

H
42 / 1067
51 / 1295
66 / 1676

PRICING

All Panel Types
123
141
165

Xpress

U Y T C

Top Trim Cover for Panels with Inset Glass 6mm or 10mm


The Top Trim Cover provides a horizontal cover on the inset panel cover when a opening occurs due to application of panel mounted products.

WHAT'S INCLUDED
Top Trim cover, attachment hardware.

NOTES

Top Trim is can be cut on site.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Width (6" increments)	Glass Thickness	Finish
48 - 102	**6** 6mm Thickness	**AC** Clear Anodized
	10 10mm Thickness	Foundation
		Mica

SAMPLE ORDER CODE

UYTC 72	**6**	**AC**

DIMENSIONS INCHES / MM

W
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438
102 / 2591

PRICING

51
55
60
69
74
82
87
92
98
103

Xpress

UNPCW
Wall Start

The Wall Start connects panel walls to reinforced drywall.

WHAT'S INCLUDED
Wall start, connecting hardware.

NOTES
Finished in Ebony.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Height
29, 42, 51, 66

SAMPLE ORDER CODE

UNPCW 51

DIMENSIONS INCHES / MM	PRICING
H	
29 / 737	161
42 / 1067	193
51 / 1295	265
66 / 1676	273


worksurfaces

worksurfaces product map

UNWR Rectangle Worksurface

Xpress


Page 634



UNWC Rectangle with Radius Corners Worksurface


Xpress

Page 638



Xpress

U N W R
Rectangle Worksurface



The Rectangle Worksurface provides a range of depths to support both primary and secondary worksurface applications.

WHAT'S INCLUDED
1 worksurface.

NOTES
Actual depth is 1" less than nominal depth to allow for a cable management gap at the back and to align with storage.

Actual width equals nominal width, allowance for gaps at side edges must be specified.

Xpress Worksurface Finish Flintwood and Natural Veneer, Edge Trim Style Flat with Flintwood and Natural Veneer (9) and Full Knife (H) are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Depth	Width (1" increments)	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Grommet Location (optional)	Grommet Finish
17, 20, 24, 30, 36	22 - 96	Foundation Laminate Flintwood Natural Veneer	**8** Flat (with Foundation) **9** Flat (with Flintwood and Natural Veneer) **H** Full Knife (with all)	Edge Trim Colors	**1** Left **2** Centered **3** Right	**Q** Storm White **7** Platinum **V** Very White

SAMPLE ORDER CODE

UNWR 24	48	LW	9	ST	2	7

DIMENSIONS – INCHES FOR MM X BY 25.4

PRICING

D	W	FOUNDATION LAMINATE Flat Edge	FOUNDATION LAMINATE Full Knife Edge	FLINTWOOD Flat Edge	FLINTWOOD Full Knife Edge	NATURAL VENEER Flat Edge	NATURAL VENEER Full Knife Edge
17	22 - 24	312	375	705	824	739	864
17	25 - 27	339	399	740	861	777	906
17	28 - 30	362	443	777	901	815	947
17	31 - 33	365	451	814	941	854	986
17	34 - 36	369	457	867	1002	910	1049
17	37 - 39	412	517	902	1040	947	1091
17	40 - 42	419	523	940	1078	984	1130
17	43 - 45	422	529	975	1118	1022	1172
17	46 - 48	425	540	1011	1155	1060	1211
17	49 - 51	507	649	1080	1241	1133	1299
17	52 - 54	513	657	1116	1279	1172	1340
17	55 - 57	517	664	1152	1316	1207	1380
17	58 - 60	521	671	1189	1356	1248	1419
17	61 - 63	525	677	1225	1394	1283	1461
17	64 - 66	528	685	1259	1433	1323	1500
17	67 - 69	533	691	1342	1530	1408	1604
17	70 - 72	540	699	1379	1570	1445	1648
17	73 - 75	718	955	1415	1607	1483	1685
17	76 - 78	724	963	1449	1648	1520	1726
17	79 - 81	728	971	1487	1685	1557	1767
17	82 - 84	731	977	1522	1725	1596	1809
17	85 - 87	736	984	1580	1792	1657	1881
17	88 - 90	739	991	1618	1832	1695	1920
17	91 - 93	743	997	1652	1870	1732	1962
17	94 - 96	748	1005	1688	1909	1771	2001

If Grommet is specified, add 43

Pricing is continued on the following page.

Xpress

UNWR

Rectangle Worksurface (Continued)

DIMENSIONS – INCHES
FOR MM X BY 25.4

PRICING

D	W	FOUNDATION LAMINATE Flat Edge	FOUNDATION LAMINATE Full Knife Edge	FLINTWOOD Flat Edge	FLINTWOOD Full Knife Edge	NATURAL VENEER Flat Edge	NATURAL VENEER Full Knife Edge
20	22 - 24	317	384	746	869	783	912
20	25 - 27	339	412	787	911	823	954
20	28 - 30	368	452	841	975	882	1022
20	31 - 33	371	460	881	1016	921	1067
20	34 - 36	375	467	917	1057	962	1108
20	37 - 39	422	527	955	1099	1003	1152
20	40 - 42	425	534	993	1142	1042	1196
20	43 - 45	429	543	1068	1227	1118	1286
20	46 - 48	434	550	1104	1267	1158	1329
20	49 - 51	518	663	1144	1310	1198	1373
20	52 - 54	522	671	1181	1353	1237	1416
20	55 - 57	526	677	1221	1393	1280	1460
20	58 - 60	532	685	1304	1494	1365	1567
20	61 - 63	536	692	1341	1537	1407	1609
20	64 - 66	542	700	1380	1577	1446	1652
20	67 - 69	545	707	1418	1619	1487	1696
20	70 - 72	551	713	1478	1689	1550	1771
20	73 - 75	732	974	1519	1731	1591	1814
20	76 - 78	737	980	1556	1773	1630	1859
20	79 - 81	740	988	1596	1814	1672	1903
20	82 - 84	746	995	1632	1856	1711	1945
20	85 - 87	752	1003	1672	1896	1753	1989
20	88 - 90	756	1010	1710	1938	1791	2031
20	91 - 93	761	1018	1749	1980	1832	2074
20	94 - 96	766	1024	1832	2080	1919	2182
24	22 - 24	349	430	820	951	859	997
24	25 - 27	392	488	860	996	902	1045
24	28 - 30	395	495	902	1042	947	1094
24	31 - 33	445	551	943	1087	989	1142
24	34 - 36	446	558	1019	1177	1069	1234
24	37 - 39	481	613	1060	1223	1112	1282
24	40 - 42	487	620	1101	1267	1155	1329
24	43 - 45	490	631	1144	1312	1198	1378
24	46 - 48	496	639	1230	1418	1288	1487
24	49 - 51	647	837	1273	1464	1333	1536
24	52 - 54	654	846	1313	1509	1376	1581
24	55 - 57	657	854	1355	1552	1418	1628
24	58 - 60	664	861	1418	1629	1487	1707
24	61 - 63	670	871	1461	1674	1529	1755
24	64 - 66	673	879	1500	1720	1573	1803
24	67 - 69	678	887	1543	1763	1618	1848
24	70 - 72	685	894	1583	1810	1659	1896
24	73 - 75	751	995	1627	1855	1704	1944
24	76 - 78	756	1004	1712	1961	1794	2054
24	79 - 81	761	1011	1754	2003	1839	2101
24	82 - 84	766	1019	1794	2051	1883	2149
24	85 - 87	770	1028	1837	2095	1925	2196
24	88 - 90	776	1035	1879	2140	1968	2243
24	91 - 93	782	1044	1920	2184	2012	2289
24	94 - 96	789	1053	2008	2290	2102	2401

If Grommet is specified, add 43

Pricing is continued on the following page.

Xpress

U N W R

Rectangle Worksurface (Continued)

DIMENSIONS – INCHES
FOR MM X BY 25.4

PRICING


D	W	FOUNDATION LAMINATE Flat Edge	FOUNDATION LAMINATE Full Knife Edge	FLINTWOOD Flat Edge	FLINTWOOD Full Knife Edge	NATURAL VENEER Flat Edge	NATURAL VENEER Full Knife Edge
30	22 - 24	375	464	902	1042	947	1094
30	25 - 27	404	504	949	1094	993	1146
30	28 - 30	449	559	1028	1189	1078	1248
30	31 - 33	453	572	1074	1241	1127	1299
30	34 - 36	458	580	1121	1289	1175	1354
30	37 - 39	523	668	1211	1402	1269	1469
30	40 - 42	529	677	1257	1451	1317	1521
30	43 - 45	536	686	1305	1501	1366	1574
30	46 - 48	543	696	1373	1582	1439	1659
30	49 - 51	666	863	1418	1633	1487	1712
30	52 - 54	672	872	1466	1684	1537	1764
30	55 - 57	678	882	1512	1734	1582	1817
30	58 - 60	685	889	1557	1786	1632	1871
30	61 - 63	691	899	1650	1897	1727	1989
30	64 - 66	699	910	1696	1948	1778	2042
30	67 - 69	703	917	1741	1998	1824	2094
30	70 - 72	709	925	1787	2049	1873	2148
30	73 - 75	1069	1411	1835	2100	1920	2200
30	76 - 78	1074	1421	1925	2210	2016	2317
30	79 - 81	1082	1431	1971	2260	2064	2368
30	82 - 84	1087	1439	2018	2312	2114	2423
30	85 - 87	1094	1447	2063	2363	2161	2474
30	88 - 90	1100	1459	2109	2413	2210	2529
30	91 - 93	1105	1467	2155	2465	2258	2581
30	94 - 96	1112	1475	2202	2515	2306	2635
36	22 - 24	474	606	1019	1177	1069	1234
36	25 - 27	551	710	1070	1234	1122	1294
36	28 - 30	557	722	1121	1289	1175	1354
36	31 - 33	643	828	1218	1408	1275	1475
36	34 - 36	649	837	1267	1464	1328	1531
36	37 - 39	716	941	1317	1520	1381	1592
36	40 - 42	725	950	1391	1604	1459	1682
36	43 - 45	731	961	1441	1660	1512	1741
36	46 - 48	738	971	1494	1719	1566	1802
36	49 - 51	1039	1365	1544	1775	1619	1859
36	52 - 54	1045	1376	1641	1890	1720	1981
36	55 - 57	1053	1386	1693	1946	1773	2041
36	58 - 60	1060	1395	1741	2002	1824	2100
36	61 - 63	1067	1407	1792	2059	1877	2159
36	64 - 66	1072	1415	1889	2177	1978	2280
36	67 - 69	1080	1424	1939	2232	2031	2338
36	70 - 72	1087	1436	1991	2288	2086	2397
36	73 - 75	1214	1629	2042	2344	2138	2457
36	76 - 78	1222	1641	2093	2401	2192	2516
36	79 - 81	1228	1650	2144	2457	2244	2575
36	82 - 84	1235	1659	2260	2605	2367	2728
36	85 - 87	1243	1671	2313	2660	2421	2788
36	88 - 90	1251	1680	2364	2717	2473	2848
36	91 - 93	1257	1689	2413	2773	2528	2905
36	94 - 96	1264	1701	2465	2829	2581	2963

If Grommet is specified, add 43

Xpress

U N W C

Rectangle with Radius Corners Worksurface



The Rectangle with Radius Corners Worksurface provides a range of depths to support both primary and secondary worksurface applications.

WHAT'S INCLUDED
1 worksurface, grommet (if specified).

NOTES
Worksurface is designed to accompany the District Infinity Curved Desk Edge Screen (GXCD).

Actual depth is 1" less than nominal depth to allow for a cable management gap at the back and to align with storage.

Actual width equals nominal width, allowance for gaps at side edges must be specified.

Xpress Worksurface Finish Flintwood and Natural Veneer, Edge Trim Style Flat with Flintwood and Natural Veneer (9) and Full Knife (H) are excluded from *Teknion's Xpress Program*.

PRODUCT OPTIONS

Depth	Width (1" increments)	Corner Profile	Leg Style	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Grommet Location (optional)	Grommet Finish (if applicable)
20, 24, 30, 36	48 - 96	**F** Four Round 3" Radius **L** Two Round Left 3" Radius **R** Two Round Right 3" Radius	**K** Leverage	Foundation Laminate Flintwood Natural Veneer	**8** Flat (with Foundation) **9** Flat (with Flintwood and Natural Veneer) **H** Full Knife (with all)	Edge Trim Colors	**1** Left **2** Centered **3** Right	**7** Platinum **V** Very White **Q** Storm White

SAMPLE ORDER CODE

UNWC 24	48	F	K	LW	8	ST	2	7

DIMENSIONS – INCHES
FOR MM X BY 25.4

PRICING

D	W	FOUNDATION LAMINATE Flat Edge	FOUNDATION LAMINATE Full Knife Edge	FLINTWOOD Flat Edge	FLINTWOOD Full Knife Edge	NATURAL VENEER Flat Edge	NATURAL VENEER Full Knife Edge
20	48	434	550	1104	1267	1158	1329
20	49 - 51	518	663	1144	1310	1198	1373
20	52 - 54	522	671	1181	1353	1237	1416
20	55 - 57	526	677	1221	1393	1280	1460
20	58 - 60	532	685	1304	1494	1365	1567
20	61 - 63	536	692	1341	1537	1407	1609
20	64 - 66	542	700	1380	1577	1446	1652
20	67 - 69	545	707	1418	1619	1487	1696
20	70 - 72	551	713	1478	1689	1550	1771
20	73 - 75	732	974	1519	1731	1591	1814
20	76 - 78	737	980	1556	1773	1630	1859
20	79 - 81	740	988	1596	1814	1672	1903
20	82 - 84	746	995	1632	1856	1711	1945
20	85 - 87	752	1003	1672	1896	1753	1989
20	88 - 90	756	1010	1710	1938	1791	2031
20	91 - 93	761	1018	1749	1980	1832	2074
20	94 - 96	766	1024	1832	2080	1919	2182

If Grommet is specified, add 43

Pricing is continued on the following page.

Xpress

UNWC

Rectangle with Radius Corners Worksurface (Continued)

DIMENSIONS – INCHES
FOR MM X BY 25.4

PRICING

D	W	FOUNDATION LAMINATE Flat Edge	FOUNDATION LAMINATE Full Knife Edge	FLINTWOOD Flat Edge	FLINTWOOD Full Knife Edge	NATURAL VENEER Flat Edge	NATURAL VENEER Full Knife Edge
24	48	496	639	1230	1418	1288	1487
24	49 - 51	647	837	1273	1464	1333	1536
24	52 - 54	654	846	1313	1509	1376	1581
24	55 - 57	657	854	1355	1552	1418	1628
24	58 - 60	664	861	1418	1629	1487	1707
24	61 - 63	670	871	1461	1674	1529	1755
24	64 - 66	673	879	1500	1720	1573	1803
24	67 - 69	678	887	1543	1763	1618	1848
24	70 - 72	685	894	1583	1810	1659	1896
24	73 - 75	751	995	1627	1855	1704	1944
24	76 - 78	756	1004	1712	1961	1794	2054
24	79 - 81	761	1011	1754	2003	1839	2101
24	82 - 84	766	1019	1794	2051	1883	2149
24	85 - 87	770	1028	1837	2095	1925	2196
24	88 - 90	776	1035	1879	2140	1968	2243
24	91 - 93	782	1044	1920	2184	2012	2289
24	94 - 96	789	1053	2008	2290	2102	2401
30	48	543	696	1373	1582	1439	1659
30	49 - 51	666	863	1418	1633	1487	1712
30	52 - 54	672	872	1466	1684	1537	1764
30	55 - 57	678	882	1512	1734	1582	1817
30	58 - 60	685	889	1557	1786	1632	1871
30	61 - 63	691	899	1650	1897	1727	1989
30	64 - 66	699	910	1696	1948	1778	2042
30	67 - 69	703	917	1741	1998	1824	2094
30	70 - 72	709	925	1787	2049	1873	2148
30	73 - 75	1069	1411	1835	2100	1920	2200
30	76 - 78	1074	1421	1925	2210	2016	2317
30	79 - 81	1082	1431	1971	2260	2064	2368
30	82 - 84	1087	1439	2018	2312	2114	2423
30	85 - 87	1094	1447	2063	2363	2161	2474
30	88 - 90	1100	1459	2109	2413	2210	2529
30	91 - 93	1105	1467	2155	2465	2258	2581
30	94 - 96	1112	1475	2202	2515	2306	2635
36	48	738	971	1494	1719	1566	1802
36	49 - 51	1039	1365	1544	1775	1619	1859
36	52 - 54	1045	1376	1641	1890	1720	1981
36	55 - 57	1053	1386	1693	1946	1773	2041
36	58 - 60	1060	1395	1741	2002	1824	2100
36	61 - 63	1067	1407	1792	2059	1877	2159
36	64 - 66	1072	1415	1889	2177	1978	2280
36	67 - 69	1080	1424	1939	2232	2031	2338
36	70 - 72	1087	1436	1991	2288	2086	2397
36	73 - 75	1214	1629	2042	2344	2138	2457
36	76 - 78	1222	1641	2093	2401	2192	2516
36	79 - 81	1228	1650	2144	2457	2244	2575
36	82 - 84	1235	1659	2260	2605	2367	2728
36	85 - 87	1243	1671	2313	2660	2421	2788
36	88 - 90	1251	1680	2364	2717	2473	2848
36	91 - 93	1257	1689	2413	2773	2528	2905
36	94 - 96	1264	1701	2465	2829	2581	2963

If Grommet is specified, add 43


height-adjustability

height-adjustability product map

YAD Navigate Freestanding Table, Base Only

Xpress


Page 644



YHD Navigate Height-Adjustable Built-in Base - Parallel Planning

Xpress


Page 648



YGD Navigate Height-Adjustable Built-in Base - Perpendicular Planning

Xpress


Page 650



YWD Navigate Height-Adjustable Built-in Gable Base - Parallel Planning

Xpress


Page 652



YVD Navigate Height-Adjustable Built-in Gable Base - Perpendicular Planning

Xpress


Page 654



YSG hiSpace Quick Connect Height-Adjustable Built-in Base - Perpendicular Planning

Xpress


Page 656



YSP hiSpace Height-Adjustable Built-in Base - Parallel Planning for Quick Connect

Xpress


Page 658



WHD Parallel Rectangular Height-Adjustable Built-in Worksurface, T-Legs

Xpress

Page 660




height-adjustability product map

WHD_ **Parallel Rectangular Height-Adjustable Built-in Worksurface, Gable**

Xpress


Page 661



WLD **Perpendicular Rectangular Height-Adjustable Built-in Worksurface, T-Legs**

Xpress


Page 662



WLD_ **Perpendicular Rectangular Height-Adjustable Built-in Worksurface, Gable**

Xpress


Page 663



WBD **Freestanding Table Rectangular Height-Adjustable Worksurface**

Xpress


Page 664



WMD **Perpendicular Rectangular Height-Adjustable Built-in Worksurface with Radius Corners**

Xpress


Page 668



WBF **hiSpace Parallel Rectangular Height-Adjustable Built-in Worksurface**

Xpress


Page 669



WBG **hiSpace Perpendicular Rectangular Height-Adjustable Built-in Worksurface with connection kit for Quick Connect**

Xpress


Page 670



WJE **hiSpace Rectangular Height-Adjustable Built-in Perpendicular Worksurface with Radius Corners**

Xpress

Page 671




height-adjustability product map

UPPC Perpendicular Credenza for Height-Adjustable Table

Xpress


Page 672



UPCS Shared Perpendicular Credenza for Height-Adjustable Table

Xpress


Page 674



UPSC Parallel Spine Credenza for Height-Adjustable Table

Xpress


Page 676



UPCC Parallel Corridor Credenza for Height-Adjustable Table

Xpress

Page 678




Xpress

YAD

Navigate Freestanding Table, Base Only

One Table
One Plug



Navigate Freestanding Table Base Only to be used with Freestanding Table Rectangular Height-Adjustable Worksurface to create a Freestanding District specific height-adjustable table.

WHAT'S INCLUDED
1 Height-Adjustable base, leg and foot configuration as specified.

NOTES
Electric base mechanism has 0.1 Watt resting power draw and uses 120V North American control box.

Vertical Wire Carrier includes cross channel bracket and mounts into credenza.

The height-adjustable worksurface must be specified separately.

For Switch details, see the *Application Guide* section.

Cross Channel Integrated Powerbar option (C) includes 3 outlets + 1 IEC Connection. This IEC connection accepts only one IEC-compatible power accessory (with an IEC cord terminal) at a time.

Undersurface cable management option (5) - Dual Plastic Trays + Powerbar with IEC refers to a Power Rod (with IEC cord terminal) that must be plugged into the IEC connection of the Cross Channel Integrated Powerbar option (C).

For more information about the One Table One Plug electrical system, IEC-compatible power accessories and planning with IEC Connection, refer to Complements: *Teknion's Ergonomics & Accessories Program*.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Foot Style	Base Finish
CCC C-Legs **TTT** T-Leg	**1S** Counterbalance Standard (29.5" - 49.5") **1X** Counterbalance Lower Edition (26.5" - 43.5") **7S** Standard Electric (27" - 43") **9C** Extended Electric-Restricted (25" - 48.7") **9E** Extended Electric-Extended (22.6" - 48.7")	23, 29, 35	45, 51, 57, 63, 69, 75, 81	**1** Standard	**Texture** Foundation Mica Accent **Without Texture** Foundation Mica Accent

SAMPLE ORDER CODE

YAD TTT	9C	29	57	1	52

PRODUCT OPTIONS (CONTINUED)

Switch Style	Switch Finish	Powerbar	Undersurface Cable Management	Vertical Wire Carrier (optional)
S Standard Up/Down **D** Display with Up/Down Memory **T** Toggle Up/Down **X** Display Toggle with Memory and Navigate GPS	**E** Ebony Coordinate **X** Anthracite **7** Platinum **6** Crisp Grey	**N** None **I** Cross Channel Integrated - 4 Outlets **C** Cross Channel Integrated - 3 Outlets + 1 IEC	**N** None **1** Cable Organizer with Felt Cover **3** Dual Plastic Trays and Powerbar **4** Dual Plastic Trays **5** Dual Plastic Trays+Powerbar with IEC	**N** None **E** Ebony Coordinate **7** Platinum Coordinate **V** Very White Coordinate

SAMPLE ORDER CODE (CONTINUED)

X	X	I	1	E

See pricing in the following page.

Xpress

Y A D

Navigate Freestanding Table, Base Only (Continued)

DIMENSIONS INCHES / MM		PRICING	
		COUNTERBALANCE STANDARD / COUNTERBALANCE LOWER EDITION	
D	W	Foundation	Mica/Accent
23 / 584	51 / 1294	3352	3457
23 / 584	57 / 1447	3352	3457
23 / 584	63 / 1600	3389	3494
23 / 584	69 / 1753	3389	3494
29 / 237	51 / 1294	3352	3457
29 / 237	57 / 1447	3352	3457
29 / 237	63 / 1600	3389	3494
29 / 237	69 / 1753	3389	3494
		STANDARD ELECTRIC	
		Foundation	Mica/Accent
23 / 584	45 / 1143	3352	3457
23 / 584	51 / 1294	3352	3457
23 / 584	57 / 1447	3352	3457
23 / 584	63 / 1600	3389	3494
23 / 584	69 / 1753	3389	3494
23 / 584	75 / 1905	3389	3494
23 / 584	81 / 2057	3389	3494
29 / 237	45 / 1143	3352	3457
29 / 237	51 / 1294	3352	3457
29 / 237	57 / 1447	3352	3457
29 / 237	63 / 1600	3389	3494
29 / 237	69 / 1753	3389	3494
29 / 237	75 / 1905	3389	3494
29 / 237	81 / 2057	3389	3494
35 / 889	45 / 1143	3352	3457
35 / 889	51 / 1294	3352	3457
35 / 889	57 / 1447	3352	3457
35 / 889	63 / 1600	3389	3494
35 / 889	69 / 1753	3389	3494
35 / 889	75 / 1905	3389	3494
35 / 889	81 / 2057	3389	3494

Pricing is continued on the following page

If Display with Up/Down Memory (D) switch is specified, add 184
If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 184
If No Power Bar, Dual Plastic Trays are specified, add 59
If No Power Bar, Dual Plastic Trays + Powerbar are specified, add 285
If No Power Bar, Cable Organizer with Felt Cover is specified, add 292
If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 247
If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 308
If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 533
If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 605
If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 541
If Vertical Wire Carrier is specified, add 334

Xpress

Y A D

Navigate Freestanding Table, Base Only (Continued)

DIMENSIONS INCHES / MM		PRICING	
		EXTENDED ELECTRIC-RESTRICTED / EXTENDED ELECTRIC-RESTRICTED	
D	W	Foundation	Mica/Accent
23 / 584	45 / 1143	3579	3684
23 / 584	51 / 1294	3579	3684
23 / 584	57 / 1447	3579	3684
23 / 584	63 / 1600	3593	3699
23 / 584	69 / 1753	3593	3699
23 / 584	75 / 1905	3593	3699
23 / 584	81 / 2057	3593	3699
29 / 237	45 / 1143	3579	3684
29 / 237	51 / 1294	3579	3684
29 / 237	57 / 1447	3579	3684
29 / 237	63 / 1600	3593	3699
29 / 237	69 / 1753	3593	3699
29 / 237	75 / 1905	3593	3699
29 / 237	81 / 2057	3593	3699
35 / 889	45 / 1143	3579	3684
35 / 889	51 / 1294	3579	3684
35 / 889	57 / 1447	3579	3684
35 / 889	63 / 1600	3593	3699
35 / 889	69 / 1753	3593	3699
35 / 889	75 / 1905	3593	3699
35 / 889	81 / 2057	3593	3699


If Display with Up/Down Memory (D) switch is specified, add 184
If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 184
If No Power Bar, Dual Plastic Trays are specified, add 59
If No Power Bar, Dual Plastic Trays + Powerbar are specified, add 285
If No Power Bar, Cable Organizer with Felt Cover is specified, add 292
If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 247
If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 308
If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 533
If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 605
If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 541
If Vertical Wire Carrier is specified, add 334

Xpress

Y H D

Navigate Height-Adjustable Built-in Base - Parallel Planning

One Table
One Plug



Navigate Height-Adjustable Built-in Base - Parallel Planning is to be paired with Parallel Rectangular Height-Adjustable Built-in Worksurface, T-Legs, to create a District specific integrated height-adjustable table supporting parallel planning.

WHAT'S INCLUDED
1 Height-Adjustable base, leg and foot configuration as specified.

NOTES
Electric base mechanism has 0.1 Watt resting power draw and uses 120V North American control box.

Vertical Wire Carrier includes cross channel bracket and mounts into credenza.

The height-adjustable worksurface must be specified separately.

For Switch details, see the *Application Guide* section.

Cross Channel Integrated Powerbar option (C) includes 3 outlets + 1 IEC Connection. This IEC connection accepts only one IEC-compatible power accessory (with an IEC cord terminal) at a time.

Undersurface cable management option (5) - Dual Plastic Trays + Powerbar with IEC refers to a Power Rod (with IEC cord terminal) that must be plugged into the IEC connection of the Cross Channel Integrated Powerbar option (C).

For more information about the One Table One Plug electrical system, IEC-compatible power accessories and planning with IEC Connection, refer to Complements: *Teknion's Ergonomics & Accessories Program*.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Foot Style	Base Finish
TZL Left in Perpendicular Credenza, Right toward Middle	**7S** Standard Electric (27" - 43")	29	52, 58, 64, 70, 76, 82	**1** Standard	Foundation
TZR Right in Perpendicular Credenza, Left toward Middle	**9C** Extended Electric-Restricted (25" - 48.7")				Mica
TDL Left toward outside, Right in Shared Perpendicular Credenza					Accent
TDR Right toward outside, Left in Shared Perpendicular Credenza					
THL Left in Perpendicular Credenza, Right in Shared Perpendicular Credenza					
THR Right in Perpendicular Credenza, Left in Shared Perpendicular Credenza					

SAMPLE ORDER CODE

YHD TZL	9C	29	58	1	52

PRODUCT OPTIONS (CONTINUED)

Switch Style	Switch Finish	Powerbar	Undersurface Cable Management	Vertical Wire Carrier (optional)
S Standard Up/Down	**E** Ebony Coordinate	**N** None	**N** None	**N** None
D Display with Up/Down Memory	**X** Anthracite	**I** Cross Channel Integrated - 4 Outlets	**1** Cable Organizer with Felt Cover	**E** Ebony Coordinate
T Toggle Up/Down	**7** Platinum	**C** Cross Channel Integrated - 3 Outlets + 1 IEC	**3** Dual Plastic Trays and Powerbar	**7** Platinum Coordinate
X Display Toggle with Memory and Navigate GPS	**6** Crisp Grey		**4** Dual Plastic Trays	**V** Very White Coordinate
			5 Dual Plastic Trays+Powerbar with IEC	

SAMPLE ORDER CODE (CONTINUED)

X	X	I	1	E

See pricing in the following page.

Xpress

YHD

Navigate Height-Adjustable Built-in Base - Parallel Planning (Continued)

DIMENSIONS INCHES / MM		PRICING	
		STANDARD ELECTRIC	
D	W	Foundation	Mica/Accent
29 / 237	52 / 1321	3352	3457
29 / 237	58 / 1473	3352	3457
29 / 237	64 / 1626	3389	3494
29 / 237	70 / 1778	3389	3494
29 / 237	76 / 1930	3389	3494
29 / 237	82 / 2083	3389	3494
		EXTENDED ELECTRIC-RESTRICTED	
		Foundation	Mica/Accent
29 / 237	52 / 1321	3579	3684
29 / 237	58 / 1473	3579	3684
29 / 237	64 / 1626	3593	3699
29 / 237	70 / 1778	3593	3699
29 / 237	76 / 1930	3593	3699
29 / 237	82 / 2083	3593	3699


If Display with Up/Down Memory (D) switch is specified, add 184
If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 184
If No Power Bar, Dual Plastic Trays are specified, add 59
If No Power Bar, Dual Plastic Trays + Powerbar are specified, add 285
If No Power Bar, Cable Organizer with Felt Cover is specified, add 292
If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 247
If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 308
If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 533
If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 605
If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 541
If Vertical Wire Carrier is specified, add 334

Xpress

Y G D

Navigate Height-Adjustable Built-in Base - Perpendicular Planning

One Table
One Plug



Navigate Height-Adjustable Built-in Base - Perpendicular Planning is to be paired with Perpendicular Rectangular Height-Adjustable Built-in Worksurface, T-Legs, to create a District specific height-adjustable table supporting perpendicular planning.

WHAT'S INCLUDED
1 Height-Adjustable base, leg and foot configuration as specified.

NOTES
Electric base mechanism has 0.1 Watt resting power draw and uses 120V North American control box.

Vertical Wire Carrier includes cross channel bracket and mounts into credenza.

The height-adjustable worksurface must be specified separately.

For Switch details, see the *Application Guide* section.

Cross Channel Integrated Powerbar option (C) includes 3 outlets + 1 IEC Connection. This IEC connection accepts only one IEC-compatible power accessory (with an IEC cord terminal) at a time.

Undersurface cable management option (5) - Dual Plastic Trays + Powerbar with IEC refers to a Power Rod (with IEC cord terminal) that must be plugged into the IEC connection of the Cross Channel Integrated Powerbar option (C).

For more information about the One Table One Plug electrical system, IEC-compatible power accessories and planning with IEC Connection, refer to Complements: *Teknion's Ergonomics & Accessories Program*.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Leg Application		Base Mechanism	Actual Depth	Actual Width	Foot Style	Base Finish
TSL	Left in Corridor, Right in Parallel Spine Credenza	**7S** Standard Electric (27" - 43")	30	65, 71, 77, 83	**1** Standard	Foundation
TSR	Right in Corridor, Left in Parallel Spine Credenza	**9C** Extended Electric-Restricted (25" - 48.7")				Mica
TCL	Left in Parallel Corridor Credenza, Right in alignment panel					Accent
TCR	Right in Parallel Corridor Credenza, Left in alignment panel					
TBL	Left in Parallel Corridor Credenza, Right in Parallel Spine Credenza					
TBR	Right in Parallel Corridor Credenza, Left in Parallel Spine Credenza					

SAMPLE ORDER CODE

YGD TCL	9C	30	65	1	52

PRODUCT OPTIONS (CONTINUED)

Switch Style	Switch Finish	Powerbar	Undersurface Cable Management	Vertical Wire Carrier (optional)
S Standard Up/Down	**E** Ebony Coordinate	**N** None	**N** None	**N** None
D Display with Up/Down Memory	**X** Anthracite	**I** Cross Channel Integrated - 4 Outlets	**1** Cable Organizer with Felt Cover	**E** Ebony Coordinate
T Toggle Up/Down	**7** Platinum	**C** Cross Channel Integrated - 3 Outlets + 1 IEC	**3** Dual Plastic Trays+Powerbar	**7** Platinum Coordinate
X Display Toggle with Memory and Navigate GPS	**6** Crisp Grey		**4** Dual Plastic Trays	**V** Very White Coordinate
			5 Dual Plastic Trays+Powerbar with IEC	

SAMPLE ORDER CODE (CONTINUED)

X	X	I	1	E

See pricing in the following page.

Xpress

Y G D

Navigate Height-Adjustable Built-in Base - Perpendicular Planning (Continued)

DIMENSIONS INCHES / MM		PRICING	
		STANDARD ELECTRIC	
D	W	Foundation	Mica/Accent
30 / 762	65 / 1651	3389	3494
30 / 762	71 / 1803	3389	3494
30 / 762	77 / 1956	3389	3494
30 / 762	83 / 2108	3389	3494
		EXTENDED ELECTRIC-RESTRICTED	
		Foundation	Mica/Accent
30 / 762	65 / 1651	3593	3699
30 / 762	71 / 1803	3593	3699
30 / 762	77 / 1956	3593	3699
30 / 762	83 / 2108	3593	3699


If Display with Up/Down Memory (D) switch is specified, add 184
If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 184
If No Power Bar, Dual Plastic Trays are specified, add 59
If No Power Bar, Dual Plastic Trays + Powerbar are specified, add 285
If No Power Bar, Cable Organizer with Felt Cover is specified, add 292
If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 247
If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 308
If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 533
If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 605
If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 541
If Vertical Wire Carrier is specified, add 334

Xpress

Y W D

Navigate Height-Adjustable Built-in Gable Base - Parallel Planning

One Table
One Plug



Navigate Height-Adjustable Built-in Gable Base - Parallel Planning is to be paired with Parallel Rectangular Height-Adjustable Built-in Worksurface, Gable, to create a District specific gable leg integrated height-adjustable table supporting parallel planning.

WHAT'S INCLUDED
1 Height-Adjustable base, leg and foot configuration as specified.

NOTES
Electric base mechanism has 0.1 Watt resting power draw and uses 120V North American control box.

Vertical Wire Carrier includes cross channel bracket and mounts into credenza.

The height-adjustable worksurface must be specified separately.

For Switch details, see the *Application Guide* section.

Cross Channel Integrated Powerbar option (C) includes 3 outlets + 1 IEC Connection. This IEC connection accepts only one IEC-compatible power accessory (with an IEC cord terminal) at a time.

Undersurface cable management option (5) - Dual Plastic Trays + Powerbar with IEC refers to a Power Rod (with IEC cord terminal) that must be plugged into the IEC connection of the Cross Channel Integrated Powerbar option (C).

For more information about the One Table One Plug electrical system, IEC-compatible power accessories and planning with IEC Connection, refer to Complements: *Teknion's Ergonomics & Accessories Program*.

Xpress Water Fall Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program.*

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Base Finish	Water Fall Finish
GZL Left in Perpendicular Credenza, Gable toward Middle	**7S** Standard Electric (27" - 43")	29	46, 52, 58, 64, 70, 76, 82	Foundation	Foundation
GZR Right in Perpendicular Credenza, Gable toward Middle	**9C** Extended Electric-Restricted (25" - 48.7")			Mica	Flintwood
GDL Left Gable toward outside, Right T-Leg in Shared Perpendicular Credenza				Accent	Natural Veneer
GDR Right Gable toward outside, Left T-Leg in Shared Perpendicular Credenza					

SAMPLE ORDER CODE

YWD GZL	9C	29	58	52	VZ

PRODUCT OPTIONS (CONTINUED)

Switch Style	Switch Finish	Powerbar	Undersurface Cable Management	Vertical Wire Carrier (optional)
S Standard Up/Down	**E** Ebony Coordinate	**N** None	**N** None	**N** None
D Display with Up/Down Memory	**X** Anthracite	**I** Cross Channel Integrated - 4 Outlets	**1** Cable Organizer with Felt Cover	**E** Ebony Coordinate
T Toggle Up/Down	**7** Platinum	**C** Cross Channel Integrated - 3 Outlets + 1 IEC	**3** Dual Plastic Trays and Powerbar	**7** Platinum Coordinate
X Display Toggle with Memory and Navigate GPS	**6** Crisp Grey		**4** Dual Plastic Trays	**V** Very White Coordinate
			5 Dual Plastic Trays+Powerbar with IEC	

SAMPLE ORDER CODE (CONTINUED)

X	X	I	1	N

See pricing in the following page.

Xpress

Y W D

Navigate Height-Adjustable Built-in Gable Base - Parallel Planning (Continued)

DIMENSIONS INCHES / MM

PRICING

STANDARD ELECTRIC

D	W	Foundation	Mica/Accent
29 / 737	46 / 1168	4938	5044
29 / 737	52 / 1321	4997	5103
29 / 737	58 / 1473	5031	5137
29 / 737	64 / 1626	5110	5215
29 / 737	70 / 1778	5152	5258
29 / 737	76 / 1930	4842	4949
29 / 737	82 / 2083	4873	4980

EXTENDED ELECTRIC-RESTRICTED

		Foundation	Mica/Accent
29 / 737	46 / 1168	5333	5439
29 / 737	52 / 1321	5394	5500
29 / 737	58 / 1473	5433	5537
29 / 737	64 / 1626	5473	5577
29 / 737	70 / 1778	5516	5622
29 / 737	76 / 1930	5212	5318
29 / 737	82 / 2083	5245	5351

If Flintwood Water Fall Finish is specified,

46" Width	830
52" Width	793
58" Width	872
64" Width	997
70" Width	1078
76" Width	851
82" Width	929

If Natural Veneer Water Fall Finish is specified,

46" Width	897
52" Width	863
58" Width	948
64" Width	1078
70" Width	1163
76" Width	942
82" Width	1024


If Display with Up/Down Memory (D) switch is specified, add 184
If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 184
If No Power Bar, Dual Plastic Trays are specified, add 59
If No Power Bar, Dual Plastic Trays + Powerbar are specified, add 285
If No Power Bar, Cable Organizer with Felt Cover is specified, add 292
If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 247
If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 308
If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 533
If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 605
If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 541
If Vertical Wire Carrier is specified, add 334

Xpress

YVD

Navigate Height-Adjustable Built-in Gable Base - Perpendicular Planning

One Table
One Plug



Navigate Height-Adjustable Built-in Gable Base - Perpendicular Planning is to be paired with Perpendicular Rectangular Height-Adjustable Built-in Worksurface, Gable, to create a District specific height-adjustable table supporting perpendicular planning.

WHAT'S INCLUDED
1 Height-Adjustable base, leg and foot configuration as specified.

NOTES
Electric base mechanism has 0.1 Watt resting power draw and uses 120V North American control box.

Vertical Wire Carrier includes cross channel bracket and mounts into credenza.

The height-adjustable worksurface must be specified separately.

For Switch details, see the *Application Guide* section.

Cross Channel Integrated Powerbar option (C) includes 3 outlets + 1 IEC Connection. This IEC connection accepts only one IEC-compatible power accessory (with an IEC cord terminal) at a time.

Undersurface cable management option (5) - Dual Plastic Trays + Powerbar with IEC refers to a Power Rod (with IEC cord terminal) that must be plugged into the IEC connection of the Cross Channel Integrated Powerbar option (C).

For more information about the One Table One Plug electrical system, IEC-compatible power accessories and planning with IEC Connection, refer to Complements: *Teknion's Ergonomics & Accessories Program*.

Xpress Water Fall Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program.*

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Base Finish	Water Fall Finish
GSL Left Gable alignment Corridor, Right in Parallel Spine Credenza	**7S** Standard Electric (27" - 43")	30	53, 59, 65, 71, 77, 83	Foundation	Foundation
	9C Extended Electric-Restricted (25" - 48.7")			Mica	Flintwood
GSR Right Gable alignment Corridor, Left in Parallel Spine Credenza				Accent	Natural Veneer

SAMPLE ORDER CODE

YVD GSL	9C	30	53	52	VZ

PRODUCT OPTIONS (CONTINUED)

Switch Style	Switch Finish	Powerbar	Undersurface Cable Management	Vertical Wire Carrier (optional)
S Standard Up/Down	**E** Ebony Coordinate	**N** None	**N** None	**N** None
D Display with Up/Down Memory	**X** Anthracite	**I** Cross Channel Integrated - 4 Outlets	**1** Cable Organizer with Felt Cover	**E** Ebony Coordinate
T Toggle Up/Down	**7** Platinum	**C** Cross Channel Integrated - 3 Outlets + 1 IEC	**3** Dual Plastic Trays and Powerbar	**7** Platinum Coordinate
X Display Toggle with Memory and Navigate GPS	**6** Crisp Grey		**4** Dual Plastic Trays	**V** Very White Coordinate
			5 Dual Plastic Trays+Powerbar with IEC	

SAMPLE ORDER CODE (CONTINUED)

X	X	I	1	E

See pricing in the following page.

Xpress

YVD

Navigate Height-Adjustable Built-in Gable Base - Perpendicular Planning (Continued)

DIMENSIONS INCHES / MM		PRICING	
		STANDARD ELECTRIC	
D	W	Foundation	Mica/Accent
30 / 762	53 / 1346	4997	5103
30 / 762	59 / 1499	5031	5137
30 / 762	65 / 1651	5110	5215
30 / 762	71 / 1803	5152	5258
30 / 762	75 / 1905	5258	5364
30 / 762	83 / 2108	5311	5418
		EXTENDED ELECTRIC-RESTRICTED	
		Foundation	Mica/Accent
30 / 762	53 / 1346	5394	5500
30 / 762	59 / 1499	5433	5537
30 / 762	65 / 1651	5515	5619
30 / 762	71 / 1803	5597	5665
30 / 762	75 / 1905	5707	5775
30 / 762	83 / 2108	5767	5832

If Flintwood Water Fall Finish is specified,

53" Width	793
59" Width	872
65" Width	997
71" Width	1082
75" Width	851
83" Width	929

If Natural Veneer Water Fall Finish is specified,


53" Width	863
59" Width	948
65" Width	1078
71" Width	1163
75" Width	942
83" Width	1024

If Display with Up/Down Memory (D) switch is specified, add 184
If Display Toggle with Memory and Navigate GPS (X) switch is specified, add 184
If No Power Bar, Dual Plastic Trays are specified, add 59
If No Power Bar, Dual Plastic Trays + Powerbar are specified, add 285
If No Power Bar, Cable Organizer with Felt Cover is specified, add 292
If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) with No Cable Management is specified, add 247
If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Dual Plastic Trays are specified, add 308
If Cross Channel Integrated Powerbar - 4 Outlets (I) + Dual Plastic Trays + Powerbar are specified, add 533
If Cross Channel Integrated Powerbar - 3 Outlets + 1 IEC (C) + Dual Plastic Trays + Powerbar with IEC are specified, add 605
If Cross Channel Integrated Powerbar - 4 Outlets (I) or 3 Outlets + 1 IEC (C) + Cable Organizer with Felt Cover are specified, add 541
If Vertical Wire Carrier is specified, add 334

Xpress

Y S G

hiSpace Quick Connect Height-Adjustable Built-in Base - Perpendicular Planning



hiSpace Height-Adjustable Built-in Base - Perpendicular Planning is used with District credenzas and worksurfaces to create a District specific height-adjustable table supporting perpendicular planning.

WHAT'S INCLUDED
Meets ANSI/BIFMA testing requirements height-adjustment range from 25" to 51 1/10" from the top of a 1" thick worksurface Includes a 240V universal control box Standby power consumption of 0.2W Power cord is 15' long.

WHAT'S EXCLUDED
Perpendicular Height-Adjustable Worksurface (WBG) is not included.

NOTES
Meets ANSI/BIFMA testing requirements height-adjustment range from 25" to 51 1/10" from the top of a 1" thick worksurface Includes a 240V universal control box Standby power consumption of 0.2W Power cord is 15' long.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width
TSL Left in Corridor, Right in Parallel Spine Credenza	**9U** Extended Electric with Riser (25"-51.1")	30	65, 71
TSR Right in Corridor, Left in Parallel Spine Credenza			
TCL Left in Parallel Corridor Credenza, Right alignment panel			
TCR Right in Parallel Corridor Credenza, Left alignment panel			
TBL Left in Parallel Corridor Credenza, Right in Parallel Spine Credenza			
TBR Right in Parallel Corridor Credenza, Left in Parallel Spine Credenza			

SAMPLE ORDER CODE

YSG TCL	9U	30	65

PRODUCT OPTIONS (CONTINUED)

Base Finish	Switch Style	Undersurface Cable Management	Vertical Wire Carrier	Vertical Wire Carrier Finish
60 Platinum	**D** Display with Up/Down Memory	**N** None	**N** None	**E** Ebony Coordinate
83 Very White	**A** Toggle Display with Memory	**1** Cable Organizer with Felt Cover	**-** With Vertical Wire Carrier	**7** Platinum Coordinate
52 Ebony		**3** Dual Plastic Trays + Powerbar	**E** Ebony Coordinate	**V** Very White Coordinate
		4 Dual Plastic Trays	**7** Platinum Coordinate	
			V Very White Coordinate	

SAMPLE ORDER CODE (CONTINUED)

52	D	1	N	7

See pricing in the following page.

Xpress

Y S G

hiSpace Quick Connect HA Built-in Base - Perpendicular Planning (Continued)

PRICING


Cable Management, None (N)	Cable Organizer with Felt Cover (1)	Dual Plastic Trays + Powerbar (3)	Dual Plastic Trays (4)
2049	2340	2335	2107

If Vertical Wire Carrier is specified, add 334

Xpress

Y S P

hiSpace Height-Adjustable Built-in Base - Parallel Planning for Quick Connect



hiSpace Height-Adjustable Built-in Base - Parallel Planning is used with District credenzas and worksurfaces to create a District specific height-adjustable table supporting parallel planning.

WHAT'S INCLUDED
Meets ANSI/BIFMA testing requirements height-adjustment range from 25" to 51-1/10" from the top of a 1" thick worksurface Includes a 240V universal control box Standby power consumption of 0.2W Power cord is 15' long.

WHAT'S EXCLUDED
Parallel Height-Adjustable Worksurface (WBF) is not included.

NOTES
Meets ANSI/BIFMA testing requirements height-adjustment range from 25" to 51-1/10" from the top of a 1" thick worksurface Includes a 240V universal control box Standby power consumption of 0.2W Power cord is 15' long.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width
TZL Left in Perpendicular Credenza, Right toward Middle	**9U** Extended Electric with Riser (25"-51.1")	29	52, 58, 64, 70
TZR Right in Perpendicular Credenza, Left toward Middle			
TDL Left toward outside, Right in Shared Perpendicular Credenza			
TDR Right toward outside, Left in Shared Perpendicular Credenza			
THL Left in Perpendicular Credenza, Right in Shared Perpendicular Credenza			
THR Right in Perpendicular Credenza, Left in Shared Perpendicular Credenza			

SAMPLE ORDER CODE

YSP TZL	9U	29	58

PRODUCT OPTIONS (CONTINUED)

Base Finish	Switch Style	Undersurface Cable Management	Vertical Wire Carrier	Vertical Wire Carrier Finish
60 Platinum	**D** Display with Up/Down Memory	**N** None	**N** None	**E** Ebony
83 Very White	**A** Toggle Display with Memory	**1** Cable Organizer with Felt Cover	**~** With Vertical Wire Carrier	**7** Platinum Coordinate
52 Ebony		**3** Dual Plastic Trays + Powerbar	**E** Ebony	**V** Very White Coordinate
		4 Dual Plastic Trays	**7** Platinum Coordinate	
			V Very White Coordinate	

SAMPLE ORDER CODE (CONTINUED)

52	D	1	N	7

See pricing in the following page.

Xpress

YSP

hiSpace Height-Adjustable Built-in Base - Parallel Planning for Quick Connect (Continued)

PRICING


Cable Management, None (N)	Cable Organizer with Felt Cover (1)	Dual Plastic Trays + Powerbar (3)	Dual Plastic Trays (4)
2049	2340	2335	2107

If Vertical Wire Carrier is specified, add 334

Xpress

W H D

Parallel Rectangular Height-Adjustable Built-in Worksurface, T-Legs



Parallel Rectangular Height-Adjustable Built-in Worksurface, T-Legs, is to be paired with Navigate Height-Adjustable Built-in Base - Parallel Planning to create a District specific gable leg integrated height-adjustable table supporting parallel planning.

WHAT'S INCLUDED
1 worksurface with cut out (if specified).

WHAT'S EXCLUDED
Navigate Height-Adjustable Built-In Base-Parallel Planning (YHD) base and Grommet (UNDG) must be ordered separately.

NOTES
Worksurfaces only include a cut out when cut out style and location are specified.

Diecast grommet (District UNDG, Complements YEDG) must be ordered separately. See Complements: *Teknion's Ergonomics & Accessories Program.*

Xpress Surface Finish Flintwood and Natural Veneer, Edge Trim Style Flat with Flintwood and Natural Veneer (9) and Full Knife (H) are excluded from *Teknion's Xpress Program.*

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Cut Out Style
TZL Left in Perpendicular Credenza, Right toward Middle	**7S** Standard Electric (27" - 43")	29	52, 58, 64, 70, 76, 82	**N** None
TZR Right in Perpendicular Credenza, Left toward Middle	**9C** Extended Electric-Restricted (25" - 48.7")			**G** Round
TDL Left toward outside, Right in Shared Perpendicular Credenza				
TDR Right toward outside, Left in Shared Perpendicular Credenza				
THL Left in Perpendicular Credenza, Right in Shared Perpendicular Credenza				
THR Right in Perpendicular Credenza, Left in Shared Perpendicular Credenza				

SAMPLE ORDER CODE

WHD TZL	7S	29	70	G

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Surface Finish	Edge Trim	Edge Trim Finish
N None	Foundation Laminate	**8** Flat (with Foundation)	Edge Trim Colors
C Center	Flintwood	**9** Flat (with Flintwood and Natural Veneer)	
L Left	Natural Veneer	**H** Full Knife (with all)	
R Right			

SAMPLE ORDER CODE (CONTINUED)

C	LW	8	ST

DIMENSIONS
INCHES / MM

PRICING

D	W	FOUNDATION LAMINATE Flat Edge	FOUNDATION LAMINATE Full Knife Edge	FLINTWOOD Flat Edge	FLINTWOOD Full Knife Edge	NATURAL VENEER Flat Edge	NATURAL VENEER Full Knife Edge
29 / 737	52 / 1321	672	872	1466	1684	1537	1764
29 / 737	58 / 1473	685	889	1557	1786	1632	1871
29 / 737	64 / 1626	699	910	1696	1948	1778	2042
29 / 737	70 / 1778	709	925	1787	2049	1873	2148
29 / 737	76 / 1930	1074	1421	1925	2210	2016	2317
29 / 737	82 / 2083	1087	1439	2018	2312	2114	2423

If Cut Out is specified, add 45

Xpress

WHD_

Parallel Rectangular Height-Adjustable Built-in Worksurface, Gable

Parallel Rectangular Height-Adjustable Built-in Worksurface, Gable, is to be paired with Navigate Height-Adjustable Built-in Gable Base - Parallel Planning to create a District specific gable leg integrated height-adjustable table supporting parallel planning.


WHAT'S INCLUDED
1 worksurface with cut out (if specified).

WHAT'S EXCLUDED
Navigate Height-Adjustable Built-In Gable Base-Parallel Planning (YWD) base and Grommet (UNDG) must be ordered separately.

NOTES
Worksurfaces only include a cut out when cut out style and location are specified.

Diecast grommet (District UNDG, Complements YEDG) must be ordered separately. See Complements: *Teknion's Ergonomics & Accessories Program.*

Xpress Surface Finish Flintwood and Natural Veneer, Edge Trim Style Flat with Flintwood and Natural Veneer (9) are excluded from *Teknion's Xpress Program.*



PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Cut Out Style
GZL Left T in Perpendicular Credenza, Gable toward Middle **GZR** Right T in Perpendicular Credenza, Gable toward Middle **GDL** Left Gable toward outside, Right T-Leg in Shared Perpendicular Credenza **GDR** Right Gable toward outside, Left T-Leg in Shared Perpendicular Credenza	**7S** Standard Electric (27" - 43") **9C** Extended Electric-Restricted (25" - 48.7")	29	46, 52, 58, 64, 70, 76, 82	**N** None **G** Round

SAMPLE ORDER CODE

WHD_ GZL	7S	29	70	G

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Surface Finish	Edge Trim	Edge Trim Finish
N None **C** Center **L** Left **R** Right	Foundation Laminate Flintwood Natural Veneer	**8** Flat (with Foundation) **9** Flat (with Flintwood and Natural Veneer)	Edge Trim Colors

SAMPLE ORDER CODE (CONTINUED)

C	LW	8	ST

DIMENSIONS
INCHES / MM

D	W
29 / 737	46 / 1168
29 / 737	52 / 1321
29 / 737	58 / 1473
29 / 737	64 / 1626
29 / 737	70 / 1778
29 / 737	76 / 1930
29 / 737	82 / 2083

PRICING


FOUNDATION LAMINATE	FLINTWOOD	NATURAL VENEER
Flat Edge	Flat Edge	Flat Edge
543	1373	1439
672	1466	1537
685	1557	1632
699	1696	1778
709	1787	1873
1074	1925	2016
1087	2018	2114

If Cut Out is specified, add 45

Xpress

W L D

Perpendicular Rectangular Height-Adjustable Built-in Worksurface, T-Legs



Perpendicular Rectangular Height-Adjustable Built-in Worksurface, T-Legs, is to be paired with Navigate Height-Adjustable Built-in Base - Perpendicular Planning to create a District specific height-adjustable table supporting perpendicular planning.

WHAT'S INCLUDED
1 worksurface with cut out (if specified).

WHAT'S EXCLUDED
Navigate Height-Adjustable Built-In Base-Perpendicular Planning (YGD) base and Grommet (UNDG) must be ordered separately.

NOTES
Worksurfaces only include a cut out when cut out style and location are specified.

Diecast grommet (District UNDG, Complements YEDG) must be ordered separately. See Complements: *Teknion's Ergonomics & Accessories Program.*

Xpress Surface Finish Flintwood and Natural Veneer, Edge Trim Style Flat with Flintwood and Natural Veneer (9) and Full Knife (H) are excluded from *Teknion's Xpress Program.*

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Cut Out Style
TSL Left in Corridor, Right in Parallel Spine Credenza	**7S** Standard Electric (27" - 43")	30	65, 71, 77, 83	**N** None
TSR Right in Corridor, Left in Parallel Spine Credenza	**9C** Extended Electric-Restricted (25" - 48.7")			**G** Round
TCL Left in Parallel Corridor Credenza, Right leg along panel				
TCR Right in Parallel Corridor Credenza, Left leg along panel				
TBL Left Parallel Corridor Credenza, Right Parallel Spine Credenza				
TBR Right Parallel Corridor Credenza, Left Parallel Spine Credenza				

SAMPLE ORDER CODE

WLD TSL	7S	30	71	G

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Surface Finish	Edge Trim	Edge Trim Finish
N None	Foundation Laminate	**8** Flat (with Foundation)	Edge Trim Colors
C Center	Flintwood	**9** Flat (with Flintwood and Natural Veneer)	
L Left	Natural Veneer	**H** Full Knife (with all)	
R Right			

SAMPLE ORDER CODE (CONTINUED)

C	LW	8	ST

DIMENSIONS
INCHES / MM

D	W
30 / 762	65 / 1651
30 / 762	71 / 1803
30 / 762	77 / 1956
30 / 762	83 / 2108

PRICING

FOUNDATION LAMINATE		FLINTWOOD		NATURAL VENEER	
Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
699	910	1696	1948	1778	2042
709	925	1787	2049	1873	2148
1074	1421	1925	2210	2016	2317
1087	1439	2018	2312	2114	2423

If Cut Out is specified, add 45

Xpress

WLD_

Perpendicular Rectangular Height-Adjustable Built-in Worksurface, Gable

Perpendicular Rectangular Height-Adjustable Built-in Worksurface, Gable, is to be paired with Navigate Height-Adjustable Built-in Gable Base - Perpendicular Planning to create a District specific height-adjustable table supporting perpendicular planning.


WHAT'S INCLUDED
1 worksurface with cut out (if specified).

WHAT'S EXCLUDED
Navigate Height-Adjustable Built-In Gable Base-Perpendicular Planning (YVD) base and Grommet (UNDG) must be ordered separately.

NOTES
Worksurfaces only include a cut out when cut out style and location are specified.

Diecast grommet (District UNDG, Complements YEDG) must be ordered separately. See Complements: *Teknion's Ergonomics & Accessories Program.*

Xpress Surface Finish Flintwood and Natural Veneer, Edge Trim Style Flat with Flintwood and Natural Veneer (9) are excluded from *Teknion's Xpress Program.*



PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Cut Out Style
GSL Left Gable along corridor, Right T Parallel Spine Credenza	**7S** Standard Electric (27" - 43")	30	53, 59, 65, 71, 77, 83	**N** None
GSR Right Gable along corridor, Left T Parallel Spine Credenza	**9C** Extended Electric-Restricted (25" - 48.7")			**G** Round

SAMPLE ORDER CODE

WLD_ GSL	7S	30	71	G

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Surface Finish	Edge Trim	Edge Trim Finish
N None	Foundation Laminate	**8** Flat (with Foundation)	Edge Trim Colors
C Center	Flintwood	**9** Flat (with Flintwood and Natural Veneer)	
L Left	Natural Veneer		
R Right			

SAMPLE ORDER CODE (CONTINUED)

C	LW	8	ST

DIMENSIONS INCHES / MM

D	W
30 / 762	53 / 1346
30 / 762	59 / 1499
30 / 762	65 / 1651
30 / 762	71 / 1803
30 / 762	77 / 1956
30 / 762	83 / 2108

PRICING


FOUNDATION LAMINATE	FLINTWOOD	NATURAL VENEER
Flat Edge	Flat Edge	Flat Edge
672	1466	1537
685	1557	1632
699	1696	1778
709	1787	1873
1074	1925	2016
1087	2018	2114

If Cut Out is specified, add 45

Xpress

W B D

Freestanding Table Rectangular Height-Adjustable Worksurface



Freestanding Table Rectangular Height-Adjustable Worksurface is to be paired with Navigate Freestanding Table, Base Only, to create a Freestanding District specific height-adjustable table.

WHAT'S INCLUDED
1 worksurface with cut out (if specified).

WHAT'S EXCLUDED
Base and grommet to be ordered separately.

NOTES
To be used with Navigate Freestanding Table, Base Only (YAD).

Xpress Surface Finish Flintwood and Natural Veneer, Edge Trim Style Flat with Flintwood and Natural Veneer (9) and Full Knife (H) are excluded from *Teknion's Xpress Program.*

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Cut Out Style
CCC C-Legs	**1S** Counterbalance Standard (29.5" - 49.5")	23, 29, 35	45, 51, 57, 63, 69, 75, 81	**N** None
TTT T-Leg	**1X** Counterbalance Lower Edition (26.5" - 43.5")			**G** Round
	7S Standard Electric (27" - 43")			
	9C Extended Electric-Restricted (25" - 48.7")			
	9E Extended Electric-Extended (22.6" - 48.7")			

SAMPLE ORDER CODE

WBD TTT	7S	29	51	G

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Surface Finish	Edge Trim	Edge Trim Finish
N None	Foundation Laminate	**8** Flat (with Foundation)	Edge Trim Colors
C Center	Flintwood	**9** Flat (with Flintwood and Natural Veneer)	
L Left	Natural Veneer	**H** Full Knife (with all)	
R Right			

SAMPLE ORDER CODE (CONTINUED)

C	LW	H	4T

See pricing in the following page.

Xpress

W B D

Freestanding Table Rectangular Height-Adjustable Worksurface (Continued)

DIMENSIONS INCHES / MM

PRICING

COUNTERBALANCE STANDARD / COUNTERBALANCE LOWER EDITION

D	W	FOUNDATION LAMINATE		FLINTWOOD		NATURAL VENEER	
		Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
23 / 584	51 / 1295	647	837	1273	1464	1333	1536
23 / 584	57 / 1448	657	854	1355	1552	1418	1628
23 / 584	63 / 1600	670	871	1461	1674	1529	1755
23 / 584	69 / 1753	678	887	1543	1763	1618	1848
29 / 737	51 / 1295	666	863	1418	1633	1487	1712
29 / 737	57 / 1448	678	882	1512	1734	1582	1817
29 / 737	63 / 1600	691	899	1650	1897	1727	1989
29 / 737	69 / 1753	703	917	1741	1998	1824	2094
35 / 889	51 / 1295	1039	1365	1544	1775	1619	1859
35 / 889	57 / 1448	1053	1386	1693	1946	1773	2041
35 / 889	63 / 1600	1067	1407	1792	2059	1877	2159
35 / 889	69 / 1753	1080	1424	1939	2232	2031	2338

STANDARD ELECTRIC

D	W	FOUNDATION LAMINATE		FLINTWOOD		NATURAL VENEER	
		Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
23 / 584	45 / 1143	490	631	1144	1312	1198	1378
23 / 584	51 / 1295	647	837	1273	1464	1333	1536
23 / 584	57 / 1448	657	854	1355	1552	1418	1628
23 / 584	63 / 1600	670	871	1461	1674	1529	1755
23 / 584	69 / 1753	678	887	1543	1763	1618	1848
23 / 584	75 / 1905	751	995	1627	1855	1704	1944
23 / 584	81 / 2057	761	1011	1754	2003	1839	2101
29 / 737	45 / 1143	536	686	1305	1501	1366	1574
29 / 737	51 / 1295	666	863	1418	1633	1487	1712
29 / 737	57 / 1448	678	882	1512	1734	1582	1817
29 / 737	63 / 1600	691	899	1650	1897	1727	1989
29 / 737	69 / 1753	703	917	1741	1998	1824	2094
29 / 737	75 / 1905	1069	1411	1835	2100	1920	2200
29 / 737	81 / 2057	1082	1431	1971	2260	2064	2368
35 / 889	45 / 1143	731	961	1441	1660	1512	1741
35 / 889	51 / 1295	1039	1365	1544	1775	1619	1859
35 / 889	57 / 1448	1053	1386	1693	1946	1773	2041
35 / 889	63 / 1600	1067	1407	1792	2059	1877	2159
35 / 889	69 / 1753	1080	1424	1939	2232	2031	2338
35 / 889	75 / 1905	1214	1629	2042	2344	2138	2457
35 / 889	81 / 2057	1228	1650	2144	2457	2244	2575

If Cut Out is specified, add 45

Pricing is continued on the following page.

Xpress

W B D

Freestanding Table Rectangular Height-Adjustable Worksurface (Continued)

DIMENSIONS INCHES / MM

PRICING


D	W	EXTENDED ELECTRIC-RESTRICTED / EXTENDED ELECTRIC-EXTENDED					
		FOUNDATION LAMINATE		FLINTWOOD		NATURAL VENEER	
		Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
23 / 584	45 / 1143	490	631	1144	1312	1198	1378
23 / 584	51 / 1295	647	837	1273	1464	1333	1536
23 / 584	57 / 1448	657	854	1355	1552	1418	1628
23 / 584	63 / 1600	670	871	1461	1674	1529	1755
23 / 584	69 / 1753	678	887	1543	1763	1618	1848
23 / 584	75 / 1905	751	995	1627	1855	1704	1944
23 / 584	81 / 2057	761	1011	1754	2003	1839	2101
29 / 737	45 / 1143	536	686	1305	1501	1366	1574
29 / 737	51 / 1295	666	863	1418	1633	1487	1712
29 / 737	57 / 1448	678	882	1512	1734	1582	1817
29 / 737	63 / 1600	691	899	1650	1897	1727	1989
29 / 737	69 / 1753	703	917	1741	1998	1824	2094
29 / 737	75 / 1905	1069	1411	1835	2100	1920	2200
29 / 737	81 / 2057	1082	1431	1971	2260	2064	2368
35 / 889	45 / 1143	731	961	1441	1660	1512	1741
35 / 889	51 / 1295	1039	1365	1544	1775	1619	1859
35 / 889	57 / 1448	1053	1386	1693	1946	1773	2041
35 / 889	63 / 1600	1067	1407	1792	2059	1877	2159
35 / 889	69 / 1753	1080	1424	1939	2232	2031	2338
35 / 889	75 / 1905	1214	1629	2042	2344	2138	2457
35 / 889	81 / 2057	1228	1650	2144	2457	2244	2575

If Cut Out is specified, add 45

Xpress

W M D

Perpendicular Rectangular Height-Adjustable Built-in Worksurface with Radius Corners



Perpendicular Rectangular Height-Adjustable Built-in Worksurface with Radius Corners to be paired with Navigate Height-Adjustable Built-in Base - Perpendicular Planning to create a District specific integrated height-adjustable table that can also support curved screens.

WHAT'S INCLUDED
1 worksurface with cut out (if specified).

WHAT'S EXCLUDED
Navigate Height-Adjustable Built-In Base-Perpendicular Planning (YGD) base and Grommet (UNDG) must be ordered separately.

NOTES
Worksurfaces only include a cut out when cut out style and location are specified.

Diecast grommet (District UNDG, Complements YEDG) must be ordered separately. See Complements: *Teknion's Ergonomics & Accessories Program.*

Xpress Surface Finish Flintwood and Natural Veneer, Edge Trim Style Flat with Flintwood and Natural Veneer (9) and Full Knife (H) are excluded from *Teknion's Xpress Program.*

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Cut Out Style
TSL Left in Corridor, Right in Parallel Spine Credenza	**7S** Standard Electric (27" - 43")	30	65, 71, 77, 83	**N** None
TSR Right in Corridor, Left in Parallel Spine Credenza	**9C** Extended Electric-Restricted (25" - 48.7")			**G** Round
TCL Left in Parallel Corridor Credenza, Right leg along panel				
TCR Right in Parallel Corridor Credenza, Left leg along panel				
TBL Left Parallel Corridor Credenza, Right Parallel Spine Credenza				
TBR Right Parallel Corridor Credenza, Left Parallel Spine Credenza				

SAMPLE ORDER CODE

WMD TSL	7S	30	71	G

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Surface Finish	Edge Trim	Edge Trim Finish
N None	Foundation Laminate	**8** Flat (with Foundation)	Edge Trim Colors
C Center	Flintwood	**9** Flat (with Flintwood and Natural Veneer)	
L Left	Natural Veneer	**H** Full Knife (with all)	
R Right			

SAMPLE ORDER CODE (CONTINUED)

C	LW	8	ST

DIMENSIONS
INCHES / MM

D	W
30 / 762	65 / 1651
30 / 762	71 / 1803
30 / 762	77 / 1956
30 / 762	83 / 2108

PRICING

FOUNDATION LAMINATE		FLINTWOOD		NATURAL VENEER	
Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
699	910	1696	1948	1778	2042
709	925	1787	2049	1873	2148
1074	1421	1925	2210	2016	2317
1087	1439	2018	2312	2114	2423

If Cut Out is specified, add 45

Xpress

WBF

hiSpace Parallel Rectangular Height-Adjustable Built-in Worksurface


Parallel Rectangular Height-Adjustable Built-in Worksurface, is to be paired with hiSpace Height-Adjustable Built-in Base - Parallel Planning to create a District specific gable leg integrated height-adjustable table supporting parallel planning.

WHAT'S INCLUDED
1 worksurface with quick connect.

NOTES
Worksurfaces only include a cut out when cut out style and location are specified.

Diecast grommet (District UNDG, Complements YEDG) must be ordered separately. See Complements: *Teknion's Ergonomics & Accessories Program.*

Xpress Edge Trim Style Full Knife (H) is excluded from *Teknion's Xpress Program.*



PRODUCT OPTIONS

Leg Application		Base Mechanism	Actual Depth	Actual Width	Cut Out Style
TZL	Left in Perpendicular Credenza, Right toward Middle	**9U** Extended Electric with Riser (25"-51.1")	29	52, 58, 64, 70	**N** None
TZR	Right in Perpendicular Credenza, Left toward Middle				**G** Round
TDL	Left toward outside, Right in Shared Perpendicular Credenza				
TDR	Right toward outside, Left in Shared Perpendicular Credenza				
THL	Left in Perpendicular Credenza, Right in Shared Perpendicular Credenza				
THR	Right in Perpendicular Credenza, Left in Shared Perpendicular Credenza				

SAMPLE ORDER CODE

WBF TZL	9U	29	71	G

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Surface Finish	Edge Trim Style	Edge Trim Finish
N None	Foundation Laminate	**8** Flat	Edge Trim Colors
C Center		**H** Full Knife	
L Left			
R Right			

SAMPLE ORDER CODE (CONTINUED)

C	LW	8	ST

DIMENSIONS
INCHES / MM

D	W
29 / 737	52 / 1321
29 / 737	58 / 1473
29 / 737	64 / 1626
29 / 737	70 / 1778

PRICING


Flat Edge	Full Knife Edge
775	954
789	969
800	985
812	1000

If Cut Out is specified, add 45

Xpress

W B G

hiSpace Perpendicular Rectangular Height-Adjustable Built-in Worksurface with connection kit for Quick Connect



Perpendicular Rectangular Height-Adjustable Built-in Worksurface, is to be paired with hiSpace Height-Adjustable Built-in Base - Parallel Planning to create a District specific gable leg integrated height-adjustable table supporting perpendicular planning.

WHAT'S INCLUDED
1 worksurface with quick connect.

NOTES
Worksurfaces only include a cut out when cut out style and location are specified.

Diecast grommet (District UNDG, Complements YEDG) must be ordered separately. See Complements: *Teknion's Ergonomics & Accessories Program.*

Xpress Edge Trim Style Full Knife (H) is excluded from *Teknion's Xpress Program.*

PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Cut Out Style
TSL Left in Corridor, Right in Parallel Spine Credenza	**9U** Extended Electric with Riser (25"-51.1")	30	65, 71	**N** None
TSR Right in Corridor, Left in Parallel Spine Credenza				**G** Round
TCL Left in Parallel Corridor Credenza, Right alignment panel				
TCR Right in Parallel Corridor Credenza, Left alignment panel				
TBL Left in Parallel Corridor Credenza, Right in Parallel Spine Credenza				
TBR Right in Parallel Corridor Credenza, Left in Parallel Spine Credenza				

SAMPLE ORDER CODE

WBG TSL	9U	30	71	G

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Surface Finish	Edge Trim Style	Edge Trim Finish
N None	Foundation Laminate	**8** Flat	Edge Trim Colors
C Center		**H** Full Knife	
L Left			
R Right			

SAMPLE ORDER CODE (CONTINUED)

C	LW	8	ST

DIMENSIONS
INCHES / MM

D	W
30 / 762	65 / 1651
30 / 762	71 / 1803

PRICING

Flat Edge	Full Knife Edge
800	985
812	1000

If Cut Out is specified, add 45

Xpress

WJE

hiSpace Rectangular Height-Adjustable Built-in Perpendicular Worksurface with Radius Corners


Parallel Rectangular Height-Adjustable Built-in Worksurface with Radius Corners, is to be paired with hiSpace Height-Adjustable Built-in Base - Parallel Planning to create a District specific gable leg integrated height-adjustable table supporting parallel planning.

WHAT'S INCLUDED
1 worksurface with quick connect.

NOTES
Worksurfaces only include a cut out when cut out style and location are specified.

Diecast grommet (District UNDG, Complements YEDG) must be ordered separately. See Complements: *Teknion's Ergonomics & Accessories Program.*

Xpress Edge Trim Style Full Knife (H) is excluded from *Teknion's Xpress Program.*



PRODUCT OPTIONS

Leg Application	Base Mechanism	Actual Depth	Actual Width	Cut Out Style
TSL Left in Corridor, Right in Parallel Spine Credenza	**9U** Extended Electric with Riser (25"-51.1")	30	65, 71	**N** None
TSR Right in Corridor, Left in Parallel Spine Credenza				**G** Round
TCL Left in Parallel Corridor Credenza, Right alignment panel				
TCR Right in Parallel Corridor Credenza, Left alignment panel				
TBL Left in Parallel Corridor Credenza, Right in Parallel Spine Credenza				
TBR Right in Parallel Corridor Credenza, Left in Parallel Spine Credenza				

SAMPLE ORDER CODE

WJE TSL	9U	30	71	G

PRODUCT OPTIONS (CONTINUED)

Cut Out Location	Surface Finish	Edge Trim Style	Edge Trim Finish
N None	Foundation Laminate	**8** Flat	Edge Trim Colors
C Center		**H** Full Knife	
L Left			
R Right			

SAMPLE ORDER CODE (CONTINUED)

C	LW	8	ST

DIMENSIONS
INCHES / MM

D	W
30 / 762	65 / 1651
30 / 762	71 / 1803

PRICING


Flat Edge	Full Knife Edge
800	977
812	989

If Cut Out is specified, add 45

Xpress

U P P C

Perpendicular Credenza for Height-Adjustable Table



The Perpendicular Credenza for Height-Adjustable Table is installed perpendicular to the panel to allow for parallel planning within the worksurface.

WHAT'S INCLUDED

1 case, box/file drawers with pulls (as specified), lock and keys (if specified), counterweight, leg grommet

File with Hinged Door (H) has an extra kit that contains two 1-1/4" levelers and two 1-3/4" levelers will be shipped with the storage.

WHAT'S EXCLUDED

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately and can be found in the *Accessories* section.

NOTES

Full Drawer (F) includes extended levelers (UNSXLB) already installed.

Hinged door is push latch, no handle required.

48" and 54" Widths are not available if configuration (H) File with Hinged Door is specified.

The following bases can be installed into this credenza:
- Navigate Height-Adjustable Built-in Base - Parallel Planning (YHD)
- Navigate Height-Adjustable Built-in Gable Base - Parallel Planning (YWD)
- hiSpace HA Built-in Base - Perpendicular Planning (YSG)
- hiSpace HA Built-in Base - Parallel Planning (YSP)

Xpress Case, Back & Front Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program.*

PRODUCT OPTIONS

Configuration	Depth	Width	Pull Style	Storage Compartment Location
F Navigate Compatible with Full drawer	16	48, 54, 60, 66, 72	**D** District	**L** Left (shown)
H Navigate Compatible with File with Hinged Door			**R** Rectangular	**R** Right
E hiSpace Compatible with Full drawer				
G hiSpace Compatible with File with Hinged Door				

SAMPLE ORDER CODE

UPPC F	16	60	D	L

PRODUCT OPTIONS (CONTINUED)

Pull Finish	Leg Grommet Finish	Case, Back & Front Finish	Key	Slot For Storage Screen
Foundation	Foundation	Source Laminate	**K** Key Alike	**N** No
Mica	Mica	Flintwood	**R** Key Random	**Y** Yes
		Natural Veneer	**N** No Key	

SAMPLE ORDER CODE (CONTINUED)

		Case	Back	Front		
7	7	ZA	ZA	ZA	R	N

See pricing in the following page.

Xpress

UPPC

Perpendicular Credenza for Height-Adjustable Table (Continued)

DIMENSIONS INCHES / MM

PRICING

FULL DRAWER (F/E)

D	W	SOURCE LAMINATE CASE		FLINTWOOD CASE	VENEER CASE
		Source Lam. Back & Front	Source Lam. Back, Flintwood Front	Flintwood Back & Front	Veneer Back & Front
16 / 406	48 / 1219	2149	2794	3897	4095
16 / 406	54 / 1372	2270	2953	4125	4330
16 / 406	60 / 1524	2588	3364	4697	4929
16 / 406	66 / 1676	2710	3522	4917	5162
16 / 406	72 / 1829	2815	3656	5103	5360


FILE WITH HINGED DOOR (H/G)

		SOURCE LAMINATE CASE		FLINTWOOD CASE	VENEER CASE
		Source Lam. Back & Front	Source Lam. Back, Flintwood Front	Flintwood Back & Front	Veneer Back & Front
16 / 406	60 / 1524	2458	3194	4459	4680
16 / 406	66 / 1676	2574	3347	4671	4905
16 / 406	72 / 1829	2672	3473	4849	5091

Xpress

U P C S

Shared Perpendicular Credenza for Height-Adjustable Table



The Shared Perpendicular Credenza for Height-Adjustable Table is shared and installed perpendicular to the panel to allow for parallel planning within the worksurface.

Shared Perpendicular Credenza for Height-Adjustable Table provides file and personal storage with the capability to integrate height-adjustable tables and support stackers and panels.

WHAT'S INCLUDED

1 case, box/file drawers with pulls (as specified), lock and keys (if specified), counterweight, leg grommet

WHAT'S EXCLUDED

A Seat Cushion (UWLC) or Fitted Seated Cushion(UWLF) can be ordered separately and can be found in the *Accessories* section.

NOTES

This Product includes extended levelers (UNSXLB) already installed.

Hinged door is push latch, no handle required.

The following bases can be installed into this credenza:
Navigate Height-Adjustable Built-in Base - Parallel Planning (YHD)
Navigate Height-Adjustable Built-in Gable Base - Parallel Planning (YWD)
hiSpace HA Built-in Base - Perpendicular Planning (YSG)
hiSpace HA Built-in Base - Parallel Planning (YSP)

Xpress Case, Back & Front Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program.*

PRODUCT OPTIONS

Depth	Width	Product Type	Storage Compartment Location
16	66, 72	**D** Navigate Compatible with District Pull Style **R** Navigate Compatible with Rectangular Pull Style **H** Navigate Compatible with District Pull Style **J** hiSpace Compatible with Rectangular Pull Style	**L** Left (shown) **R** Right

SAMPLE ORDER CODE

UPCS 16	**72**	**D**	**L**

PRODUCT OPTIONS (CONTINUED)

Pull Finish	Leg Grommet Finish	Case & Back, Front Finish	Key
Foundation	Foundation	Source Laminate	**K** Key Alike
Mica	Mica	Flintwood	**R** Key Random
		Natural Veneer	**N** None

SAMPLE ORDER CODE (CONTINUED)

7	**7**	**ZA**	**ZA**	**R**

See pricing in the following page.

Xpress

UPCS

Shared Perpendicular Credenza for Height-Adjustable Table (Continued)

DIMENSIONS INCHES / MM


PRICING

D	W	SOURCE LAMINATE BACK & CASE		FLINTWOOD BACK & CASE	VENEER BACK & CASE
		Source Lam. Front	Flintwood Front	Flintwood Front	Veneer Front
16 / 406	66 / 1676	3342	4346	6065	6368
16 / 406	72 / 1829	3438	4469	6238	6549

Xpress

U P S C

Parallel Spine Credenza for Height-Adjustable Table



The Parallel Spine Credenza for Height-Adjustable Table is installed parallel to the panel to allow for perpendicular planning with the worksurface. This product can support the panel.

WHAT'S INCLUDED

1 case, box/file drawers with pulls (as specified), lock and keys (if specified), counterweight, leg grommet.

Open with Drawer (P) has an extra kit that contains two 1-1/4" levelers and two 1-3/4" levelers will be shipped with the storage.

WHAT'S EXCLUDED

A Seat Cushion (UWLC) or Fitted Seated Cushion(UWLF) can be ordered separately and can be found in the *Accessories* section.

NOTES

Full Drawer (F) includes extended levelers (UNSXLB) already installed.

Hinged door is push latch, no handle required.

The following bases can be installed into this credenza:
- Navigate Height-Adjustable Built-in Base - Perpendicular Planning (YGD)
- Navigate Height-Adjustable Built-in Gable Base - Perpendicular Planning (YVD)
- hiSpace HA Built-in Base - Perpendicular Planning (YSG)
- hiSpace HA Built-in Base - Parallel Planning (YSP)

Xpress Case, Back & Front Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program.*

PRODUCT OPTIONS

Configuration	Depth	Width	Pull Style	Storage Compartment Location
F Navigate Compatible with Full Drawer	16	72, 78, 84	**D** District	**L** Left
P Navigate Compatible Open with Drawer			**R** Rectangular	**R** Right
E hiSpace Compatible with Full Drawer				
J hiSpace Compatible Open with Drawer				

SAMPLE ORDER CODE

UPSC F	16	72	D	L

PRODUCT OPTIONS (CONTINUED)

Pull Finish	Leg Grommet Finish	Case & Back, Front Finish	Key
Foundation	Foundation	Source Laminate	**K** Key Alike
Mica	Mica	Flintwood	**R** Key Random
		Natural Veneer	**N** None

SAMPLE ORDER CODE (CONTINUED)

7	7	ZA	ZA	R

See pricing in the following page.

Xpress

UPSC

Parallel Spine Credenza for Height-Adjustable Table (Continued)

DIMENSIONS INCHES / MM

PRICING

FULL DRAWER (F/E)

D	W	SOURCE LAMINATE BACK & CASE		FLINTWOOD BACK & CASE	VENEER BACK & CASE
		Source Lam. Front	Flintwood Front	Flintwood Front	Veneer Front
16 / 406	72 / 1829	3267	4247	5929	6224
16 / 406	78 / 1981	3418	4443	6201	6510
16 / 406	84 / 2134	3541	4604	6424	6747


OPEN WITH DRAWER (P/J)

		SOURCE LAMINATE BACK & CASE		FLINTWOOD BACK & CASE	VENEER BACK & CASE
		Source Lam. Front	Flintwood Front	Flintwood Front	Veneer Front
16 / 406	72 / 1829	2642	3434	4792	5032
16 / 406	78 / 1981	2767	3596	5018	5272
16 / 406	84 / 2134	2861	3721	5191	5453

Xpress

U P C C

Parallel Corridor Credenza for Height-Adjustable Table



The Parallel Corridor Credenza for Height-Adjustable Table is installed parallel to the corridor to allow for perpendicular planning with the worksurface.

WHAT'S INCLUDED

1 case, box/file drawers with pulls (as specified), lock and keys (if specified), counterweight, leg grommet.

File with Hinged Door (H) has an extra kit that contains two 1-1/4" levelers and two 1-3/4" levelers will be shipped with the storage.

WHAT'S EXCLUDED

A Seat Cushion (UWLC) or Fitted Seated Cushion(UWLF) can be ordered separately and can be found in the *Accessories* section.

NOTES

Full Drawer (F) includes extended levelers (UNSXLB) already installed.

Hinged door is push latch, no handle required.

48" and 54" Widths are not available if configuration (H) File with Hinged Door is specified.

The following bases can be installed into this credenza:
- Navigate Height-Adjustable Built-in Base - Parallel Planning (YHD)
- Navigate Height-Adjustable Built-in Gable Base - Parallel Planning (YWD)
- hiSpace HA Built-in Base - Perpendicular Planning (YSG)
- hiSpace HA Built-in Base - Parallel Planning (YSP)

Xpress Case, Back & Front Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program.*

PRODUCT OPTIONS

Configuration	Depth	Width	Pull Style	Storage Compartment Location
F Navigate Full Drawer	16	48, 54, 60	**D** District	**L** Left
H Navigate File with Hinged Door			**R** Rectangular	**R** Right
E hiSpace Quick-Connect Full drawer				
G hiSpace Quick-Connect File with Hinged Door				

SAMPLE ORDER CODE

UPCC F	16	48	D	L

PRODUCT OPTIONS (CONTINUED)

Pull Finish	Leg Grommet Finish	Case, Back & Front Finish	Key
Foundation	Foundation	Source Laminate	**K** Key Alike
Mica	Mica	Flintwood	**R** Key Random
		Natural Veneer	**N** None

SAMPLE ORDER CODE (CONTINUED)

7	7	ZA	ZA	ZA	R

See pricing in the following page.

Xpress

U P C C

Parallel Corridor Credenza for Height-Adjustable Table(Continued)

DIMENSIONS INCHES / MM

PRICING

FULL DRAWER (F/E)

D	W	SOURCE LAMINATE CASE		FLINTWOOD CASE	VENEER CASE
		Source Lam. Back & Front	Source Lam. Back, Flintwood Front	Flintwood Back & Front	Veneer Back & Front
16 / 406	48 / 1219	2149	2794	3897	4095
16 / 406	54 / 1372	2270	2953	4125	4330

FILE WITH HINGED DOOR (H/G)

D	W	SOURCE LAMINATE CASE		FLINTWOOD CASE	VENEER CASE
		Source Lam. Back & Front	Source Lam. Back, Flintwood Front	Flintwood Back & Front	Veneer Back & Front
16 / 406	60 / 1524	2588	3364	4697	4929


storage

supports product map

UNGEN End Gable

Xpress


Page 684



UNGEAN End Gable – Height-Adjustable

Xpress


Page 685



UNGEF Flush End Gable

Xpress


Page 686



UNGEFA Flush End Gable – Height-Adjustable

Xpress


Page 687



UNGMF Mid Gable

Xpress


Page 688



UNGMFA Mid Gable – Height-Adjustable

Xpress


Page 689



UNLVR Cantilever

Xpress


Page 690



UNLVFN Off-Module Cantilever

Xpress


Page 691



UALVFN Off-Module Cantilever for Panels with Accessory Beam

Xpress


Page 692



UNGSN Semi-Suspended Gable

Xpress


Page 693



UNGSAN Semi-Suspended Gable – Height-Adjustable

Xpress


Page 694



UNLGN Leg – Single


Xpress

Page 695




supports product map


UNLGA Leg – Height-Adjustable Single
Xpress
Page 696




UNLGPN Leg – Pair
Xpress
Page 697




UNLGPA Leg – Height-Adjustable Pair
Xpress
Page 697




UNBP Worksurface Panel Wall Bracket – Pair
Xpress
Page 698



UNBPA Worksurface Panel Wall Bracket – Height-Adjustable
Xpress
Page 698




UWSPB Storage-to-Panel Bracket
Xpress
Page 699




Standard Elevated

UWBT Worksurface-to-Tower Bracket Kit
Xpress
Page 700




2 Brackets

UWBTH Height-Adjustable Worksurface-to-Tower Bracket Kit
Xpress
Page 701




UNCPWN Low Credenza-to-Worksurface Support
Xpress
Page 702




Fixed-Height Height-Adjustable


UWCPWN Reconfigurable Low Credenza-to-Worksurface Support
Xpress
Page 703



UNRF Flush Plate
Xpress
Page 704



UNRFS Structural Flush Plate
Xpress
Page 704




supports product map

UNRC Worksurface Reinforcement Channel


Xpress

Page 705



UNCLN Mini Leg


Page 706



UNOPT Centermount Cabinet Support Posts & Trim

Xpress


Page 707



UNOBT Centermount Cabinet Support Brackets & Top Trim


Xpress

Page 708




UWSPK Side Filer Support Kit

Page 709



Xpress

UNGEN
End Gable



With Infill

No Infill

The End Gable provides end of run worksurface support. Available open or with infill options.

WHAT'S INCLUDED
1 leg and support with or without infill (as specified), one worksurface support bracket, leveler, attachment hardware.

NOTES
Handedness is determined by the user when seated at the adjoining worksurface (right handed shown).

Height dimension includes worksurface.

Bottom of infill option is 6" above floor level.

Not compatible with 28" Fascia (see Supports section in Application Guide).

Brackets will be finished to match the frame finish. A Platinum paint is applied to brackets when an Anodized frame finish is specified.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Depth	Orientation	Infill	Infill Finish	Frame Finish
17, 20, 24, 30, 36	**L** Left Handed	**0** No Infill	Source Laminate	**AC** Clear Anodized
	R Right Handed (Shown)	**1** With Infill	Flintwood (Standard)	Foundation
			Natural Veneer	Mica

SAMPLE ORDER CODE

UNGEN 30	L	1	FX	AC

DIMENSIONS
INCHES / MM

PRICING

	NO INFILL (0)	WITH INFILL (1)		
D		Source Laminate	Flintwood	Natural Veneer
17 / 432	401	520	753	783
20 / 508	401	520	753	783
24 / 610	409	545	776	808
30 / 762	420	555	830	858
36 / 914	427	575	884	918

Xpress

UNGEAN
End Gable – Height-Adjustable

A End Gable – Height-Adjustable provides height-adjustable end of run worksurface support available open or with infill option.

WHAT'S INCLUDED
1 leg and support with or without infill (as specified), leveler and attachment hardware, a Worksurface Panel Wall Bracket – Height-Adjustable (UNBPA) with the same left/right orientation as specified on the End Gable.


NOTES
Handedness is determined by the user when seated at the adjoining worksurface (left handed shown).

Height dimension includes thickness of worksurface.

Bottom of infill option is 6" above floor level.

Brackets will be finished to match the frame finish. A Platinum paint is applied to brackets when an Anodized frame finish is specified.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Depth	Orientation	Infill	Infill Finish	Frame Finish
17, 20, 24, 30, 36	**L** Left Handed (Shown)	**0** No Infill	Source Laminate	**AC** Clear Anodized
	R Right Handed	**1** With Infill	Flintwood (Standard)	Foundation
			Natural Veneer	Mica

SAMPLE ORDER CODE

UNGEAN 30	L	1	FX	AC


DIMENSIONS INCHES / MM

PRICING

D	NO INFILL (0)	WITH INFILL (1)		
		Source Laminate	Flintwood	Natural Veneer
17 / 432	600	715	948	978
20 / 508	600	715	948	978
24 / 610	605	739	973	1005
30 / 762	612	751	1024	1054
36 / 914	623	768	1078	1113

Xpress

UNGEF
Flush End Gable



The Flush End Gable provides end of run worksurface support that is flush to the floor.

WHAT'S INCLUDED
Gable, levelers, brackets, attachment hardware.

WHAT'S EXCLUDED
Worksurface Panel Wall Bracket (UNBP) must be specified separately and can be found in this section.

NOTES
Height dimension includes thickness of worksurface.

Not compatible with 28" Fascia (see *Supports* section in Application Guide).

Xpress Gable Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program.*

PRODUCT OPTIONS

Depth	Gable Finish	Bracket Finish
17, 20, 24, 30, 36	Source Laminate Flintwood (Standard) Natural Veneer	Foundation Mica

SAMPLE ORDER CODE

UNGEF 20	**FN**	**7**

DIMENSIONS
INCHES / MM

D
17 / 432
20 / 508
24 / 610
30 / 762
36 / 914

PRICING

Source Laminate	Flintwood	Natural Veneer
330	647	675
330	647	675
420	768	800
487	876	898
506	920	948

Xpress

UNGEFA

Flush End Gable – Height-Adjustable

The Flush End Gable – Height-Adjustable provides height-adjustable end of run worksurface support that is flush to the floor.


WHAT'S INCLUDED
Gable, levelers, brackets, attachment hardware.

WHAT'S EXCLUDED
Worksurface Panel Wall Bracket – Height-Adjustable (UNBPA) must be specified separately and can be found in this section.

NOTES
Height dimension includes thickness of worksurface.

Not compatible with 28" Fascia (see *Supports* section in Application Guide).

Xpress Gable Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program.*



PRODUCT OPTIONS

Depth	Gable Finish	Bracket Finish
17, 20, 24, 30, 36	Source Laminate	Foundation
	Flintwood (Standard)	Mica
	Natural Veneer	

SAMPLE ORDER CODE

UNGEFA 20	**FN**	**7**


DIMENSIONS
INCHES / MM

PRICING

D	Source Laminate	Flintwood	Natural Veneer
17 / 432	415	734	762
20 / 508	415	734	762
24 / 610	503	854	886
30 / 762	574	962	985
36 / 914	593	1007	1034

Xpress

U N G M F
Mid Gable



The Mid Gable provides mid-span support to panel wall mounted worksurface.

WHAT'S INCLUDED
Mid gable, levelers, brackets, attachment hardware.

NOTES
Height dimension includes thickness of worksurface.

Cannot attach to flush panel with 28" Fascia (see Supports section in Application Guide).

Xpress Gable Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program.*

PRODUCT OPTIONS

Depth	Gable Finish	Bracket Finish
12, 18	Source Laminate Flintwood (Standard) Natural Veneer	Foundation Mica

SAMPLE ORDER CODE

UNGMF 12	VB	P

DIMENSIONS
INCHES / MM

D
12 / 305
18 / 457

PRICING

Source Laminate	Flintwood	Natural Veneer
282	526	542
411	716	741

Xpress

UNGMFA
Mid Gable – Height-Adjustable


The Mid Gable – Height-Adjustable provides mid-span height-adjustable support to panel wall mounted to worksurface.

WHAT'S INCLUDED
Mid gable, levelers, brackets, attachment hardware.

NOTES
Height dimension includes thickness of worksurface.

Cannot attach to flush panel with 28" Fascia (see Supports section in Application Guide).

Xpress Gable Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program.*



PRODUCT OPTIONS

Depth	Gable Finish	Bracket Finish
12, 18	Source Laminate Flintwood (Standard) Natural Veneer	Foundation Mica

SAMPLE ORDER CODE

UNGMFA 12	VB	P

DIMENSIONS
INCHES / MM

D
12 / 305
18 / 457

PRICING

Source Laminate	Flintwood	Natural Veneer
369	610	628
497	801	829

Xpress


U N L V R
Cantilever

The Cantilever is applied on-module to a panel wall frame to support worksurfaces.

WHAT'S INCLUDED
1 cantilever.

NOTES
Handedness is determined by the user when seated at the adjoining worksurface (right handed shown).

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Depth	Orientation	Finish
11, 14	**L** Left Handed	Foundation
	R Right Handed (Shown)	Mica

SAMPLE ORDER CODE

UNLVR 14	L	7

DIMENSIONS INCHES / MM

D
11 / 279
14 / 356

PRICING

117
117

Xpress

UNLVFN
Off-Module Cantilever


The Off-Module Cantilever is applied off-module to a panel wall frame to support worksurfaces.

WHAT'S INCLUDED
1 cantilever, 1 bracket.

NOTES
Not compatible with 28" Fascia (see Supports section in Application Guide).

Handedness is determined by the user when seated at the adjoining worksurface.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Depth	Orientation	Finish
11, 14	**L** Left Handed (Shown)	Foundation
	R Right Handed	Mica

SAMPLE ORDER CODE

UNLVFN 14	R	Q

DIMENSIONS INCHES / MM

D
11 / 279
14 / 356

PRICING

194
194

Xpress

U A L V F N

Off-Module Cantilever for Panels with Accessory Beam


The Off-Module Cantilever is applied off-module to a panel wall frame to support worksurfaces.

WHAT'S INCLUDED
1 cantilever, 1 bracket.

NOTES
Not compatible with all Fascia (see Supports section in Application Guide).

Handedness is determined by the user when seated at the adjoining worksurface.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Depth	Orientation	Finish
11, 14	**L** Left Handed	Foundation
	R Right Handed	Mica

SAMPLE ORDER CODE

UALVFN 14	L	7

DIMENSIONS INCHES / MM

D
11 / 279
14 / 356

PRICING

194
194

Xpress

UNGSN
Semi-Suspended Gable


The Semi-Suspended Gable supports a worksurface semi-suspended from a panel wall. Available open or with infill panel.

WHAT'S INCLUDED
2 legs and support with or without infill (as specified), levelers, attachment hardware.

NOTES
Height dimension includes thickness of worksurface.

Bottom of infill option is 6" above floor level.

Xpress Available through *Teknion's Xpress Program.*



No Infill With Infill

PRODUCT OPTIONS

Depth	Infill	Infill Finish	Frame Finish
20, 24, 30, 36	**0** No Infill	Source Laminate	**AC** Clear Anodized
	1 With Infill	Flintwood (Standard)	Foundation
		Natural Veneer	Mica

SAMPLE ORDER CODE

UNGSN 30	0	VA	AC

DIMENSIONS INCHES / MM


PRICING

	NO INFILL (0)	WITH INFILL (1)		
D		Source Laminate	Flintwood	Natural Veneer
20 / 508	526	650	898	937
24 / 610	532	677	927	966
30 / 762	542	709	991	1018
36 / 914	551	728	1051	1076

Xpress

UNGSAN

Semi-Suspended Gable – Height-Adjustable



The Semi-Suspended Gable – Height-Adjustable provides height-adjustable support for worksurfaces semi-suspended from a panel wall.

WHAT'S INCLUDED
2 legs and support with or without infill (as specified), levelers, attachment hardware.

NOTES
Height dimension includes thickness of worksurface.

Bottom of infill option is 6" above floor level at worksurface height.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Depth	Infill	Infill Finish	Frame Finish
20, 24, 30, 36	**0** No Infill	Source Laminate	**AC** Clear Anodized
	1 With Infill	Flintwood (Standard)	Foundation
		Natural Veneer	Mica

SAMPLE ORDER CODE

UNGSAN 24	**0**	**VA**	**AC**

DIMENSIONS INCHES / MM

D
20 / 508
24 / 610
30 / 762
36 / 914

PRICING

NO INFILL (0)	WITH INFILL (1)		
	Source Laminate	Flintwood	Natural Veneer
868	995	1241	1280
876	1021	1269	1311
884	1051	1333	1361
894	1070	1393	1418

Xpress

UNLGN
Leg – Single


The Single Leg provides Intermediate worksurface support as an alternative to a mid gable or cantilever.

WHAT'S INCLUDED
1 leg, leveler, attachment hardware.

NOTES
Height dimension includes thickness of worksurface.

Handedness is determined by the user when seated at the adjoining worksurface.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Orientation	Finish
L Left Handed (Shown)	**AC** Clear Anodized
R Right Handed	Foundation
	Mica

SAMPLE ORDER CODE

UNLGN L	AC

PRICING

240

Xpress

UNLGA
Leg – Height-Adjustable Single


The Height-Adjustable Single Leg provides intermediate height-adjustable worksurface support as an alternative to mid gable or cantilever.

WHAT'S INCLUDED
1 leg, leveler, attachment hardware.

NOTES
Height dimension includes thickness of worksurface.

Handedness is determined by the user when seated at the adjoining worksurface.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Orientation	Finish
L Left Handed	**AC** Clear Anodized
R Right Handed (Shown)	Foundation
	Mica

SAMPLE ORDER CODE

UNLGA L	AC

PRICING

411

Xpress


UNLGPN
Leg – Pair

The Leg is used in combination with other storage based supports or legs to create freestanding desks or tables.

WHAT'S INCLUDED
2 legs, levelers, attachment hardware.

NOTES
Height dimension includes thickness of worksurface.

Xpress Available through *Teknion's Xpress Program.*



Xpress


UNLGPA
Height-Adjustable Leg – Pair

The Height-Adjustable – Leg is used in combination with other legs or storage based supports to create height-adjustable freestanding desks or tables.

WHAT'S INCLUDED
2 legs, levelers, attachment hardware.

NOTES
Height dimension includes thickness of worksurface.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Finish

AC Clear Anodized

Foundation

Mica

SAMPLE ORDER CODE

UNLGPA AC

UNLGPN LEG – PAIR
469

UNLGPA HEIGHT-ADJUSTABLE LEG – PAIR
805

Xpress


U N B P

Worksurface Panel Wall Bracket – Pair

The Worksurface Panel Wall Bracket connects a worksurface to a panel wall providing support.

WHAT'S INCLUDED
2 brackets (one left oriented, one right oriented).

NOTES
Xpress Available through *Teknion's Xpress Program.*



Xpress


U N B P A

Worksurface Panel Wall Bracket – Height-Adjustable

The Height-Adjustable Worksurface Panel Wall Bracket connects a worksurface vertically to a panel wall providing height-adjustable support.

WHAT'S INCLUDED
1 bracket

NOTES
Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Orientation (Applies to UNBPA only)	Finish
L Left Handed (Shown)	Foundation
R Right Handed	Mica

SAMPLE ORDER CODE

UNBPA R	E

UNBP WORKSURFACE PANEL WALL BRACKET – PAIR
80

UNBPA WORKSURFACE PANEL WALL BRACKET – HEIGHT-ADJUSTABLE
59

Xpress

UWSPB
Storage-to-Panel Bracket

The Storage-to-Panel Bracket attaches to the back or side of a storage unit and mounts into the vertical channel of a District panel to provide support to the panel wall.


WHAT'S INCLUDED
1 top bracket, 1 bottom bracket, 1 plate (for some standard configurations) and attachment hardware.

NOTES
A Perpendicular Back (B) application is **not** available with a Wire Gap (W).

Handedness is determined by the side of the panel (when facing it) onto which the storage is mounted.

For details as to which application to choose, see *Planning Basics in the Supports* section of the Application Guides chapter.

Xpress Available through *Teknion's Xpress Program.*



Standard



Elevated

PRODUCT OPTIONS

Storage Style	Application	Gapping	Orientation	Finish
E Elevated	**P** Parallel	**W** With Wire Gap	**L** Left	Foundation
S Standard	**F** Perpendicular Front	**N** No Wire Gap	**R** Right	Mica
	B Perpendicular Back			

SAMPLE ORDER CODE

UWSPB E	P	W	L	Q

PRICING

153

Xpress


U W B T
Worksurface-to-Tower Bracket Kit


The Worksurface-to-Tower Bracket is used to attach worksurfaces to storage. It also has an optional bag hook for undersurface organization.


WHAT'S INCLUDED
Brackets, as specified and attachment hardware.


NOTES
The One Bracket, One Flush Plate (BF) style option must be used when attaching to the side of a tower/locker that has a cubby back.

Xpress Available through *Teknion's Xpress Program.*


Two Brackets


Two Brackets / One Hook


One Bracket / One Flush Plate


One Bracket / One Flush Plate / One Hook

PRODUCT OPTIONS

Style	Finish
BB Two Brackets	Foundation
HB Two Brackets, One Hook	Mica
BF One Bracket, One Flush Plate	
HF One Bracket, One Flush Plate, 1 Hook	

SAMPLE ORDER CODE

UWBT BB	7

STYLE	PRICING
BB	233
HB	233
BF	206
HF	206

Xpress


U W B T H
Height-Adjustable Worksurface-to-Tower Bracket Kit

The Height-Adjustable Worksurface-to-Tower Bracket is used to attach worksurfaces to storage.

WHAT'S INCLUDED
2 brackets and attachment hardware.

NOTES
Cannot be used on a Pedestal Tower with Cubby Back (UTDC), see the *District Storage Price & Application Guide*.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Style	Finish
BB 2 Brackets	Foundation Mica

SAMPLE ORDER CODE

UWBTH BB	7

STYLE	PRICING
BB	346

Xpress

U N C P W N


Low Credenza-to-Worksurface Support

The Low Credenza-to-Worksurface Support mounts to the underside of a worksurface and to the top of a low credenza to provide support for the worksurface.


WHAT'S INCLUDED
Brackets, as specified and attachment hardware.

NOTES
Adjustment range is +3"/-1" (28" - 32" worksurface height).

Xpress Available through *Teknion's Xpress Program.*



Fixed-Height



Height-Adjustable

PRODUCT OPTIONS

Style	Finish
F Fixed-Height	Foundation
H Height-Adjustable	Mica

SAMPLE ORDER CODE

UNCPWN F	**7**

STYLE	PRICING
F	223
H	256

Xpress

UWCPWN


Reconfigurable Low Credenza-to-Worksurface Support

The Reconfigurable Low Credenza-to-Worksurface Support mounts to the underside of a worksurface and wraps into the open section of a credenza so that screws are affixed to the interior of the credenza. This allows for reconfiguration without damaging the top of storage unit.

WHAT'S INCLUDED
2 brackets and attachment hardware.

NOTES
The depth of the worksurface **cannot** be more than 6" than the open section of the credenza onto which it is being mounted. (i.e., 24" depth worksurface **cannot** be mounted to a 36" wide open cubby.)

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Style	Finish
F Fixed-Height	Foundation Mica

SAMPLE ORDER CODE

UWCPWN F	7

STYLE	PRICING
F	335

Xpress


U N R F
Flush Plate

The Flush Plate is used in conjunction with other supports to maintain alignment of worksurfaces.

WHAT'S INCLUDED
1 flush plate, attachment hardware.

NOTES
Finished in Ebony.

Xpress Available through *Teknion's Xpress Program.*



PRICING

52

Xpress


U N R F S
Structural Flush Plate

The Structural Flush Plate is used in conjunction with other supports to maintain and provide structural support to freestanding worksurfaces.

WHAT'S INCLUDED
1 bracket.

NOTES
Finished in Ebony.

Xpress Available through *Teknion's Xpress Program.*



PRICING

68

Xpress


UNRC
Worksurface Reinforcement Channel

The Worksurface Reinforcement Channel adds rigidity to worksurfaces.

WHAT'S INCLUDED
1 reinforced channel, attachment hardware.

NOTES
Finished in Ebony.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Width (6" increments)
36 - 96

SAMPLE ORDER CODE

UNRC 60

DIMENSIONS INCHES / MM

PRICING


W	
36 / 914	32
42 / 1067	35
48 / 1219	36
54 / 1372	41
60 / 1524	44
66 / 1676	50
72 / 1829	52
78 / 1981	54
84 / 2134	58
90 / 2286	60
96 / 2438	63

U N C L N
Mini Leg

The Mini Leg is used in place of the Low Credenza Worksurface Support (UNCPWN) when panel wall support is not required.

WHAT'S INCLUDED
1 mini leg, attachment hardware.

NOTES
Rests on, but does not attach to storage.



PRODUCT OPTIONS

Finish
Foundation
Mica

SAMPLE ORDER CODE

UNCLN 7

PRICING

61

Xpress

UNOPT

Centermount Cabinet Support Posts & Trim

The Centermount Cabinet Support Posts & Trim provides elevated support for centermount cabinets and overhead cabinets centered on District Panel Walls.

WHAT'S INCLUDED
Support posts, top trim, attachment hardware, gasket.

WHAT'S EXCLUDED
Centermount Cabinet and Overhead Cabinet specified separately.

NOTES
Post finish matches top trim finish selection. Anodized defaults to Platinum for bracket finish.

To match District datum heights:

On 42" panel: use 9" post and 15" cabinet for 66" datum.


On 29" panel: use 13" post and 9" cabinet for 51" datum.

Compatible Trim widths;

For 15" high cabinet: 30, 36, 42, 48

For 9" high cabinet: 30, 36, 42, 48, 54, 60

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Post Height	Top Trim Width	Top Trim Finish
09, 13	30, 36, 42, 48, 54, 60	**AC** Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNOPT 9	48	AC


DIMENSIONS INCHES / MM

H	W	PRICING
9 / 229	30 / 762	527
9 / 229	36 / 914	541
9 / 229	42 / 1067	550
9 / 229	48 / 1219	557
9 / 229	54 / 1372	569
9 / 229	60 / 1524	578
13 / 330	30 / 762	557
13 / 330	36 / 914	571
13 / 330	42 / 1067	581
13 / 330	48 / 1219	587
13 / 330	54 / 1372	602
13 / 330	60 / 1524	606

Xpress

UNOBT

Centermount Cabinet Support Brackets & Trim



The Centermount Cabinet Support Brackets & Trim provides flush mounted support for centermount cabinets and District overhead cabinets centered on District Panel Walls.

WHAT'S INCLUDED
Top trim, supports, attachment hardware, gasket

WHAT'S EXCLUDED
Centermount Cabinet and Overhead Cabinet specified separately.

NOTES
Post finish matches top trim finish selection. Anodized defaults to Platinum for bracket finish.

Top trim width equals to cabinet width specified.

Compatible Trim widths;
For 15" high cabinet: 30", 36", 42", 48"
For 9" high cabinet: 30" to 96" in 6" increments

Cannot be used to attach a transaction counter.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Top Trim Width (6" increments)	Top Trim Finish
30 - 96	**AC** Clear Anodized
	Foundation
	Mica

SAMPLE ORDER CODE

UNOBT 30	AC


DIMENSIONS INCHES / MM	PRICING
W	
30 / 762	337
36 / 914	346
42 / 1067	359
48 / 1219	367
54 / 1372	376
60 / 1524	384
66 / 1676	583
72 / 1829	594
78 / 1981	605
84 / 2134	610
90 / 2286	623
96 / 2438	630

UWSPK
Side Filer Support Kit

The Side Filer Support Kit us used to connect Side Filer to a panel and provide enhanced stability in side filer-to-panel applications.

WHAT'S INCLUDED

2 Worksurface to Tower Brackets (UWBTBB), 1 pair of Worksurface Panel Wall Brackets (UNBP), 1 storage bottom bracket, 1 anti-dislodgement plate for storage bottom bracket, 1 bag hook (if specified), attachment hardware



PRODUCT OPTIONS

Application	Orientation	Finish	Hook
S Side Filer (3/8" gap)	**L** Left	Foundation	**N** No
M Mini Side Filer (1" gap)	**R** Right	Mica	**Y** Yes

SAMPLE ORDER CODE

UWSPK S	L	Q	N

PRICING

204


accessories

accessories product map

UNPSF Standing Storage Fascia

Xpress

Page 714




Tackable Whiteboard

UNPSS Stacking Storage Fascia

Xpress

Page 718




Tackable Whiteboard

UNTBS Tackboard – Screen Mount

Xpress


Page 722



UNTBW Whiteboard – Screen Mount

Xpress


Page 724



UNTBP Tackboard – Panel Wall Mount

Xpress


Page 726



UKSCIS Single Locker with Cubby Infill

Xpress


Page 728



UTLXIS Lateral Tower Infill

Xpress


Page 730



Solid Tackable Whiteboard

UTCXIS Combo Tower Infill

Page 732




Solid Tackable Whiteboard

accessories product map


UTCXIX Source Laminate Combo Tower Infill

Xpress


Page 736



Solid



Tackable




Whiteboard

UTDCIS Pedestal Tower with Cubby Infill


Xpress

Page 739




UWLC Seat Cushion

Page 740



UWLF Fitted Seat Cushion


Page 741



UNTK Tool Kit

Xpress

Page 742



Fascia Removal Tool



Male Connector Insertion Tool




Bottom Vertical Male Connector Insertion Tool

UNAB Accessory Bundle


Xpress

Page 743



UNBW Side Filer Boot Tray

Page 744



Xpress


U N P S F
Standing Storage Fascia

The Standing Storage Fascia is a framed tackable fabric or whiteboard surface which mounts to storage units that are freestanding and not stacked onto other storage units.

WHAT'S INCLUDED
1 framed fascia and attachment hardware.

NOTES
Not all height/width combinations are available. See pricing for exact offering.

Xpress Available through *Teknion's Xpress Program.*



Tackable Whiteboard

PRODUCT OPTIONS

Fascia Style	Height (1" increments)	Width (1" increments)	Frame Finish	Mounting Bracket Finish	Fascia Finish
T Tackable Fabric (Standard Mount)	12 - 60	12 - 48	**AC** Clear Anodized	Foundation	Standard Panel Fabric
A Tackable Fabric (Slot Mount)			**BP** Espresso Painted	Mica	
W Whiteboard (Standard Mount)			**BH** Storm White Painted		
I Whiteboard (Slot Mount)					

SAMPLE ORDER CODE

UNPSF T	45	16	AC	E	L341

DIMENSIONS FOR MM X BY 25.4

PRICING

TACKABLE FABRIC

H	W	Standard Panel Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
12 - 17	12 - 17	309	321	335	345	361	375	391	406
12 - 17	18 - 23	335	346	362	376	393	407	424	438
12 - 17	24 - 29	362	376	392	406	424	438	457	476
12 - 17	30 - 35	392	406	424	437	455	474	492	515
12 - 17	36 - 41	423	437	455	474	495	513	532	555
12 - 17	42 - 47	455	473	491	513	533	553	578	602
12 - 17	48	491	511	529	553	578	600	623	647
18 - 23	12 - 17	334	345	361	372	389	402	423	436
18 - 23	18 - 23	362	376	392	406	424	438	457	476
18 - 23	24 - 29	392	406	424	437	455	474	492	515
18 - 23	30 - 35	423	437	455	474	495	513	532	555
18 - 23	36 - 41	455	473	491	513	533	553	578	602
18 - 23	42 - 47	491	511	529	553	578	600	623	647
18 - 23	48	529	551	575	600	623	646	672	699
24 - 29	12 - 17	361	372	391	402	420	436	454	473
24 - 29	18 - 23	392	406	424	437	455	474	492	515
24 - 29	24 - 29	423	437	455	474	495	513	532	555
24 - 29	30 - 35	455	473	491	513	533	553	578	602
24 - 29	36 - 41	491	511	529	553	578	600	623	647
24 - 29	42 - 47	529	551	575	600	623	646	672	699
24 - 29	48	575	597	620	645	671	698	725	753

Pricing is continued on the following page.

Xpress

UNPSF
Standing Storage Fascia (Continued)

DIMENSIONS FOR MM X BY 25.4

PRICING

TACKABLE FABRIC

Standard Panel Fabric

H	W	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
30 - 35	12 - 17	395	401	420	435	453	469	488	510
30 - 35	18 - 23	429	446	464	483	502	522	543	565
30 - 35	24 - 29	464	483	502	521	542	564	585	609
30 - 35	30 - 35	499	521	542	564	587	609	634	657
30 - 35	36 - 41	542	559	583	608	633	656	681	711
30 - 35	42 - 47	583	606	633	655	683	711	738	767
30 - 35	48	631	655	680	709	738	767	797	829
36 - 41	12 - 17	435	442	458	479	498	518	540	557
36 - 41	18 - 23	473	491	511	529	552	575	600	623
36 - 41	24 - 29	511	529	551	575	597	620	646	672
36 - 41	30 - 35	551	574	597	620	646	671	698	725
36 - 41	36 - 41	594	619	643	670	698	724	752	783
36 - 41	42 - 47	643	670	694	724	753	782	812	844
36 - 41	48	694	722	751	778	810	843	879	913
42 - 47	12 - 17	479	487	504	526	549	569	588	613
42 - 47	18 - 23	520	541	559	583	609	633	656	681
42 - 47	24 - 29	558	583	606	631	655	680	709	738
42 - 47	30 - 35	606	631	654	680	708	737	766	796
42 - 47	36 - 41	654	678	707	736	766	794	828	859
42 - 47	42 - 47	705	736	764	794	827	859	894	928
42 - 47	48	763	793	824	858	894	928	965	1005
48 - 53	12 - 17	526	534	556	580	604	625	649	676
48 - 53	18 - 23	574	594	619	643	670	696	724	752
48 - 53	24 - 29	617	643	668	694	722	751	782	812
48 - 53	30 - 35	668	692	722	748	778	810	843	879
48 - 53	36 - 41	718	748	777	808	843	876	911	947
48 - 53	42 - 47	777	808	841	872	907	944	984	1022
48 - 53	48	838	871	910	943	981	1021	1061	1102
54 - 60	12 - 17	580	586	610	635	663	690	716	741
54 - 60	18 - 23	630	650	678	707	736	764	794	828
54 - 60	24 - 29	677	705	734	764	794	824	858	891
54 - 60	30 - 35	734	763	793	823	856	889	927	965
54 - 60	36 - 41	792	822	857	889	926	963	1000	1041
54 - 60	42 - 47	854	888	925	962	1003	1040	1082	1124
54 - 60	48	924	961	997	1039	1080	1122	1168	1218

Pricing is continued on the following page.

Xpress

U N P S F
Standing Storage Fascia
(Continued)

DIMENSIONS FOR MM X BY 25.4		PRICING
		WHITEBOARD
H	W	
12 - 17	12 - 17	464
12 - 17	18 - 23	502
12 - 17	24 - 29	543
12 - 17	30 - 35	586
12 - 17	36 - 41	635
12 - 17	42 - 47	687
12 - 17	48 - 53	741
12 - 17	54 - 59	803
12 - 17	60	868
18 - 23	12 - 17	517
18 - 23	18 - 23	556
18 - 23	24 - 29	603
18 - 23	30 - 35	648
18 - 23	36 - 41	700
18 - 23	42 - 47	763
18 - 23	48 - 53	821
18 - 23	54 - 59	887
18 - 23	60	961
24 - 29	12 - 17	574
24 - 29	18 - 23	617
24 - 29	24 - 29	666
24 - 29	30 - 35	716
24 - 29	36 - 41	771
24 - 29	42 - 47	881
24 - 29	48 - 53	995
24 - 29	54 - 59	1075
24 - 29	60	1162
30 - 35	12 - 17	623
30 - 35	18 - 23	671
30 - 35	24 - 29	724
30 - 35	30 - 35	778
30 - 35	36 - 41	841
30 - 35	42 - 47	940
30 - 35	48 - 53	1018
30 - 35	54 - 59	1131
30 - 35	60	1256
36 - 41	12 - 17	671
36 - 41	18 - 23	724
36 - 41	24 - 29	778
36 - 41	30 - 35	841
36 - 41	36 - 41	910
36 - 41	42 - 47	997
36 - 41	48 - 53	1041
36 - 41	54 - 59	1155
36 - 41	60	1283

DIMENSIONS FOR MM X BY 25.4		PRICING
		WHITEBOARD
H	W	
42 - 47	12 - 17	722
42 - 47	18 - 23	778
42 - 47	24 - 29	843
42 - 47	30 - 35	912
42 - 47	36 - 41	1012
42 - 47	42 - 47	1127
42 - 47	48 - 53	1250
42 - 47	54 - 59	1387
42 - 47	60	1544
48	12 - 17	771
48	18 - 23	836
48	24 - 29	902
48	30 - 35	978
48	36 - 41	1085
48	42 - 47	1205
48	48 - 53	1336
48	54 - 59	1489
48	60	1652
49 - 53	12 - 17	771
49 - 53	18 - 23	836
49 - 53	24 - 29	902
49 - 53	30 - 35	978
49 - 53	36 - 41	1085
49 - 53	42 - 47	1205
49 - 53	48 - 53	1336
49 - 53	54 - 59	1489
49 - 53	60	1652
54 - 60	12 - 17	823
54 - 60	18 - 23	889
54 - 60	24 - 29	963
54 - 60	30 - 35	1040
54 - 60	36 - 41	1153
54 - 60	42 - 47	1282
54 - 60	48 - 53	1422
54 - 60	54 - 59	1581
54 - 60	60	1756

Xpress

UNPSS
Stacking Storage Fascia


The Stacking Storage Fascia is a framed tackable fabric or whiteboard surface which mounts onto stacking storage cabinets.

WHAT'S INCLUDED
1 framed fascia and attachment hardware.

NOTES
Fabric grades 5, 6 and 7 can be specified to a maximum width of 60".

Architectural fabric can be specified to a maximum width of 48".

Xpress Available through *Teknion's Xpress Program.*



Tackable Whiteboard

PRODUCT OPTIONS

Fascia Style	Height (1" increments)	Width (6" increments)	Frame Finish	Mounting Bracket Finish	Fascia Finish
T Tackable Fabric (Standard Mount) **W** Whiteboard (Standard Mount)	12 - 45	24 - 96	**AC** Clear Anodized **BP** Espresso Painted **BH** Storm White Painted	**E** Ebony	Standard Panel Fabric

SAMPLE ORDER CODE

UNPSS T	45	16	AC	E	L341

DIMENSIONS
FOR MM X BY 25.4

PRICING

TACKABLE FABRIC

H	W	Standard Panel Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
12 - 17	24	362	376	392	406	424	438	457	476
12 - 17	30	392	406	424	437	455	474	492	515
12 - 17	36	423	437	455	474	495	513	532	555
12 - 17	42	455	473	491	513	533	553	578	602
12 - 17	48	491	511	529	553	578	600	623	647
12 - 17	54	529	551	575	600	623	646	672	699
12 - 17	60	575	597	620	645	671	698	725	753
12 - 17	66	619	645	671	696	722	n/a	n/a	n/a
12 - 17	72	670	696	724	752	778	n/a	n/a	n/a
12 - 17	78	722	751	782	812	844	n/a	n/a	n/a
12 - 17	84	778	810	843	879	911	n/a	n/a	n/a
12 - 17	90	843	876	912	947	981	n/a	n/a	n/a
12 - 17	96	911	944	984	1022	1063	n/a	n/a	n/a
18 - 23	24	392	406	424	437	455	474	492	515
18 - 23	30	423	437	455	474	495	513	532	555
18 - 23	36	455	473	491	513	533	553	578	602
18 - 23	42	491	511	529	553	578	600	623	647
18 - 23	48	529	551	575	600	623	646	672	699
18 - 23	54	575	597	620	645	671	698	725	753
18 - 23	60	619	645	671	696	724	753	783	814
18 - 23	66	670	696	724	752	778	n/a	n/a	n/a
18 - 23	72	722	751	782	812	844	n/a	n/a	n/a
18 - 23	78	778	810	843	879	911	n/a	n/a	n/a
18 - 23	84	843	876	912	947	981	n/a	n/a	n/a
18 - 23	90	911	944	984	1022	1063	n/a	n/a	n/a
18 - 23	96	980	1021	1061	1104	1144	n/a	n/a	n/a

Pricing is continued on the following page.

Xpress

UNPSS

Stacking Storage Fascia (Continued)

DIMENSIONS FOR MM X BY 25.4

PRICING

TACKABLE FABRIC

Standard Panel Fabric

H	W	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
24 - 29	24	423	437	455	474	495	513	532	555
24 - 29	30	455	473	491	513	533	553	578	602
24 - 29	36	491	511	529	553	578	600	623	647
24 - 29	42	529	551	575	600	623	646	672	699
24 - 29	48	575	597	620	645	671	698	725	753
24 - 29	54	619	645	671	696	724	753	783	814
24 - 29	60	670	696	724	752	782	814	846	881
24 - 29	66	722	751	782	812	844	n/a	n/a	n/a
24 - 29	72	778	810	843	879	911	n/a	n/a	n/a
24 - 29	78	843	876	912	947	981	n/a	n/a	n/a
24 - 29	84	911	944	984	1022	1063	n/a	n/a	n/a
24 - 29	90	980	1021	1061	1104	1144	n/a	n/a	n/a
24 - 29	96	1060	1102	1146	1191	1235	n/a	n/a	n/a
30 - 35	24	464	483	502	521	542	564	585	609
30 - 35	30	499	521	542	564	587	609	634	657
30 - 35	36	542	559	583	608	633	656	681	711
30 - 35	42	583	606	633	655	683	711	738	767
30 - 35	48	631	655	680	709	738	767	797	829
30 - 35	54	680	707	737	766	797	829	861	895
30 - 35	60	736	764	794	828	861	894	929	967
30 - 35	66	794	824	858	891	926	n/a	n/a	n/a
30 - 35	72	858	891	927	965	1003	n/a	n/a	n/a
30 - 35	78	927	963	1002	1041	1078	n/a	n/a	n/a
30 - 35	84	1000	1040	1082	1127	1169	n/a	n/a	n/a
30 - 35	90	1082	1124	1168	1218	1262	n/a	n/a	n/a
30 - 35	96	1166	1214	1263	1313	1363	n/a	n/a	n/a
36 - 41	24	511	529	551	575	597	620	646	672
36 - 41	30	551	574	597	620	646	671	698	725
36 - 41	36	594	619	643	670	698	724	752	783
36 - 41	42	643	670	694	724	753	782	812	844
36 - 41	48	694	722	751	778	810	843	879	913
36 - 41	54	748	778	810	843	876	912	947	985
36 - 41	60	808	841	876	911	948	984	1022	1065
36 - 41	66	872	910	943	984	1019	n/a	n/a	n/a
36 - 41	72	943	980	1021	1060	1100	n/a	n/a	n/a
36 - 41	78	1019	1058	1101	1145	1190	n/a	n/a	n/a
36 - 41	84	1099	1144	1190	1235	1282	n/a	n/a	n/a
36 - 41	90	1189	1234	1283	1334	1384	n/a	n/a	n/a
36 - 41	96	1282	1333	1385	1441	1496	n/a	n/a	n/a
42 - 45	24	558	583	606	631	655	680	709	738
42 - 45	30	606	631	654	680	708	737	766	796
42 - 45	36	654	678	707	736	766	794	828	859
42 - 45	42	705	736	764	794	827	859	894	928
42 - 45	48	763	793	824	858	894	928	965	1005
42 - 45	54	823	857	889	927	965	1002	1041	1084
42 - 45	60	888	925	963	1000	1040	1083	1127	1172
42 - 45	66	962	997	1040	1082	1124	n/a	n/a	n/a
42 - 45	72	1039	1078	1122	1166	1207	n/a	n/a	n/a
42 - 45	78	1121	1165	1211	1263	1312	n/a	n/a	n/a
42 - 45	84	1207	1262	1311	1363	1413	n/a	n/a	n/a
42 - 45	90	1310	1359	1414	1468	1521	n/a	n/a	n/a
42 - 45	96	1411	1467	1526	1589	1649	n/a	n/a	n/a

Pricing is continued on the following page.

Xpress


U N P S S

Stacking Storage Fascia (Continued)

DIMENSIONS FOR MM X BY 25.4		PRICING
		WHITEBOARD
H	W	
15 - 17	24	543
15 - 17	30	586
15 - 17	36	635
15 - 17	42	687
15 - 17	48	741
15 - 17	54	803
15 - 17	60	868
18 - 23	24	603
18 - 23	30	648
18 - 23	36	700
18 - 23	42	763
18 - 23	48	821
18 - 23	54	887
18 - 23	60	961
24 - 29	24	666
24 - 29	30	716
24 - 29	36	771
24 - 29	42	881
24 - 29	48	995
24 - 29	54	1075
24 - 29	60	1162
30 - 35	24	724
30 - 35	30	778
30 - 35	36	841
30 - 35	42	940
30 - 35	48	1018
30 - 35	54	1131
30 - 35	60	1256
36 - 41	24	778
36 - 41	30	841
36 - 41	36	910
36 - 41	42	997
36 - 41	48	1041
36 - 41	54	1155
36 - 41	60	1283
42 - 45	24	843
42 - 45	30	912
42 - 45	36	1012
42 - 45	42	1127
42 - 45	48	1250
42 - 45	54	1387
42 - 45	60	1544

Xpress

U N T B S
Tackboard – Screen Mount



The Tackboard – Screen Mount is a framed firm tackable fabric which mounts to desk edge storage and floor screens.

WHAT'S INCLUDED
1 tackboard, attachment hardware.

NOTES
Actual height is 1" less than nominal to provide clearance with worksurface for cable management.

22" height is available up to a 48" width only.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Height	Width (1" increments)	Upholstery	Frame Finish	Mounting Bracket Finish
13, 22	23 - 96	Panel Fabric	**AC** Clear Anodized	Foundation
			BP Espresso Painted	Mica
			BH Storm White Painted	

SAMPLE ORDER CODE

UNTBS 13	60	L341	AC	7

DIMENSIONS
FOR MM X BY 25.4

PRICING

H	W	Standard Panel Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
13	23 - 24	241	247	258	266	276	287	299	304
13	25 - 27	249	256	268	273	284	299	309	314
13	28 - 30	256	265	273	282	295	307	315	325
13	31 - 33	265	272	282	292	302	314	328	335
13	34 - 36	271	279	292	300	311	325	337	341
13	37 - 39	281	289	301	310	321	335	345	351
13	40 - 42	284	295	304	314	328	344	353	364
13	43 - 45	314	326	337	345	359	375	387	394
13	46 - 48	347	361	372	389	404	422	435	445
13	49 - 51	358	369	383	395	409	429	445	455
13	52 - 54	364	375	392	402	420	437	454	467
13	55 - 57	370	384	398	412	430	450	464	476
13	58 - 60	376	392	406	422	437	457	474	487
13	61 - 63	394	407	425	437	457	479	495	506
13	64 - 66	411	425	442	457	476	498	517	527
13	67 - 69	428	442	460	476	496	520	536	550
13	70 - 72	445	458	479	492	514	540	555	571
13	73 - 75	464	479	497	515	536	558	579	593
13	76 - 78	482	497	517	532	555	581	602	613
13	79 - 81	499	518	536	555	579	605	624	641
13	82 - 84	520	536	556	578	603	628	647	666
13	85 - 87	542	557	580	602	624	650	675	692
13	88 - 90	559	580	603	623	649	677	700	717
13	91 - 93	583	604	625	647	673	705	728	746
13	94 - 96	606	625	648	672	700	731	756	776

Pricing is continued on the following page.

Xpress

UNTBS
Tackboard – Screen Mount (Continued)


DIMENSIONS FOR MM X BY 25.4

PRICING

H	W	Standard Panel Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
22	23 - 24	278	285	299	310	325	339	351	364
22	25 - 27	287	299	310	323	338	351	367	376
22	28 - 30	299	309	321	334	347	365	381	392
22	31 - 33	309	317	334	344	361	377	393	401
22	34 - 36	315	328	341	353	370	392	402	415
22	37 - 39	334	341	359	371	391	409	425	435
22	40 - 42	345	359	372	391	407	428	443	455
22	43 - 45	381	395	412	429	451	474	491	504
22	46 - 48	415	430	452	469	492	520	541	555

Xpress

U N T B W
Whiteboard – Screen Mount



The Whiteboard – Screen Mount is an erasable writing surface which mounts to Desk edge, Storage and Floor Screens.

WHAT'S INCLUDED
1 whiteboard

NOTES
Actual height is 1" less than nominal to provide clearance with worksurface for cable management.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Height	Width (1" increments)
15, 22	23 - 48

SAMPLE ORDER CODE

UNTBW 15	**48**

DIMENSIONS FOR MM X BY 25.4


H	W	PRICING
15	23 - 24	187
15	25 - 30	223
15	31 - 36	247
15	37 - 42	266
15	43 - 48	292

DIMENSIONS FOR MM X BY 25.4

H	W	PRICING
22	23 - 24	223
22	25 - 30	256
22	31 - 36	282
22	37 - 42	309
22	43 - 48	341

Xpress

UNTBP
Tackboard – Panel Wall Mount



The Tackboard – Panel Wall Mount is a framed tackable fabric surface which mounts casually to panel walls over existing fascias.

WHAT'S INCLUDED
1 tackboard, attachment hardware.

NOTES
Actual height is 1" less than nominal to provide clearance with worksurface for cable management.

22" and 37" heights are available up to a 48" width only.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Height	Width (1" increments)	Upholstery	Frame Finish
13, 22, 37	23 - 96	Panel Fabric	**AC** Clear Anodized **BP** Espresso Painted **BH** Storm White Painted

SAMPLE ORDER CODE

UNTBP 37	**48**	**L341**	**AC**

DIMENSIONS
FOR MM X BY 25.4

PRICING

H	W	Standard Panel Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
13	23 - 24	241	247	258	266	276	287	299	304
13	25 - 27	249	256	268	273	284	299	309	314
13	28 - 30	256	265	273	282	295	307	315	325
13	31 - 33	265	272	282	292	302	314	328	335
13	34 - 36	271	279	292	300	311	325	337	341
13	37 - 39	278	287	299	309	321	335	345	351
13	40 - 42	284	295	304	314	328	344	353	364
13	43 - 45	315	328	339	349	367	383	395	402
13	46 - 48	347	361	372	389	404	422	435	445
13	49 - 51	358	369	383	395	409	429	445	455
13	52 - 54	364	375	392	402	420	437	454	467
13	55 - 57	370	384	398	412	430	450	464	476
13	58 - 60	376	392	406	422	437	457	474	487
13	61 - 63	394	407	425	437	457	479	495	506
13	64 - 66	411	425	442	457	476	498	517	527
13	67 - 69	428	442	460	476	496	520	536	550
13	70 - 72	445	458	479	492	514	540	555	571
13	73 - 75	464	479	497	515	536	558	579	593
13	76 - 78	482	497	517	532	555	581	602	613
13	79 - 81	499	518	536	555	579	605	624	641
13	82 - 84	520	536	556	578	603	628	647	666
13	85 - 87	542	557	580	602	624	650	675	692
13	88 - 90	559	580	603	623	649	677	700	717
13	91 - 93	583	604	625	647	673	705	728	746
13	94 - 96	606	625	648	672	700	731	756	776

Pricing is continued on the following page.

Xpress

U N T B P

Tackboard – Panel Wall Mount (Continued)


DIMENSIONS FOR MM X BY 25.4

PRICING

H	W	Standard Panel Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
22	23 - 24	278	285	299	310	325	339	351	364
22	25 - 27	287	299	310	323	338	351	367	376
22	28 - 30	299	309	321	334	347	365	381	392
22	31 - 33	309	317	334	344	361	377	393	401
22	34 - 36	315	328	341	353	370	392	402	415
22	37 - 39	334	341	359	371	391	409	425	435
22	40 - 42	345	359	372	391	407	428	443	455
22	43 - 45	381	395	412	429	451	474	491	504
22	46 - 48	415	430	452	469	492	520	541	555
37	23 - 24	301	312	331	344	363	384	399	415
37	25 - 27	321	335	349	367	387	407	427	438
37	28 - 30	339	351	370	389	407	430	452	464
37	31 - 33	353	370	391	407	430	455	476	491
37	34 - 36	370	389	407	428	453	481	502	520
37	37 - 39	387	401	424	443	468	497	520	536
37	40 - 42	398	419	437	457	483	515	536	553
37	43 - 45	450	469	492	518	549	582	608	630
37	46 - 48	497	521	549	578	611	648	678	702

Xpress

UKSCIS
Single Locker with Cubby Infill



The Single Locker with Cubby Infill mounts to the open through Single Locker with Cubby to enclose the back of the storage unit.

WHAT'S INCLUDED
Infill, attachment hardware.

NOTES
Type (Elevated or Standard), height and width should be specified according to the size of the cabinet.

The Outside finish will match the Inside finish specified.

Stop options correspond to limitations of the product offering for the given storage unit.

Infill for 36" high Elevated is **not** available.

Xpress Outside & Inside Finish Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program.*

PRODUCT OPTIONS

Infill Style	Type	Height	Width	Outside & Inside Finish	Bracket Finish
S Solid	**E** Elevated	36, 42, 51, 66	29, 35	Source Laminate	Foundation
	S Standard			Flintwood	Mica
				Natural Veneer	

SAMPLE ORDER CODE

UKSCIS S	S	36	35	FX	7

DIMENSIONS INCHES / MM

H	W
36 / 914	29 / 737
36 / 914	35 / 889
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	29 / 737
51 / 1295	35 / 889
66 / 1676	29 / 737
66 / 1676	35 / 889

PRICING

ELEVATED (E)


Source Laminate	Flintwood	Natural Veneer
238	488	515
238	488	515
242	504	529
242	504	529
272	541	565
272	541	565
337	643	670
337	643	670

STANDARD (S)

Source Laminate	Flintwood	Natural Veneer
242	504	529
242	504	529
249	522	549
249	522	549
279	556	582
279	556	582
341	657	685
341	657	685

Xpress

U T L X I S
Lateral Tower Infill



Solid Tackboard Whiteboard

The Lateral Tower Infill mounts to the open through Lateral Tower with Cubby to enclose the back of the storage unit.

WHAT'S INCLUDED
Infill, attachment hardware.

NOTES
Type (Elevated or Standard), height and width should be specified according to the size of the cabinet.

When the Outside finish is Source Laminate, Flintwood or Natural Veneer, the Inside finish will match the outside.

When the Outside finish is fabric, the Inside finish will be painted.

When the Outside finish is a whiteboard, the Inside finish can be Source Laminate, Flintwood or Natural Veneer.

Actual size of storage infill relates to opening and will vary depending on type and size of storage unit.

Infill for 36" high Elevated is **not** available.

This Infill **cannot** be used on Combo Tower with a Source Laminate Case.

Xpress Outside/Inside Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program.*

PRODUCT OPTIONS

Infill Style	Type	Height	Width	Outside Finish	Inside Finish	Bracket Finish
S Solid	**E** Elevated	36, 42, 51, 66	24, 30, 36	**WZ** Whiteboard	Foundation	Foundation
T Tackable	**S** Standard			Standard Panel Fabric	Mica	Mica
W Whiteboard				Source Laminate	Source Laminate	
				Flintwood	Flintwood	
				Natural Veneer	Natural Veneer	

SAMPLE ORDER CODE

UTLXIS S	S	36	36	11PP	7	7

DIMENSIONS
INCHES / MM

PRICING

INFILL STYLE SOLID: OUTSIDE FINISH SOLID – Inside Finish will match

ELEVATED (E)

H	W	Source Laminate	Flintwood	Natural Veneer
42 / 1067	24 / 610	272	461	482
42 / 1067	30 / 762	285	497	518
42 / 1067	36 / 914	300	529	553
51 / 1295	24 / 610	285	481	499
51 / 1295	30 / 762	300	515	536
51 / 1295	36 / 914	314	549	574
66 / 1676	24 / 610	371	617	645
66 / 1676	30 / 762	423	701	734
66 / 1676	36 / 914	472	789	823

STANDARD (S)

		Source Laminate	Flintwood	Natural Veneer
36 / 914	24 / 610	285	481	499
36 / 914	30 / 762	300	515	536
36 / 914	36 / 914	314	549	574
42 / 1067	24 / 610	272	461	482
42 / 1067	30 / 762	285	497	518
42 / 1067	36 / 914	300	529	553
51 / 1295	24 / 610	323	549	574
51 / 1295	30 / 762	349	602	625
51 / 1295	36 / 914	377	649	678
66 / 1676	24 / 610	399	685	716
66 / 1676	30 / 762	464	789	823
66 / 1676	36 / 914	515	872	913

Pricing is continued on the following page.

Xpress

UTLXIS

Lateral Tower Infill (Continued)

DIMENSIONS INCHES / MM

PRICING

INFILL STYLE TACKABLE: OUTSIDE FINISH TACKABLE – Inside Finish will be painted. See appropriate pricing below.

ELEVATED (E)

H	W	Standard Panel Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
42 / 1067	24 / 610	259	273	289	307	325	345	369	393
42 / 1067	30 / 762	284	300	315	337	358	377	401	428
42 / 1067	36 / 914	309	326	345	369	394	420	445	474
51 / 1295	24 / 610	278	292	309	328	347	370	394	422
51 / 1295	30 / 762	300	315	337	358	378	401	428	455
51 / 1295	36 / 914	325	341	364	387	409	436	467	497
66 / 1676	24 / 610	389	411	437	468	499	532	569	608
66 / 1676	30 / 762	435	461	492	527	563	604	646	692
66 / 1676	36 / 914	498	529	567	606	648	696	743	797

STANDARD (S)

		Standard Panel Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
36 / 914	24 / 610	278	292	309	328	347	370	394	422
36 / 914	30 / 762	300	315	337	358	378	401	428	455
36 / 914	36 / 914	325	341	364	387	409	436	467	497
42 / 1067	24 / 610	259	273	289	307	325	345	369	393
42 / 1067	30 / 762	284	300	315	337	358	377	401	428
42 / 1067	36 / 914	309	326	345	369	394	420	445	474
51 / 1295	24 / 610	325	341	364	387	409	436	467	497
51 / 1295	30 / 762	358	376	399	427	455	484	518	553
51 / 1295	36 / 914	395	422	446	476	510	543	581	623
66 / 1676	24 / 610	422	445	474	506	542	580	620	665
66 / 1676	30 / 762	498	529	567	606	648	696	743	797
66 / 1676	36 / 914	559	602	641	685	734	787	843	902

INFILL STYLE WHITEBOARD: OUTSIDE FINISH WHITEBOARD – Inside Finish will be solid. See appropriate pricing below.


ELEVATED (E)

H	W	Source Laminate	Flintwood	Natural Veneer
42 / 1067	24 / 610	349	549	571
42 / 1067	30 / 762	376	602	625
42 / 1067	36 / 914	425	670	698
51 / 1295	24 / 610	377	582	606
51 / 1295	30 / 762	411	649	677
51 / 1295	36 / 914	461	718	751
66 / 1676	24 / 610	623	1049	1098
66 / 1676	30 / 762	665	1121	1174
66 / 1676	36 / 914	932	1589	1662

STANDARD (S)

		Source Laminate	Flintwood	Natural Veneer
36 / 914	24 / 610	377	582	606
36 / 914	30 / 762	411	649	677
36 / 914	36 / 914	461	718	751
42 / 1067	24 / 610	349	549	571
42 / 1067	30 / 762	376	602	625
42 / 1067	36 / 914	425	670	698
51 / 1295	24 / 610	476	718	751
51 / 1295	30 / 762	503	769	805
51 / 1295	36 / 914	648	961	1002
66 / 1676	24 / 610	672	1002	1048
66 / 1676	30 / 762	736	1113	1165
66 / 1676	36 / 914	1014	1457	1524

UTCXIS
Combo Tower Infill



Solid Tackboard Whiteboard

The Combo Tower Infill mounts to the open through Combo Tower with Cubby to enclose the back of the storage unit.

WHAT'S INCLUDED
Infill, attachment hardware.

NOTES
Type (Elevated or Standard), height and width should be specified according to the size of the cabinet.

When the Outside finish is Source Laminate, Flintwood or Natural Veneer, the Inside finish will match the outside.

When the Outside finish is fabric, the Inside finish will be painted.

When the Outside finish is a whiteboard, the Inside finish can be Source Laminate, Flintwood or Natural Veneer.

Cannot be used on Combo Tower with Source Laminate Case. See Source Laminate Tower Infill (UTCXIX).

PRODUCT OPTIONS

Infill Style	Type	Height	Width	Outside Finish	Inside Finish	Bracket Finish
S Solid	**E** Elevated	36, 42, 51, 66	24, 30, 36, 42, 48	**WZ** Whiteboard	Foundation	Foundation
T Tackable	**S** Standard			Standard Panel Fabric	Mica	Mica
W Whiteboard				Flintwood	Flintwood	
				Natural Veneer	Natural Veneer	

SAMPLE ORDER CODE

UTCXIS W	S	36	36	WZ	FX	7

DIMENSIONS
INCHES / MM

PRICING

INFILL STYLE SOLID: OUTSIDE FINISH SOLID – Inside Finish will match

H	W	ELEVATED (E)		STANDARD (S)	
		Flintwood	Natural Veneer	Flintwood	Natural Veneer
36 / 914	24 / 610	n/a	n/a	445	467
36 / 914	30 / 762	n/a	n/a	445	467
36 / 914	36 / 914	n/a	n/a	481	499
36 / 914	42 / 1067	n/a	n/a	515	536
36 / 914	48 / 1219	n/a	n/a	549	574
42 / 1067	24 / 610	428	445	428	446
42 / 1067	30 / 762	428	445	428	446
42 / 1067	36 / 914	461	482	461	482
42 / 1067	42 / 1067	497	518	497	518
42 / 1067	48 / 1219	529	553	529	553
51 / 1295	24 / 610	445	464	497	521
51 / 1295	30 / 762	445	464	497	521
51 / 1295	36 / 914	481	499	549	574
51 / 1295	42 / 1067	515	536	602	625
51 / 1295	48 / 1219	549	574	649	678
66 / 1676	24 / 610	529	555	617	634
66 / 1676	30 / 762	529	555	617	634
66 / 1676	36 / 914	617	645	685	716
66 / 1676	42 / 1067	701	734	789	823
66 / 1676	48 / 1219	789	823	872	913

Pricing is continued on the following page.

Xpress

UTCXIS

Combo Tower Infill (Continued)

DIMENSIONS INCHES / MM

PRICING

INFILL STYLE TACKABLE: OUTSIDE FINISH TACKABLE – Inside Finish will be painted. See appropriate pricing below.

ELEVATED (E)

H	W	Standard Panel Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
42 / 1067	24 / 610	238	247	264	278	288	295	312	335
42 / 1067	30 / 762	238	247	264	278	288	295	312	335
42 / 1067	36 / 914	259	273	289	307	317	326	345	369
42 / 1067	42 / 1067	284	300	315	337	349	358	377	401
42 / 1067	48 / 1219	309	326	345	369	384	393	420	445
51 / 1295	24 / 610	255	266	281	299	310	315	338	361
51 / 1295	30 / 762	255	266	281	299	310	315	338	361
51 / 1295	36 / 914	278	292	309	328	340	346	370	394
51 / 1295	42 / 1067	300	315	337	358	371	377	401	428
51 / 1295	48 / 1219	325	341	364	387	401	409	436	467
66 / 1676	24 / 610	340	361	383	406	423	430	460	491
66 / 1676	30 / 762	340	361	383	406	423	430	460	491
66 / 1676	36 / 914	389	411	437	468	489	498	532	569
66 / 1676	42 / 1067	435	461	492	527	552	564	604	646
66 / 1676	48 / 1219	498	529	567	606	634	648	696	743

STANDARD (S)

		Standard Panel Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
36 / 914	24 / 610	255	266	281	299	317	338	361	384
36 / 914	30 / 762	255	266	281	299	317	338	361	384
36 / 914	36 / 914	278	292	309	328	347	370	394	422
36 / 914	42 / 1067	300	315	337	358	378	401	428	455
36 / 914	48 / 1219	325	341	364	387	409	436	467	497
42 / 1067	24 / 610	238	247	264	278	296	312	335	358
42 / 1067	30 / 762	238	247	264	278	296	312	335	358
42 / 1067	36 / 914	259	273	289	307	325	345	369	393
42 / 1067	42 / 1067	284	300	315	337	358	377	401	428
42 / 1067	48 / 1219	309	326	345	369	394	420	445	474
51 / 1295	24 / 610	292	309	326	344	367	391	415	438
51 / 1295	30 / 762	292	309	326	344	367	391	415	438
51 / 1295	36 / 914	325	341	364	387	409	436	467	497
51 / 1295	42 / 1067	358	376	399	427	455	484	518	553
51 / 1295	48 / 1219	395	422	446	476	510	543	581	623
66 / 1676	24 / 610	340	361	383	407	434	461	495	527
66 / 1676	30 / 762	340	361	383	407	434	461	495	527
66 / 1676	36 / 914	422	445	474	506	542	580	620	665
66 / 1676	42 / 1067	498	529	567	606	648	696	743	797
66 / 1676	48 / 1219	559	602	641	685	734	787	843	902

Pricing is continued on the following page.

Xpress

UTCXIS

Combo Tower Infill (Continued)

DIMENSIONS INCHES / MM

PRICING


INFILL STYLE WHITEBOARD: OUTSIDE FINISH WHITEBOARD – Inside Finish will be solid. See appropriate pricing below

		ELEVATED (E)		STANDARD (S)	
H	W	Flintwood	Natural Veneer	Flintwood	Natural Veneer
36 / 914	24 / 610	n/a	n/a	515	534
36 / 914	30 / 762	n/a	n/a	515	534
36 / 914	36 / 914	n/a	n/a	582	606
36 / 914	42 / 1067	n/a	n/a	649	677
36 / 914	48 / 1219	n/a	n/a	718	751
42 / 1067	24 / 610	497	517	497	518
42 / 1067	30 / 762	497	517	497	518
42 / 1067	36 / 914	549	571	549	571
42 / 1067	42 / 1067	602	625	602	625
42 / 1067	48 / 1219	670	698	670	698
51 / 1295	24 / 610	515	534	670	698
51 / 1295	30 / 762	515	534	670	698
51 / 1295	36 / 914	582	606	718	751
51 / 1295	42 / 1067	649	677	769	805
51 / 1295	48 / 1219	718	751	961	1002
66 / 1676	24 / 610	979	1023	898	941
66 / 1676	30 / 762	979	1023	898	941
66 / 1676	36 / 914	1049	1098	1002	1048
66 / 1676	42 / 1067	1121	1174	1113	1165
66 / 1676	48 / 1219	1589	1662	1457	1524

Xpress

U T C X I X

Source Laminate Combo Tower Infill



Solid Tackable Whiteboard

The Source Laminate Combo Tower Infill mounts to the open through Combo Tower with Cubby (Source Laminate Case finish only) to enclose the back of the storage unit.

WHAT'S INCLUDED
Infill, attachment hardware.

NOTES
Type (Elevated or Standard), height and width should be specified according to the size of the cabinet.

When the Outside finish is Source Laminate, Flintwood or Natural Veneer, the Inside finish will match the outside.

When the Outside finish is fabric, the Inside finish will be painted.

When the Outside finish is a whiteboard, the Inside finish can be Source Laminate, Flintwood or Natural Veneer.

Xpress Outside/Inside Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program.*

PRODUCT OPTIONS

Infill Style	Type	Height	Width	Outside Finish	Inside Finish	Bracket Finish
S Solid	**E** Elevated	36, 42, 51, 66	24, 30, 36, 42, 48	**WZ** Whiteboard	Foundation	Foundation
T Tackable	**S** Standard			Standard Panel Fabric	Mica	Mica
W Whiteboard				Source Laminate	Source Laminate	
				Flintwood	Flintwood	
				Natural Veneer	Natural Veneer	

SAMPLE ORDER CODE

UTCXIX W	S	36	36	WZ	FX	7

DIMENSIONS
INCHES / MM

PRICING

INFILL STYLE SOLID: OUTSIDE FINISH SOLID – Inside Finish will match

H	W	ELEVATED (E) Source Laminate	ELEVATED (E) Flintwood	ELEVATED (E) Natural Veneer	STANDARD (S) Source Laminate	STANDARD (S) Flintwood	STANDARD (S) Natural Veneer
36 / 914	24 / 610	n/a	n/a	n/a	265	429	452
36 / 914	30 / 762	n/a	n/a	n/a	265	429	452
36 / 914	36 / 914	n/a	n/a	n/a	276	464	483
36 / 914	42 / 1067	n/a	n/a	n/a	289	497	518
36 / 914	48 / 1219	n/a	n/a	n/a	304	528	553
42 / 1067	24 / 610	247	415	429	247	415	430
42 / 1067	30 / 762	247	415	429	247	415	430
42 / 1067	36 / 914	265	446	465	265	446	465
42 / 1067	42 / 1067	276	481	499	276	481	499
42 / 1067	48 / 1219	289	514	534	289	514	534
51 / 1295	24 / 610	265	429	450	282	481	503
51 / 1295	30 / 762	265	429	450	282	481	503
51 / 1295	36 / 914	276	464	483	311	528	553
51 / 1295	42 / 1067	289	497	518	339	580	605
51 / 1295	48 / 1219	304	528	553	367	630	656
66 / 1676	24 / 610	311	514	536	345	597	611
66 / 1676	30 / 762	311	514	536	345	597	611
66 / 1676	36 / 914	361	597	623	389	663	692
66 / 1676	42 / 1067	407	677	709	450	762	796
66 / 1676	48 / 1219	455	762	796	497	844	883

Pricing is continued on the following page.

Xpress

UTCXIX

Source Laminate Combo Tower Infill (Continued)

INFILL STYLE TACKABLE: OUTSIDE FINISH TACKABLE – Inside Finish will be painted. See appropriate pricing below.

ELEVATED (E)

DIMENSIONS INCHES / MM		PRICING							
		Standard Panel Fabric							
H	W	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
42 / 1067	24 / 610	228	240	254	269	285	303	323	344
42 / 1067	30 / 762	228	240	254	269	285	303	323	344
42 / 1067	36 / 914	250	266	279	296	314	335	358	377
42 / 1067	42 / 1067	273	289	307	325	345	367	391	415
42 / 1067	48 / 1219	299	314	335	358	379	402	429	458
51 / 1295	24 / 610	246	256	271	287	307	326	346	370
51 / 1295	30 / 762	246	256	271	287	307	326	346	370
51 / 1295	36 / 914	269	281	299	315	337	359	381	406
51 / 1295	42 / 1067	289	307	325	344	367	391	415	438
51 / 1295	48 / 1219	312	331	349	371	397	423	452	481
66 / 1676	24 / 610	330	346	369	393	420	445	474	506
66 / 1676	30 / 762	330	346	369	393	420	445	474	506
66 / 1676	36 / 914	372	397	424	453	484	515	550	586
66 / 1676	42 / 1067	422	446	476	511	545	582	624	670
66 / 1676	48 / 1219	482	514	549	585	625	672	718	769

STANDARD (S)

		Standard Panel Fabric							
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
36 / 914	24 / 610	246	256	271	287	307	326	346	370
36 / 914	30 / 762	246	256	271	287	307	326	346	370
36 / 914	36 / 914	269	281	299	315	337	359	381	406
36 / 914	42 / 1067	289	307	325	344	367	391	415	438
36 / 914	48 / 1219	312	331	349	371	397	423	452	481
42 / 1067	24 / 610	228	240	254	269	285	303	323	344
42 / 1067	30 / 762	228	240	254	269	285	303	323	344
42 / 1067	36 / 914	250	266	279	296	314	335	358	377
42 / 1067	42 / 1067	273	289	307	325	345	367	391	415
42 / 1067	48 / 1219	299	314	335	358	379	402	429	458
51 / 1295	24 / 610	281	299	314	334	355	375	399	425
51 / 1295	30 / 762	281	299	314	334	355	375	399	425
51 / 1295	36 / 914	312	331	349	371	397	423	452	481
51 / 1295	42 / 1067	344	365	389	412	439	468	499	534
51 / 1295	48 / 1219	383	406	430	460	491	523	559	603
66 / 1676	24 / 610	330	346	369	394	421	446	479	511
66 / 1676	30 / 762	330	346	369	394	421	446	479	511
66 / 1676	36 / 914	406	429	458	489	523	558	602	641
66 / 1676	42 / 1067	482	514	549	585	625	672	718	769
66 / 1676	48 / 1219	543	580	619	663	709	761	814	872

Pricing is continued on the following page.

Xpress

U T C X I X

Source Laminate Combo Tower Infill (Continued)

DIMENSIONS INCHES / MM

PRICING

INFILL STYLE WHITEBOARD: OUTSIDE FINISH WHITEBOARD – Inside Finish will be solid. See appropriate pricing below

		ELEVATED (E)			STANDARD (S)		
H	W	Source Laminate	Flintwood	Natural Veneer	Source Laminate	Flintwood	Natural Veneer
36 / 914	24 / 610	n/a	n/a	n/a	339	497	517
36 / 914	30 / 762	n/a	n/a	n/a	339	497	517
36 / 914	36 / 914	n/a	n/a	n/a	367	560	585
36 / 914	42 / 1067	n/a	n/a	n/a	397	630	655
36 / 914	48 / 1219	n/a	n/a	n/a	446	696	725
42 / 1067	24 / 610	312	481	498	311	481	499
42 / 1067	30 / 762	312	481	498	311	481	499
42 / 1067	36 / 914	339	528	551	339	528	551
42 / 1067	42 / 1067	365	580	605	365	580	605
42 / 1067	48 / 1219	411	646	673	411	646	673
51 / 1295	24 / 610	335	497	517	428	646	673
51 / 1295	30 / 762	335	497	517	428	646	673
51 / 1295	36 / 914	367	560	585	460	696	725
51 / 1295	42 / 1067	397	630	655	487	743	777
51 / 1295	48 / 1219	446	696	725	628	927	967
66 / 1676	24 / 610	559	947	989	594	868	910
66 / 1676	30 / 762	559	947	989	594	868	910
66 / 1676	36 / 914	603	1014	1060	648	967	1012
66 / 1676	42 / 1067	641	1083	1133	710	1075	1127
66 / 1676	48 / 1219	899	1536	1605	979	1408	1471

Xpress

UTDCIS
Pedestal Tower with Cubby Infill

The Pedestal Tower with Cubby Infill mounts to the open through Pedestal Tower with Cubby to enclose the back of the storage unit.

WHAT'S INCLUDED
Infill, attachment hardware.

NOTES
Type (Elevated or Standard), height and width should be specified according to the size of the cabinet.

The Outside finish will match the Inside finish specified.

Stop options correspond to limitations of the product offering for the given storage unit.

Infill for 36" high Elevated is **not** available.

Xpress Outside & Inside Finish Flintwood and Natural Veneer are excluded from *Teknion's Xpress Program.*



PRODUCT OPTIONS

Infill Style	Type	Height	Width	Outside & Inside Finish	Bracket Finish
S Solid	**E** Elevated	36, 42, 51, 66	29, 35	Source Laminate	Foundation
	S Standard			Flintwood	Mica
				Natural Veneer	

SAMPLE ORDER CODE

UTDCIS S	E	36	35	FX	7

DIMENSIONS INCHES / MM

H	W
36 / 914	29 / 737
36 / 914	35 / 889
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	29 / 737
51 / 1295	35 / 889
66 / 1676	29 / 737
66 / 1676	35 / 889

PRICING


ELEVATED (E)

Source Laminate	Flintwood	Natural Veneer
238	488	515
238	488	515
242	504	529
242	504	529
272	541	565
272	541	565
337	643	670
337	643	670

STANDARD (S)

Source Laminate	Flintwood	Natural Veneer
242	504	529
242	504	529
249	522	549
249	522	549
279	556	582
279	556	582
341	657	685
341	657	685

U W L C
Seat Cushion



Credenza Pedestal

The Seat Cushion is removable and is intended to provide casual guest seating when applied to a low credenza top or rolling pedestal.

WHAT'S INCLUDED

1 seat cushion.

NOTES

Yardage requirement for com or col is 0.75 yards based on a pattern of repeat of no more than 4" horizontal or vertical. Larger repeats will require additional yardage.

PRODUCT OPTIONS

Style	Upholstery Finish
R Rolling Pedestal	Seating Fabric
C Credenza	Leather

SAMPLE ORDER CODE

UWLC R	S491

PRICING

Gr. 1	COM/ Gr. 2	COL/ Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10	Leather LA	Leather LB	Leather LC	Leather LD
489	556	582	608	634	649	685	718	753	789	985	1057	1274	1341

UWLF
Fitted Seat Cushion


The Fitted Seated Cushion is specifically sized to fit credenza tops. It is removable and is intended to provide casual guest seating when applied to a low credenza top.

WHAT'S INCLUDED

1 seat cushion, velcro attachment strips.

NOTES

Yardage requirement for COM is 0.75 yards based on a pattern of repeat of no more than 4" horizontal or vertical. Larger repeats will require additional yardage.



Credenza

PRODUCT OPTIONS

Depth	Width (6" increments)	Upholstery Finish
16, 19	24 - 42	Seating Fabric

SAMPLE ORDER CODE

UWLF 16	30	GA06

DIMENSIONS INCHES / MM

PRICING

D	W	Grade 1	COM/ Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10
16 / 406	24 / 610	492	567	597	628	656	690	725	761	800	837
16 / 406	30 / 762	543	624	655	690	724	760	796	836	881	921
16 / 406	36 / 914	608	699	734	769	807	850	891	935	984	1031
16 / 406	42 / 1067	672	771	810	853	894	940	986	1034	1090	1143
19 / 483	24 / 610	492	567	597	628	656	690	725	761	800	837
19 / 483	30 / 762	543	624	655	690	724	760	796	836	881	921
19 / 483	36 / 914	608	699	734	769	807	850	891	935	984	1031
19 / 483	42 / 1067	672	771	810	853	894	940	986	1034	1090	1143


Xpress

U N T K
Tool Kit

The Tool Kit is required to install fascia connectors and to remove fascias from panel walls.

WHAT'S INCLUDED
1 tool (as specified).

NOTES
Xpress Available through *Töknion's Xpress Program.*



Fascia Removal Tool



Male Connector Insertion Tool



Bottom Vertical Male Connector Insertion Tool

PRODUCT OPTIONS

Style

A Male Connector Insertion Tool
B Fascia Removal Tool
C Bottom Vertical Male Connector Insertion Tool

SAMPLE ORDER CODE

UNTK A

STYLE	PRICING
A	255
B	31
C	270

Xpress

UNAB
Accessory Bundle

Specifically designed to work with Side Filer and Mini Side Filer, Accessory Bundles help organize the interior and provide functional organization.

WHAT'S INCLUDED


Accessory Bundle A: 1 pen pocket, 1 hanging tray, 1 headphone hook

Accessory Bundle B: 1 pen pocket, 1 hanging tray, 1 headphone hook, 1 paper filer

NOTES

Compatible with standard accessory rails.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Configuration	Metal Paint Finish
A Accessory Bundle A	Foundation
B Accessory Bundle B	Mica
	Accent

SAMPLE ORDER CODE


UNAB A	74

CONFIGURATION

PRICING

	Foundation	Mica/Accent
A	175	181
B	268	273

U N B W
Side Filer Boot Tray



The Side Filer Boot Tray provides additional functionality for the bottom shelf of the Side Filer or Mini Side Filer. 180° reversible, it offers easier access to contents of the lower shelf in Mini Side Filer and secure containment for the items at the bottom of the Side Filer.

WHAT'S INCLUDED
1 boot tray with hardware

NOTES
Boot Tray is always 13" deep. The following outlines size compatibility for different widths.

12"- 24" deep Side Filer

18" - 30", 36" deep Side Filer

20" - 23" deep Mini Side Filer, 24" deep Side Filer without coat

26" - 29" deep Mini Side Filer

PRODUCT OPTIONS

Width	Metal Paint Finish
12, 18, 20, 26	Foundation Mica Accent

SAMPLE ORDER CODE

UNBW 18	**74**

DIMENSIONS
INCHES / MM

W
12 / 305
18 / 457
20 / 508
26 / 660

PRICING

Foundation	Mica/Accent
94	100
94	100
110	115
110	115


electrics

electrics product map


UNQPR Power Box

Xpress

Page 750



Single Length



Double Length

UNQRO Receptacle Outlet

Xpress


Page 751



UNQBHR Power Harness

Xpress


Page 752



UNQBFR Base Feed

Xpress


Page 753



UNQBFSR Split Base Feed

Xpress


Page 754



UNQCFR Ceiling Feed

Xpress


Page 755



UNQEP Power Pole

Xpress


Page 756



UNQEPR End of Run Power Pole

Xpress


Page 757



UNQCT Cable Trough

Xpress


Page 758



UNVC Vertical Cable Manager

Xpress


Page 759



ZOEWM Casual Wire Manager Kit

Xpress


Page 760



UNQDE Data Extender Plate

Xpress


Page 761



electrics product map


UNQPRCH Chicago Power Box

Page 762



UNQBFRCH Chicago Base Feed

Page 763



UNQCFRCH Chicago Ceiling Feed


Page 764



storage electrics


EWWT Under Cabinet Wire Tray

Page 765




EWBF Storage Base Feed

Page 766




EWBFCH Storage Chicago Base Feed

Page 767



EWBFS Storage Split Base Feed

Page 768



EWCF Storage Ceiling Feed

Page 769



electrics product map


EWCFCH Storage Chicago Ceiling Feed

Page 770




EWBH Storage Power Harness

Page 766



EWDB 4-Way Splitter

Page 772



EWIC I-Connector

Page 772




EWQP Flush Mount Power & Data

Page 773




Base Height



Beltline Height

EWQPCH Chicago Flush-Mounted Power Box

Page 774



EWRO Storage Receptacle Outlet

Page 775





EWQPM Cubby Power Monument

Page 776



2 Data



1 Data, 1 Duplex



2 Duplex

EWQPMCH Chicago Cubby Power Monument

Page 777



2 Data




1 Data, 1 Duplex



2 Duplex

EWEP Storage Power Pole


Page 778



UNQPC Power Conservation System

Xpress

Page 779



UNDG Diecast Grommet


Xpress

Page 780



Xpress

U N Q P R
Power Box



Single Length | Double Length

The Power Box is a module that mounts to panel rails to allow mounting of receptacles.

WHAT'S INCLUDED
Single Length: bezel with 1 opening for receptacle and 1 opening for data.

Double Length: bezel with 2 openings for receptacle and 1 opening for data.

WHAT'S EXCLUDED
Receptacles (UNQRO) must be specified separately.

NOTES
For 24" and 30" wide panels, only the single length can be used.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Length	Application	Wire System	Country of Installation	Bezel Finish	PVC Free
S Single Length	**A** One-Sided	**8T** 8-Wire Isolated Ground	**A** Canada/USA	**YY** Ebony	⌐ Standard
D Double Length	**B** Back-to-Back	**8K** 8-Wire Dual Isolated		**YF** Storm White	**V** PVC Free
				YN Platinum Grey Coordinate	
				YV Very White Coordinate	

SAMPLE ORDER CODE

UNQPR S	A	8K	A	YF	V

DIMENSIONS

L
S
D

PRICING

STANDARD		PVC FREE (V)	
One-Sided (A)	Back-to-Back (B)	One-Sided (A)	Back-to-Back (B)
247	282	273	311
300	335	331	369

Xpress

UNQRO Receptacle

The Receptacle is a single duplex that slides onto the power box to provide power.

WHAT'S INCLUDED
1 single duplex.

NOTES
Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Receptacle Style	Outlet Configuration	Country of Installation	Receptacle Finish
D Controlled 15 amp	**1** Circuit 1	**A** Canada/USA	**YY** Ebony
E Controlled 20 amp	**2** Circuit 2		**YF** Storm White
S Standard 15 amp	**3** Circuit 3 (use with 7T and 8T only)		**YN** Platinum Grey Coordinate
T T-Slot 20 amp	**5** Circuit 5		**YV** Very White Coordinate
	6 Circuit 6 (use with 8K only)		
	A Non Isolated Ground Circuit (use with 7T and 7K only)		
	B Non Isolated Ground Circuit (use with 7K only)		

SAMPLE ORDER CODE

UNQRO S	6	A	YF

DIMENSIONS

Style
S
T
D
E

PRICING

43
52
43
52

Xpress


U N Q B H R
Power Harness

The Power Harness routes power between power boxes and base feeds.

WHAT'S INCLUDED
Power harness.

NOTES
24" length is mesh conduit.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Wire System	Length	Country of Installation	PVC Free
8K 8-Wire Dual Isolated	018, 024, 048, 072, 096, 120, 144	**A** Canada/U.S.A.	**-** Standard
8T 8-Wire Isolated Ground			**V** PVC Free

SAMPLE ORDER CODE

UNQBHR 8K	72	A	V

DIMENSIONS

L
18
24
48
72
96
120
144

PRICING

8-WIRE DUAL ISOLATED (8K)		8-WIRE ISOLATED GROUND (8T)	
Standard	PVC Free (V)	Standard	PVC Free (V)
171	187	152	165
209	231	184	205
273	301	228	250
294	325	242	269
337	370	278	307
398	438	331	365
430	476	353	392

Xpress

UNQBFR
Base Feed


The Base Feed delivers power to a Panel Wall at base level.

WHAT'S INCLUDED
Base feed, 72" liquid-tite cable, power bezel mounting hardware.

NOTES
Power Harness (UNQBH) is required to route power to a power box or distribution box.

Base Feed Box finished in Platinum.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Wire System	Length	Country of Installation	Bezel Finish	PVC Free
7T 7-Wire Non Isolated Ground	72	**A** Canada/U.S.A.	**YY** Ebony	**-** Standard
7K 7-Wire Dual Non Isolated			**YF** Storm White	**V** PVC Free
8T 8-Wire Isolated Ground			**YN** Platinum Grey Coordinate	
8K 8-Wire Dual Isolated				

SAMPLE ORDER CODE

UNQBFR 8K	72	A	YY	V

PRICING

7-WIRE NON ISOLATED GROUND (7T) and 8-WIRE ISOLATED GROUND (8T)


Standard	PVC Free (V)
492	543

7-WIRE NON DUAL ISOLATED (7K) and 8-WIRE DUAL ISOLATED (8K)

Standard	PVC Free (V)
617	677

Xpress

U N Q B F S R
Split Base Feed



The Split Base Feed is hard-wired to the building power supply in two places. It feeds power into the Panel. Typically required in New York.

WHAT'S INCLUDED
1 split base feed, liquid-tite cable (18" or 72"), 1 wiring junction box, mounting hardware and data/communication bezel.

Split Base Feed is finished in Platinum.

NOTES
Xpress Available through *Tèknion's Xpress Program.*

PRODUCT OPTIONS

Wire System	Length	Country of Installation	Bezel Finish	PVC Free
7T 7-Wire Non Isolated Ground	18, 72	**A** Canada/U.S.A.	**YY** Ebony	**-** Standard
7K 7-Wire Dual Non Isolated			**YF** Storm White	**V** PVC Free
8T 8-Wire Isolated Ground			**YN** Platinum Grey Coordinate	
8K 8-Wire Dual Isolated				

SAMPLE ORDER CODE

UNQBFSR 8K	8K	72	YY	V

DIMENSIONS

L
18
72

PRICING

7-WIRE NON ISOLATED GROUND (7T) and 8-WIRE ISOLATED GROUND (8T)

Standard	PVC Free (V)
445	489
513	564

7-WIRE DUAL NON ISOLATED (7K) and 8-WIRE DUAL ISOLATED (8K)

Standard	PVC Free (V)
565	623
648	715

Xpress

UNQCFR
Ceiling Feed

The Ceiling Feed routes power from the ceiling into Panel Walls.

WHAT'S INCLUDED
Ceiling feed harness, junction box, mounting hardware.

NOTES
Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Wire System	Length	Country of Installation	PVC Free
7T 7-Wire Non Isolated Ground	120	**A** Canada/U.S.A.	**-** Standard
7K 7-Wire Dual Non Isolated			**V** PVC Free
8T 8-Wire Isolated Ground			
8K 8-Wire Dual Isolated			

SAMPLE ORDER CODE

UNQCFR 8T	120	A	V

DIMENSIONS

L
120

PRICING

7-WIRE NON ISOLATED GROUND (7T) and 8-WIRE ISOLATED GROUND (8T)


Standard	PVC Free (V)
353	392

7-WIRE DUAL NON ISOLATED (7K) and 8-WIRE DUAL ISOLATED (8K)

Standard	PVC Free (V)
428	472

Xpress

UNQEP
Power Pole



The Power Pole houses the ceiling feed and includes a pole divider for separating the ceiling feed from communications and data cables.

WHAT'S INCLUDED
Power pole, power pole cover, mounting bracket, attachment hardware, ceiling trim plate.

NOTES
Used for corner or off-module locations.

Xpress Available through *Teknion's Xpress Program.*

PRODUCT OPTIONS

Length	Finish	Mounting Application
48, 72, 96	**AC** Clear Anodized Foundation Mica	**1** Corner **2** Off-Module

SAMPLE ORDER CODE

UNQEP 48	AC	1

DIMENSIONS INCHES / MM

L
48 / 1219
72 / 1829
96 / 2438

PRICING

370
483
580

Xpress

UNQEPR
End of Run Power Pole


The End of Run Power Pole houses the ceiling feed end of panel run entry points. A pole divider for separating the ceiling feed from communications and data cables is provided.

WHAT'S INCLUDED
1 base power pole, 1 upper power pole, ceiling plates, mounting hardware, ceiling trim plate.

NOTES
42" high base is for Panel Walls 42" - 66" and provides above and below worksurface power entry.

29" high base is for 29" high Panel Walls or when only below worksurface power entry is required.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Base Height	Upper Height	Finish
29, 42	48, 72, 96	**AC** Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNQEPR 42	96	AC

DIMENSIONS INCHES / MM

Base Height	Upper Height
29 / 737	48 / 1219
29 / 737	72 / 1829
29 / 737	96 / 2438
42 / 1067	48 / 1219
42 / 1067	72 / 1829
42 / 1067	96 / 2438

PRICING

726
838
935
820
932
1028

Xpress


U N Q C T
Cable Trough

The Cable Trough is mounted below a worksurface for wire management.

WHAT'S INCLUDED
Cable trough, attachment hardware.

NOTES
The Cable Trough is Grey ABS plastic.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Length
30, 72

SAMPLE ORDER CODE

UNQCT 30

DIMENSIONS INCHES / MM	PRICING
L	
30 / 762	55
72 / 1829	98

Xpress


UNVC
Vertical Cable Manager

The Vertical Cable Manager mounts to a Floor Screen to conceal and route cables from floor to desk height.

WHAT'S INCLUDED
Vertical cable manager (back and cover plate), attachment hardware.

NOTES
The North American height is 26". The additional height of 23" is for International requirements and enables an outlet box to be mounted above the cable manager.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Height	Finish
23, 26	Foundation Mica

SAMPLE ORDER CODE

UNVC 26	Q

DIMENSIONS INCHES / MM


H
23 / 584
26 / 660

PRICING

273
307

Xpress

Z O E W M
Casual Wire Manager Kit



The Casual Wire Management Kit is applied to District credenzas to conceal and route wiring.

WHAT'S INCLUDED
2 x 24" casual wire managers, 4 x 4" casual wire managers.

NOTES
Finished in Ebony.

This product is mounted by double-sided tape and can be trimmed in length.

Xpress Available through *Teknion's Xpress Program.*

PRICING

	52


Xpress

UNQDE
Data Extender Plate

The Data Extender Plate is placed over a communication opening to provide extended depth for data jacks which may be required in some applications. Consult your data cabling supplier for clearance requirements.

WHAT'S INCLUDED
1 data extender plate.

NOTES
Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Finish

YY Ebony
YF Storm White
YN Platinum Grey Coordinate
YV Very White Coordinate


SAMPLE ORDER CODE


UNQDE YF

PRICING

35

U N Q P R C H
Chicago Power Box


Single Length


Double Length

The Chicago Power Box provides one duplex and one communications opening on either one or both sides of a Panel Wall.

WHAT'S INCLUDED
Power box, 1 or 2 faceplates (as specified). Internal wiring (3-wire connection).

WHAT'S EXCLUDED
No connector provided.

NOTES
Faceplates have a Platinum painted finish.

PRODUCT OPTIONS

Application	Mounting Location	Country of Installation
SA Single Length, One-Sided	**L** Below Worksurface Height (Base Fascia)	**A** Canada/U.S.A.
SB Single Length, Back-to-Back	**U** Above Worksurface Height (Upper Fascia)	
DA Double Length, One-Sided		
DB Double Length, Back-to-Back		

SAMPLE ORDER CODE

UNQPRCH A	U	A


APPLICATION	PRICING
SA	389
SB	467
DA	469
DB	545

UNQBFRCH
Chicago Base Feed

The Chicago Base Feed delivers power to a Panel Wall at base level and provides entry for data communication feeds.

WHAT'S INCLUDED
Base feed, 72" liquid-tite cable, data/communications bezel mounting hardware. Internal wiring (3-wire connection).

WHAT'S EXCLUDED
No strain relief connector provided.



PRODUCT OPTIONS

Length	Country of Installation	Bezel Finish
72	**A** Canada/U.S.A.	**YY** Ebony **YF** Storm White **YN** Platinum Grey Coordinate

SAMPLE ORDER CODE

UNQBFRCH 72	**A**	**YY**

PRICING

427

U N Q C F R C H
Chicago Ceiling Feed



The Chicago Ceiling Feed routes power from the ceiling into Panel Walls.

WHAT'S INCLUDED
Ceiling feed harness, junction box, mounting hardware.

WHAT'S EXCLUDED
Chicago Power Distribution Box (UNQDBCH) must be specified separately.

No strain relief connector provided.

PRODUCT OPTIONS

Length	Country of Installation
120	**A** Canada/U.S.A.

SAMPLE ORDER CODE

UNQCFRCH 120	**A**

PRICING

331


EWWT
Under Cabinet Wire Tray

The Under Cabinet Wire Tray manages wires horizontally below the storage cabinet.

WHAT'S INCLUDED
1 wire tray and mounting hardware.

NOTES
Tray **cannot** span across two storage units. Specify at least 12" less than the width of the cabinet onto which it is being mounted.

Finished in Platinum.



PRODUCT OPTIONS

Length
12, 24, 36, 48, 72, 84

SAMPLE ORDER CODE

EWWT 72


DIMENSIONS INCHES / MM	PRICING
L	
12 / 305	35
24 / 610	59
36 / 914	90
48 / 1219	119
72 / 1829	179
84 / 2134	205

E W B F
Storage Base Feed

The Storage Base Feed provides power from the floor to the underside of the storage cabinet and connects to the harness.

WHAT'S INCLUDED
Base feed, 72" liquid-tite cable, I-connector, mounting hardware.

NOTES
Can be directly connected to the Flush Mounted Power & Data (EWQP) unit once I-connector is removed.



PRODUCT OPTIONS

Wire System	Length	Country of Installation	PVC Free
7T 7-Wire Non Isolated Ground	72, 144	**A** Canada/U.S.A.	**-** Standard
7K 7-Wire Dual Non Isolated			**V** PVC Free
8T 8-Wire Isolated Ground			
8K 8-Wire Dual Isolated			

SAMPLE ORDER CODE

EWBF 8K	**72**	**A**	**V**

DIMENSIONS
INCHES / MM

L
72 / 1529
144 / 3658

PRICING

7-WIRE NON ISOLATED GROUND (7T) and 8-WIRE ISOLATED GROUND (8T)

Standard	PVC Free (V)
436	803
567	1108

7-WIRE DUAL NON ISOLATED (7K) and 8-WIRE DUAL ISOLATED (8K)

Standard	PVC Free (V)
482	884
624	1223


EWBFCH
Storage Chicago Base Feed

The Storage Chicago Base Feed delivers power from the floor to the underside of the storage cabinet.

WHAT'S INCLUDED
Base feed, 72" liquid-tite cable, mounting hardware.

NOTES
Storage Chicago Base Feed (EWBFCH) includes a 3-wire. No connection is provided on the bottom end due to Chicago electrics wiring restrictions.

Chicago electrics wiring restrictions require that all wiring and connections be supplied and connected by a licensed electrician.



PRODUCT OPTIONS

Length	Country of Installation
72	**A** Canada/U.S.A.


SAMPLE ORDER CODE

EWBFCH 72	**A**

PRICING

361

E W B F S
Storage Split Base Feed



The Storage Split Base Feed delivers power from the floor to the underside of the storage cabinet. It is wired to the building power supply in two places for New York city wiring restrictions.

WHAT'S INCLUDED
1 base feed harness, junction box, I-connector, mounting hardware.

NOTES
Can be directly connected to the Flush Mounted Power & Data (EWQP) unit once I-connector is removed.

PRODUCT OPTIONS

Wire System	Length	Country of Installation	PVC Free
7T 7-Wire Non Isolated Ground	18, 72	**A** Canada/U.S.A.	**-** Standard
7K 7-Wire Dual Non Isolated			**V** PVC Free
8T 8-Wire Isolated Ground			
8K 8-Wire Dual Isolated			

SAMPLE ORDER CODE

EWBFS 8K	72	A	V

DIMENSIONS
INCHES / MM

L
18 / 457
72 / 1529

PRICING

7-WIRE NON ISOLATED GROUND (7T) and 8-WIRE ISOLATED GROUND (8T)

Standard	PVC Free (V)
387	515
497	838

7-WIRE DUAL NON ISOLATED (7K) and 8-WIRE DUAL ISOLATED (8K)

Standard	PVC Free (V)
428	565
549	925

EWCF
Storage Ceiling Feed

The Storage Ceiling Feed routes power to the underside of the storage cabinet from the ceiling through the storage power pole.

WHAT'S INCLUDED
Ceiling feed harness, junction box, I-connector, mounting hardware.

NOTES
Can be directly connected to the Flush Mounted Power & Data (EWQP) unit once I-connector is removed.



PRODUCT OPTIONS

Wire System	Length	Country of Installation	PVC Free
7T 7-Wire Non Isolated Ground	120, 144	**A** Canada/U.S.A.	**-** Standard
7K 7-Wire Dual Non Isolated			**V** PVC Free
8T 8-Wire Isolated Ground			
8K 8-Wire Dual Isolated			

SAMPLE ORDER CODE

EWCF 8K	120	A	V

DIMENSIONS INCHES / MM

L
120 / 3048
144 / 3658

PRICING

7-WIRE NON ISOLATED GROUND (7T) and 8-WIRE ISOLATED GROUND (8T)

Standard	PVC Free (V)
481	649
529	685

7-WIRE DUAL NON ISOLATED (7K) and 8-WIRE DUAL ISOLATED (8K)

Standard	PVC Free (V)
529	822
582	753

E W C F C H
Storage Chicago Ceiling Feed



The Storage Chicago Ceiling Feed routes power into the underside of the storage cabinet from the ceiling through the Storage Power Pole (EWEP).

WHAT'S INCLUDED
Ceiling feed harness, junction box, mounting hardware.

NOTES
The Storage Chicago Ceiling Feed (EWCFCH) includes a 3-wire. No connector is found on the bottom end due to Chicago electrics wiring restrictions.

Chicago electrics wiring restrictions require that all wiring and connections be supplied and connected by a licensed electrician.

PRODUCT OPTIONS

Length	Country of Installation
120, 144	**A** Canada/U.S.A.

SAMPLE ORDER CODE

EWCFCH 144	A

DIMENSIONS INCHES / MM

L
120 / 3048
144 / 3658

PRICING

240
292

EWBH
Storage Power Harness


The Storage Power Harness carries power along the base of the cabinet to the Flush Mount Power & Data box or the Cubby Power Monument (EWQPM) in the storage unit.

WHAT'S INCLUDED
1 power harness.

NOTES
The 24" length is all mesh. Other lengths have mesh on both ends for maximum flexibility in a storage application.

To specify the correct length of power harness, determine the distance from the center of one cut out to the other, then add 24".

In order to plug into a Cubby Power Monument (EWQPM), a Four-Way Splitter (EWDB) or an I-Connector (EWIC) must be specified separately.



PRODUCT OPTIONS

Wire System	Length	Country of Installation	PVC Free
8T 8-Wire Isolated Ground	24, 48, 72, 96, 120, 144	**A** Canada/U.S.A.	**-** Standard
8K 8-Wire Dual Isolated			**V** PVC Free

SAMPLE ORDER CODE

EWBH 8K	72	A	V

DIMENSIONS
INCHES / MM


PRICING

L	8-WIRE DUAL ISOLATED (8K)		8-WIRE ISOLATED GROUND (8T)	
	Standard	PVC Free (V)	Standard	PVC Free (V)
24 / 610	205	250	184	231
48 / 1219	312	375	284	340
72 / 1829	349	422	317	383
96 / 2438	427	511	389	464
120 / 3048	502	603	455	548
144 / 3658	574	690	521	625

E W D B
4-Way Splitter

The Four-Way Splitter attaches to a harness to split power at floor level.

WHAT'S INCLUDED
1 four-way splitter and hardware.



E W I C
I-Connector

The I-Connector is used to join two harnesses when a single harness length is not long enough.

WHAT'S INCLUDED
1 I-connector.



PRODUCT OPTIONS

Country of Installation
A Canada/U.S.A.

SAMPLE ORDER CODE

EWIC A

EWDB FOUR-WAY SPLITTER	EWIC I-CONNECTOR
171	53

EWQP
Flush Mount Power & Data

The Flush Mount Power & Data is a module that mounts to the back of a case where a drawer is located. This allows for accessibility of power and data from the back side of a storage unit.


WHAT'S INCLUDED
Base Height: 1 power box, faceplate, back cover, mounting hardware.

Beltline Height: 1 power box, faceplate, back cover, mounting hardware, four-way splitter, 1 power harness (to cover vertical distance to base).


WHAT'S EXCLUDED
Receptacle Outlets (EWRO) must be specified separately and can be found in this section.

Data and communication must be sourced separately.

NOTES
Flush Mounted Power & Data (EWQP) units can also mount to the back cubby of a Pedestal or Pedestal Tower.



Base Height



Beltline Height

PRODUCT OPTIONS

Power Location	Wire System	Country of Installation	Bezel Finish	PVC Free
B Base Height	**8T** 8-Wire Isolated Ground	**A** Canada/U.S.A.	**YY** Ebony	**-** Standard
E Beltline Height	**8K** 8-Wire Dual Isolated		**YF** Storm White	**V** PVC Free
			YN Platinum Grey Coordinate	
			YV Very White	

SAMPLE ORDER CODE

EWQP B	8K	A	YF	V

POWER LOCATION / **PRICING**

	Standard	PVC Free (V)
B	556	670
E	771	927

E W Q P C H
Chicago Flush-Mounted Power Box

The Chicago Flush-Mounted Power and data is a module mounted to the back of a case where a drawer is located. This allows for accessibility of power and data from the back side of a storage unit.

WHAT'S INCLUDED


Base Height: 1 power box, faceplate, back cover, mounting hardware.

Beltline Height: 1 power box, faceplate, back cover, mounting hardware, four-way splitter, 1 power harness (to cover vertical distance to base), 1 receptacle outlet.

NOTES

Data and communications must be sourced separately.

Chicago electrics wiring restrictions require that all wiring and connections be supplied and connected by a licensed electrician.



PRODUCT OPTIONS

Power Location	Receptacle Style	Country of Installation	Bezel Finish (Standard 15 amp only)
B Base Height	**S** Standard 15 amp	**A** Canada/U.S.A.	**YY** Ebony
E Beltline Height	**T** T-Slot 20 amp		**YF** Storm White
			YN Platinum Grey Coordinate

SAMPLE ORDER CODE

EWQPCH B	T	A	YF

POWER LOCATION / **PRICING**

	Standard (S)	T-Slot (T)
B	565	582
E	617	634

EWRO
Storage Receptacle Outlet

The Storage Receptacle Outlet is a single duplex receptacle that fits into a Flush Mount Power & Data module to provide power used with electrified storage.

WHAT'S INCLUDED
Receptacle outlet.

NOTES
T-Slot (T) receptacle style is finished in Ebony.


Standard 15 Amp


T-Slot 20 Amp

PRODUCT OPTIONS


Receptacle Style	Outlet Configuration	Country of Installation	Receptacle Finish (standard 15 amp only)
D Controlled 15 amp	**1** Circuit 1	**A** Canada/U.S.A.	**YY** Ebony
E Controlled 20 amp	**2** Circuit 2		**YF** Storm White
S Standard 15 amp	**3** Circuit 3 (use with 8T only)		**YN** Platinum Grey Coordinate
T T-Slot 20 amp	**5** Circuit 5		**YV** Very White Coordinate
	6 Circuit 6 (use with 8K only)		
	A Non Isolated Ground Circuit (use with 7T and 7K only)		
	B Non Isolated Ground Circuit (use with 7K only)		

SAMPLE ORDER CODE

EWRO S	6	A	YF

RECEPTACLE STYLE	PRICING
D	44
E	53
S	44
T	53

E W Q P M
Cubby Power Monument



2 Data | 1 Data, 1 Duplex | 2 Duplex

The Cubby Power Monument provides access to power and data in open cubby sections of credenzas or the back cubby sections of pedestals and pedestal towers.

WHAT'S INCLUDED
1 power box, mounting hardware, receptacles (if specified).

WHAT'S EXCLUDED
Data and communications must be sourced separately.

NOTES
T-Slot 20 amp receptacle style is finished in Ebony.

Cubby Power Monument must plug directly into a Four-Way Splitter (EWDB) or an I-Connector (EWIC). It plug directly into a Storage Power Harness (EWBH).

Configuration	Outlet	Wire System
PP	11, 12, 13, 15, 22, 23, 25, 33, 35, 55	For 8T
PP	11, 12, 15, 16, 22, 25, 26, 55, 56, 66	For 8K
DP	1, 2, 3, 5	For 8T
DP	1, 2, 5, 6	For 8K
DD	n/a	

PRODUCT OPTIONS

Configuration	Wire System	Receptacle Style	Outlet Configuration	Country of Installation	Finish (standard 15 amp only)	PVC Free
DD Two Data	**8T** 8-Wire Isolated Ground	**S** Standard 15 amp	1, 2, 3, 5, 6, 11, 12, 13, 15, 16, 22, 23, 25, 26, 33, 35, 55, 56, 66	**A** Canada/USA	**YY** Ebony	**-** Standard
DP One Duplex, One Data	**8K** 8-Wire Dual Isolated	**T** T-Slot 20 amp			**YF** Storm White	**V** PVC Free
PP Two Duplexes					**YN** Platinum Grey Coordinate	

SAMPLE ORDER CODE

EWQPM PP	8K	S	11	A	YF	V

RECEPTACLE STYLE | **PRICING**

TWO DATA (DD)

	Standard
n/a	634

ONE DUPLEX, ONE DATA (DP)

	8-WIRE DUAL ISOLATED (8K)		8-WIRE ISOLATED GROUND (8T)	
	Standard	PVC Free (V)	Standard	PVC Free (V)
S	942	1045	889	993
T	950	1054	898	1002

TWO DUPLEXES (PP)

	8-WIRE DUAL ISOLATED (8K)		8-WIRE ISOLATED GROUND (8T)	
	Standard	PVC Free (V)	Standard	PVC Free (V)
S	961	1061	910	1011
T	977	1078	925	1028

EWQPMCH
Chicago Cubby Power Monument


The Chicago Cubby Power Monument provides access to power and data in open cubby sections of credenzas or the back cubby sections of pedestals and pedestal towers.

WHAT'S INCLUDED
1 power box, mounting hardware, receptacles (if specified).

NOTES
T-Slot 20 amp receptacle style is finished in Ebony.

Chicago Cubby Power Monument (EWQPMCH) includes a 3-wire. No connector is provided on the bottom end due to Chicago electrics wiring restrictions.

Chicago electrics wiring restrictions require that all wiring and connections be supplied and connected by a licensed electrician.



2 Data | 1 Data, 1 Duplex | 2 Duplex

PRODUCT OPTIONS


Configuration	Receptacle Style	Country of Installation	Finish (standard 15 amp only)
DD Two Data	**S** Standard 15 amp	**A** Canada/U.S.A.	**YY** Ebony
DP One Duplex, One Data	**T** T-Slot 20 amp		**YF** Storm White
PP Two Duplexes			**YN** Platinum Grey Coordinate

SAMPLE ORDER CODE

EWQPMCH PP	S	A	YF

RECEPTACLE STYLE	PRICING
	TWO DATA (DD)
n/a	634
	ONE DUPLEX, ONE DATA (DP)
S	789
T	805
	TWO DUPLEXES (PP)
S	805
T	822

E W E P
Storage Power Pole



The Storage Power Pole houses the Storage Ceiling Feed and divides the ceiling feed from communication and data cables. It is used to feed power and data to the underside of the storage units.

WHAT'S INCLUDED
1 base power pole, one upper power pole, ceiling plate, 1 or 2 storage connector (as specified), mounting brackets.

WHAT'S EXCLUDED
Storage Ceiling Feed (EWCF) and Storage Chicago Ceiling Feed (EWCFCH) must be purchased separately.

NOTES
The Storage Power Pole (EWEP) can route power and data to two storage units.

PRODUCT OPTIONS

Height	Direction	Finish
08, 10	**1** One-Sided	Foundation
	2 Two-Sided	Mica

SAMPLE ORDER CODE

EWEP 10	**1**	**7**

DIMENSIONS
FEET

H
8
10

PRICING

ONE-SIDED (1)	TWO-SIDED (2)
1061	1219
1097	1250

Xpress

UNQPC
Power Conservation System

Power Conservation system provides an automatically turn off to items like task lights, monitors, personal heaters and fans and other non-essential user equipment when they are not in use.


WHAT'S INCLUDED
Power conservation system consists of a control box, selected number of sensors, system connection brackets, connecting cables and a four-way splitter.

NOTES
Timer is set for 20 minutes for automatic shut-off after area is unoccupied. System sensors are available in Black only. Sensor connection wires are available in Grey and White only. System control box is available in Platinum (Foundation) only. Each Control Box offers two separate output jack for connection of Occupancy Sensors. The first output jack controls power to all receptacles on Teknion Circuit 1 and the second output jack controls power to all receptacles on Teknion Circuit 2. Each of the output jacks is labeled on the control box.

Do not specify receptacles for circuits 1 and 2 at the same workstation when using Power Conservation System.

Each occupancy sensor can only control one circuit.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Application	Sensors
D Interior of Panel for Back to Back Installation	**2** Two
	4 Four
	8 Eight

SAMPLE ORDER CODE

UNQPC D	2

PRICING

Two Sensors	Four Sensors	Eight Sensors
1934	2380	3276

Xpress

U N D G
Diecast Grommet

The Diecast Grommet is designed for the round cut outs to be place on center, left or right locations on the worksurface.

WHAT'S INCLUDED
2 piece round grommet. Data cable nest which accommodates cables up to CAT 6 (approx 0.25.).

NOTES
The Die Cast Grommets must be specified separately. A cut out must be specified on the related worksurface. The grommet can be applied to any Teknion District worksurface thickness with a grommet cut out specified. Pass through accommodates power cables up to 0.5. thick. Grommet can be finished in a Foundation, Mica or Accent finish.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

	Grommet Type	Finish
1	Round	Foundation Mica Accent

SAMPLE ORDER CODE

UNDG 1	25

PRICING


50

international electrics

international electrics product map

VED Outlet Box


Page 786



Two Outlets Four Outlets


VCC Interconnecting Power Cable

Page 787



VEP Input Power Cable


Page 788



Hard Wired Plug

VVD Voice & Data Box


Page 789



Four Shutters Four Blank Fascias


VDO Voice & Data Outlets

Page 790



VAC Electric Accessories

Page 791




Distribution Block Cover Cap Desk-Mounted Clips for Outlet Box

UNXSE Screen Mount Outlet Box Bracket

Xpress


Page 792



UNXPFR Base Feed Mounting Kit

Xpress

Page 792




international electrics product map

UNXBR Panel Mount Outlet Box Bracket

Xpress

Page 793




VBCD CALA Power Module

Page 794



VBPD CALA Power In Feed

Page 795



VBPH CALA Jumper Power Harness

Page 796




VBWB CALA Power Station

Page 797



VED
Outlet Box



Two Outlets Four Outlets

The Outlet Box provides access to power at worksurface height.

WHAT'S INCLUDED
1 outlet box.

WHAT'S EXCLUDED
Desk-Mounting Clip (VACB6) – Required if desk-mounting option is desired.

Panel Mount Outlet Box Bracket (UNXB) – Required for application to a Panel Wall.

Screen-Mount Outlet Box Bracket (UNXSE) – Required for application to a screen.

NOTES
Socket angles will always be 15°.

UPS option is only available with UK Outlets (G).

PRODUCT OPTIONS

Number of Outlets	Power Type	Fuse & Switch Option	Mounting Bracket	Country of Installation
2 Two Outlets	**S** Standard	**N** No Fuse and Switch	**N** None	**F** Germany
4 Four Outlets	**U** UPS	**M** Master Fuse and Master Switch	**P** Panel Mount for T/O/S or Transit	**G** U.K./Ireland
		S Individual Fuse and Individual Switch	**E** Panel Mount for Leverage (Shown)	

SAMPLE ORDER CODE

VED 2	S	M	E	F

NUMBER OF OUTLETS


PRICING

	NO PANEL MOUNT (N)			WITH PANEL MOUNTS (P, E)		
	No Fuse and Switch (N)	Master Fuse and Master Switch (M)	Individual Fuse and Individual Switch (S)	No Fuse and Switch (N)	Master Fuse and Master Switch (M)	Individual Fuse and Individual Switch (S)
2	126	193	249	175	242	299
4	233	321	393	279	369	438

VCC
Interconnecting Power Cable

The Interconnecting Power Cable routes power between Outlet Boxes in Panel Wall access areas and also carries power through the adjacent Panel Wall.

WHAT'S INCLUDED
1 interconnecting power cable.



PRODUCT OPTIONS

Length	Power Type
10 One Meter	**S** Standard
20 Two Meters	**U** UPS
30 Three Meters	

SAMPLE ORDER CODE

VCC 10	U


DIMENSIONS

L
10
20
30

PRICING

85
99
122

VEP
Input Power Cable



The Input Power Cable brings power from the building ceiling, wall or floor into the Panel Wall.

WHAT'S INCLUDED
1 input power cable with strain relief.

WHAT'S EXCLUDED
Base Feed Mounting Kit (UNXPF) – Required for installation at the base.

PRODUCT OPTIONS

Length	Plug Type	Power Type	Country of Installation (For Plug Type)
10 One Meter	**H** Hard Wired	**S** Standard	**F** Germany
20 Two Meters	**P** Plug	**U** UPS	**G** U.K./Ireland
30 Three Meters			

SAMPLE ORDER CODE

VEP 10	P	S	G

DIMENSIONS

L
10
20
30

PRICING


Hard Wired (H)	Plug (P)
96	142
131	180
151	194

VVD
Voice & Data Box


The Voice & Data Box is designed to bring access to communications and data to the user.

WHAT'S INCLUDED
1 Voice & Data Box, with a Blank or Shutter faces (as specified).

WHAT'S EXCLUDED
Voice & Data Outlets (VDO) with drop leads must be specified separately.



Four Shutters



Four Blank Fascias

PRODUCT OPTIONS


Configuration	Shutter (If Applicable)
BBBB Blank Fascias	**K** Keystone
SSSS Four Shutters	**A** AT&T
	N Nordx

SAMPLE ORDER CODE

VVD BBBB	K

CONFIGURATION	PRICING
BBBB	81
SSSS	98

V D O
Voice & Data Outlets



The Voice & Data Outlets are inserted into the Voice & Data Box (VVD).

WHAT'S INCLUDED
1 Voice or Data Outlet, with appropriate length drop lead (if specified).

WHAT'S EXCLUDED
Voice & Data Boxes (VVD) must be ordered separately.

NOTES
One must remove the blank facades in the boxes to allow placement of these items.

Drop Lead may be specified according to the size required.

PRODUCT OPTIONS

Outlet Type	Voice Outlet (Applies to Voice Outlet only)	Data Outlet	Drop Lead Option
V Voice	**01** RJ11	**05** RJ45 Cat 5e Unshielded	**N** None
D Data			**2** Two Meters
			3 Three Meters
			8 Eight Meters

SAMPLE ORDER CODE

VDO D	01	05	3

OUTLET TYPE / **PRICING**

	None (N)	Two Meters (2)	Three Meters (3)	Eight Meters (8)
V	83	94	98	142
D	83	160	165	233


VAC
Electric Accessories

The Distribution Block redirects power distribution. The Cover Cap is a safety cover for Outlet Boxes and Distribution Blocks. The Desk-Mounting Clips attach an Outlet Box to a desk or worksurface.

WHAT'S INCLUDED
1 distribution block or one Cover Cap or 1 pair of Desk-Mounting Clips for Outlet Box.

WHAT'S EXCLUDED
Outlet Box (VED) and all Interconnecting Power Cables (VCC) and Input Power Cables (VEP) must specified separately.

NOTES
The Distribution Block has one male connector that directs power in and three female connectors that direct power out.



Desk-Mounted Clips for Outlet Box | Cover Cap | Distribution Block

PRODUCT OPTIONS

Accessory Type		Power Option (For Distribution Block)	
EB	Distribution Block	**S**	Standard
EC	Cover Cap	**U**	UPS
B6	Desk-Mounted Clips for Outlet Box		

SAMPLE ORDER CODE

VAC EB	S

ACCESSORY TYPE	PRICING
EC	14
B6	80
EB	140

Xpress

U N X S E
Screen Mount Outlet Box Bracket


The Screen Mount Outlet Box Bracket mounts any size Outlet Box or a Voice & Data Box to a Screen, Modesty Panel or underside of a worksurface.

WHAT'S INCLUDED
2 brackets, attachment hardware.

NOTES
Bracket fits all outlet configurations.

Finished in Black.

Xpress Available through *Teknion's Xpress Program.*



PRICING

30

Xpress


U N X P F R
Base Feed Mounting Kit

The Base Feed Mounting Kit provides panel entry to input power cables (up to 3) or voice/data cables to panel wall at input point.

WHAT'S INCLUDED
1 mounting kit, bracket, attachment hardware, cover plate.

NOTES
Finished in Platinum.

Xpress Available through *Teknion's Xpress Program.*



PRICING

90

Xpress

UNXBR
Panel Mount Outlet Box Bracket

The Panel Mount Outlet Box Bracket provides attachment of an Outlet Box (VED) and Voice & Data Box (VVD) to a panel wall.


WHAT'S INCLUDED
1 bracket set, attachment hardware, 1 or 2 faceplates (as specified).

WHAT'S EXCLUDED
Outlet Box (VED) or Voice & Data Box (VVD) must be specified separately.

NOTES
Bracket can be used above or below worksurface height and in single- or double-sided applications.

Finished in Ebony.

Xpress Available through *Teknion's Xpress Program.*



PRODUCT OPTIONS

Outlet Configuration	Faceplate Option
2 Two Power Outlets	**A** One face plate per single-sided application
3 Two Power Outlets, One Data Box	**B** Two face plates per double-sided application
4 Four Power Outlets	

SAMPLE ORDER CODE

UNXBR 2	A

OUTLET CONFIGURATION	PRICING
2	153
3	323
4	323

V B C D
CALA Power Module

The CALA Power Modules provides one or two duplexes embedded to the District panel. CALA power and data can be specified on a single side or back to back in the panel.

WHAT'S INCLUDED
1 power module, mounting brackets and connection hardware

NOTES
Power module and element bezel are available in a Very White and Black finish.

Receptacle finish will automatically match the finish option selected.



PRODUCT OPTIONS

Application	Outlet Configuration	Country of Installation	Length	Receptacle Finish
DA Double Duplex, One Sided	**003** Three Data	**R** Argentina	120	**YY** Ebony Coordinate
DB Double Duplex, Back- to -Back	**200** Two Power	**N** Brazil		**YV** Very White Coordinate
SA Single Duplex, One Sided	**120** One Power and One USB	**L** Chile		
SB Single Duplex, Back- to -Back	**203** Two Power and Three Data			
	400 Four Power			
	320 Three Power and One USB			

SAMPLE ORDER CODE

VBCD DB	320	N	120	YY

APPLICATION

PRICING


	Three Data (003)	Two Power (200)	One Power and One USB (120)	Two Power and Three Data (203)	Four Power (400)	Three Power and One USB (320)
DA	n/a	n/a	n/a	361	532	725
DB	n/a	n/a	n/a	654	1005	1318
SA	129	301	480	n/a	n/a	n/a
SB	205	549	901	n/a	n/a	n/a

VBPD
CALA Power In Feed

The Power In feed cable brings power from the building to the panel. It can be installed in the base opening of the panel to feed power up to the CALA power module. It can also be brought down from the ceiling to the workstation.

WHAT'S INCLUDED
1 input power cable, 1800mm in length

NOTES
Country of Installation is required to determine correct source plug in option is chosen.



PRODUCT OPTIONS

Length	Country of Installation
18 1800 mm	**R** Argentina **N** Brazil **L** Chile

SAMPLE ORDER CODE

VBPD 18	R

PRICING

384

V B P H
CALA Jumper Power Harness

The Jumper Power Harness routes power between CALA Power Modules in panel access areas and also carries power through the adjacent panel.

WHAT'S INCLUDED
1 interconnecting power cable, 2000 mm in length



PRODUCT OPTIONS

Length
20 2 Meters

SAMPLE ORDER CODE

VBPH 20

PRICING

176

VBWB
CALA Power Station

The CALA power station is designed to provide casual power/data at the worksurface level. It is designed to affixed to the edge of the worksurface.

WHAT'S INCLUDED
1 CALA power station, 1800mm in length. Fronts are sides are finished with selected finish. Rear and Desk Edge Clamp are in Clear Anodized only.

NOTES
Each power station will include an extension plate so that it can be outfitted to a knife edge trim surface Enclosure and Connection clamp is available in Clear Anodized Aluminum finish only.



PRODUCT OPTIONS

Numbers of Outlets	Outlet Configuration	Country of Installation	Cable Length	Receptacle Finish
D Double Outlet	**202** Two Power and Two Data **400** Four Power **320** Three Power and One USB	**R** Argentina **N** Brazil **L** Chile	**18** 1800mm	**YY** Ebony Coordinate **YV** Very White Coordinate

SAMPLE ORDER CODE

VBWB D	320	N	18	YY

OUTLETS

D

PRICING

Two Power and Two Data (202)	Four Power (400)	Three Power and One USB (320)
822	1058	1252

teknion

www.teknion.com

CAN/US/INT 05-26
©Teknion 2025

®, ™ trade marks of Teknion Corporation and/or its subsidiaries or licensed to it. Patents may be pending.

Some products may not be available in all markets. Contact your local Teknion Representative for availability.

MAY25-DIS