


multi-level workstations

Xpress

B F _ E

Full-Modesty Height-Adjustable Extended Run-Off – Offset Base

One Table
One Plug



This height-adjustable extended run-off allows to work at seated and standing positions. It offer a executive desk look with complete privacy by its full height modesty and the recessed Offset Base accentuate the intriguing floating look. The extended run-off must only be mounted on a Workwall Kneespace Module (BHKHL) at one end and is supported by a Offset Base at the other.

WHAT'S INCLUDED

1 worksurface, 1 height-adjustable offset base with levelers, 2 modesty panels, 2 height-adjustable mechanisms with supports and wire management, 1 power tray, 1 wire management kit, 1 switch for height-adjustable mechanism (as specified), 1 integrated powerbar (as specified), diamond and/or square cut-out(s) (if applicable), and mounting hardware.

WHAT'S EXCLUDED

Workwall Kneespace Module, Duo Grommet – Square and Rectangular Grommet.

NOTES

For more information about Integrated Powerbar with IEC Outlet option (P), refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics & Accessories Program.

The 1 9/16" (X) thickness is **not** available in all Source Laminate, Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

Not all finishes are available as Xpress, Please see Xpress catalogue and/or specification software for details.

PRODUCT OPTIONS

| Worksurface Thickness | Configuration | Depth A | Depth B | Width A | Corner Detail | Cut-Out Style | Configuration | Powerbar |
|-----------------------|---------------------|---------|------------|----------------|-------------------|---|------------------------------|--|
| M 1 3/16" | K Mid-Height | 29, 35 | 46, 52, 58 | 69, 75, 81, 87 | S Straight | N No Cut-Out (Shown) | L Left Handed (Shown) | N None Powerbar |
| X 1 9/16" | | | | | | R Right Handed | | I Integrated Powerbar |
| | | | | | | 0 Offset – Diamond Cut-Out | | P Integrated Powerbar with IEC Outlet |
| | | | | | | 1 Offset – Square Cut-Out | | |
| | | | | | | 2 Offset – Square & Diamond Cut-Outs | | |

SAMPLE ORDER CODE

| | | | | | | | | |
|-------------|----------|-----------|-----------|-----------|----------|----------|----------|----------|
| BFME | K | 29 | 46 | 69 | S | 2 | L | P |
|-------------|----------|-----------|-----------|-----------|----------|----------|----------|----------|

PRODUCT OPTIONS CONTINUED

| Range | Switch | | Work-surface Finish | Edge Trim Style | Edge Trim Finish | Upper Modesty Finish | Lower Modesty Finish | Base Finish |
|--------------------------------------|--------------------------------------|--|--------------------------|------------------------------|-------------------------------------|--------------------------|--------------------------|-----------------|
| E Extended Range – 26" to 48" | D Display with Up/Down Memory | M Display Toggle with Memory – Platinum | Foundation Laminate | 6 Straight Trim | Edge Trim Colors (for trim style 6) | Source Laminate | Source Laminate | Foundation Mica |
| | F Toggle Up/Down – Platinum | N Display Toggle with Memory – Crisp Grey | Flintwood (No Cathedral) | 9 Flintwood Flat Trim | | Flintwood (No Cathedral) | Flintwood (No Cathedral) | |
| | G Toggle Up/Down – Crisp Grey | O Display Toggle with Memory – Anthracite | | | | | | |
| | H Toggle Up/Down – Anthracite | | | | | | | |

SAMPLE ORDER CODE CONTINUED

| | | | | | | | |
|----------|----------|-----------|----------|-----------|-----------|-----------|-----------|
| E | D | 2D | 6 | 4D | 3D | 3D | 83 |
|----------|----------|-----------|----------|-----------|-----------|-----------|-----------|

See Pricing on the following page.

B F _ E

**Full-Modesty Height-Adjustable
Extended Run-Off – Offset Base
(Continued)**

**DIMENSIONS – INCHES
FOR MM X BY 25.4**

PRICING

| | | | 1 3/16" (M) | | | | | |
|----|----|----|-------------------------------|-----------------|-------------------------|-------------------------------|-----------------|-------------------------|
| | | | FOUNDATION LAMINATE | | | FLINTWOOD | | |
| | | | UPPER MODESTY SOURCE LAMINATE | | UPPER MODESTY FLINTWOOD | UPPER MODESTY SOURCE LAMINATE | | UPPER MODESTY FLINTWOOD |
| | | | LOWER MODESTY FINISH | | | | | |
| Da | Db | Wa | Source Laminate | Source Laminate | Flintwood | Source Laminate | Source Laminate | Flintwood |
| 29 | 46 | 69 | 6182 | 6709 | 7236 | 7413 | 7940 | 8467 |
| 29 | 46 | 75 | 6232 | 6805 | 7377 | 7523 | 8096 | 8668 |
| 29 | 46 | 81 | 6318 | 6937 | 7555 | 7623 | 8242 | 8860 |
| 29 | 46 | 87 | 6392 | 7056 | 7719 | 7688 | 8352 | 9015 |
| 29 | 52 | 69 | 6254 | 6781 | 7308 | 7567 | 8094 | 8621 |
| 29 | 52 | 75 | 6309 | 6882 | 7454 | 7689 | 8262 | 8834 |
| 29 | 52 | 81 | 6401 | 7020 | 7638 | 7840 | 8459 | 9077 |
| 29 | 52 | 87 | 6478 | 7142 | 7805 | 7913 | 8577 | 9240 |
| 29 | 58 | 69 | 6326 | 6853 | 7380 | 7723 | 8250 | 8777 |
| 29 | 58 | 75 | 6387 | 6960 | 7532 | 7895 | 8468 | 9040 |
| 29 | 58 | 81 | 6483 | 7102 | 7720 | 8014 | 8633 | 9251 |
| 29 | 58 | 87 | 6566 | 7230 | 7893 | 8098 | 8762 | 9425 |
| 35 | 46 | 69 | 6252 | 6779 | 7306 | 7546 | 8073 | 8600 |
| 35 | 46 | 75 | 6302 | 6875 | 7447 | 7660 | 8233 | 8805 |
| 35 | 46 | 81 | 6388 | 7007 | 7625 | 7760 | 8379 | 8997 |
| 35 | 46 | 87 | 6462 | 7126 | 7789 | 7825 | 8489 | 9152 |
| 35 | 52 | 69 | 6324 | 6851 | 7378 | 7703 | 8230 | 8757 |
| 35 | 52 | 75 | 6379 | 6952 | 7524 | 7823 | 8396 | 8968 |
| 35 | 52 | 81 | 6469 | 7088 | 7706 | 7977 | 8596 | 9214 |
| 35 | 52 | 87 | 6547 | 7211 | 7874 | 8050 | 8714 | 9377 |
| 35 | 58 | 69 | 6397 | 6924 | 7451 | 7858 | 8385 | 8912 |
| 35 | 58 | 75 | 6456 | 7029 | 7601 | 8032 | 8605 | 9177 |
| 35 | 58 | 81 | 6553 | 7172 | 7790 | 8151 | 8770 | 9388 |
| 35 | 58 | 87 | 6637 | 7301 | 7964 | 8233 | 8897 | 9560 |

If Switch Style (D, M, N or O) is specified, add 129.
If Powerbar (I or P) is specified, add 176.

Pricing is continued on the following page.

multi-level workstations

Xpress

B F _ E

Full-Modesty Height-Adjustable Extended Run-Off – Offset Base (Continued)

DIMENSIONS – INCHES
FOR MM X BY 25.4

PRICING

| | | | 1 9/16" (X) | | | | | |
|----|----|----|-------------------------------|------------------|-------------------------|-------------------------------|------------------|-------------------------|
| | | | FOUNDATION LAMINATE | | | FLINTWOOD | | |
| | | | UPPER MODESTY SOURCE LAMINATE | | UPPER MODESTY FLINTWOOD | UPPER MODESTY SOURCE LAMINATE | | UPPER MODESTY FLINTWOOD |
| | | | LOWER MODESTY FINISH | | | | | |
| Da | Db | Wa | Source Laminates | Source Laminates | Flintwood | Source Laminates | Source Laminates | Flintwood |
| 29 | 46 | 69 | 6222 | 6749 | 7276 | 8317 | 8844 | 9371 |
| 29 | 46 | 75 | 6301 | 6874 | 7446 | 8429 | 9002 | 9574 |
| 29 | 46 | 81 | 6373 | 6992 | 7610 | 8581 | 9200 | 9818 |
| 29 | 46 | 87 | 6581 | 7245 | 7908 | 8663 | 9327 | 9990 |
| 29 | 52 | 69 | 6320 | 6847 | 7374 | 8505 | 9032 | 9559 |
| 29 | 52 | 75 | 6403 | 6976 | 7548 | 8628 | 9201 | 9773 |
| 29 | 52 | 81 | 6485 | 7104 | 7722 | 8835 | 9454 | 10072 |
| 29 | 52 | 87 | 6699 | 7363 | 8026 | 8930 | 9594 | 10257 |
| 29 | 58 | 69 | 6418 | 6945 | 7472 | 8691 | 9218 | 9745 |
| 29 | 58 | 75 | 6510 | 7083 | 7655 | 8870 | 9443 | 10015 |
| 29 | 58 | 81 | 6597 | 7216 | 7834 | 9047 | 9666 | 10284 |
| 29 | 58 | 87 | 6818 | 7482 | 8145 | 9152 | 9816 | 10479 |
| 35 | 46 | 69 | 6292 | 6819 | 7346 | 8452 | 8979 | 9506 |
| 35 | 46 | 75 | 6370 | 6943 | 7515 | 8566 | 9139 | 9711 |
| 35 | 46 | 81 | 6441 | 7060 | 7678 | 8717 | 9336 | 9954 |
| 35 | 46 | 87 | 6649 | 7313 | 7976 | 8798 | 9462 | 10125 |
| 35 | 52 | 69 | 6389 | 6916 | 7443 | 8640 | 9167 | 9694 |
| 35 | 52 | 75 | 6476 | 7049 | 7621 | 8765 | 9338 | 9910 |
| 35 | 52 | 81 | 6554 | 7173 | 7791 | 8971 | 9590 | 10208 |
| 35 | 52 | 87 | 6768 | 7432 | 8095 | 9065 | 9729 | 10392 |
| 35 | 58 | 69 | 6487 | 7014 | 7541 | 8827 | 9354 | 9881 |
| 35 | 58 | 75 | 6580 | 7153 | 7725 | 9005 | 9578 | 10150 |
| 35 | 58 | 81 | 6666 | 7285 | 7903 | 9182 | 9801 | 10419 |
| 35 | 58 | 87 | 6886 | 7550 | 8213 | 9288 | 9952 | 10615 |

If Switch Style (D, M, N or O) is specified, add 129.

If Powerbar (I or P) is specified, add 176.

