
Xpress

# B R _ R F

## Height-Adjustable Run-Off – Full Rectangular Base

One Table
One Plug




This Height-Adjustable Run-Off with Full Rectangular Base allows to work at seated and standing positions. Its full base offers an executive desk look and feel with complete privacy at the front. It must be mounted on a Workwall Kneespace Module (BHKRW).

**WHAT'S INCLUDED**

1 worksurface, 1 height-adjustable rectangular base with levelers, 2 modesty panels, 1 height-adjustable mechanism with supports and wire management, 1 power tray, 1 wire management kit, 1 switch for height-adjustable mechanism (as specified), 1 integrated powerbar (as specified), diamond and/or square cut-out(s) (if applicable), and mounting hardware.

**WHAT'S EXCLUDED**

Workwall Kneespace Module – Rectangular Base on Height-Adjustable Run-Off (BHKRW), Duo Grommet – Square (BLGQX), and Rectangular Grommet (BLGC).

**NOTES**

When Worksurface Thickness (V) is specified, Flintwood Finish is **not** available.

For more information about Integrated Powerbar with IEC Outlet option (P), refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics & Accessories Programm.

**Not all** Thickness, Finish, Style or Color options are available. Refer to the Application Guide for more details.

Deep Knife Edge (W) option is unavailable in Xpress. See Xpress Program and/or specification software for finishes availability.

**PRODUCT OPTIONS**

| Worksurface Thickness | Configuration | Depth | Width | Corner Detail | Cut-Out Style | Configuration | Powerbar | Range |
|---|---|---|---|---|---|---|---|---|
| **M** 1 3/16" | **K** Mid-Height | 28, 34 | 63, 69, 75, 81, 87 | **R** Radius | **N** No Cut-Out (Shown) | **L** Left Handed (Shown) | **I** Integrated Powerbar | **E** Extended Range – 28" to 48" |
| **V** 1 3/16" Knife Edge | | | | **S** Straight (Shown) | **0** Offset – Diamond Cut-Out | **R** Right Handed | **N** None | |
| **W** 1 3/16" Deep Knife Edge | | | | | **1** Offset – Square Cut-Out | | **P** Integrated Powerbar with IEC Outlet | |

**SAMPLE ORDER CODE**

| BRMRF | K | 34 | 69 | S | 1 | L | N | E |
|---|---|---|---|---|---|---|---|---|

**PRODUCT OPTIONS CONTINUED**

| Switch | | Worksurface Finish | Edge Trim Style | Edge Trim Finish | Upper Modesty Finish | Lower Modesty Finish | Base Finish |
|---|---|---|---|---|---|---|---|
| **D** Display with Up/Down Memory | **M** Display Toggle with Memory – Platinum | Foundation Laminate | **6** Straight Trim (3mm) | Edge Trim Colors (for trim style 6, 8, F and D) | Source Laminate | Source Laminate | Foundation |
| **F** Toggle Up/Down – Platinum | **N** Display Toggle with Memory – Crisp Grey | Grade 2 Laminate (No Accents) | **8** Flat Trim (1.5mm) | | Grade 2 Laminate (No Accents) | Grade 2 Laminate (No Accents) | Mica |
| **G** Toggle Up/Down – Crisp Grey | **O** Display Toggle with Memory – Anthracite | Flintwood (No Cathedral) | **9** Flintwood Flat Trim | | Flintwood (No Cathedral) | Flintwood (No Cathedral) | Coordinate Colors |
| **H** Toggle Up/Down – Anthracite | | | **F** Full Knife Trim (1.5mm) | | | | |
| | | | **D** Deep Knife Trim (1.5mm) | | | | |
| | | | **C** Flintwood Deep Knife Trim | | | | |

**SAMPLE ORDER CODE CONTINUED**

| D | 2D | 6 | 4D | 3D | 3D | 74 |
|---|---|---|---|---|---|---|

**See Pricing on the following page.**

Xpress

BR_RF

# Height-Adjustable Run-Off – Full Rectangular Base (Continued)

**1 3/16" (M)**

**FOUNDATION LAMINATE**

**UPPER MODESTY FINISH**

**SOURCE LAMINATE** | **GRADE 2 LAMINATE** | **FLINTWOOD**

**LOWER MODESTY FINISH**

| DIMENSIONS INCHES / MM D | W | PRICING Source Laminate | Grade 2 Laminate | Source Laminate | Flintwood |
|---|---|---|---|---|---|
| 28 / 711 | 63 / 1600 | 5535 | 6526 | 6048 | 6471 |
| 28 / 711 | 69 / 1753 | 5690 | 6775 | 6247 | 6704 |
| 28 / 711 | 75 / 1905 | 5847 | 7026 | 6447 | 6936 |
| 28 / 711 | 81 / 2057 | 6001 | 7274 | 6644 | 7166 |
| 34 / 864 | 63 / 1600 | 5622 | 6613 | 6135 | 6558 |
| 34 / 864 | 69 / 1753 | 5783 | 6868 | 6340 | 6797 |
| 34 / 864 | 75 / 1905 | 5946 | 7125 | 6546 | 7035 |
| 34 / 864 | 81 / 2057 | 6106 | 7379 | 6749 | 7271 |
| 34 / 864 | 87 / 2210 | 6268 | 7634 | 6953 | 7509 |

**GRADE 2 LAMINATE**

**UPPER MODESTY FINISH**

**SOURCE LAMINATE** | **GRADE 2 LAMINATE** | **FLINTWOOD**

**LOWER MODESTY FINISH**

| | | Source Laminate | Grade 2 Laminate | Source Laminate | Flintwood |
|---|---|---|---|---|---|
| 28 / 711 | 63 / 1600 | 5688 | 6679 | 6201 | 6624 |
| 28 / 711 | 69 / 1753 | 5857 | 6942 | 6414 | 6871 |
| 28 / 711 | 75 / 1905 | 6029 | 7208 | 6629 | 7118 |
| 28 / 711 | 81 / 2057 | 6197 | 7470 | 6840 | 7362 |
| 34 / 864 | 63 / 1600 | 5807 | 6798 | 6320 | 6743 |
| 34 / 864 | 69 / 1753 | 5986 | 7071 | 6543 | 7000 |
| 34 / 864 | 75 / 1905 | 6167 | 7346 | 6767 | 7256 |
| 34 / 864 | 81 / 2057 | 6344 | 7617 | 6987 | 7509 |
| 34 / 864 | 87 / 2210 | 6524 | 7890 | 7209 | 7765 |

**FLINTWOOD**

**UPPER MODESTY FINISH**

**SOURCE LAMINATE** | **GRADE 2 LAMINATE** | **FLINTWOOD**

**LOWER MODESTY FINISH**

| | | Source Laminate | Grade 2 Laminate | Source Laminate | Flintwood |
|---|---|---|---|---|---|
| 28 / 711 | 63 / 1600 | 6380 | 7371 | 6893 | 7316 |
| 28 / 711 | 69 / 1753 | 6578 | 7663 | 7135 | 7592 |
| 28 / 711 | 75 / 1905 | 6778 | 7957 | 7378 | 7867 |
| 28 / 711 | 81 / 2057 | 6975 | 8248 | 7618 | 8140 |
| 34 / 864 | 63 / 1600 | 6641 | 7632 | 7154 | 7577 |
| 34 / 864 | 69 / 1753 | 6823 | 7908 | 7380 | 7837 |
| 34 / 864 | 75 / 1905 | 7007 | 8186 | 7607 | 8096 |
| 34 / 864 | 81 / 2057 | 7189 | 8462 | 7832 | 8354 |
| 34 / 864 | 87 / 2210 | 7372 | 8738 | 8057 | 8613 |

**If Switch Style (D, M, N or O) is specified, add 134.**
**If Powerbar (I or P) is specified, add 182.**

**Pricing is continued on the following page.**

Xpress

## B R _ R F

## Height-Adjustable Run-Off – Full Rectangular Base (Continued)

**DIMENSIONS**
**INCHES / MM**

**PRICING**

**1 3/16" KNIFE EDGE (V)**

| FOUNDATION LAMINATE | | | GRADE 2 LAMINATE | | |
|---|---|---|---|---|---|
| UPPER MODESTY FINISH | | | | | |
| SOURCE LAMINATE | | GRADE 2 LAMINATE | SOURCE LAMINATE | | GRADE 2 LAMINATE |
| LOWER MODESTY FINISH | | | | | |
| D | W | Source Laminate | Grade 2 Laminate | Source Laminate | Grade 2 Laminate |
| 28 / 711 | 63 / 1600 | 5669 | 6660 | 5822 | 6813 |
| 28 / 711 | 69 / 1753 | 5834 | 6919 | 6001 | 7086 |
| 28 / 711 | 75 / 1905 | 6002 | 7181 | 6184 | 7363 |
| 28 / 711 | 81 / 2057 | 6166 | 7439 | 6362 | 7635 |
| 34 / 864 | 63 / 1600 | 5761 | 6752 | 5946 | 6937 |
| 34 / 864 | 69 / 1753 | 5933 | 7018 | 6136 | 7221 |
| 34 / 864 | 75 / 1905 | 6106 | 7285 | 6327 | 7506 |
| 34 / 864 | 81 / 2057 | 6276 | 7549 | 6514 | 7787 |
| 34 / 864 | 87 / 2210 | 6449 | 7815 | 6705 | 8071 |

**1 3/16" DEEP KNIFE EDGE (W)**

| FOUNDATION LAMINATE | | | | |
|---|---|---|---|---|
| UPPER MODESTY FINISH | | | | |
| SOURCE LAMINATE | | GRADE 2 LAMINATE | FLINTWOOD | |
| LOWER MODESTY FINISH | | | | |
| | | Source Laminate | Grade 2 Laminate | Source Laminate | Flintwood |
| 28 / 711 | 63 / 1600 | 5802 | 6793 | 6315 | 6738 |
| 28 / 711 | 69 / 1753 | 5978 | 7063 | 6535 | 6992 |
| 28 / 711 | 75 / 1905 | 6156 | 7335 | 6756 | 7245 |
| 28 / 711 | 81 / 2057 | 6331 | 7604 | 6974 | 7496 |
| 34 / 864 | 63 / 1600 | 5900 | 6891 | 6413 | 6836 |
| 34 / 864 | 69 / 1753 | 6082 | 7167 | 6639 | 7096 |
| 34 / 864 | 75 / 1905 | 6265 | 7444 | 6865 | 7354 |
| 34 / 864 | 81 / 2057 | 6446 | 7719 | 7089 | 7611 |
| 34 / 864 | 87 / 2210 | 6629 | 7995 | 7314 | 7870 |

| GRADE 2 LAMINATE | | | | |
|---|---|---|---|---|
| UPPER MODESTY FINISH | | | | |
| SOURCE LAMINATE | | GRADE 2 LAMINATE | FLINTWOOD | |
| LOWER MODESTY FINISH | | | | |
| | | Source Laminate | Grade 2 Laminate | Source Laminate | Flintwood |
| 28 / 711 | 63 / 1600 | 5955 | 6946 | 6468 | 6891 |
| 28 / 711 | 69 / 1753 | 6145 | 7230 | 6702 | 7159 |
| 28 / 711 | 75 / 1905 | 6338 | 7517 | 6938 | 7427 |
| 28 / 711 | 81 / 2057 | 6527 | 7800 | 7170 | 7692 |
| 34 / 864 | 63 / 1600 | 6085 | 7076 | 6598 | 7021 |
| 34 / 864 | 69 / 1753 | 6285 | 7370 | 6842 | 7299 |
| 34 / 864 | 75 / 1905 | 6486 | 7665 | 7086 | 7575 |
| 34 / 864 | 81 / 2057 | 6684 | 7957 | 7327 | 7849 |
| 34 / 864 | 87 / 2210 | 6885 | 8251 | 7570 | 8126 |

**If Switch Style (D, M, N or O) is specified, add 134.**
**If Powerbar (I or P) is specified, add 182.**

**Pricing is continued on the following page.**

Xpress

BR_RF

# Height-Adjustable Run-Off – Full Rectangular Base (Continued)

| DIMENSIONS INCHES / MM | | PRICING | | | |
|---|---|---|---|---|---|
| | | 1 3/16" DEEP KNIFE EDGE (W) | | | |
| | | FLINTWOOD | | | |
| | | UPPER MODESTY FINISH | | | |
| | | SOURCE LAMINATE | GRADE 2 LAMINATE | FLINTWOOD | |
| | | LOWER MODESTY FINISH | | | |
| D | W | Source Laminate | Grade 2 Laminate | Source Laminate | Flintwood |
| 28 / 711 | 63 / 1600 | 6647 | 7638 | 7160 | 7583 |
| 28 / 711 | 69 / 1753 | 6866 | 7951 | 7423 | 7880 |
| 28 / 711 | 75 / 1905 | 7087 | 8266 | 7687 | 8176 |
| 28 / 711 | 81 / 2057 | 7305 | 8578 | 7948 | 8470 |
| 34 / 864 | 63 / 1600 | 6919 | 7910 | 7432 | 7855 |
| 34 / 864 | 69 / 1753 | 7122 | 8207 | 7679 | 8136 |
| 34 / 864 | 75 / 1905 | 7326 | 8505 | 7926 | 8415 |
| 34 / 864 | 81 / 2057 | 7529 | 8802 | 8172 | 8694 |
| 34 / 864 | 87 / 2210 | 7733 | 9099 | 8418 | 8974 |

**If Switch Style (D, M, N or O) is specified, add 134.**
**If Powerbar (I or P) is specified, add 182.**