


# multi-level workstations

**Xpress**

## B \_ A L L B

### Height-Adjustable L-Shape Run-Off – Low Secondary Desk – Bevel Base



This Height-Adjustable L-Shape Run-Off allows to work at seated and standing positions. It must only be mounted on a Low Secondary Desk for Height-Adjustable L-Shape Worksurface (B\_ASPL) at one end and is supported by a Bevel Base at the other. Storage for Secondary Desk (BSSOL, BSSRWL or BSSCML) is mandatory under this desk to hide height-adjustable mechanism and must be specified separately.

#### WHAT'S INCLUDED

2 worksurfaces, 1 height-adjustable bevel base with levels, 2 height-adjustable mechanisms with supports and wire management clips, 1 power tray, 1 switch for height-adjustable mechanism (as specified), worksurface grommet (as specified), and mounting hardware.

#### WHAT'S EXCLUDED

Low Secondary Desk for Height-Adjustable L-Shape Worksurface, Suspended Modesty Panel and Storage for Secondary Desk.

#### NOTES

Multi-Functional Drawer **cannot** be used this product.

When Flintwood Worksurface finish is specified, only Flintwood End Panel finish is available.

When Foundation Laminate Worksurface finish is specified, only Source Laminate End Panel finish is available.

The 1 9/16" (X) thickness is **not** available in all Foundation Laminate and Edge Trim colors. Refer to the finish page of the Application Guide for details.

#### PRODUCT OPTIONS

Worksurface Thickness	Range	Depth A	Depth B	Width A	Width B	Grommet Option	Configuration
<b>M</b> 1 3/16"	<b>E</b> Extended Range – 26" to 48"	29, 35	17, 21	57, 63, 69, 75, 81, 87	58, 64, 70, 76, 82, 88	<b>C</b> Centered – Rectangular	<b>L</b> Left Handed (Shown)
<b>X</b> 1 9/16"							<b>N</b> No Grommet (Shown)
						<b>O</b> Offset – Rectangular	<b>R</b> Right Handed
						<b>P</b> Offset – Rectangular & Square	

#### SAMPLE ORDER CODE

<b>B</b> <u><b>M</b></u> <b>A</b> <b>L</b> <b>L</b> <b>B</b>	<b>E</b>	<b>29</b>	<b>21</b>	<b>57</b>	<b>58</b>	<b>N</b>	<b>L</b>
--	----------	-----------	-----------	-----------	-----------	----------	----------

#### PRODUCT OPTIONS CONTINUED

Switch		Worksurface Finish	Edge Trim Style	Edge Trim Finish	End Panel Finish	Base Finish	Grommet Finish (If Applicable)
<b>D</b> Display with Up/Down Memory	<b>M</b> Display Toggle with Memory – Platinum	Foundation Laminate	<b>6</b> Straight Trim	Edge Trim Colors (for trim style 6)	Source Laminate	Foundation	<b>AC</b> Clear Anodized Coordinate
<b>F</b> Toggle Up/Down – Platinum	<b>N</b> Display Toggle with Memory – Crisp Grey	Flintwood (No Cathedral)	<b>9</b> Flintwood Flat Trim		Flintwood (No Cathedral)	Mica	<b>B</b> Soft Gris
<b>G</b> Toggle Up/Down – Crisp Grey	<b>O</b> Display Toggle with Memory – Anthracite					Coordinate Colors	<b>Q</b> Storm White
<b>H</b> Toggle Up/Down – Anthracite							<b>V</b> Very White
							<b>X</b> Anthracite
							<b>6</b> Crisp Grey
							<b>7</b> Platinum

#### SAMPLE ORDER CODE CONTINUED

<b>D</b>	<b>2E</b>	<b>6</b>	<b>4E</b>	<b>3E</b>	<b>Q</b>	
----------	-----------	----------	-----------	-----------	----------	--

See Pricing on the following page.

B \_ A L L B

Height-Adjustable L-Shape Run-Off –  
Low Secondary Desk – Bevel Base (Continued)

DIMENSIONS – INCHES  
FOR MM X BY 25.4

PRICING

				1 3/16" (M)		1 9/16" (X)	
				Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	17	57	58	4341	5887	4456	6047
29	17	57	64	4353	5954	4471	5973
29	17	57	70	4364	6012	4487	6036
29	17	57	76	4375	6069	4503	6100
29	17	57	82	4386	6146	4518	6183
29	17	57	88	4397	6203	4534	6246
29	17	63	58	4366	5984	4489	6006
29	17	63	64	4378	6051	4504	6079
29	17	63	70	4389	6109	4520	6142
29	17	63	76	4400	6166	4536	6206
29	17	63	82	4411	6243	4551	6289
29	17	63	88	4422	6300	4567	6352
29	17	69	58	4394	6058	4526	6091
29	17	69	64	4406	6125	4541	6164
29	17	69	70	4417	6183	4557	6227
29	17	69	76	4428	6240	4573	6291
29	17	69	82	4439	6317	4588	6374
29	17	69	88	4450	6374	4604	6437
29	17	75	58	4422	6156	4564	6199
29	17	75	64	4434	6223	4579	6272
29	17	75	70	4445	6281	4595	6335
29	17	75	76	4456	6338	4611	6399
29	17	75	82	4467	6415	4626	6482
29	17	75	88	4478	6472	4642	6545
29	17	81	58	4445	6229	4595	6280
29	17	81	64	4457	6296	4610	6353
29	17	81	70	4468	6354	4626	6416
29	17	81	76	4479	6411	4642	6480
29	17	81	82	4490	6488	4657	6563
29	17	81	88	4501	6545	4673	6626
29	17	87	58	4474	6303	4632	6364
29	17	87	64	4486	6370	4647	6437
29	17	87	70	4497	6428	4663	6500
29	17	87	76	4508	6485	4679	6564
29	17	87	82	4519	6562	4694	6647
29	17	87	88	4530	6619	4710	6710
29	21	57	58	4354	5939	4474	5958
29	21	57	64	4368	6001	4493	6028
29	21	57	70	4382	6063	4512	6097
29	21	57	76	4395	6145	4532	6187
29	21	57	82	4409	6207	4551	6256
29	21	57	88	4423	6295	4571	6352
29	21	63	58	4379	6036	4507	6064
29	21	63	64	4393	6098	4526	6134
29	21	63	70	4407	6160	4545	6203
29	21	63	76	4420	6242	4565	6293
29	21	63	82	4434	6304	4584	6362
29	21	63	88	4448	6392	4604	6458

If Switch Style (D) is specified, add 100.

If Switch Style (M, N or O) is specified, add 124.

Pricing is continued on the following page.

# multi-level workstations

Xpress

## B \_ A L L B

### Height-Adjustable L-Shape Run-Off – Low Secondary Desk – Bevel Base (Continued)

DIMENSIONS – INCHES  
FOR MM X BY 25.4

#### PRICING

				1 3/16" (M)		1 9/16" (X)	
Da	Db	Wa	Wb	Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
29	21	69	58	4407	6110	4544	6149
29	21	69	64	4421	6172	4563	6219
29	21	69	70	4435	6234	4582	6288
29	21	69	76	4448	6316	4602	6378
29	21	69	82	4462	6378	4621	6447
29	21	69	88	4476	6466	4641	6543
29	21	75	58	4435	6208	4582	6257
29	21	75	64	4449	6270	4601	6327
29	21	75	70	4463	6332	4620	6396
29	21	75	76	4476	6414	4640	6486
29	21	75	82	4490	6476	4659	6555
29	21	75	88	4504	6564	4679	6651
29	21	81	58	4458	6281	4613	6338
29	21	81	64	4472	6343	4632	6408
29	21	81	70	4486	6405	4651	6477
29	21	81	76	4499	6487	4671	6567
29	21	81	82	4513	6549	4690	6636
29	21	81	88	4527	6637	4710	6732
29	21	87	58	4487	6355	4650	6422
29	21	87	64	4501	6417	4669	6492
29	21	87	70	4515	6479	4688	6561
29	21	87	76	4528	6561	4708	6651
29	21	87	82	4542	6623	4727	6720
29	21	87	88	4556	6711	4747	6816
35	17	57	58	4410	6068	4545	6100
35	17	57	64	4421	6125	4561	6164
35	17	57	70	4433	6192	4576	6237
35	17	57	76	4444	6250	4592	6300
35	17	57	82	4455	6307	4608	6364
35	17	57	88	4466	6384	4623	6447
35	17	63	58	4440	6172	4583	6216
35	17	63	64	4451	6229	4599	6280
35	17	63	70	4463	6296	4614	6353
35	17	63	76	4474	6354	4630	6416
35	17	63	82	4485	6411	4646	6480
35	17	63	88	4496	6488	4661	6563
35	17	69	58	4472	6252	4624	6309
35	17	69	64	4483	6309	4640	6373
35	17	69	70	4495	6376	4655	6446
35	17	69	76	4506	6434	4671	6509
35	17	69	82	4517	6491	4687	6573
35	17	69	88	4528	6568	4702	6656
35	17	75	58	4505	6335	4664	6403
35	17	75	64	4516	6392	4680	6467
35	17	75	70	4528	6459	4695	6540
35	17	75	76	4539	6517	4711	6603
35	17	75	82	4550	6574	4727	6667
35	17	75	88	4561	6651	4742	6750

If Switch Style (D) is specified, add 100.

If Switch Style (M, N or O) is specified, add 124.

Pricing is continued on the following page.

B \_ A L L B

Height-Adjustable L-Shape Run-Off –  
Low Secondary Desk – Bevel Base (Continued)

DIMENSIONS – INCHES  
FOR MM X BY 25.4

PRICING

				1 3/16" (M)		1 9/16" (X)	
				Foundation Laminate	Flintwood	Foundation Laminate	Flintwood
35	17	81	58	4531	6446	4700	6526
35	17	81	64	4542	6503	4716	6590
35	17	81	70	4554	6570	4731	6663
35	17	81	76	4565	6628	4747	6726
35	17	81	82	4576	6685	4763	6790
35	17	81	88	4587	6762	4778	6873
35	17	87	58	4564	6529	4741	6619
35	17	87	64	4575	6586	4757	6683
35	17	87	70	4587	6653	4772	6756
35	17	87	76	4598	6711	4788	6819
35	17	87	82	4609	6768	4804	6883
35	17	87	88	4620	6845	4819	6966
35	21	57	58	4420	6105	4559	6143
35	21	57	64	4434	6177	4579	6222
35	21	57	70	4448	6239	4598	6292
35	21	57	76	4462	6301	4617	6361
35	21	57	82	4475	6383	4637	6451
35	21	57	88	4489	6445	4656	6520
35	21	63	58	4450	6209	4597	6259
35	21	63	64	4464	6281	4617	6338
35	21	63	70	4478	6343	4636	6408
35	21	63	76	4492	6405	4655	6477
35	21	63	82	4505	6487	4675	6567
35	21	63	88	4519	6549	4694	6636
35	21	69	58	4482	6289	4638	6352
35	21	69	64	4496	6361	4658	6431
35	21	69	70	4510	6423	4677	6501
35	21	69	76	4524	6485	4696	6570
35	21	69	82	4537	6567	4716	6660
35	21	69	88	4551	6629	4735	6729
35	21	75	58	4515	6372	4678	6446
35	21	75	64	4529	6444	4698	6525
35	21	75	70	4543	6506	4717	6595
35	21	75	76	4557	6568	4736	6664
35	21	75	82	4570	6650	4756	6754
35	21	75	88	4584	6712	4775	6823
35	21	81	58	4541	6483	4714	6569
35	21	81	64	4555	6555	4734	6648
35	21	81	70	4569	6617	4753	6718
35	21	81	76	4583	6679	4772	6787
35	21	81	82	4596	6761	4792	6877
35	21	81	88	4610	6823	4811	6946
35	21	87	58	4574	6566	4755	6662
35	21	87	64	4588	6638	4775	6741
35	21	87	70	4602	6700	4794	6811
35	21	87	76	4616	6762	4813	6880
35	21	87	82	4629	6844	4833	6970
35	21	87	88	4643	6906	4852	7039

If Switch Style (D) is specified, add 100.

If Switch Style (M, N or O) is specified, add 124.