

meeting tables

| | |
|--|-----|
| MEETING TABLE OVERVIEW | 442 |
| HEIGHT-ADJUSTABLE CONFERENCE TABLE BASICS | 444 |
| HEIGHT-ADJUSTABLE MEETING TABLE BASICS | 446 |
| CONFERENCE TABLE BASICS | 448 |
| SOLID MEETING TABLE BASICS | 449 |
| WRITABLE GLASS MEETING TABLE BASICS | 450 |
| TABLE COMPANION MARKER KIT BASICS | 451 |
| COFFEE TABLE BASICS | 452 |
| EDGE TRIM STYLES OVERVIEW – MEETING TABLES | 454 |
| USER EDGES – MEETING TABLES | 456 |
| POWER & DATA BASICS | 458 |
| TABLE BASE DIMENSIONS | 460 |
| CONFIGURATIONS & SUPPORTS – MEETING TABLES | 461 |

meeting tables (continued)

ACCESSORIES – MEETING TABLES 466

MEETING TABLE FINISHES 467

UNDERSTANDING FIXED & HEIGHT-ADJUSTABLE MEETING
PENINSULAS 468

UNDERSTANDING HEIGHT-ADJUSTABLE MEETING PENINSULAS
WITH WORKWALL STORAGE 470

HEIGHT-ADJUSTABLE MEETING PENINSULA COMPONENTS . . . 471

HEIGHT-ADJUSTMENT RANGE – HEIGHT-ADJUSTABLE MEETING
PENINSULAS 473

POWER & DATA MANAGEMENT – HEIGHT-ADJUSTABLE MEETING
PENINSULAS 474

HEIGHT-ADJUSTABLE MEETING PENINSULA BASICS 477

PLANNING WITH HEIGHT-ADJUSTABLE MEETING PENINSULAS . 479

UNDERSTANDING FIXED MEETING PENINSULAS 482

FIXED MEETING PENINSULA COMPONENTS 484

meeting tables (continued)

POWER & DATA MANAGEMENT – FIXED MEETING PENINSULAS . 485

FIXED MEETING PENINSULA BASICS 486

PLANNING WITH FIXED MEETING PENINSULAS 488

EDGE TRIM STYLES OVERVIEW – HEIGHT-ADJUSTABLE & FIXED
MEETING PENINSULAS 490

PLANNING WITH POWER MODULE CUT-OUTS – HEIGHT-
ADJUSTABLE & FIXED MEETING PENINSULAS 491

GABLE FOR MEETING PENINSULA COMPONENTS 493

GABLE FOR MEETING PENINSULA BASICS 494

UNDERSTANDING MEDIA WALL 495

MEDIA WALL COMPONENTS 496

MEDIA WALL & METAL SHELF FOR MEDIA WALL BASICS 497

PLANNING WITH WORKING DATUM HEIGHTS – MEDIA WALL . 498

PLANNING WITH TV MONITOR MOUNT – MEDIA WALL 499

meeting tables (continued)

| | |
|--|-----|
| PLANNING WITH METAL SHELF – MEDIA WALL | 500 |
| POWER & DATA MANAGEMENT – MEDIA WALL | 501 |
| PLANNING WITH MEDIA WALL | 502 |
| GRAIN/PATTERN DIRECTION – MEDIA WALL & GABLE FOR MEETING PENINSULAS | 503 |
| TV STAND & METAL SHELF FOR TV STAND BASICS | 504 |
| PLANNING WITH TV MONITOR MOUNT – TV STAND | 505 |
| POWER & DATA MANAGEMENT – TV STAND & METAL SHELF FOR TV STAND | 508 |
| HEIGHT-ADJUSTABLE OR FIXED MEETING PENINSULAS & MEDIA WALL FINISHES | 509 |

meeting table overview

- ❗ Provide a meeting area in a variety of shapes, power modules cut-outs and bases
- Expansion Casegoods offers an extensive selection meeting solutions: Fixed-Height or Height-Adjustable Meeting Tables, Fixed-Height or Height-Adjustable Conference Tables, Fixed-Height Meeting Peninsulas for Media Wall and Height-Adjustable Meeting Peninsula. Complementary Coffee Tables are also available
- Large tables with multiple power modules may require dedicated electrical circuit and/or floor outlets for each power module. Refer to local electrical code for guidance
- All dimensions in this section are nominal


height-adjustable conference table

- Height-Adjustable Conference Table is highly versatile. It provides various working positions in large boardroom configuration
- Multiple pieces depending width specified
- Multiple height-adjustable panel bases are included
- Only available in Solid top




height-adjustable meeting table

- Height-Adjustable Meeting Table maximize use of space and unify structure and appearance. Ideal for small collaborative meeting rooms
- Come in a one-piece worksurface
- Two Height-Adjustable Bevel Bases are included
- Only available in Solid top



fixed-height conference tables


- Conference Tables are highly versatile. They adapt to the space and ideal for spacious boardroom
- Multiple pieces depending width specified
- Multiple base options: Panel Bases, Cubic Bases, Workshop Legs or Blade Legs



meeting table overview (continued)


fixed-height meeting tables

- A selection of meeting tables complements the Expansion Casegoods offering. Ideal for small informal meeting rooms
- All sizes come in a one-piece worksurface
- Multiple base options: Panel Bases, Blade Legs, Workshop Legs, Square Post Legs, T-Legs, Cubic Base or Four-Point Base
- Are available in Solid or Back-Painted top




coffee tables

- Complementary tables
- Rectangular or square shape come in a one-piece worksurface
- Two base options are available: Angular Legs or Square Post Legs
- Are available in Solid or Glass top




height-adjustable meeting peninsula

- A selection of Height-Adjustable Meeting Peninsula is ideal for small or medium meeting rooms
- Can be combined with Workwall Storage for Height-Adjustability:
 - Workwall Kneespace Module
 - Workwall Bookcase
 - Workwall Credenza
- Rectangular, D-Shape, Tapered or Diamond shape comes in a one-piece solid worksurface
- Come with a Bevel Post Leg
- A TV Stand can also be installed and specified separately



fixed-height peninsula

- A selection of fixed-height peninsulas anchored on Media Wall (not included) is ideal for small or medium informal meeting rooms
- Can be combined with a:
 - Workwall Kneespace Module
 - Workwall Bookcase
 - Gable for Fixed Meeting Table (Shown)
- Two Working Datum Heights are available: 29" or 42" (if applicable)
- Rectangular, D-Shape, Tapered or Diamond shape comes in a one-piece solid worksurface
- Three base options are available: Blade Legs, Bevel Post Leg or Monopod Base (if applicable)
- A Media Wall with Monitor Mounting Hardware can be specified separately



height-adjustable conference table basics

Height-Adjustable Conference Tables outfit meeting spaces. They are available in a range of sizes to accommodate diverse numbers of participants.


- ❗ For the number of pieces, power module cut-outs and supports included for each table, refer to Meeting Table Configurations & Supports Chart in this section
- Power Modules are **not included** and must be specified separately

Height-Adjustable Conference Tables

- Two thicknesses available:
 - M: high pressure laminate (HPL) with a 1 1/8" thick baseboard for a total surface thickness of 1 3/16"
 - V: high pressure laminate (HPL) with a 1 1/8" thick baseboard for a total surface thickness of 1 3/16" with Knife Edge Trim
 - X: high pressure laminate (HPL) with a 1 1/2" thick baseboard for a total surface thickness of 1 9/16"
- Two Corner Details can be specified with rectangular worksurfaces:
 - Straight (S)
 - Radius (R)*
- * When Worksurface Thickness (V) option is specified, Radius (R) Corner Detail is **not** available
- Comes with two switches to control height-adjustable worksurface. Three styles are available:
 - Display with Up/Down Memory (D)
 - Toggle Up/Down (F, G, or H)
 - Display Toggle with Memory (M, N or O)


for more switch details, refer to page [472](#)

- Only one shape is available:



Support

- Are available with Standard Range – 28" to 43" (S) from floor to top of finished worksurface
- Include levelers with a 1" adjustment range



Height-Adjustable
Panel Base

Power Modules Cut-Outs


Worksurfaces are available with or without cut outs for Power Modules illustrated below:



Quad (PQ)



Standard 18" (LS)




Extended 28" (LX)

Power Pill
(BLEPP)


Linear Power Module
(BLELP)

height-adjustable conference table basics (continued)

Standard Range Application (S)



anatomy



- 1 Worksurface
- 2 Reinforcing Bar
- 3 **Height-Adjustable Panel Base** is composed of two solid panels with metal end supports. A metal skin covers mechanism for a cleaner aesthetic
- 4 **Height-Adjustable Mechanism** is included with Height-Adjustable Worksurfaces
- 5 **Power Tray and Switch Wire Clamps**
Manage wires below the worksurface
- 6 **Electric Control Box**
 - One Electric Control Box when a table comes with two bases or two Electric Control Box when a table comes with three bases
 - Is concealed in the center Power Tray
 - Plugs directly on the building wall outlet
- 7 **Two Switches** can be placed on-site left or right
- 8 **Levelers** are included with bases and height-adjustable mechanism and have an adjustment range of 1"

Weight Capacity

Solid Top with Mechanisms: 200 lbs *

* **Note:** Load must **not** exceed 100 lbs on a single motor. All additions on Height-Adjustable Worksurfaces must be considered (ie: Computer, Keyboard Support, Display, Monitor Arm, Privacy Screen, Modesty Panel, Casual Drawer and other accessories...)

Energy Consumption

- Maximum Power draw is 450 Watts (2-Bases Tables)
- Maximum Power draw is 900 Watts (3-Bases Tables)
- 0.1 Watt resting Power draw

height-adjustable meeting table basics

Height-Adjustable Meeting Tables outfit meeting spaces. They are available in a range of sizes to accommodate diverse numbers of participants.


- ❗ For the number power module cut-outs included for table, refer to Meeting Table Configurations & Supports Chart in this section
- Power Modules are **not included** and must be specified separately

Height-Adjustable Meeting Tables



- Two thicknesses available:
 - M: high pressure laminate (HPL) with a 1 1/8" thick baseboard for a total surface thickness of 1 3/16"
 - V: high pressure laminate (HPL) with a 1 1/8" thick baseboard for a total surface thickness of 1 3/16" with Knife Edge Trim
 - X: high pressure laminate (HPL) with a 1 1/2" thick baseboard for a total surface thickness of 1 9/16"
- Come in a one-piece worksurface
- Two Corner Details can be specified
 - Straight (S)
 - Radius (R)*
- * When Worksurface Thickness (V) option is specified, Radius (R) Corner Detail is **not** available
- Comes with a switch to control height-adjustable worksurface. Three styles are available:
 - Display with Up/Down Memory (D)
 - Toggle Up/Down (F, G, or H)
 - Display Toggle with Memory (M, N or O)

for more switch details, refer to page [472](#)

- Only one shape is available:




Rectangular
Worksurfaces



Support

Are available with Standard Range – 28" to 43" (S) from floor to top of finished worksurface



Height-Adjustable
Bevel Base

Power Modules Cut-Outs

Worksurfaces are available with or without cut outs for Power Modules illustrated below:



Quad (PQ)



Compact 8" (LC)




Standard 18" (LS)

Power Pill
(BLEPP)


Linear Power Module
(BLELP)

height-adjustable meeting table basics (continued)

Standard Range Application (S)



anatomy



- 1 Worksurface
- 2 Reinforcing Bar
- 3 **Height-Adjustable Bevel Base** are included with Height-Adjustable Meeting Table. The leg is composed of two metal skins that hide Height-Adjustable Mechanism
- 4 **Height-Adjustable Mechanism** is included with Height-Adjustable Worksurfaces
- 5 **Power Tray and Wire Management Kit**
Manage wires below the worksurface
- 6 **Electric Control Box**
 - Is concealed in the center Power Tray
 - Plugs directly on the building wall outlet
- 7 **Two Switches** can be placed on-site left or right
- 8 **Levelers** are included with bases and height-adjustable mechanism and have an adjustment range of 3"

Weight Capacity

Solid Top with Mechanisms: 200 lbs *

* **Note:** Load must **not** exceed 100 lbs on a single motor. All additions on Height-Adjustable Worksurfaces must be considered (ie: Computer, Keyboard Support, Display, Monitor Arm, Privacy Screen, Modesty Panel, Casual Drawer and other accessories...)

Energy Consumption

- Maximum Power draw is 300 Watts
- 0.1 Watt resting Power draw

conference table basics


Conference Tables outfit meeting spaces. They are available in a range of sizes to accommodate diverse numbers of participants.

- For the number of pieces, power module cut-outs and supports included for each table, refer to Meeting Table Configurations & Supports Chart in this section
- Power Modules are **not included** must be specified separately


Conference Tables

- Two thicknesses available:
 - M: high pressure laminate (HPL) with a 1 1/8" thick baseboard for a total surface thickness of 1 3/16"
 - V: high pressure laminate (HPL) with a 1 1/8" thick baseboard for a total surface thickness of 1 3/16" with Knife Edge Trim (Rectangular Shape only)
 - X: high pressure laminate (HPL) with a 1 1/2" thick baseboard for a total surface thickness of 1 9/16"
 - Two Corner Details can be specified with rectangular worksurfaces:
 - Straight (S)
 - Radius (R)*
- * When Worksurface Thickness (V) option is specified, Radius (R) Corner Detail is **not** available


- Three shapes are available:




Rectangular Worksurface



Boat Worksurface




Video Conference Worksurface




Supports


- Include levelers with a 1" adjustment range
- 29" from floor to top of finished worksurface
- Five support styles are available:



Panel Base



Cubic Base



Workshop Legs



Blade Leg



Blade T-Leg

Power Modules Cut-Outs


Worksurfaces are available with or without cut outs for Power Modules illustrated below:



Quad (PQ)



Standard 18" (LS)



Extended 28" (LX)

Power Pill (BLEPP)

Linear Power Module (BLELP)

solid meeting table basics

Meeting Tables outfit meeting spaces. They are available in a range of sizes to accommodate diverse numbers of participants.

- ❗ For number of power module cut-outs and supports included for each table, refer to Meeting Table Configurations & Supports Chart in this section
- Power Modules on solid worksurfaces are **not included** and can be specified separately

Solid Meeting Tables

- Four thicknesses available:

- D: 1" thick low pressure laminate (LPL). Can only be specified with following meeting tables: BC_MRLB, BC_MRTB, BC_TRTB, BC_MWA, BC_MBTB, BC_MOK, BC_MOLB, BC_MOSB, BC_ROF, BC_MSK, BC_MSLB, BC_MSSB or BC_MSF)
- M: high pressure laminate (HPL) with a 1 1/8" thick baseboard for a total surface thickness of 1 3/16"
- V: high pressure laminate (HPL) with a 1 1/8" thick baseboard for a total surface thickness of 1 3/16" with Knife Edge Trim (Rectangular and Square Worksurfaces only)
- X: high pressure laminate (HPL) with a 1 1/2" thick baseboard for a total surface thickness of 1 9/16"


- Come in a one-piece worksurface
- Two Corner Details can be specified with rectangular or square solid worksurfaces:

- Straight (S)
- Radius (R)*

* When Worksurface Thickness (V) option is specified, Radius (R) Corner Detail is **not** available


- The Diamond Meeting Table shape is optimized for small to medium size video conference room (3 or 5 people). Refer to page 497 for more details

- Five solid shapes are available:




Supports

- Include levelers with a 1" adjustment range
- 29" from floor to top of finished worksurface
- Eight support styles are available:




Power Modules Cut-Outs

Worksurfaces are available with or without cut outs for Power Modules illustrated below:



Blade Star Base

- Two base styles are available:
 - With Wire Management (P)
 - No Wire Management (N)
- When a Power Module Cut-Out (PD, PQ or LC) is specified, the Blade Star Base comes With Wire Management (P). When No Power Module Cut-Out (NN), the base comes with No Wire Management (N)



writable glass meeting table basics

Writable Glass Meeting Tables outfit meeting spaces. They are available in a range of sizes to accommodate diverse numbers of participants.

- For number of power module cut-outs and supports included for each table, refer to Meeting Table Configurations & Supports Chart in this section
- Power Modules are **not included** and can be specified separately. Worksurface cut-out must be specified and **cannot** be drilled on-site
- Writable Glass Worksurface **do not** accept product with clamp-on fixation

Writable Glass Meeting Tables


- Consist a back-painted writable glass mounted on a 1" thick low pressure laminate (LPL) and finished with Metal Tapered Edge shape
- Available with a 5/32" (4 mm) thick tempered glass
- Come in a one-piece worksurface
- The Metal Tapered Edge shape give a unic look to the writable glass worksurface and invite to the collaboration
- Only available with Radius Corner Details



Radius

- A Table Companion Marker Kit is included with writable glass worksurfaces. For details on this accessory, refer to the following page
- **Not** all optical computer mouse are compatible on glass worksurface, Desk Pad (YPDP) is recommended (see Complements products)


- Two shapes are available:



Rectangular Worksurface



Square Worksurface



Supports

- Include levelers with a 1" adjustment range
- 29" from floor to top of finished worksurface
- Two support styles are available for rectangular shape:



Blade Leg



Blade T-Leg
With Wire Management (P)

Blade Star Base

- Two base styles are available with Square shape:
 - With Wire Management (P)
 - No Wire Management (N)
- When a Power Module Cut-Out (PD, PQ or LC) is specified, the Blade Star Base comes With Wire Management (P). When No Power Module Cut-Out (NN), the base comes with No Wire Management (N)



No Wire Management (N)



With Wire Management (P)

Power Modules Cut-Outs

Worksurfaces are available with or without cut outs for Power Modules illustrated below:



Dual (PD)



Quad (PQ)



Compact 8" (LC)



Standard 18" (LS)

Power Pill (BLEPP)

Linear Power Module (BLELP)

table companion marker kit basics

writable glass worksurface profile





table companion marker kit



coffee table basics

❗ Power Modules **cannot** be specified on these products

Coffee Tables




- Four thicknesses available:
 - D: 1" thick low pressure laminate (LPL)
 - M: high pressure laminate (HPL) with a 1 1/8" thick baseboard for a total surface thickness of 1 3/16"
 - X: high pressure laminate (HPL) with a 1 1/2" thick baseboard for a total surface thickness of 1 9/16"
- Come in a one-piece worksurface
- Two solid shapes are available:



Rectangular
Worksurface



Square
Worksurface



Supports

- Include levelers with a 1" adjustment range
- 15" or 18" height options from floor to top of finished worksurface
- Only Angular Leg is available












Angular
Leg

edge trim style overview – meeting tables

The chart below indicates which edge trim styles can be specified with all meeting surface finishes.











❗ The Flintwood Flat Trim (9) always match surface color finish

conference tables edge trim chart (for tables with non-user edge)

| edge on product | description | foundation laminate worksurface finish | flintwood worksurface finish | Applicable with Meeting Tables... |
|---|--|---|---------------------------------|--|
|  Straight Trim (6) (Only available with 1" (D) or 1 3/16" (M) Thickness) | Non-User Edge Straight Corner Style  3 mm thick on all edges and 1.5 mm thick non-user edges | Yes | n/a | BC_CHP BC_CRP BC_CRK BC_CRLB BC_CRTB BC_CWA |
| | Radius Corner Style  2.5 mm thick on depth radius edges, 3 mm thick on width straight edges and 1.5 mm thick non-user edges 3 mm thick Straight Trim (Only available with 1 9/16" (X) Thickness) | Yes | n/a | BC_CHP BC_CRP BC_CRK BC_CRLB BC_CRTB BC_CWA |
| | Curved Worksurface with Straight Corners  2.5 mm thick on width curved edges, 3 mm on depth straight edges and 1.5 mm thick non-user edges 3 mm thick Straight Trim (Only available with 1 9/16" (X) Thickness) | Yes | n/a | BC_CBP BC_CBK BC_CVP |
|  Flintwood Flat Trim (9) | Straight Corner Style  1.4 mm thick on width and depth edges, and 0.5 mm non- user edges | n/a | Yes | All Conference Tables |
| | Radius Corner Style  1.5 mm thick on all edges | n/a | Yes | BC_CHP BC_CRP BC_CRK BC_CRLB BC_CRTB BC_CWA |
|  Full Knife Trim (F) (Only available with 1 3/16" Knife Edge (V) Thickness only) | Straight Corner Style only  1.5 mm thick on all edges | Yes (foundation laminate only) | n/a | BC_CHP BC_CRP BC_CRK BC_CRLB BC_CRTB BC_CWA |

edge trim style overview – meeting tables (continued)

meeting tables edge trim chart (for tables without non-user edge)

| edge on product | description | foundation laminate worksurface finish | flintwood worksurface finish | writable glass worksurface finish | Applicable with Meeting Tables... |
|--|--|---|------------------------------------|---|---|
|  <p>Straight Trim (6) (Only available with 1" (D) or 1 3/16" (M) Thickness)</p> |  <p>Straight Corner Style</p> <p>3 mm thick on all edges</p> | Yes | n/a | n/a | BC_MHRB BC_MSSB BC_MRP BC_MSF BC_MRLB BC_CT BC_MWA BC_MRTB BC_TRTB BC_MSK BC_MSLB |
| |  <p>Radius Corner Style</p> <p>2,5 mm thick on all edges</p> <p>3 mm thick Straight Trim (Only available with 1 9/16" (X) Thickness)</p> | Yes | n/a | n/a | BC_MHRB BC_MSK BC_MRP BC_MSLB BC_MRLB BC_MSSB BC_MWA BC_MSF BC_MRTB BC_TRTB BC_MPLB BC_MOK BC_MOLB BC_MOSB BC_ROF |
| |  <p>Curved Worksurface with Straight Corners</p> <p>2.5 mm thick on width curved edges and 3 mm depth straight edges</p> <p>3 mm thick Straight Trim (Only available with 1 9/16" (X) Thickness)</p> | Yes | n/a | n/a | BC_MBP BC_MBTB |
|  <p>Flintwood Flat Trim (9)</p> |  <p>Straight Corner Style</p> <p>1.4 mm thick on all edges</p> | n/a | Yes | n/a | All Meeting Tables |
| |  <p>Radius Corner Style</p> <p>1.5 mm thick on all edges</p> | n/a | Yes | n/a | BC_MHRB BC_MOLB BC_MRP BC_MOSB BC_MRLB BC_ROF BC_MRTB BC_MSK BC_TRTB BC_MSLB BC_MWA BC_MSSB BC_MOK BC_MSF |
| <p>Metal Tapered Edge</p> |  <p>Radius Corner Style only</p> <p>37.5° 52.5°</p> | n/a | n/a | Yes | BCGRLB BCGRTB BCGSSB |
|  <p>Full Knife Trim (F) (Only available with 1 3/16" Knife Edge (V) Thickness only)</p> |  <p>Straight Corner Style only</p> <p>1 3/16" 3/8"</p> <p>1,5 mm thick on all edges</p> | Yes (foundation laminate only) | n/a | n/a | BC_MHRB BC_MWA BC_MRP BC_MSK BC_MRLB BC_MSLB BC_MRTB BC_MSSB BC_TRTB BC_MSF |

user edges – meeting tables


Illustrations below show user edge for Solid Meeting Tables.

❗ For grain direction details, refer to Meeting Table Configurations & Supports Chart in this section


straight trim (6) or flintwood (9) applications

Shading indicates all Straight Trim (6) or Flintwood Flat Trim (9)

conference tables



meeting tables



———— = Straight Trim or Flintwood Flat Trim


———— = Straight Trim or Flintwood Flat Trim

user edges – meeting tables (continued)


full knife trim (V) application

Shading indicates Full Knife Edge (F) and Flat Trim (8) is use on other edges

conference tables



meeting tables




application guide


power & data basics

The illustration below shows how Power/Data is incorporated into Expansion Casegoods Meeting Tables.


horizontal and vertical wire management




panel or square base



height-adjustable panel base




height-adjustable bevel base




power & data basics (continued)


workshop legs



blade leg



blade t-leg



blade star base

Blade Star Base with Wire Management (P) option only





















table base dimensions

- Refer to the following pages to find the cross-referenced dimensions
- All dimensions are actual

| base | dimensions | | | | | |
|--|------------|----------|---------|---------|---------|---------|
| Panel Base  | 'X' | 24" | 30" | 36" | | |
| | 'Y' | 21 3/4" | 27 3/4" | 33 3/4" | | |
| | 'Z' | 2 1/2" | 2 1/2" | 2 1/2" | | |
| Cubic Base  | 'X' | 20" | 21 1/2" | 23" | 24" | 26" |
| | 'Y' | 18 1/2" | 20" | 21 1/2" | 22 1/2" | 24 1/2" |
| Bevel Base  | 'X' | 26" | | | | |
| | 'Y' | 2 13/16" | | | | |
| | 'Z' | 1 9/16" | | | | |
| Height-Adjustable Panel Base  | 'X' | 24" | 30" | | | |
| | 'Y' | 22 1/4" | 28 1/4" | | | |
| | 'Z' | 3" | 3" | | | |
| Workshop Leg  | 'X' | 26" | 30" | | | |
| | 'Z' | 1 3/4" | 1 3/4" | | | |
| Blade T-Leg  | 'X' | 29 3/4" | | | | |
| | 'Y' | 3" | | | | |
| | 'Z' | 1 1/4" | | | | |

configurations & supports – meeting tables





- Drawings on the left show the number of pieces and the grain direction for each table
- The Power Modules are **not** included with tables and must be specified separately

| | | Height-Adjustable Bevel Base | | | | Height-Adjustable Panel Base | | | Panel Base | | | Square Base | | | | Cut-Out for Power Pill | Cut-Out for Linear Power Module | | | | | |
|---|----------------|---|-------|-----|-----|---|-----|-----|---|-------|---|--|---|-----------|------------------------|---|---------------------------------|---|----|---|----|---|
| | |  | | | |  | | |  | | |  | | | |  | OR |  | OR |  | OR |  |
| | | Base Depth | | | | | | | | | | | | 4 Outlets | 3 Outlets (Compact 8") | 6 Outlets (Standard 18") | 12 Outlets (Extended 28") | | | | | |
| 26" | 24" | 30" | Total | 24" | 30" | Total | 20" | 22" | 23" | Total | | | | | | | | | | | | |
| Rectangular Meeting Worksurfaces (BC_MHRB or BC_MRP) | | | | | | | | | | | | | | | | | | Number of Cut-Out | | | | |
|  | 72" W | 2 | – | – | – | 2 | – | 2 | – | – | – | – | 1 | 1 | 1 | – | | | | | | |
| | 78" W | 2 | – | – | – | 2 | – | 2 | – | – | – | – | 1 | 1 | 1 | – | | | | | | |
| | 84" W | 2 | – | – | – | 2 | – | 2 | – | – | – | – | 1 | 1 | 1 | – | | | | | | |
| | 90" W | 2 | – | – | – | 2 | – | 2 | – | – | – | – | 1 | 1 | 1 | – | | | | | | |
| | 96" W | 2 | – | – | – | 2 | – | 2 | – | – | – | – | 1 | 1 | 1 | – | | | | | | |
| Rectangular Conference Worksurfaces (BC_CHP, BC_CRP or BC_CRK) | | | | | | | | | | | | | | | | | | | | | | |
|  | 108" W x 42" D | – | 2 | – | 2 | 2 | – | 2 | – | – | – | – | 2 | – | 2 | 1 | | | | | | |
| | 120" W x 42" D | – | 2 | – | 2 | 2 | – | 2 | – | – | – | – | 2 | – | 2 | 1 | | | | | | |
| | 120" W x 48" D | – | 2 | – | 2 | 2 | – | 2 | 2 | – | – | 2 | 2 | – | 2 | 1 | | | | | | |
| | 120" W x 54" D | – | – | 2 | 2 | – | 2 | 2 | – | 2 | – | 2 | 2 | – | 2 | 1 | | | | | | |
| | 120" W x 60" D | – | – | 2 | 2 | – | – | – | – | – | – | – | 2 | – | 2 | 1 | | | | | | |
| | 132" W x 42" D | – | 2 | – | 2 | 2 | – | 2 | – | – | – | – | 2 | – | 2 | 1 | | | | | | |
| | 132" W x 48" D | – | 2 | – | 2 | 2 | – | 2 | 2 | – | – | 2 | 2 | – | 2 | 1 | | | | | | |
| | 132" W x 54" D | – | – | 2 | 2 | – | 2 | 2 | – | 2 | – | 2 | 2 | – | 2 | 1 | | | | | | |
| | 132" W x 60" D | – | – | 2 | 2 | – | – | – | – | – | – | – | 2 | – | 2 | 1 | | | | | | |
| | 144" W x 42" D | – | 2 | – | 2 | 2 | – | 2 | – | – | – | – | 2 | – | 2 | 1 | | | | | | |
| | 144" W x 48" D | – | 2 | – | 2 | 2 | – | 2 | 2 | – | – | 2 | 2 | – | 2 | 1 | | | | | | |
| | 144" W x 54" D | – | – | 2 | 2 | – | 2 | 2 | – | 2 | – | 2 | 2 | – | 2 | 1 | | | | | | |
| | 144" W x 60" D | – | – | 2 | 2 | – | 2 | 2 | – | – | 2 | 2 | 2 | – | 2 | 1 | | | | | | |
| | 156" W x 42" D | – | 3 | – | 3 | 3 | – | 3 | – | – | – | – | 2 | – | 2 | 1** | | | | | | |
| | 156" W x 48" D | – | 3 | – | 3 | 3 | – | 3 | 2 | – | – | 2 | 2 | – | 2 | 1** | | | | | | |
| 156" W x 54" D* | – | – | 3 | 3 | – | 3 | 3 | – | 2 | – | 2 | 2 | – | 2 | 1** | | | | | | | |
| 156" W x 60" D* | – | – | 3 | 3 | – | 3 | 3 | – | – | 2 | 2 | 2 | – | 2 | 1** | | | | | | | |
| 168" W x 42" D | – | 3 | – | 3 | 3 | – | 3 | – | – | – | – | 2 | – | 2 | 1** | | | | | | | |
| 168" W x 48" D | – | 3 | – | 3 | 3 | – | 3 | 2 | – | – | 2 | 2 | – | 2 | 1** | | | | | | | |
| 168" W x 54" D* | – | – | 3 | 3 | – | 3 | 3 | – | 2 | – | 2 | 2 | – | 2 | 1** | | | | | | | |
| 168" W x 60" D* | – | – | 3 | 3 | – | 3 | 3 | – | – | 2 | 2 | 2 | – | 2 | 1** | | | | | | | |
|  | 180" W x 54" D | – | – | – | – | – | 3 | 3 | – | 3 | – | 3 | 3 | – | 3 | 1 | | | | | | |
| | 180" W x 60" D | – | – | – | – | – | 3 | 3 | – | – | 3 | 3 | 3 | – | 3 | 1 | | | | | | |
| | 192" W x 54" D | – | – | – | – | – | 3 | 3 | – | 3 | – | 3 | 3 | – | 3 | 1 | | | | | | |
| | 192" W x 60" D | – | – | – | – | – | 3 | 3 | – | – | 3 | 3 | 3 | – | 3 | 1 | | | | | | |
| | 204" W x 60" D | – | – | – | – | – | 3 | 3 | – | – | 3 | 3 | 3 | – | 3 | 1 | | | | | | |
| | 216" W x 60" D | – | – | – | – | – | 3 | 3 | – | – | 3 | 3 | 3 | – | 3 | 1 | | | | | | |


* These configurations come with 3 pieces on Height-Adjustable Conference Table (BC_CHP) thickness 1 9/16" (X) only

** The Linear Power Module – Extended 28" (LX) is **not** available with this configuration (BC_CHP)


configurations & supports – meeting tables (continued)

| Blade T-Leg | Workshop Legs | | | Blade Leg | Cut-Out for Power Pill | Cut-Out for Linear Power Module | | |
|---|---|-----|-------|---|---|---------------------------------|--------------------------|---------------------------|
|  |  | | |  |  | OR | OR | OR |
| One size only | Base Depth | | | One size only | 4 Outlets | | | |
| | 26" | 30" | Total | | | | | |
| | | | | | | 3 Outlets (Compact 8") | 6 Outlets (Standard 18") | 12 Outlets (Extended 28") |




Rectangular Meeting Worksurfaces
(BC_MWA, BC_MRLB, BC_MRTB or BC_TRTB)

| | | | | | | Number of Cut-Out | | | |
|---|-------|---|-------|---|-------|-------------------|----|----|---|
|  | 60" W | 2 | – | – | – | 1 | 1* | 1* | – |
| | 66" W | 2 | – | – | – | 1 | 1* | 1* | – |
| | 72" W | 2 | 2 pr. | – | 2 pr. | 1 | 1* | 1* | – |
| | 78" W | 2 | 2 pr. | – | 2 pr. | 1 | 1* | 1* | – |
| | 84" W | 2 | 2 pr. | – | 2 pr. | 1 | 1* | 1* | – |
| | 90" W | 2 | 2 pr. | – | 2 pr. | 1 | 1* | 1* | – |
| | 96" W | 2 | 2 pr. | – | 2 pr. | 1 | 1* | 1* | – |

Writable Glass Rectangular Meeting Worksurfaces
(BCGRLB or BCGRTB)

| | | | | | | | | | | |
|--|-------|---|---|---|---|---|---|---|---|---|
|  | 72" W | 2 | – | – | – | 4 | 1 | 1 | 1 | – |
| | 78" W | 2 | – | – | – | 4 | 1 | 1 | 1 | – |
| | 84" W | 2 | – | – | – | 4 | 1 | 1 | 1 | – |
| | 90" W | 2 | – | – | – | 4 | 1 | 1 | 1 | – |
| | 96" W | 2 | – | – | – | 4 | 1 | 1 | 1 | – |

Rectangular Conference Worksurfaces
(BC_CRLB, BC_CRTB or BC_CWA)








| | | | | | | | | | | |
|---|----------------|---|-------|-------|-------|---|---|---|---|-----|
|  | 108" W | 3 | 2 pr. | – | 2 pr. | 6 | 2 | – | 2 | 1** |
| | 120" W x 42" D | 3 | 2 pr. | – | 2 pr. | 6 | 2 | – | 2 | 1** |
| | 120" W x 48" D | – | 2 pr. | – | 2 pr. | 6 | 2 | – | 2 | 1 |
| | 120" W x 54" D | – | – | 2 pr. | 2 pr. | 6 | 2 | – | 2 | 1 |
| | 132" W x 42" D | 3 | 2 pr. | – | 2 pr. | 6 | 2 | – | 2 | 1** |
| | 132" W x 48" D | – | 2 pr. | – | 2 pr. | 6 | 2 | – | 2 | 1 |
| | 132" W x 54" D | – | – | 2 pr. | 2 pr. | 6 | 2 | – | 2 | 1 |
| | 144" W x 42" D | 3 | 2 pr. | – | 2 pr. | 6 | 2 | – | 2 | 1** |
| | 144" W x 48" D | – | 2 pr. | – | 2 pr. | 6 | 2 | – | 2 | 1 |
| | 144" W x 54" D | – | – | 2 pr. | 2 pr. | 6 | 2 | – | 2 | 1 |
| | 144" W x 60" D | – | – | 2 pr. | 2 pr. | 6 | 2 | – | 2 | 1 |
| | 156" W x 42" D | 3 | 3 pr. | – | 2 pr. | 6 | 2 | – | 2 | 1** |
| | 156" W x 48" D | – | 3 pr. | – | 2 pr. | 6 | 2 | – | 2 | 1 |
| | 156" W x 54" D | – | – | 3 pr. | 3 pr. | 6 | 2 | – | 2 | 1 |
| | 156" W x 60" D | – | – | 3 pr. | 3 pr. | 6 | 2 | – | 2 | 1 |
|  | 168" W x 42" D | 3 | 3 pr. | – | 3 pr. | 6 | 2 | – | 2 | 1** |
| | 168" W x 48" D | – | 3 pr. | – | 3 pr. | 6 | 2 | – | 2 | 1 |
| | 168" W x 54" D | – | – | 3 pr. | 3 pr. | 6 | 2 | – | 2 | 1 |
| | 168" W x 60" D | – | – | 3 pr. | 3 pr. | 6 | 2 | – | 2 | 1 |
| | 180" W x 54" D | – | – | 3 pr. | 3 pr. | – | 3 | – | 3 | 1 |
| | 180" W x 60" D | – | – | 3 pr. | 3 pr. | – | 3 | – | 3 | 1 |
| | 192" W x 54" D | – | – | 3 pr. | 3 pr. | – | 3 | – | 3 | 1 |
|  | 192" W x 60" D | – | – | 3 pr. | 3 pr. | – | 3 | – | 3 | 1 |
| | 204" W x 60" D | – | – | 3 pr. | 3 pr. | – | 3 | – | 3 | 1 |
| | 216" W x 60" D | – | – | 3 pr. | 3 pr. | – | 3 | – | 3 | 1 |

* The Linear Power Modules – Compact 8" (LC) and – Standard 18" (LS) are not available with this configuration (BC_TRTB)





** These products are not available with this configuration (BC_CRTB)

configurations & supports – meeting tables (continued)

- Drawings on the left show the number of pieces and the grain direction for each table
- The Power Modules are **not** included and with tables and must be specified separately, except for Meeting Tables with Glass Top the Recessed Power/Data Module is included






| Panel Base | | | | Square Base | | | | Blade T-Leg | Cut-Out for Power Pill | Cut-Out for Linear Power Module | | |
|---|-----|-------|-----|---|-----|-------|--|--|---|---|---|---|
|  | | | |  | | | |  |  |  |  |  |
| Base Depth | | | | | | | | One size only | 4 Outlets | 3 Outlets (Compact 8") | 6 Outlets (Standard 18") | 12 Outlets (Extended 28") |
| 24" | 30" | Total | 20" | 22" | 23" | Total | | | | | | |

configurations & supports – meeting tables (continued)



| Blade Leg | Cut-Out for Power Pill | Cut-Out for Linear Power Module | |
|---|---|---|--------------------------|
|  |  | OR   | |
| One size only | 4 Outlets | 3 Outlets (Compact 8") | 6 Outlets (Standard 18") |

Diamond Meeting Worksurface
(BC_MPLB)

| | | Number of Cut-Out | | | |
|---|-------|-------------------|---|---|---|
|  | 60" W | 4 | 1 | 1 | – |
| | 66" W | 4 | 1 | 1 | – |
| | 72" W | 4 | 1 | 1 | 1 |
| | 78" W | 4 | 1 | 1 | 1 |
| | 84" W | 4 | 1 | 1 | 1 |
| | 90" W | 4 | 1 | 1 | 1 |


| Panel Base | | | Cut-Out for Power Pill | Cut-Out for Linear Power Module | | |
|---|-----|-------|---|---|---|---|
|  | | | OR | OR | OR | |
| | | |  |  |  |  |
| Base Depth | | | 4 Outlets | 3 Outlets (Compact 8") | 6 Outlets (Standard 18") | 12 Outlets (Extended 28") |
| 24" | 36" | Total | | | | |


Video Conference Worksurface
(BC_CVP)


| | | | | Number of Cut-Outs | | | |
|---|----------------|---|---|--------------------|---|---|---|
|  | 96" W x 60" D | 1 | 1 | 2 | 2 | – | 1 |
| | 120" W x 60" D | 1 | 1 | 2 | 2 | – | 1 |
| | 144" W x 60" D | 2 | 1 | 3 | 2 | – | 1 |
|  | 168" W x 60" D | 2 | 1 | 3 | 3 | – | 1 |
| | 192" W x 60" D | 2 | 1 | 3 | 3 | – | 1 |
| | 216" W x 60" D | 2 | 1 | 3 | 3 | – | 1 |

❗ Grain/patterns are **not** "centered" on worksurface

Grain/Patterns


















Laminate = 

= Grain Direction = 



configurations & supports – meeting tables (continued)

- ❗ • Drawings on the left show the number of pieces and the grain direction for each table
 • The Power Modules are **not** included and with tables and must be specified separately

| | | Square Base | | | | | Blade Leg | Blade Star Base | Four-Point Base | Cut-out for Power Pill | | Cut-Out for Linear Power Module | | |
|---|-------|---|-----|-----|-----|-------|---|--|---|------------------------|-----------|---|---|---|
| | |  | | | | |  |  |  | OR | OR |  |  |  |
| | | Base Depth | | | | | One size only | One size only | One size only | 2 Outlets | 4 Outlets | 3 Outlets (Compact 8") | | |
| | | 20" | 21" | 22" | 23" | Total | | | | | | | | |
| Round Meeting Worksurface (BC_MOK) | | | | | | | | | | | | | | |
|  | 48" W | – | 1 | – | – | 1 | – | – | – | 1 | 1 | 1 | | |
| | 54" W | – | – | 1 | – | 1 | – | – | – | 1 | 1 | 1 | | |
| | 60" W | – | – | – | 1 | 1 | – | – | – | 1 | 1 | 1 | | |
| | | | | | | | | | | | | | | |
| Round Meeting Worksurface (BC_MOLB) | | | | | | | | | | | | | | |
|  | 42" W | – | – | – | – | – | 4 | – | – | 1 | 1 | 1 | | |
| | 48" W | – | – | – | – | – | 4 | – | – | 1 | 1 | 1 | | |
| | 54" W | – | – | – | – | – | 4 | – | – | 1 | 1 | 1 | | |
| | 60" W | – | – | – | – | – | 4 | – | – | 1 | 1 | 1 | | |
| Round Meeting Worksurface (BC_MOSB*) | | | | | | | | | | | | | | |
|  | 36" W | – | – | – | – | – | – | 1 | – | 1 | 1 | 1 | | |
| | 42" W | – | – | – | – | – | – | 1 | – | 1 | 1 | 1 | | |
| | 48" W | – | – | – | – | – | – | 1 | – | 1 | 1 | 1 | | |
| Round or Square Meeting Worksurface (BC_ROF or BC_MSF) | | | | | | | | | | | | | | |
|  | 36" W | – | – | – | – | – | – | – | 1 | – | – | – | | |
| | 42" W | – | – | – | – | – | – | – | 1 | – | – | – | | |
| | 48" W | – | – | – | – | – | – | – | 1 | – | – | – | | |
| Square Meeting Worksurface (BC_MSK) | | | | | | | | | | | | | | |
|  | 48" W | 1 | – | – | – | 1 | – | – | – | 1 | 1 | 1 | | |
| | 54" W | – | – | 1 | – | 1 | – | – | – | 1 | 1 | 1 | | |
| | 60" W | – | – | – | 1 | 1 | – | – | – | 1 | 1 | 1 | | |
| Square Meeting Worksurface (BC_MSLB) | | | | | | | | | | | | | | |
|  | 42" W | – | – | – | – | – | 4 | – | – | 1 | 1 | 1 | | |
| | 48" W | – | – | – | – | – | 4 | – | – | 1 | 1 | 1 | | |
| | 54" W | – | – | – | – | – | 4 | – | – | 1 | 1 | 1 | | |
| Square Meeting Worksurface (BC_MSSB*) | | | | | | | | | | | | | | |
|  | 36" W | – | – | – | – | – | – | 1 | – | 1 | 1 | 1 | | |
| | 42" W | – | – | – | – | – | – | 1 | – | 1 | 1 | 1 | | |
| | 48" W | – | – | – | – | – | – | 1 | – | 1 | 1 | 1 | | |
| Square Writable Glass Meeting Worksurface (BCGSSB) | | | | | | | | | | | | | | |
|  | 36" W | – | – | – | – | – | – | 1 | – | 1 | 1 | 1 | | |
| | 42" W | – | – | – | – | – | – | 1 | – | 1 | 1 | 1 | | |
| | 48" W | – | – | – | – | – | – | 1 | – | 1 | 1 | 1 | | |


* The Power Pill or Linear Power Module position is the same that the grain direction.

accessories – meeting tables



Wall-Mounted Whiteboard (BAWW)

- Provides a vertical writable surface for collaborative environments
- Whiteboard is a high quality Porcelain:
 - This product accepts magnets
 - Only dry erase markers can be used
- **Marker Tray** is available in Foundation or Mica colors



Non-Magnetic Glass (G)



Magnetic Glass (M)

Wall-Mounted Glass Markerboard (BAWMG)

- Are available in two glass markerboard styles:

Non-Magnetic Glass (G):

Provides erasable message board

Magnetic Glass (M):

Provides an horizontal erasable message board and accepts magnets

- When specified, comes with (Y) or without (N) Pencil Tray
- Only dry erase markers can be used
- Are available in 5/32" (4 mm) Back-Painted tempered glass
- **Pencil Tray and Top Trim** are available in Foundation or Mica colors, but textured finishes are **not** available

meeting table finishes

Tables and related parts are available in a variety of finish colors. Finish codes must be included in the order.

- ❗ All Laminate components are protected with a solid plastic edge
- For an overview of which products are offered in Flintwood finishes, refer to the Expansion Casegoods product map on Teknion's website

Worksurfaces


- 1" thickness (D) available in Source Laminate colors. Available with all Round, Square, Rectangular, Workshop Meeting Tables and Coffee Worksurfaces
- 1 3/16" thickness (M) available in Foundation Laminate or Flintwood (No Cathedral) colors on a limited selection of tables
- 1 3/16" thickness with Knife Edge (V) available in Foundation Laminate colors on a limited selection of tables. Available with Rectangular and Square worksurfaces only
- 1 9/16" thickness (X) available in Foundation Laminate colors (Storm White, Very White, Crisp Grey, Soft Gris or Wood Prints only) or Flintwood (No Cathedral) colors on a limited selection of tables

Edge Trims

- Available in Straight Trim (6), Flintwood Flat Trim (9) or Full Knife Trim (F)
- Available in Edge Trim colors (for trim style 6 or F only)
- D, M and X Thicknesses are available in Straight Trim (6) or Flintwood Flat Trim (9)
- V Thickness is available with Full Knife Trim (F) only

Power Modules

Are **not** included with tables and can be specified separately



Levelers

Finished in Black

Panel Supports for Cubic or Panel Bases and Hardware

Available in Foundation, Accent Mica or Clear Anodized (AC)

Panel Supports for Height-Adjustable Panel Bases


Available in Foundation, Accent or Mica

Base Infills for Cubic, Panel or Height-Adjustable Panel Bases

Available in Source Laminate or Flintwood (No Cathedral) colors on a limited selection of tables

Also available:

Supports and Hardware



Legs

Blade T-Leg

Blade Star Base


Four-Point Base

Available in Foundation, Accent or Mica colors




Blade Leg

Leg Back & Leg Front are available in Foundation, Accent or Mica colors



Workshop Legs

Available in Foundation, Accent or Mica colors




Height-Adjustable Bevel Base

Base is available in Foundation, Mica or Coordinate Colors

End Panel is available in Source Laminate or Flintwood (No Cathedral) colors

Writable Glass Worksurface

Available in 5/32" (4 mm) glass thickness Back-Painted tempered glass



Companion Marker Holder
Foundation, Accent or Mica

Metal Tapered Edge
Foundation, Accent or Mica


understanding fixed & height-adjustable meeting peninsulas

Expansion Casegoods offers a variety of fixed or height-adjustable meeting peninsulas that can be mounted on a Workwall Storage, Media Wall or Gable for Fixed Meeting Peninsula.

⚠ All dimensions in this section are nominal

fixed meeting peninsulas


Workwall Bookcase combine Fixed D-Shape Meeting Peninsula



This configuration can be created with a combination of:

- Workwall Bookcase – Fixed Worksurface
- Mid – 21" h (BSMOBW)
- Fixed D-Shape Meeting Peninsula (BC_FDK)
- Wall Panel for Media (B_WMD)

Gable for Fixed Meeting Peninsula combine Fixed D-Shape Meeting Peninsula




This configuration can be created with a combination of:

- Gable for Fixed Meeting Peninsula (BC_G)
- Fixed D-Shape Meeting Peninsula (BC_FDG)

understanding fixed & height-adjustable meeting peninsulas (continued)

fixed meeting peninsulas (continued)

Media Wall combine Fixed D-Shape Meeting Peninsula




This configuration can be created with a combination of:

- Media Wall for Peninsula (BCMWP)
- Fixed D-Shape Meeting Peninsula (BC_FDM)

height-adjustable meeting peninsulas

Workwall Bookcase combine Height-Adjustable Rectangular Meeting Peninsula



This configuration can be created with a combination of:


- Workwall Bookcase – Height-Adjustable Worksurface – Mid – 21" h (BSMOBH)
- Height-Adjustable Rectangular Meeting Peninsula (B_HRW)

understanding height-adjustable meeting peninsulas with workwall storage

workwall storage for height-adjustability


- Workwall Kneespace Module must always be anchored to a building wall
- When planning with Workwall Bookcase for Fixed or Height-Adjustable Worksurface wall anchored is recommended for optimal stiffness but is **not** mandatory
- Can support Wall Panels (B_WCC*, B_WCO*, B_WAA, B_WOO, B_WMD, B_WMO or B_WMM). *NOTE: Overhead above the height-adjustable surface is **not** recommended.
- Workwall Storage for Height-Adjustability are **not** included with Height-Adjustable Meeting Peninsulas. For more details on these storage, refer to Workwall Storage section

Height-Adjustable Meeting Peninsulas illustrated below can only be installed on these Workwall Storage:



TV Stand Ready

- When TV Stand Ready (R) is specified, pre-drilled holes and a Square Grommet Ring are included with worksurface to allow installation of a TV Stand – Meeting Peninsula (BCTV)
- Two TV Stand configurations can be specified:




- These accessories can be specified separately

height-adjustable meeting peninsula components

- 1 Worksurface is available with or without cut-outs for Power Modules
- 2 **Height-Adjustable Bevel Post Leg** is included with all Height-Adjustable Meeting Peninsula styles. The leg is composed of two metal skins that hide Height-Adjustable Mechanism. Clear leg space and give access all around the worksurface for collaboration
- 3 **Levelers** are included with base and height-adjustable mechanism and have an adjustment range of 3"
- 4 **Switch** can be placed on-site left or right
- 5 **Electric Control Box**
 - Is concealed in the center Power Tray
 - 87" to 102" power cord length
 - Plugs directly on the building wall outlet
- 6 The **Height-Adjustable Mechanism** uses a Collision Detection feature. In spite of this feature being in place, there may still be a risk of pinching. Close supervision is necessary when this furniture is used by individual with limited physical, sensory or mental abilities, or with a lack of experience
- 7 **Reinforcing Bars** provide easy installation
- 8 **Cable Organizer** routes wires and organizes electronics below worksurface
 - Optional **Integrated Powerbar with or without IEC Outlet**
 - 180" power cord length
- 9 **Height-Adjustable Mechanism with Cover** is included and hide Cable Management with Height-Adjustable Meeting Peninsula.
- 10 **Vertical Wire Carrier**
 - Manages wires in side the Workwall Storage.
- 11 **TV Stand – Meeting Peninsula (optional)**
 - Can be specified and installed on worksurface
- 12 **Workwall Kneespace Module – Height-Adjustability**
 - Can be specified separately

height-adjustable meeting peninsula components



Weight Capacity

All Height-Adjustable Meeting Peninsulas: 300 lbs


Energy Consumption

- Maximum Power draw is 450 Watts
- 0.1 Watt resting Power draw

height-adjustable meeting peninsula components (continued)

switch for height-adjustable mechanism


- Supports sit-to-stand height-adjustment
- Can be placed on-site, left or right
- Three underworksurface switches can be specified:



Display with Up/Down Memory (D)

- Basic up/down function
- Display
- Three programmable memory settings
- Error code read-out


Finish:
Ebony Coordinate



Toggle Up/Down (F, G or H)

- Basic up/down function
- Soft touch material
- Contoured shape for ease of use

Finishes:
Platinum (F), Crisp Grey (G) or Anthracite (H)



Display Toggle with Memory (M, N or O)

- Large display
- Four programmable memory settings
- GPS: Teknion's Sit/Stand Guidens and Reminders Aid
- Soft touch material
- Can be reprogrammed using Teknion Switch Configuration software
- Error code read-out with QR code

Finishes:
Platinum (M), Crisp Grey (N) or Anthracite (O)

NOTE
Display switches include the ability to change units from metric/imperial and the display height to reflect the actual height once installed.

Switch Positions Underworksurface


| Switch Style | Laminate Edge |
|--|---------------|
| Display with Up/Down Memory (D) | |
| Toggle Up/Down (F, G or H) | |
| Display Toggle with Memory (M, N or O) | |

height-adjustment range – height-adjustable meeting peninsulas


The following should be considered when planning with all Height-Adjustable Meeting Peninsulas.

- Height-Adjustable Meeting Peninsula with Bevel Post Leg use Piezo collision detection technology, a hardware-based sensor that is integrated in the height-adjustable lifting column. Travel speed of 1 inch per second complies with safety standards. Refer to Complements Price and Product Guide for more details.
- Can be easily adjusted to fit the individual and support multiple work styles
- Enable working in both seated and standing postures, supporting neutral postures, movement and comfort preferences throughout the work day

Extended Range Application (E)



height-adjustable meeting peninsula example



The top of the Workwall Kneespace Module or Workwall Bookcase should remain free of any storage


Gap between Workwall Storage and Height-Adjustable Meeting Peninsula

| Surface at 26" (Min.) | Surface at 48" (Max.) |
|-----------------------|-----------------------|
| 3.81" | 25.81" |

power & data management – height-adjustable meeting peninsulas

meeting peninsula with workwall storage
cable routing

BACK VIEW





powerbar vs power module


- The following options are available for integrated power below the worksurface. Each can be specified as an option on all Height-Adjustable Meeting Peninsulas
- Powerbars **cannot** be daisy chained
- Above power solution can only be daisy chained with Integrated Powerbar with IEC Outlet
- Three powerbar styles are available:

Integrated Powerbar (I)

- Mounts inside the Power Tray
- Four outlets and one internal cord that continues power through to the Control Box
- Available in all worksurface widths
- Can be specified with Power Module Cut-Outs (NN, SE, LC, LS or PQ)



Three Power Module can be specified for this application:




Dual or Quad Power Qube (BEEPC)




Quad Power Pill (BLEPP)

With Plug-In option (A) only




Compact 8"



Standard 18"

Linear Power Module (BLELP)





power & data management – height-adjustable meeting peninsulas (continued)


powerbar vs power module (continued)

Integrated Powerbar with IEC Outlet (P)

- Mounts inside the Power Tray
- Three outlets, one IEC outlet and one internal cord that continues power through to the Control Box
- IEC Outlet allows installation of the Power Qube with IEC Connector option (C) that reduces the cable management underneath a worksurface and also removes the cable management outside the table
- Available in all worksurface widths
- Can be specified with Power Module Cut-Out (SE) only
- Power Module Cut-Out (SE) should be specified for the integration of the Power Qube




Only one Power Module can be specified for this application:



Dual or Quad Power Qube (BEEPC)

With IEC Connector option (C) only





power & data management – height-adjustable meeting peninsulas (continued)


powerbar vs power module (continued)

None (N)


- When None Powerbar (N) is specified, a cover will be in place
- Can be specified with Power Module Cut-Outs (NN, SE, LC, LS or PQ)



Three Power Module can be specified for this application:




With Plug-In option (A) only



height-adjustable meeting peninsula basics

Expansion Casegoods Height-Adjustable Meeting Peninsulas mounted on Workwall Storage for Adjustability allow to create diverse workstation configurations.

- ❗ A Height-Adjustable Meeting Peninsula comes with Height-Adjustable Bevel Post Leg and two Height-Adjustable Mechanisms
- All meeting peninsulas are available in a thickness 1 3/16" (M), with the exception of the Height-Adjustable Rectangular Meeting Peninsula (B_HRW), which is also available with a 1 3/16" Knife Edge (V)
- Can only be mount onto mid-height Workwall Storage
- Three Powerbar styles can be specified: Integrated Powerbar (I), Integrated Powerbar with IEC Outlet (P) or None (N)
- All Switch Styles (Display with Up/Down Memory (D), Toggle Up/Down (F, G, H) or Display Toggle with Memory (M, N, O) can be specified
- Cannot** support any storage and suspend any accessories or storage
- Suspended Modesty Panel **cannot** be specified with these products



Height-Adjustable Rectangular Meeting Peninsula (B_HRW)

- Available in depths of 34", 40" and 46"
- Available in widths of 57" to 87" (6" increments)
- Two Corner Detail Styles are available:



Radius (R)*




Straight (S)

* When Worksurface Thickness (V) option is specified, Radius (R) Corner Detail is **not** available


- Two TV Stand Configurations are available: TV Stand Ready (R) and No TV Stand (N)
- Five Power Module Cut-Out options are available: Linear Power Module – Compact 8" (LC) or – Standard 18" (LS), Power Pill – Quad (PQ), Square – End (SE) and No Cut-Out (NN)
- Ideal for 3 to 4 people (57" to 75" width) and 3 to 5 people (81" or 87" width)

height-adjustable meeting peninsula basics (continued)




Height-Adjustable D-Shape Meeting Peninsula (B_HDW) or Height-Adjustable Tapered Meeting Peninsula (B_HBW)

- D-Shape is available in depths of 34" to 58" (6" increments)
- Tapered shape is available in depths of 40" to 58" (6" increments)
- Available in widths of 57" to 87" (6" increments)
- Two TV Stand Configurations are available: TV Stand Ready (R) and No TV Stand (N)
- Five Power Module Cut-Out options are available: Linear Power Module – Compact 8" (LC) or – Standard 18" (LS), Power Pill – Quad (PQ), Square – End (SE) and No Cut-Out (NN)
- D-Shape is ideal for 3 to 4 people (57" to 75" width) and 3 to 6 people (81" or 87" width)
- Tapered shape is ideal for 3 people (57" to 75" width) and 3 to 5 people (81" or 87" width)




Height-Adjustable Diamond Meeting Peninsula (B_HPWW)

- Available in depths of 48" to 60" (6" increments)
- Available in widths of 57" to 87" (6" increments)
- Two TV Stand Configurations are available: TV Stand Ready (R) and No TV Stand (N)
- Five Power Module Cut-Out options are available: Linear Power Module – Compact 8" (LC) or – Standard 18" (LS), Power Pill – Quad (PQ), Square – End (SE) and No Cut-Out (NN)
- Ideal for 3 to 4 people (57" to 75" width) and 3 to 6 people (81" or 87" width)
- This shape is optimized to enhance the viewing angle while been seated in ergonomic position




TV Stand Configurations

- Two configurations are available:
 - No TV Stand (N)
 - TV Stand Ready (R)
- When TV Stand Ready (R) is specified, the worksurface comes with two mounting holes and square cut-out for installation of a TV Stand – Meeting Peninsula (BCTV)
- TV Stand – Meeting Peninsula (BCTV) is **not** included and can be specified separately. For more details on product and restrictions, refer to page 504



Power Modules Cut-Outs

- Worksurfaces are available with or without (NN) cut outs for Power Modules:



- Power Modules are **not** included and can be specified separately
- **Not** all Power Module Cut-Outs options are available according to the depth or width specified. For details, refer to page 491

planning with height-adjustable meeting peninsulas


Height-Adjustable Meeting Peninsulas required special considerations, the following outlines the planning recommendations and restrictions

- ❗ The mid-height Workwall Storage width (BHKHW or BSMOBH) should always match the dimensions of the worksurface, with the exception of the diamond-shaped peninsula, which necessitates a 12-inch shorter module

--- = Footprint


module flush with the worksurface

Applicable with Height-Adjustable Meeting Peninsulas (B_HRW, B_HDW and B_HBW)




module recessed from the worksurface

Only applicable with Height-Adjustable Diamond Meeting Peninsula (B_HPW)




clearance

The combination of these Meeting Peninsulas (B_HRW, B_HDW or B_HBW) and the Workwall Storage (BHKHW or BSMOBH) will automatically ensure the 1" minimum clearance required all around the Height-Adjustable Worksurface. Allowing up and down movement of the mechanism without damaging the adjacent products




Minimum clearance between Height-Adjustable Meeting Peninsula (B_HRW, B_HDW and B_HBW) and a storage

Special consideration must be taken when planning the diamond-shaped peninsula since the 1" minimum clearance required all around the Height-Adjustable Worksurface **will not** be automatically ensured with surrounding products



Minimum clearance between Height-Adjustable Diamond Meeting Peninsula (B_HPW) and a storage

If surrounding storage are mid-height, no gap is needed to avoid conflict with the worksurface





planning with height-adjustable meeting peninsulas (continued)


clearance (continued)

Recessed from Rear End of the Workwall Storage and the Height-Adjustable Meeting Peninsula

- Once installed, the Height-Adjustable Meeting Peninsula is 3" away from the building wall
- When used in combination with Wall Panel and mounted accessory board, a 1" minimum gap avoid damaging components during up/down movement



- A Power Bar and Cover included with Wall Panel **cannot** be aligned with the end of a Height-Adjustable Meeting Peninsula because the worksurface would interfere with electric plugs. Refer to page 260 for details



- Teknion does **not** recommend the use of any overhead cabinet or shelves above the Height-Adjustable Worksurfaces. Damages or personal injuries may occur if accessories are positioned beneath the cabinet. **The use of a TV Stand is impossible in this application.**



understanding fixed meeting peninsulas

support for fixed meeting peninsulas

- Three mounting styles available (**not** included):
 - Freestanding Gable (G)
 - Mid-Height Support (K)
 - Media Wall (M)
- Two Working Datum Heights are available:
 - 29" Standard Height
 - 42" High Height
- Media Wall must always be installed and anchored to a building wall
- When planning with Workwall Bookcase (BSMOBW) or Workwall Kneespace Module – Fixed Worksurface (BHKFW) wall anchored is recommended for optimal stiffness but is **not** mandatory
- When planning with Gable for Fixed Meeting Peninsula (BC_G) **no** wall anchor is needed
- For more details on Workwall Storage for Fixed Worksurface, refer to Workwall Storage section






freestanding gable (G)

- Other the 29" high Fixed D-Shape Meeting Peninsula (BC_FD) can be specified with the Freestanding Gable (G) mounting style
- A TV Stand Ready (R) can be specified



mi-height support (K)

- All 29" high Fixed Meeting Peninsulas illustrated below can be specified with Mid-Height Support (K) mounting style
- Depending on peninsula shape, it can be specified with different support: Blade Legs (K), Bevel Post Leg (L) or Monopod Base (M)
- A TV Stand Ready (R) can be specified
- Workwall Storage (BHKFW or BSMOBW) must be specified the same width as Meeting Peninsula, with the exception of the diamond-shaped peninsula, which necessitates a 12-inch shorter module
- For more details on all Workwall Storage applications, refer to Workwall Storage section




understanding fixed meeting peninsulas (continued)

support for fixed meeting peninsulas (continued)


29" high media wall (M)

- All 29" high Fixed Meeting Peninsulas illustrated below can be installed on a Media Wall
- 36" deep Fixed Meeting Peninsulas **cannot** be specified with Media Wall
- If applicable, Meeting Peninsulas can be specified with Blade Legs (K), Bevel Post Leg (L) or Monopod Base (M) only
- Only No TV Stand (N) option is available with peninsulas when Media Wall is specified, since the TV will be supported by the Media Wall




Fixed Rectangular Meeting Peninsula (BC_FR)

- Can be specified with Support Styles (K, L or M)




Fixed D-Shape Meeting Peninsula (BC_FD)

- Can be specified with Support Styles (L or M)



Fixed Tapered Meeting Peninsula (BC_FT)

- Can be specified with Support Styles (L or M)




Fixed Diamond Meeting Peninsula (BC_FP)

- Can be specified with Support Styles (L or M)


Media Wall for Peninsula – For Peninsula (BCMWF)

- 29" Working Datum Height only




42" high media wall (M)


- Only 42" high Fixed Meeting Peninsulas illustrated below must be installed on this 42" high Media Wall
- 36" deep Fixed Meeting Peninsulas **cannot** be specified with Media Wall
- Meeting Peninsulas can be specified with Bevel Post Leg (L) or Monopod Base (M) only
- Only No TV Stand (N) option is available with peninsulas when Media Wall is specified



Fixed D-Shape Meeting Peninsula (BC_FD)




Fixed Tapered Meeting Peninsula (BC_FT)



Fixed Diamond Meeting Peninsula (BC_FP)


Media Wall for Peninsula – For Peninsula (BCMWF)

- 42" Working Datum Height only



fixed meeting peninsula components


- 1 **Worksurface** is available with or without cut-outs for Power Modules
- 2 **29" or 42" high Bevel Post Leg, 29" high Blade Legs or 29" high Monopod Base** can be specified and is included with Fixed Meeting Peninsulas
- 3 **Levelers** included with Bevel Post Leg or Blade Legs have an adjustment range of 1", or with Monopod Base have an adjustment range of 1/2"
- 4 **Reinforcing Bars**
- 5 **Wire Management Clips** route wires and organize electronics below worksurface with Power Module cut-outs. **Not** included when Square – End (SE) or No Cut-Out (NN) option
- 6 **Power Module Cover**
 - Is included with 42" high Fixed Meeting Peninsula when a Power Module Cut-Out is specified (Linear Power Module or Power Pill). **Not** included when Square – End (SE) or No Cut-Out (NN) option
- 7 **Media Wall, 8 Gable for Fixed Meeting Peninsula or 9 Workwall Storage (optional)**
 - Must be specified for the peninsula installation




power & data management – fixed meeting peninsulas

- ❗ Power Module and Power Bar **cannot** be daisy chained
- Power and data cord can be routed inside a Media Wall or Workwall Storage
- When specified with a freestanding gable, a cable pass-through is included to route cable behind the unit

With Square – End (SE) (Shown) or with No Cut-Out (NN) options



- Available for 29" or 42" high peninsula
- No Wire Management Clips and Power Module Cover included
- Square – End (SE) option allows to install Power Qube (BEEPC with Integrated Powerbar with IEC (P))




Dual or Quad Power Qube (BEEPC)

With Plug-In option (A) only



Square Grommet Ring is included with Power Qube and Power Qube – Desk Edge Clamp **cannot** be installed in the worksurface end gap

With Linear Power Module (LC or LS) (Shown) or Power Pill (PQ) Cut-Out options






- Available for 29" or 42" high peninsula
- Wire Management Clips are included
- Three Power Module can be specified for this application:

Linear Power Module (BLELP)

Standard 18"

Compact 8"

Quad Power Pill (BLEPP)



Power Module Cover

- Included when Linear Power Module or Power Pill cut-out styles are specified
- Only available with 42" height Fixed Meeting Peninsulas

fixed meeting peninsula basics


Various Fixed Meeting Peninsulas can be mounted on-module the Media Wall, Freestanding Gable (if applicable) or Workwall Storage.

- ❗ A Fixed Meeting Peninsula comes with a Peninsula Worksurface and a support (Base or Legs)
- Only available in thickness 1 3/16" (M), except Fixed Rectangular Meeting Peninsula (BC_FR), which is also available in thickness 1 3/16" Knife Edge (V)
- 29" high meeting peninsulas can be mounted on a Media Wall (BCMW), a Gable for Fixed Meeting Peninsula (BC_G) and Workwall Storage. 42" high meeting peninsula can only be mounted on a Media Wall (BCMW – 42" Working Datum Height), refer to page 482 for more details
- Cannot** support any storage and suspend any accessories or storage
- An optional Suspended Modesty Panel **cannot** be specified with these products




Fixed Rectangular Meeting Peninsula (BC_FR)

- Two Mounting Styles are available: Mid-Height Support (K) or Media Wall (M) (Shown)
- Available in depths of 36" to 48" (6" increments)
- Available in widths of 60" to 90" (6" increments)
- Only Available in height of 29"
- Three Support Styles are available: Blade Legs (K), Bevel Post Leg (L) or Monopod Base (M)
- Two Corner Detail Styles are available:




- When Worksurface Thickness (V) option is specified, Radius (R) Corner Detail is **not** available
- Two TV Stand Configurations are available: TV Stand Ready (R) and No TV Stand (N). When Mid-Height Support (K) option is specified
- Five Power Module Cut-Out options are available: Linear Power Module – Compact 8" (LC) or – Standard 18" (LS), Power Pill – Quad (PQ), Square – End (SE) and No Cut-Out (NN)
- Ideal for 3 people (60" to 78" width) and 3 to 5 people (84" or 90" width)

fixed meeting peninsula basics (continued)




29" high Fixed D-Shape Meeting Peninsula (BC_FD) or 29" high Fixed Tapered Meeting Peninsula (BC_FT)




42" high Fixed D-Shape Meeting Peninsula (BC_FD) or 42" high Fixed Tapered Meeting Peninsula (BC_FT)

- Three Mounting Styles are available: Freestanding Gable (G) (BC_FD only), Mid-Height Support (K) or Media Wall (M)
- Two 29" high Support Styles are available: Bevel Post Leg (L) or Monopod Base (M)
- Only Bevel Post Leg (L) for 42" high Support style is available
- D-Shape shape is available in depths of 36" to 60" (6" increments)
- Tapered shape is available in depths of 42" to 60" (6" increments)
- Available in widths of 60" to 90" (6" increments)
- Available in heights of 29" or 42"
- Two TV Stand Configurations are available: TV Stand Ready (R) and No TV Stand (N). When Mounting Style (G or K) is specified
- Five Power Module Cut-Out options are available: Linear Power Module – Compact 8" (LC) or – Standard 18" (LS), Power Pill – Quad (PQ), Square – End (SE) and No Cut-Out (NN)
- D-Shape is ideal for 3 to 4 people (60" to 78" width) and 3 to 6 people (84" or 90" width)
- Tapered shape is ideal for 3 people (60" to 78" width) and 3 to 5 people (84" or 90" width)




29" high Fixed Diamond Meeting Peninsula (BC_FP)



42" high Fixed Diamond Meeting Peninsula (BC_FP)


- Two Mounting Styles are available: Mid-Height Support (K) or Media Wall (M)
- Two 29" high Support Styles are available: Bevel Post Leg (L) or Monopod Base (M)
- Only Bevel Post Leg (L) for 42" high Support style is available
- Available in depths of 48", 54" and 60"
- Available in widths of 60" to 90" (6" increments)
- Available in heights of 29" or 42"
- Two TV Stand Configurations are available: TV Stand Ready (R) and No TV Stand (N). When Mid-Height Support (K) option is specified
- Five Power Module Cut-Out options are available: Linear Power Module – Compact 8" (LC) or – Standard 18" (LS), Power Pill – Quad (PQ), Square – End (SE) and No Cut-Out (NN)
- Ideal for 3 to 4 people (60" to 78" width) and 3 to 6 people (84" or 90" width)
- This shape is optimized to enhance the TV viewing angle while being seated in ergonomic position



Power Module Cut-Outs

Worksurfaces are available with or without (NN) cut-outs for Power Modules illustrated below:

Dual or Quad




Square – End (SE)
Power Qube
(BEEPC)



Quad (PQ)
Power Pill
(BLEPP)



Compact 8" (LC)
Linear Power Module
(BLELP)



Standard 18" (LS)
Linear Power Module
(BLELP)


planning with fixed meeting peninsulas

Special considerations, the following outlines the planning recommendations and restrictions

media wall (M)


- - - - = Footprint

Applicable with 29" or 42" high Fixed Meeting Peninsulas (BC_FR, BC_FD and BC_FT)



Worksurface Depth can be specified equal, 6" **shorter** or 12" **shorter** than the Media Wall Width

Only applicable with 29" or 42" high Fixed Diamond Meeting Peninsula (BC_FP)




Worksurface Depth can be specified equal, 6" **larger** or 12" **larger** than the Media Wall Width

planning with fixed meeting peninsulas (continued)

freestanding gable (G)


Applicable with 29" high Fixed D-Shape Meeting Peninsula (BC_FD) only

When used with a Fixed D-Shape Meeting Peninsula (BC_FD) the Freestanding Gable (G) must be specified the same depth than the peninsula




mid-height support (K)

Only applicable with 29" high Fixed Meeting Peninsulas (BC_FR, BC_FD and BC_FT)



When used with a Fixed Meeting Peninsula (BC_FR, BC_FS or BC_FT) and a mid-height support, the worksurface will be flush with the sides of the Workwall Storage

Only applicable with 29" high Diamond Meeting Peninsula (BC_FP)



When a mid-height support is used with the Fixed Diamond Meeting Peninsula (BC_FP), the worksurface exceed the storage by 6" each side









* The gap of the back worksurface can vary with back mi-height support. Refer on page 90 and 91 for more details

edge trim styles overview– height-adjustable & fixed meeting peninsulas


The chart below indicates which edge trim styles can be specified with all Height-Adjustable or Fixed Meeting Peninsulas finishes.

❗ The Flintwood Flat Trim (9) always match surface color finish

edge trim chart

| edge on product | description | foundation laminate worksurface finish | flintwood worksurface finish | Applicable with meeting peninsulas... |
|--|--|--|------------------------------|---|
|  <p>Straight Trim (6) (Only available with 1" (D) or 1 3/16" (M) Thickness)</p> | <p>Straight Corner Style</p>  <p>3 mm thick on all edges</p> | Yes | n/a | B_HRW (Straight) BC_FR (Straight) |
| | <p>Radius Corner Style</p>  <p>2.5 mm thick on all edges 3 mm thick Straight Trim (Only available with 1 9/16" (X) Thickness)</p> | Yes | n/a | B_HPWW BC_FP |
| | <p>Curved Worksurface with Straight Corners</p>  <p>2.5 mm thick on width curved edges and 3 mm depth straight edges 3 mm thick Straight Trim (Only available with 1 9/16" (X) Thickness)</p> | Yes | n/a | B_HRW (Radius) B_HDW B_HBW BC_FD BC_FR (Radius) BC_FT |
|  <p>Flintwood Flat Trim (9)</p> | <p>Straight & Radius Corner Style</p>  <p>1.4 mm thick on all edges</p> | n/a | Yes | B_HRW (Straight) B_HRW (Radius) B_HDW B_HBW B_HPWW BC_FD BC_FP BC_FR (Straight) BC_FR (Radius) BC_FT |
|  <p>Full Knife Trim (F) (Only available with 1 3/16" Knife Edge (V) Thickness only)</p> | <p>Straight Corner Style only</p>  <p>1.5 mm thick on all edges</p> | Yes (foundation laminate only) | n/a | B_HRW (Straight) BC_FR (Straight) |

grain direction & shading indicates user edge



When specified, Knife Edge will only be applied on user edge

planning with power module cut-outs – height-adjustable & fixed meeting peninsulas

- ❗ Power module styles should be determined at time of specification. The surface will come with pre-drilled holes to ease the installation
- Power Module can be specified separately

Height-Adjustable Rectangular Meeting Peninsula (B_HRW)


Height-Adjustable D-Shape Meeting Peninsula (B_HDW)

Height-Adjustable Tapered Meeting Peninsula (B_HBW)

Height-Adjustable Diamond Meeting Peninsula (B_HPWW)

Square cut-out position may slightly vary depending if TV Stand Ready (R) or not (N) is specified, see below for more details


Mid-Height Workwall Module



Linear Power Module – Standard 18" (LS)

- Not available when 34" depth is specified (B_HRW or B_HDW)
- Not available when 57" to 69" width is specified (All Peninsulas)


Mid-Height Workwall Module



Linear Power Module – Compact 8" (LC)


- Not available when 34" depth (B_HRW or B_HDW)
- Not available when 57" or 63" width is specified (All Peninsulas)

Mid-Height Workwall Module



Power Pill – Quad (PQ)


Mid-Height Workwall Module



No Cut-Out (NN)


- Available with all dimensions

Mid-Height Workwall Module



NOTE: When No TV Stand (N) option is specified, square cut-out is positioned at 7 1/2" of the end of worksurface

Mid-Height Workwall Module




NOTE: When TV Stand Ready (R) option is specified, square cut-out is positioned at 9" of the end of worksurface

Square – End (SE)


- Available with all dimensions

planning with power module cut-outs – height-adjustable & fixed meeting peninsulas (continued)

Fixed Rectangular Meeting Peninsula (BC_FR)
Fixed D-Shape Meeting Peninsula (BC_FD)
Fixed Tapered Meeting Peninsula (BC_FT)
Fixed Diamond Meeting Peninsula (BC_FP)



Not available when 60" or 66" width is specified (All Peninsulas)




Available options with all dimensions

gable for meeting peninsula components



The Gable for Meeting Peninsula is a low cost effective solution in any meeting room environment.

- ❶ **Gable** is 1" thick, available with or without cut-out for Cable Pass-Through
- ❷ **Levelers** are included with gable and have an adjustment range of 4"
- ❸ **Cable Pass-Through Ring** is included to route wires behind the gable. Only included when the option is specified
- ❹ **Reinforcing Brackets** provides easy installation for the reinforcing bar included with worksurface




gable for meeting peninsula basics

- ❗ • Can only be used to support a 29" high Fixed D-Shaped Meeting Peninsula (BC_FD)
- Must be specified the same width as worksurface



Gable for Fixed Meeting Peninsula (BC_G)

- Only available in thickness 1"
- Available in depths 36" to 60" (6" increments)
- Can be specified with (Y) or without (N) Cable Pass-Through. If specified, it is included to route wires from building wall to level of the worksurface
- Comes with Peninsula Brackets to support peninsula
- **Support & Hardware Finishes** are available in Foundation, Mica, Accent or Coordinate Colors
- **Cable Pass-Through Ring** is finished in Platinum Coordinate



Gable for Meeting Peninsula with Wall Panel

- A Wall Panel **cannot** be used with D-Shape Meeting Peninsula supported by a Gable for Meeting Peninsula


understanding media wall

- Media Wall is offered in two configurations: For Peninsula (BCMWF) or Standalone (BCMWS)
- Must be installed and anchored to a building wall

- Standalone (S) Media Wall style can be specified to use with a Freestanding Meeting Table
- For Peninsula (F) Media Wall style can be specified to use with a Fixed Meeting Peninsula, for details refer to page [483](#)
- 29" or 42" Standard Height Working Datum Height is available
- When specified For Peninsula (F), a worksurface supporting bracket is included

media wall


Media Wall with Standalone (BCMWS)



media wall components

The frame is attached to the wall and is the main structure to support Fascias, TV Monitor, Metal Shelf and peninsula to create a Expansion Casegoods meeting aeras, as well as managing power and communication distribution.

- 1 **Frame** is shipped with the necessary 2 **wall rail** for installation
- 3 **Levelers** are included with frame and have an adjustment range of 3" and clear wall molding
- 4 **Upper Fascia** is fixed and can support a Monitor Wall Mount with TV Monitor and Metal Shelf
- 5 **Cable Pass-Through** is included to route wires of the TV Monitor, behind the Media Wall
- 6 **Monitor Wall Mount**
- 7 **Metal Shelf – Media Wall (optional)**
 - Media Wall comes with two holes for Metal Shelf installation and a cable pass-through, only when Metal Shelf Ready (M) option is specified
 - Metal Self is specified separately
- 8 **Removable Bottom Fascia** provides access to building power and communication outlets
- 9 **Peninsula Brackets** support Fixed Meeting Peninsula. Only included when For Peninsula (F) option is specified
- 10 **Cable Organizer** routes wires and organizes electronics below worksurface. Data Faceplates can be installed in the organizer and must be specified separately





media wall & metal shelf for media wall basics

The Media Wall is a cost effective solution to integrate TV and manage cabling in any meeting room environment. It mounts to existing building walls and when specified, allows mounting of attachment of worksurface, support TV Monitor and managing wire and electronic devices in one application.

- ❗ Can be used standalone with Meeting Table or supported a 29" or 42" Fixed Meeting Peninsula
- Must always be anchored to a building wall
- Comes with 1" solid panel thickness
- A TV Monitor Mount is included to support a TV Monitor
- Can be used on all walls with load bearing capacity. Consult your local building code and authority for further guidance
- **Cannot** be used on Altos walls
- The purchaser and installer are responsible to ensure application of appropriate attachment methods and hardware for a secure and safe installation that meets the applicable local building code and laws

media wall for fixed meeting peninsula (F)




For Peninsula (F)

Standalone (S)

Media Wall (BCMW)


- Available in heights 72" and 81"
- Available in widths 42" to 60" (6" increments)
- Available in Working Datum Heights 29" and 42"
- Two Corner Detail Styles are available:



Radius (R) Straight (S)

- Two Shelf Options are available: Metal Shelf Ready (M) and No Shelf (N)

media wall standalone (S) & meeting table



Metal Shelf – Media Wall (BCSMW)

- Mounts only on the Media Wall (BCMW) and can support accessories. Openings on the back and bottom allows the wires to run from the surface or inside the Media Wall to the shelf
- Available in depth 7"
- Available in Widths 18", 24", 30"
- Available in height 6"
- Metal Shelf is fixed
- The Metal Shelf Ready (M) option on Media Wall must be specified to install this shelf

planning with working datum heights – media wall

The following should be considered when planning with Working Datum Heights for Media Wall.

- ❗ Working Datum Height should be specified accordingly to attached Fixed Meeting Peninsula or standalone worksurface height. When used in combination with Height-Adjustable Meeting Table (Standalone (S)), it is recommended to use 42" Working Datum Height

29" working datum height


The solid panel is available in 72" or 81" height

42" working datum height


- The solid panel is available in 81" height only
- It provides seated and standing height working positions

For peninsula (F)

The Bottom Fascia height varies with Working Datum configuration




with 29" high Fixed Meeting Peninsula




with 42" high Fixed Meeting Peninsula

Standalone (S)

The Bottom Fascia height does not vary with Working Datum configuration



with 29" high Fixed-Height Meeting Table



with Height-Adjustable Meeting Table (Shown) or any Fixed-Height 36" or 42" high Meeting or Conference Tables


planning with TV monitor mount – media wall

The following should be considered when planning with TV Monitor Mount on Media Wall.

TV Monitor Mount


- Included with the Media Wall
- Meets VESA (Video Electronics Standards Association) standards for easy installation. Monitor **not** included

Weight Capacity
Maximum 100 lbs




TV monitor dimensions recommended

A Metal Shelf (BCSMW) can be used with the TV Monitor




planning with metal shelf – media wall

metal shelf for media wall compatibility




metal shelf for media wall heights




power & data management – media wall

Expansion Casegoods offers options for adding power and communications to a workstation.

❗ Position of electrical and communication outlets on the building wall must be taken into account before planning electrics





standalone configuration



Floor Cable Cover – Meeting Table (BLFCM)

Not included and can be specified separately. For details, refer on Lighting, Electrics & Communications section

for peninsula configuration




1" gap at the end of the peninsula allows to route cables in the bracket opening and reach the back of the Media Wall through a fascia space gap

NOTE: The Fascia Wire Pass-Through is only available with Media Wall for peninsula (F) option


planning with media wall

The following should be considered when planning Expansion Casegoods Media Walls.



Media Wall Clearance on both sides

- A minimum 1" functional clearance must be respected on each side of the Media Wall to allow easy opening and access to the building wall and electrical components



Clearance in front of the Bottom Fascia


- The front of the Bottom Fascia should be clear at all time for electrical accessibility

grain/pattern direction – media wall & gable for meeting peninsulas

Laminate or Flintwood Fascias both have vertical grain direction.


- ❗ Grain direction is an important factor when planning workstation, if a different grain direction is required, please contact your Teknion Customer Service Representative
- Each fascia is independent, there will be **no** pattern across horizontal or vertical reveals
- Grain/patterns are **not** "centered" on Fascias

laminate fascias (source laminate)



Grain will appear in the same direction (vertical) for all Fascias


flintwood fascias




Grain will appear in the same direction (from bottom to top) for all Fascias

TV stand & metal shelf for TV stand basics


TV Stand and Metal Shelf for TV Stand are available to complete the Expansion Casegoods Height-Adjustable Meeting Peninsula.



BACK VIEW




Metal Shelf Ready (M)




No Shelf (N)

TV Stand – Meeting Peninsula Unit (BCTV)

- Provides a TV Monitor mounting and power routing management
- Two Shelf options are available: Metal Shelf Ready (M) or No Shelf (N)
- Metal Shelf – TV Stand (BCSTV) is **not** included




FACE VIEW



Metal Shelf – TV Stand (BCSTV)

- Mounts only on the TV Stand (BCTV) and can support accessories. Openings on the back and bottom allow the wires to run from the surface or inside the TV Stand to the shelf
- Available in depth of 7"
- Available in Widths of 18" or 24"
- Metal Shelf is fixed
- The Metal Shelf Ready (M) option on TV Stand must be specified to install this shelf




planning with TV monitor mount – TV stand

The following should be considered when planning with TV Monitor Mount.

TV Monitor Mount

- Included with TV Stand (BCTV)
- Is designed to accommodate a variety of display up to 55" wide. For a better fit, refer to specification software and refer at the monitor mounting pattern documentation
- Meets VESA (Video Electronics Standards Association) standards for easy installation. Monitor **not** included



- Come with fixation holes to lock the monitor in place and to ensure the monitor is centered on the tile


planning with TV monitor mount – TV stand

(continued)

TV monitor dimensions recommended

- It is recommended to install a TV Monitor smaller than the surface width
- A Metal Shelf (BCSTV) can be used with a TV Monitor


Applicable with Fixed or Height-Adjustable Meeting Peninsulas



| Worksurface Depth ('A') | 34" - 36" | 40" - 42" | 46" - 48" | 52" - 54" | 58" - 60" |
|-----------------------------------|-----------|-----------|-----------|-----------|-----------|
| Maximum Diagonal TV Monitor ('B') | 40" | 43" | 50" | 58" | 60" |
| Maximum TV Monitor Width ('C') | 34" | 37 1/2" | 43 5/8" | 50 5/8" | 52 3/8" |
| Minimum TV Monitor Height ('D') | 20 1/4" | 20 1/4" | 20 1/4" | 20 1/4" | 20 1/4" |

- It is also recommended using a TV Monitor that has a minimum height 20 1/4", otherwise TV Stand may be visible

TV Stand applications





- When the TV Monitor width exceeds the surface width, always keep a 1" gap with surrounding object or furniture to avoid collision hazard

planning with TV monitor mount – TV stand (continued)

TV stand applications (continued)

TV Monitor Clearance

WARNING: When the TV Monitor width exceeds the surface width, always keep a 1" gap with surrounding object or furniture to avoid collision hazard (when surface datum height is exceed)




TV Stand with Wall Panel

- **LIMITATION:** When the TV Stand Ready is selected, only wall panels listed below can be used:
 - Wall Panel (B_WAA)
 - 81" high Wall Panel and 15" high Overhead Cabinet (B_WCO)
 - 81" high Wall Panel with top solid shelf (B_WOO) (Shown)
- TV size and installation height must be considered when Wall Panel for Overhead Cabinet (B_WCO) or Wall Panel for Solid Shelves (B_WOO) is used

power & data management – TV stand & metal shelf for TV stand


Expansion Casegoods offers options for adding power and communications to a workstation.

TV stand without metal shelf




BACK VIEW

The Back Cover can be opened to route cables through the Square Grommet




Comes with a slot on rear to route cables from the worksurface directly

TOP VIEW






Comes with an opening on top to route webcam cable



TV stand with metal shelf


- Cable can be routed through multiple openings on the TV Stand, through the Metal Shelf (if specified) and through the worksurface on which it is mounted

BACK VIEW




height-adjustable or fixed meeting peninsulas & media wall finishes

- All Laminate components are protected with a solid plastic edge
- For an overview of which products are offered in Flintwood finishes, refer to the Expansion Casegoods product map on Teknion's website



height-adjustable or fixed meeting peninsulas & media wall finishes (continued)



• See below for metal shelf color match suggestion

| Flintwood Case Finish | | Closest Match for Metal Finish | | |
|-----------------------|-------------------|--------------------------------|-----------------------|--------------|
| Code | Color | Code | Color | Finish Style |
| FX | Flax | VL | Flax Reflect | Coordinate |
| FN | Natural Pecan | VV | Pecan Reflect | Coordinate |
| FM | Medium Sycamore | V1 | Estate Cherry | Coordinate |
| FC | Chianti | V1 | Estate Cherry | Coordinate |
| FD | Dark Walnut | R7 | Java Walnut | Coordinate |
| NR | Sierra Flint | Q7* | Walnut Cathedralgrain | Coordinate |
| NT | Cocoa Brown Flint | W8 | Cocoa Brown Reflect | Coordinate |
| VA | Sycamore | W9 | Sycamore Reflect | Coordinate |
| VB | Black Walnut | X* | Anthracite | Mica |
| VZ | Blonde Maple | R9 | Choice Maple | Coordinate |
| 5N | White Oak | VD | Campus Oak | Coordinate |
| 5P | Poppy Seed | R8 | Urban Walnut | Coordinate |
| 5Q | Harvest Cherry | V1 | Estate Cherry | Coordinate |
| 5R | Earl Grey | S | Sepia Bronze | Mica |
| 5S | Silverwash | 4 | Earth | Foundation |
| 5T | White Truffle | ND | Coastal Elm | Coordinate |
| 5V | Caraway | 4 | Earth | Foundation |
| 5W | Drift Oak | 3 | Sand | Foundation |
| 5Z | American Walnut | Q7 | Walnut Cathedralgrain | Coordinate |

* This match suggestion is **not** close enough to be considered as tone on tone