

# accessories

UNDERSTANDING ACCESSORIES . . . . .	726
SUSPENDED PERSONAL STORAGE BASICS . . . . .	727
PLANNING WITH SUSPENDED PERSONAL STORAGE . . . . .	730
DRAWER MODULES, TRAY MODULE & UTILITY BOX BASICS . . .	732
PLANNING WITH DRAWER & TRAY MODULES . . . . .	733
METAL SCREEN ACCESSORIES BASICS . . . . .	734
PLANNING WITH METAL SCREEN ACCESSORIES . . . . .	735
FREESTANDING PLANTER BOX & PLANTER LINER BASICS . . . .	737
PLANNING WITH PLANTER BOX & PLANTER LINERS . . . . .	738
LINEAR LED LIGHT SUPPORT BASICS . . . . .	740
TABLE COMPANION MARKER KIT BASICS . . . . .	741
BOX DRAWER ORGANIZER BASICS . . . . .	742



# accessories (continued)

FILE DRAWER ORGANIZER BASICS . . . . . 743

PLANNING WITH FILE DRAWER ORGANIZERS . . . . . 744

BOOT TRAY . . . . . 745

SEAT PAD OR SEAT CUSHION BASICS . . . . . 746

PLANNING WITH SEAT PAD OR SEAT CUSHION . . . . . 747

BEAM-MOUNTED SEAT PAD & ACCESSORIES BASICS . . . . . 749

PLANNING WITH BEAM-MOUNTED SEAT PAD & ACCESSORIES . . . . 750


UNDER BEAM- OR WORKSURFACE-MOUNTED HOOK BASICS . . . . . 753

PLANNING WITH UNDER BEAM- OR WORKSURFACE-MOUNTED  
HOOK. . . . . 754

DRY-ERASE KIT & RARE EARTH MAGNET KIT BASICS . . . . . 755

## understanding accessories

A variety of accessories are available to enhance the functionality in Expansion Cityline workstations.



**1** **Suspended Personal Storage** – Provide casual suspended storage for personal items, books, bags and when specified, USB charging capacity

**2** **Drawer Modules & Tray Module** – Provide personal storage in various positions within the workstation to accommodate the needs of the modern workstation user

**Metal Screen Accessories** – Provide storage for a variety of common office accessories such as pencil, paper, earphone and also offer a small writable surface for notes. Can be used in conjunction with many products to personalize a workstation and is user reconfigurable

**Utility Box** – Provide casual personal storage in various positions within workstation

**3** **Freestanding Planter Box & Planter Liner** – Promotes biophilia in workstation by providing integrated solutions for worksurface, shelf and storage top

**4** **Linear LED Light Support** – Provide support for Linear LED Light under an Elevated Desk Shelf (JNMES)

**Box or File Drawer Organizers** – Are organizational tools that can be used inside file drawers to provide personal storage space for smaller items

**Seat Pad – Felt or Seat Cushion – Fabric** – Provides casual guest seating on top of a Credenza and/or Pedestal


**Beam-Mounted Seat Pad** – Provides casual guest seating on top of structural beam. Most commonly used in casual applications

**Beam-Mounted Accessories** – Are organizational tools that can be placed anywhere along the structural beam

**Hook** – Mounted under a worksurface or anywhere along the structural beam to hang on or two bags

## suspended personal storage basics

The Suspended Personal Storage offers casual suspended storage for personal items, books and bags and when specified, USB charging capacity. Cannot be used freestanding.



### Finishes

Drawer or Door Front Finishes: Foundation, Mica and Accent

Case Finishes: Foundation, Mica and Accent

Utility Box Finishes (if applicable): Foundation, Mica and Accent


Drawer Liner Finish: Carbon (RB11)

Bottom Liner Finish: Loft


USB Module: Platinum Grey Coordinate (YN)

## suspended personal storage basics (continued)

- Stores small personal items
- Full depth access bottom opening for bag drop, binders and more
- Feature a finger hole on drawer and door for opening



Standard (S)




Height-Adjustable Table  
Frame Recessed (N)



### Suspended Personal Storage – Open/Drawer (JNAUOD)

- Upper drawer is available in pocket size only
- Drawer is not lockable


#### Pocket Drawer Size



#### Standard or Height-Adjustable Table Frame Recessed Integrated Pocket Drawer



Standard (S)




Height-Adjustable Table  
Frame Recessed (N)

### Suspended Personal Storage – Door (JNAUE)

- Upper is available with USB module and Utility Box (P) (optional) and metal shelf
- USB module is compatible for charging earphones, tablets, and USB-powered devices
- Two integrated USB outlet types are available:
  - With USB A+C (B)  
(outlet have a capacities of 4A of Charging Power and 5 Volt direct current and a 72" long cable)
  - No USB (N)  
(provides no openings for futur retrofit)
- When USB outlet types (B) is specified, clips to manage the USB module cable under the worksurface are included
- Use upper edge of the door for opening
- An opening allows the user to route a USB cable from USB charging module to the shelf, to charge a phone, even when the door is locked. (with or without optional Utility Box). Can be oriented at Left (L) or Right (R) (Shown)
- Two Front Styles are available: Metal (D) or Metal with Digital Lock (O)
- When Metal Front (D) is specified, the Keyed Alike (K), Keyed Randomly (R) or No Lock (N) can be specified, but if Metal with Digital Lock (O) is specified, only Digital Lock Assigned (A) is available


#### USB Outlet Type




USB A+C (B)

- Each USB Outlet has one USB-A port and one USB-C port for charging only.
- The USB-A port supplies 18 Watts maximum at 5 Volts DC when used alone.
- The USB-C port supplies 20 Watts maximum at 5 to 12 Volts DC when used alone.
- Maximum combined output is 20 Watts when both ports are used together: 10 Watts for USB-A port and 10 Watts for USB-C.


#### Utility Box Size




#### Standard or Height-Adjustable Table Frame Recessed Utility Box (optional) (JNAUB)



#### Lock Chart & USB Module Positions




Left (L)



Right (R)

#### Lock Styles




Digital Lock  
Assigned  
For more details on  
Digital Lock, refer  
on page 712

## suspended personal storage basics (continued)

### Suspended Personal Storage – Door (JNAUE) (continued)


When optional with USB Module is specified:

- Use included Cable Management Clips to manage the wire under the worksurface
- Cable length must be considered to connect a USB module directly to a wall outlet



Front View


Standard (S)



Back View


Cable will exit the storage by a hole at the back

- When used under fixed worksurface, it is recommended to plug the module into the beam



Back View


Height-Adjustable Table  
Frame Recessed (N)



Back View

Cable will exit by the cut-out made for Height-Adjustable Table Frame

- When used under a hiSpace or Navigate Height-Adjustable Table, it is recommended to plug the module into the integrated Powerbar under the worksurface



#### Inside Clearance

- When specified with Digital Locks, the cam is inserted into a lock stopper that protrude of 5/16" from the storage side



## planning with suspended personal storage

The following should be considered when planning with Suspended Personal Storage.


- Must be installed flush with front facing edge of worksurface
- Are offered in two mounting styles: Standard (S) or Height-Adjustable Table Frame Recessed (N)

### standard (S)


#### Rectangular Worksurface




- Can be mounted underneath Rectangular Worksurfaces on the internal side of structural or freestanding leg
- The mounting plate of those legs prevents the Suspended Personal Storage from leaning against the leg



- The Suspended Personal Storage – Door (JNAUED) **cannot** lean against a structural leg. 1" clearance must be kept for opening the door



- When used under Run-Off for EZ Fence (JZWRF), the storage must be installed inside the leg to avoid any conflict between the leg plate and the storage





# planning with suspended personal storage (continued)

## standard (S) (continued)



NOTE: This style is **not** available with hiSpace Height-Adjustable Tables

### Worksurface for Navigate Base



- Can also be mounted underneath Rectangular or 120° Worksurface for Navigate Base. It can be mounted on the external side of the base mechanism when it is recessed from the end of the worksurface. Refer to page 398 for details



### Curved Corner Worksurface



- The curved corner worksurfaces will expose the top of the Suspended Personal Storage when installed on the external side of the base mechanism

## height-adjustable table frame recessed (N)


### hiSpace or Navigate (Shown) Worksurface



- Can be mounted underneath hiSpace or Navigate Rectangular or 120° Worksurface. It mounts on the internal side of the base mechanism
- The Suspended Personal Storage comes with a cut-out to allow enough clearance for hiSpace Felt Cover or Navigate Cross Channel

# drawer modules, tray module and utility box basics

The following Drawer Modules are available for freestanding use, can be suspended inside open space of the open/file pedestal or can be suspended under a worksurface. The Tray Module and Utility Box can be used freestanding only.




## Finishes


Drawer Front Finishes: Foundation, Mica and Accent

Case Finishes: Foundation, Mica and Accent

Liner Finish (if applicable): Loft




Letter (L)



Pocket (P)

## Drawer Module (JNAMD)


- Store small personal items
- Letter (L) or Pocket (P) sizes are available
- Are modular and stackable, Freestanding mounting style also allows the module to be layed on any horizontal surface
- Have no pull; use finger hole for drawer opening



Letter (L)

## Tray Module (JNAMT)

- Stores and organizes paper
- Used with standard paper (letter-size) and standard courier envelopes only
- Can be stacked to provide more vertical storage



## Utility Box (JNAUB)



- Stores small objects
- Can be easily repositioned by the user to facilitate the workspace organization to fit personal items
- Optional in the Suspended Personal Storage – Door (JNAUED) and can be stored in it
- **Cannot** be stacked to provide vertical storage

## planning with drawer & tray modules

The following should be considered when planning with Drawer & Tray modules.


Drawer Modules are offered in three mounting styles:

### drawer module mounting styles




#### Freestanding (F)

- Can be layed anywhere on a worksurface, a storage or a shelf
- Can also be placed inside Mobile Pedestal with Seat. Two configuration are allowed:




Two Pocket Drawers can be placed side-by-side on inside shelf



Only one Letter Drawer can be placed centered on inside shelf

#### Pedestal with Open Cubby (O)



- Only the Letter-Size Drawer (L) can be installed centered in the upper open compartment of an Open/File Pedestal (JNFPSO)
- Not available with Pocket Drawer (P)



#### Under Worksurface (W)

- Can be suspended anywhere under a worksurface
- The drawer must be fixed to the worksurface
- Can also be suspended under a Writable Glass Worksurface

### tray module mounting styles




#### Freestanding (F)

- Can be placed anywhere on a worksurface, top or shelf of a storage
- Four trays maximum can be stacked

## metal screen accessories basics

Expansion Cityline offers a number of metal screen accessories that are designed for use with Metal Lift and Drop Tile and Metal Height-Adjustable Table Screen.

Can be used with Lift and Drop Tile – Metal Accessory (JZTMA), Accessories – Lift and Drop Vertical Pole Mounted (JZTPAL, JZTPAR or JZTPAS) or Metal Elevated Screen Height-Adjustable Table Mounted (Lateral: JNSMLH, Back: JNSMEH or Corner: JNSMCH)




### Finishes


Finishes (except Notepad): Foundation, Mica and Accent  
Notepad Finishes: writable paint Whiteboard (WZ) only  
Liner Finish (if applicable): Loft

### Metal Screen Accessories (JNAPM)


- These collection of accessories can be easily replaced by the user to facilitate the workspace organization to fit personal items
- These accessories are universal and can be mounted onto Plus (P) or Square (S) Patterns
- Can also be mounted on the top edge of the metal screens
- Six styles are available:




### Plus Pattern Installation



### Square Pattern Installation









### Top Edge Installation



# planning with metal screen accessories


The following should be considered when planning with Metal Screen Accessories.

All dimensions listed below are actual

						
	Hook	Notepad	Pencil Holder	Paper Organizer	6" Tray	12" Tray
Dimensions	Height → 4 3/4"	11 1/2"	4"	9 1/4"	2"	2"
	Width → 3 1/2"	9"	4"	12 1/4"	6"	12"
	Depth → 2"	7/8"	2 3/4"	1 3/4"	4 1/4"	4 1/4"
Number of Pattern for installation*	2 patterns	3 patterns	2 patterns	4 patterns	2 patterns	4 patterns
		Accept 1 dry marker		Can fit Letter Size Folder. Folder tab will exceed the accessory for quick identification		

\* These accessories required a specific number of patterns for installation. Some combination may be limited, depending on screen size and accessories specified


## metal screen accessories applications



### Installation on Top Edge

Accessory brackets will be visible on the other side of metal screen, when mounted on these products:

- Metal Lateral, Back or Corner Elevated Screen – Height-Adjustable Table Mounted (JNSMLH, JNSMBH or JNSMCH)




### Installation in Patterns

Accessory will be visible through patterns on Metal Lateral, Back or Corner Elevated Screen – Height-Adjustable Table Mounted (JNSMLH, JNSMBH or JNSMCH) or Lift and Drop Tile – Metal Accessory (JZTMA)

## planning with metal screen accessories (continued)



The position of Metal Screen Accessories can interfere with hiSpace or Navigate Height-Adjustable Tables. For more details, refer to Height-Adjustability section to ensure to respect the required clearance

### metal screen accessories applications (continued)



#### Metal Screen Accessories mounted on Lift and Drop Tile – Metal Accessory

The Metal Screen Accessories can be installed on any pattern set of a 56", 57" or 66" datum height metal lift and tile. However, some metal accessories due to their height **will not** fit in every patterns





#### Metal Screen Accessories mounted on Metal Elevated Screen – Height-Adjustable Table Mounted

- The Metal Screen Accessories can be installed on any pattern set of a 42" or 51" datum height metal elevated screen
- Paper Organizer (O) and Notepad (N) Metal Screen Accessories **cannot** be installed on pattern set of a 42" datum height metal elevated screen due to limit height space


42" or 51" (Shown) Datum Height Metal Screen

42" Datum Height Metal Screen



#### Metal Screen Accessories mounted on Accessories – Lift and Drop Vertical Poles Mounted


- The Metal Screen Accessories can be installed back edge on 6" Shelf (JZTPAS), Shelf/Book Display – Left (JZTPAL) or Book Display/Shelf – Right (JZTPAR)
- Paper Organizer (O) and Notepad (N) Metal Screen Accessories **cannot** be installed on back edge on 6" shelf due to their height



# freestanding planter box & planter liner basics

Expansion Cityline offers Freestanding Planters to reconnect office workers with nature, creating healthier, happier and more inspiring workplaces, by bringing them in contact with nature every day.


All dimension are actual



## Finishes

Planter Box Finishes: Foundation, Mica and Accent


Planter Liner Finish: Black



## Freestanding Planter Box (JNAPF)


- Allows integration of planters on horizontal surface
- Planter Liners are included to welcome biophilia and protect metal Freestanding Planter Box. The number of liners varies according the box width. Other liners can also be specified separately
- Planter Box is available in 18", 24" – 45" (3" increments) and 48" – 66" (6" increments)
- Planter Box comes with bumpers to reduce movement on the surface
- The number of liner supply varies according to the width of the Planter Box, see chart below

Planter Box Width	Planter Liner available
18"	2
24"	3
27" or 30"	4
33" or 36"	5
39" or 42"	6
45" or 48"	7
54"	8
60"	9
66"	10



## Planter Liner (JNAPEL)


- Consists of a thin wall plastic container design to contain soil or plant pot
- It is designed to protect the Planter Box interior by covering all metal edges and to make sure that, in case of over watering, the excess will be pushed at the front, away from the beam and electrical components
- Liner can be used alone but recommended to be placed in a Planter Box
- Included with all Planter Boxes, these extra liners are use to replace damage liner or allow off-site repotting and maintenance of the planter



# planning with freestanding planter boxes & planter liners



The following should be considered when planning with Freestanding Planter Boxes and Planter Liners.

## freestanding planter boxes & planter liners applications




### Side-to-Side Application

Freestanding Planter Box can be combined side-to-side to reach the desired dimension. Here is some possible combination used to create larger set-up




### FRONT VIEW



### Back-to-Back Application

Freestanding Planter Box can be combined back-to-back to create a larger planter




### 90° Corner Application

Freestanding Planter Box can be combined in 90° angle


# planning with freestanding planter boxes & planter liners (continued)

## freestanding planter boxes & planter liners applications (continued)




### Between two higher storage

A Freestanding Planter Box can be placed between two higher storage. The actual dimension of each planter is 1/8" narrower than the nominal size




A Freestanding Planter Box (JNAPF) can be specified off module or to the same width (on-module) as the Lockers or Recycling/Disposal Unit on which it will be mounted




### Over a Structural Beam

A Freestanding Planter Box **cannot** be mounted directly on the beam to avoid electrical hazards



### Back-to-Back Repetition

Planter Box **cannot** be repeated more than two times to allow exceeded watering to flow, and to collect the water





# application guide

## linear LED light support basics

Expansion Cityline offers a support for Linear LED Light that is designed for use with Elevated Desk Shelf.

- Can be used under an Elevated Desk Shelf (JNMES) only. For details on Elevated Desk Shelf, refer to Mounted Storage section
- All dimensions listed below are nominal




**Linear LED Light Support (JNASL)**




- Is installed under an Elevated Desk Shelf and allows the installation of a Linear LED Light (JNELED)
- Can be used with Light Only (0) LED Light Optional Feature
- LED Light Support widths include 24" – 48" in 12" increments
- The specified width must be equal to the width of the Linear LED Light (JNELED)

Finishes: Foundation, Mica and Accent

Can be installed along the Mounted Storage between supports:




Mounted Storage Width	Middle Section Width
84"	66"
78"	60"
72"	54"
66"	48"
60"	42"
54"	36"
48"	30"
42"	24"
36"	18"
30"	12"



Linear LED Light Support counts for shown dimension

## table companion marker kit basics

Can be used with all Writable Glass Worksurfaces to provide storage for dry-erase markers. The bottom of Table Companion features a dry-erase felt pad.



### Table Companion Marker Kit (JNAMK)

Is included with all Writable Glass Worksurfaces and can also be specified separately

### Dry-Erase Pads for Table Companion Marker Holder (JNAME)


Three pads are included with all Writable Glass Worksurfaces and can also be specified separately

Four Dry-Erase Markers are included (Black, Blue, Green and Red)


Felt Interior provides a smooth surface minimizing noise when marker holder is moved  
Finish: Carrara only

Table Companion Marker Holder  
Finishes: Foundation, Accent and Mica

The bottom includes a removable felt Dry-Erase Felt Pad  
– Includes three replacement pads  
– Felt finish is always Carbon




- Felt finish is always Carbon



# box drawer organizer basics

This Box Drawer Organizers provide storage space for personal small items inside a box drawer.



## Finishes

Organizer Finishes: Foundation, Mica and Accent

Sliding Tray Finishes: Foundation, Mica and Accent

Felt Organizer Liner and Felt Box Drawer Liner Finish: Loft

## Box Drawer Organizers (JNAOS)

- Provide compartmentalized accessories above a mobile storage, a worksurface, or inside a small box drawer. The Sliding Tray can be moved or removed from organizer

- Are available in two styles :

- Organizer Only (O) and can be used with:



- Mobile Credenza (JNCMO)
- Mobile Pedestal (JNFPM)
- Pedestal (JNFPS)

- Beam Towers (JNFBPL, JNFBWF)
- Freestanding Towers (JNFTPL, JNFTWF)
- Floor Screens with Metal Tower (JZSFTP, JZSFTL, JZSFTT)

- Organizer with Drawer Liner (L) and can be used with:


- Mobile Credenza (JNCMO\_18", 24", 30")
- Mobile Pedestal (JNFPM\_16")
- Pedestal (JNFPS\_16")

- Beam Tower (JNFBWF\_16")
- Freestanding Tower (JNFTWF\_16")
- Floor Screens with Metal Tower (JZSFTP, JZSFTL, JZSFTT\_16")




- 4" high Box Drawer allows to stack its Pencil Tray over the Box Drawer Organizer. Both items must be placed side-by-side in a 3" high Small Box Drawer

## box drawer organizer applications



## file drawer organizer basics


The following file drawer organizers provide personal small items storage space inside a file drawer.



### Finishes

Upper Cubby Finishes: Foundation, Mica and Accent


Lower Cubby Finishes: Foundation, Mica and Accent




### File Drawer Organizer (JNASO)

- Are organizational tools that can be used inside pedestal or file drawers
- Can be specified for Letter- (L) or Legal-Sized (G) paper
- Can be mounted side-by-side or stacked

## file drawer organizers applications



Side-by-Side





Stacked


## planning with file drawer organizers

The following should be considered when planning with File Drawer Organizers.

The drawer filing capacity is reduced by 12" when the organizers are installed side-by-side and by 6" when mounted one inside the other. Refer to each storage section for drawer sizes




### Compatible Storage



**Drawer Depth & Paper Size Allowed:**


- Legal

n/a




**Drawer Depth & Paper Size Allowed:**

- Legal




**Drawer Depth & Paper Size Allowed:**

- Letter




**Drawer Depth & Paper Size Allowed:**

- Legal




**Drawer Depth & Paper Size Allowed:**

- Legal




**Drawer Depth & Paper Size Allowed:**

- Legal




**Drawer Depth & Paper Size Allowed:**

- Legal



**Drawer Depth & Paper Size Allowed:**

- Letter




**Drawer Depth & Paper Size Allowed:**

- Legal

- Mobile Pedestal (JNFPM)
  - Mobile Pedestal with Seat – Felt (JNFMP)
  - All Pedestals with File Drawers (JNFPS)
  - Combo Pedestal (JNFPCP)
  - Lateral File (JNFLF)
  - Suspended Pedestal – File Drawer (JNBP)
  - Floor Screens with Metal Tower – One or Two File Drawers – EZ Post-Mounted (JZSPOPE, JZSFTPF)
  - Floor Screens with Metal Tower – One or Two File Drawers (JNSFDLE, JNSFDTE, JNSFTLE, JNSFTTF)
  - EZ Suspended Credenzas (JZBSO, JZBFF)
- 
- Beam Tower with Drawers – Lateral Access (JNFBPL)
  - Freestanding Tower with Drawers – Lateral Access (JNFTPL)
- 
- Beam Tower with Drawers and Wardrobe – Front Access (JNFBWF)
  - Freestanding Tower with Drawers and Wardrobe – Front Access (JNFTWF)
- 
- 18" Depth only:**
- Suspended Credenza – Lateral File (JNBSF)
  - Semi-Suspended Credenza – Lateral File (JNBDF)
  - Suspended Credenza – Open with Lateral File (JNBSO)
  - Semi-Suspended Credenza – Open with Lateral File (JNBDO)
- 
- 20" Depth only:**
- EZ Off-Module Suspended Credenza – Lateral File and Cubby – Shared (JZBDO)
- 
- 18" Depth only:**
- Freestanding Credenza – Lateral File (JNFCLL)
  - Freestanding Credenza – Open with Lateral File (JNFCOL)
  - Freestanding Credenza – Open with Combo File (JNFCOC)
- 
- 24" Depth only:**
- Suspended Credenza – Open with Combo File (JNBSC)
  - Semi-Suspended Credenza – Open with Combo File (JNBDC)
  - Suspended Credenza – Lateral File (JNBSF)
  - Semi-Suspended Credenza – Lateral File (JNBDF)
  - Suspended Credenza – Open with Lateral File (JNBSO)
  - Semi-Suspended Credenza – Open with Lateral File (JNBDO)


## boot tray basics

The metal Boot Tray provides additional functionality in the wardrobe section or locker to provide protection against dirt and water that can be caught on footwear.



### Finishes

Finish: Recycled Paint only




### Boot Tray (JNABT)

- Three Storage Types are available: Beam Tower (B) or Freestanding Tower (F) with a wardrobe larger than 8" and Lockers and Common Lockers (L)
- Depths are available: 15" and 18" – 30" (6" increments)
- Boot Tray width actual dimension depends of the storage type specified and is **not** nominal. Width are available: 12", 14", 15" and 18" – 36" (6" increments)
- **Not** all dimensions are available for storage types specified, refer to individual product pages
- Must be specified the same depth as the storage
- Must be specified the same width as the wardrobe/locker section. **NOTE:** that some storage have many sections, therefore a Boot Tray needs to be specified for each section. Refer to Freestanding Storage section for more details
- This tray fit the full depth of wardrobe sections and can only be installed on bottom or horizontal divider. **Cannot** be installed on adjustable shelf
- Made from galvanized steel for a superior corrosion resistance


# seat pad or seat cushion basics

The following seat pad and seat cushion provide casual guest seating in a workstation.




**Finishes**

**Seat Finishes:** Feutre or Fabric  
**Stitches Finishes:** Carbon Coordinate (C), Shale Coordinate (E), Carrara Coordinate (G) or Umber Coordinate (M)  
**Fabric Finishes:** Teknion Standard Panel Fabrics  
**Felt Finishes:** Loft



Seat Pad



Seat Cushion


**Seat Pad – Felt (JNACF) or Seat Cushion – Fabric (JNACU)**

- Provides casual guest seating on top of Mobile Pedestal, Mobile Credenza, Freestanding, Suspended or Semi-Suspended Credenza styles
- Four Storage styles are available: Double-Sided Beam-Mounted (D), Single-Sided Beam-Mounted (S), Freestanding (F) or Mobile (M)
- 42" or 48" wide are actual dimensions
- **Not** all dimension are available on top of storage, refer to individual product pages

## planning with seat pad & seat cushion


- The depth of Seat Pad (Shown) or Seat Cushion is adapted accordingly with specified style
- Four mounting styles (Storage/Beam) are available:
  - Double-Sided Beam-Mounted (D)
  - Single-Sided Beam-Mounted (S)
  - Freestanding (F)
  - Mobile (M)

### single- (s) (shown) or double-sided (D) beam-mounted




- Are available in 24" to 48" widths
- Are available in 18" or 24" depths
- 24", 30" or 36" wide pad/cushion match drawer widths of Suspended, Semi-Suspended Credenzas – Open with Lateral File (JNBSO, JNBDO)
- Can be installed on all Suspended or Semi-Suspended Credenzas in Single- or Double-Sided Structural Beam Application

### freestanding (F)



- Are available in 24" to 48" widths
- Only 18" deep pad/cushion is available
- 24", 30" or 36" wide pad/cushion match drawer widths of Freestanding Credenza – Open with Lateral File (JNFCOL)
- Can be installed on all Freestanding Credenzas


### mobile (m)



- Are available in 16" to 48" widths
- Only 18" deep pad/cushion is available
- 16" wide pad/cushion match drawer widths of Mobile Pedestal (JNFPM) only
- 24" wide pad/cushion match drawer width of 42" wide Mobile Credenza (JNFC)
- 30" wide pad/cushion match drawer width of 48" wide Mobile Credenza (JNFC)
- 36", 42" or 48" wide pad/cushion match of Mobile Credenza (JNFC) width


## planning with seat pad & seat cushion (continued)

### seat pad or seat cushion application



- When a Credenza is specified with the None Leg Width Reduction option, the Seat Pad/Cushion can be specified the same width than the Credenza
- For other Width Reduction options, and for all Semi-Supported Credenzas the Seat Pad/Cushion must be specified at least 6" narrower than credenza

### seat cushion application





- The Seat Cushion – Fabric should be specified in a dimension that will prevent it from sitting in front of Receptacle Outlets as there will be an in interference

# beam-mounted seat pad & accessories basics

Expansion Cityline offers a number of beam-mounted accessories that are designed for use with casual workstation.

Can be used onto Single- or Double-Sided Structural Beam (JNDBB) or Chicago Structural Beam (JNDCB). Only products identified with "EZ Compatible" logo can be used with EZ Fence Beams (JZSBB, JZSBS) and Chicago EZ Fence Beams (JZSCB, JZSCS)




## Beam-Mounted Seat Pad (JNABCF)

- Provides casual seating on top of structural beam


### Finishes

Seat Finish: Loft


Stitches Finishes: Carbon Coordinate (C), Shale Coordinate (E), Carrara Coordinate (G) or Umber Coordinate (M)



Tablet Support  
JNABAT



Bag Drop  
JNABAB



Side Tray  
JNABAS


## Bag Drop (JNABAB), Side Tray (JNABAS) or Tablet Support (JNABAT) – Beam-Mounted Accessories

- Are organizational tools that can be placed anywhere along the structural beam
- Can be specified Single- (S) (Shown) or Double-Sided (D) depending on station style



Accessory Finishes: Foundation, Mica and Accent

Liner Finish: Loft


## other beam-mounted accessory basics



Bag Drop (JNABAB)




Side Tray (JNABAS)



## planning with beam-mounted seat pad & accessories


The following should be considered when planning with Beam-Mounted Accessories.

- Can be used onto Single- or Double-Sided Beams
- Structural Beam Covers – Side and Top are mandatory or included EZ Fence Beam Cover when applicable





### Loose Fit

A 3" gap is mandatory on each side of all accessories




### Compatibility restrictions

The Beam-Mounted Seat Pad and Accessories **cannot** be used in combination with Credenzas, Elevated Screens or Floor Screens




# planning with beam-mounted seat pad & accessories (continued)




## Compatibility with Mobile Pedestal

A Mobile Pedestal **without** Seat Pad/Cushion can be placed under a Side Tray only



## Bag Drop and Side Tray Positions


- They must be installed underneath a Single- or Double-Sided Structural Beam or EZ Fence Beam and aligned with outlet openings of the Side Structural Beam Cover
- Can be aligned with left, center or right opening position
- Brackets are included



- When there is no opening on the Structural Beam Cover – Side, it is still mandatory to align the Bag Drop and/or Side Tray with the power opening on the Structural Beam
- **Cannot** be aligned with a Facing Down Chicago Power Box

## planning with beam-mounted seat pad & accessories (continued)


**BOTTOM VIEW**



**Two Bag Drops Back-to-Back Application**



**SIDE VIEW**

**Desk Structure**





**SIDE VIEW**

**EZ Fence Structure**




**Two Side Trays Back-to-Back Application**




### **Back-to-Back Position**

- Two Bag Drops or two Side Trays can be positioned back-to-back on Double-Sided Beam
- One Bag Drop and one Side Tray can also be positioned back-to-back on Double-Sided Beam




**One Bag Drop and one Side Tray Back-to-Back Application**

**Desk Structure**





**EZ Fence Structure**



## under beam- or worksurface-mounted hook basics

Expansion Cityline offers a hook that can be mounted under worksurface or beam for use with casual workstation.

- Can be used under any Single- or Double-Sided Beam
- Can also be used under all solid worksurfaces



Under Beam-Mounted (B)



Under Worksurface-Mounted (W)

Hook (JNABH) **E** compatible


- Can be support two bags of any types (handbag, laptop, etc.)
- Maximum charge should not exceed 120 pounds

Finish: Foundation, Mica or Acent

## planning with under beam- or worksurface-mounted hook


### under beam-mounted (B)

- Can be installed anywhere along the underside of a Structural Beam, except below a Facing Down Powerbar
- **Cannot** be installed in combination with Bottom Kit for Structural Beam – Standard (JNDBKR) or Bottom Wire Cover for Structural Beam – Standard (JNDBCW)
- Facing Down Bracket is mandatory for installing the Hook to Structural Beam and includes with an hook
- Two beam applications are available:



#### Single-Sided Application


It is recommended to install the hook parallel to the beam to give the both-sides of the hook to the user



#### Double-Sided Application

It is recommended to install the hook perpendicular to the beam to give one side of the hook to each user

### under worksurface-mounted (W)





- Can be installed parallel or perpendicular under a solid worksurface:
  - Run-Off for EZ Fence (JZWRF)
  - All Single- or Double-Sided Rectangular Worksurfaces
  - All Peninsula Worksurfaces
  - High Peninsula Worksurface (JNWPH)
  - Height-Adjustable Run-Off – Bevel Base (JNHB)
  - All hiSpace or Navigate Height-Adjustable Tables
  - Beam-Mounted Cabinet – Open (JNBLO)
  - Lateral Hang-On Cabinet – Open (JNBDLO)
- **Cannot** be placed under Writable Glass Worksurfaces

# dry-erase kit & rare earth magnet kit basics


Expansion Cityline offers Dry-Erase Kit and Rare Earth Magnet Kit for use with casual workstation.

Dry-Erase Kit are **not** included with writable tiles or screens. Rare Earth Magnets are **not** included with Metal Elevated Screens. These kits can be specified separately



## Dry-Erase Kit (JNAEK)

- Includes four Expo Dry-Erase Markers (Red, Blue, Green and Black) and one Expo Eraser
- Can be used with the following markerboard surfaces:
  - Non-Magnetic Clear or Back-Painted Glass
  - Magnetic Back-Painted Glass
  - Whiteboard Writable Paint Metal
- Can be placed into a Markerboard Tray (JNSMT) and can be specified separately. For more details, refer to Casual Screens & Accessories section



## Rare Earth Magnet Kit (JNARM)

- Available with 4 or 24 magnets by kit
- Can be used with the following magnetic surfaces:
  - Magnetic Back-Painted Glass
  - Whiteboard Writable Paint Metal Markerboard
  - Majority of metal paint finishes
- Magnets are finished in Black