credenzas

UNDERSTANDING MOBILE CREDENZA
MOBILE CREDENZA BASICS
UNDERSTANDING FREESTANDING CREDENZAS
FREESTANDING CREDENZA BASICS
DRAWER WIDTHS - MOBILE & FREESTANDING CREDENZA 637
PLANNING WITH MOBILE CREDENZA
PLANNING WITH FREESTANDING CREDENZAS
INTEGRATING ACCESSORIES (OPTIONAL) – MOBILE & FREESTANDING CREDENZA
LOCK CHART - MOBILE & FREESTANDING CREDENZA 649
CRAIN DIRECTION MORILE & ERFESTANDING CREDENTA 650


understanding mobile credenza

Mobile Credenza provides drawers and open storage and complements any workstation. The following outlines the various options available.

7compatible

Credenzas can be used in an EZ Fence environment, since they are freestanding

Mobile Credenza can be used alone or in perpendicular applications




The Mobile Credenza can be specified with a combination of a small and a large drawers with open sections only


- 1 Configuration: Only available Single-Sided
- 2 Drawer Front Style: Are available in metal (M) or solid (S)
- 3 Locks and Keys: Available with locks, keyed alike to match other storage components or keyed randomly for a dedicated lock
- 4 Drawers: Available with small box (3" height) and file drawers only which can accommodate letter- or legal-size papers
- 5 Adjustable Shelf: Can be adjustable in two positions
- 6 Pull Style: Available with Cityline Recessed pulls
- 7 Casters: Two lockable casters and two no lock casters
- 8 Accessories: Box drawer can accommodate a Pencil Tray (included) and optional Box Drawer Organizer (JNAOS). File drawer can accommodate an Hanging File Bar (included) and optional File Drawer Organizers (JNASO). Refer to Accessories sections for details

mobile credenza basics

mobile credenza

- Consists of one open section and two drawers
- Drawer section can be specified left or right, handedness being determined by the location of the drawer as viewed by the user





Finishes

Case Finish (top, bottom, back, divider, shelf and sides): Source Laminate Caster Finishes: Black

Metal Drawer Fronts Finish: Foundation, Mica and Accent Laminate Drawer Front Finishes: Source Laminate and Foundation Laminate Edge Trim Finish: Edge Trim Colors are available with laminate drawer front only Pull Finishes: Foundation, Mica and Accent



Drawers


Mobile Credenza (JNFC)

- 23" high ,18" deep and in widths of 36", 42" or 48"
- Only small box/file configuration is available
- Two front styles are available: Metal (M) or Solid (S) and come with pulls
- Have 2 lockable casters in front
- Counterweights are included

understanding freestanding credenzas


Freestanding Credenzas are available in a variety of styles to complement any workstation. The following outlines the various options available.

The 24" high Freestanding Credenzas can be used alone or in perpendicular applications



The Freestanding Credenzas can be specified with full drawer sections, with drawer and open sections, with a combination of small and large drawers with an open section or with all open sections only


- 1 Configuration: Only available Single-Sided
- 2 Front Style: Are available in metal (M), Metal with Pull (N), Solid (S) or Solid with Pull (T). Metal (M) or Solid (S) Front Style come with touch-to-open drawer slides (no pull). Metal with Pull (N), or Solid with Pull (T) come with Cityline Recessed (C) pulls
- 3 Locks and Keys: Available with locks, keyed alike to match other storage components or keyed randomly for a dedicated lock
- 4 Drawers: Available with filing drawers only which can accommodate letter- or legal-size papers
- 5 Open Section: Can accommodate letter-size binders
- 6 Foot Style: Come with four angled foot
- **7** Levelers: Allow a leveling range of 3" (-3/16", +2 13/16")



freestanding credenza basics


lateral file credenza

- Provide full drawer storage
- Available 24" high and 18" deep only
- Available in widths from 24" 72" (6" increments)
- Consists of one or two filing sections depending on width




Finishes

Case Finish (top, bottom, back, divider and sides): Source Laminate
Angled Foot Finishes: Foundation, Mica and Accent
Metal Drawer Fronts Finish: Foundation
Pull Finishes (If applicable): Foundation, Mica and Accent
Laminate Drawer Fronts Finishes: Source Laminate and Foundation Laminate
Edge Trim Finish: Edge Trim Colors are available with laminate drawer front
only



One File Drawer




Freestanding Credenza - Lateral File (JNFCLL)


- 24" or 36" wide credenzas have one file drawer
- 42" 72" wide credenzas have two file drawers
- Four front styles are available: metal (M), metal with pull (N), solid (S) or solid with pull (T)
- All credenzas have 4 angled feet
- Counterweights are included inside credenza for stability
- The two file drawers configuration comes with independent locks (if specified) and an anti-tilt mechanism that prevents opening more than one drawer at a time
- Power and data cannot pass through credenzas


freestanding credenza basics (continued)

open with lateral file credenza

- Available 24" high and 18" deep only
- Available in widths from 42" 84" (6" increments)
- Consists of one open section and one filing section
- Drawer section can be specified left or right, handedness being determined by the location of the drawer as viewed by the user







One File Drawer


Freestanding Credenza - Open with Lateral File (JNFCOL)


- Available in a file drawer and a single-height opening configuration
- Four front styles are available: metal (M), metal with pull (N), solid (S) or solid with pull (T)
- All credenzas have 4 angled feet
- Counterweights are included inside credenza for more stability
- Power and data cannot pass through credenzas

freestanding credenza basics (continued)


open credenza

- Provide full open compartment
- Available 24" high and 18" deep only
- Available in widths from 24" 84" (6" increments)
- Consists of one or two open sections depending on width





One Open Compartment



Two Open Compartments


$Freestanding\ Credenza-Open\ (JNFCOO)$


- 24" or 42" wide credenzas have one open compartment
- 48" 84" wide credenzas have two open compartments
- Use in single-sided configuration only
- All credenzas have 4 angled feet
- Power and data cannot pass through credenzas

freestanding credenza basics (continued)

open with combo file credenza

- Available 24" high and 18" deep only
- Available in widths from 54" 84" in 6" increments
- Consists of one open section, one small filing section and one large filing section
- Small drawer is always 16" wide. It is placed between the large file drawer and the open section
- Large drawer and open section vary dependently on width of credenza. They are placed at both ends of the credenza
- Drawer section can be specified left or right, handedness being determined by the location of the drawers as viewed by the user







Freestanding Credenza - Open with Combo File (JNFCOC)


- Available in two file drawers and a single-height opening configuration
- Four front styles are available: metal (M), metal with pull (N), solid (S) or solid with pull (T)
- Counterweights are included inside credenza for more stability
- · Comes with independent locks (if specified) and an anti-tilt mechanism that prevents opening more than one drawer at a time
- Power and data cannot pass through credenzas


drawer widths - mobile & freestanding credenza


The following illustrates Expansion Cityline credenzas drawer and open sections nominal widths.


















Lateral file drawer storage capacities are shown below for Mobile Credenzas.


- 12" deep drawers do not have full extension files, therefore Filing must be front-to-back not side-to-side
- For 19 and "24" wide file drawers only one front-to-back filing can be used (letter or legal)
- For 30" wide file drawers two front-to-back filing sections can be used (letter) or one filing section (legal)
- Hanging File Bars are supplied in sufficient quantity to accomplish all that is shown below





Hanging File Bar (JNFALB) can be ordered separately for replacement of original bars


Lateral file drawer storage capacities are shown below for Freestanding Credenzas.




planning with mobile credenza


The following should be considered with planning with Expansion Cityline Mobile Credenzas.

- It is always used independently from the desk structure
- Cannot support storage products or worksurfaces
- Power and data cannot pass through credenza
- The Navigate Height-Adjustable Table will extend over the entire depth of the Mobile Credenza, but extend beyond the end of the credenza. The leg will tuck under the side of the credenza
- The applications illustrated below are available with T- or C-Legs





• The Mobile Credenza can be stored underneath any worksurface with a minimum height of 23"



- It is recommended to specify a Cityline Restricted Electric Base Mechanism (9M) to avoid collision with the credenza
- Clearance with Mobile Credenza (23") is 1 1/4" when the Restricted Base Mechanism is at its lowest position
- The addition of a Seat Pad Felt reduces this clearance by 5/8" and the Seat Cushion –Fabric reduces the clearance by 1 1/2"


 The use of a Height-Adjustable Table Caster Kit (JNHCA) does not prevent the leg to tuck under the Mobile Credenza


planning with freestanding credenzas

The following should be considered with planning with Expansion Cityline Freestanding Credenzas.


- It is always used independently from the desk structure
- Cannot support storage products or worksurfaces
- Power and data cannot pass through credenzas


Freestanding Credenzas can be planned alone or perpendicularly to a desk





freestanding credenza alone application







- The credenza can be used alone between two unconnected workstations
- 18" deep credenza can be used beside or between unconnected 18" deep workstations
- Leg positions on credenzas and desks align when specified the same depth


planning with freestanding credenzas (continued)


freestanding credenza parallel applications



- Cannot be placed parallel with 18" and 36" deep workstations even if specified 6" less than the clearance available, the credenza would interfere with the structural beam
- When specified between two EZ Structural Legs, freestanding credenza can be specified the same width than the beam, for more details, refer to EZ Fence Structure section








Also interferes with Cable Tray for Access Door when installed under a 24" deep worksurface


planning with freestanding credenzas (continued)

In perpendicular applications, only the open section of credenzas can be positioned directly under worksurfaces

freestanding credenza perpendicular applications



- Can be placed perpendicularly with the workstation. Worksurfaces can never be supported by a Freestanding Credenza
- For single-sided configuration, a minimum 12" gap between rear side of Structural Leg and credenza is required to allow enough clearance with the structural beam and/or Cable Tray for Access Door




For double-sided configuration, a minimum 6" gap between middle line of structural beam and credenza is required to allow enough clearance with the structural beam and/or Cable Tray for Access Door

Unstructured returns or run-offs do not need gap between credenzas


integrating accessories (optional) – mobile & freestanding credenza


Can be specified separately, refer to the Accessories section for more details



File Drawer Organizer (JNASO)


- The File Drawer Organizer (letter- or legal-size) can be used in file drawers for additional organization, they add the functionality of Box drawers to File drawers
- Can be used inside all credenza file drawer styles, except for Mobile Credenza
- Can be located anywhere inside a drawer and does not prevent from using the extra space for hanging files






Seat-Pad - Felt (JNACF) (Shown) or Seat Cushion - Fabric (JNACU)

- Provide casual guest seating when applied to a credenza
- Can be used onto all Credenzas top
- Can be placed anywhere along the top



Organizer Only (O)



Organizer with Drawer Liner (L)

Box Drawer Organizer (JNAOS)

- Provides personal small items storage space
- Can be used into the small box drawer of the Mobile Credenza
- The Pencil Tray cannot be stacked over a Box Drawer Organizer (ordered separately) in a 3" high small box drawer

lock chart - mobile & freestanding credenza

If specified, all closed storage come with a lock and key set and can be keyed alike or randomly. A Key Chart must accompany every order, otherwise orders will be shipped keyed randomly

	number of locks
24" – 36" w 42" – 72" w	1 x
JNFCLL	2 x
Drawer on Right	
JNFC OL	1 x
Drawers on Right JNFCOC	2 x

Lockable Single Drawer


grain direction - mobile & freestanding credenza

Attention the grain direction is important when planning with storage. The following examples demonstrate this. Laminates do not have one-way grain direction but rather a bi-directional grain pattern.


- Grain/patterns are not "centered" on storage unit
- Includes Source or Foundation Laminate (Standard, Finegrain and Straightgrain)
- Drawer front grain direction will always be vertical

mobile credenza - open with drawers


Front




Back



freestanding credenza - lateral file









grain direction – mobile & freestanding credenza (continued)


freestanding credenza - open or open with lateral file

Front





Backs






freestanding credenza - open with combo file







Laminate Grains ← → = Grain Direction =

Vertical Grain Direction for colors listed below:

- 3F 3K XJ Source Laminate
- 2F 2K JG Foundation Laminate