

The Linear Power Module provides quick power, data, USB and accessibility in both sides.

**WHAT'S INCLUDED**

1 linear power module and mounting hardware.

**WHAT'S EXCLUDED**

Faceplate (JNECFK) and Cable Retractor Mechanism.

**NOTES**

Each USB Outlet has one USB-A port and one USB-C port for charging only.

The USB-A port always supplies 10 Watts maximum at 5 Volts DC when used alone.

The USB-C port supplies 18 Watts maximum at 5 to 12 Volts DC when used alone.


Maximum combined output is 15 Watts when both ports are used together: 5 Watts for USB-A port and 10 Watts for USB-C port.

The outlets are finished in Soft Gris.

Refer to local electrical code for guidance.

Not all configurations apply to all worksurface types. Refer to the Application Guide for details.

# JNETLP Linear Power Module



Compact 8" Configuration (C0220 or C0300)

**PRODUCT OPTIONS**

Configuration	Wire System	Cord Length	Door and Case Finish	Frame Finish
<b>C0220</b> Compact 8" – 2 Power/2 USB/0 Media	<b>P</b> Plug-In	072, 180	Foundation	Foundation
<b>C0300</b> Compact 8" – 3 Power/0 USB/0 Media			Mica	Accent Mica

**SAMPLE ORDER CODE**

<b>JNETLP C0220</b>	<b>P</b>	<b>072</b>	<b>Q</b>	<b>Q</b>
---------------------	----------	------------	----------	----------

**DIMENSIONS  
INCHES / MM**

L
72 / 1829
180 / 4572

**PRICING**

**PLUG-IN (P)**

**CONFIGURATION**

C0220	C0300
524	414
579	469