


height-adjustability


JNHTRF

Navigate Height-Adjustable Base – Rectangular

One Table
One Plug



T-Legs (TT)



C-Legs (CC)

This base is to be paired with Rectangular Worksurface (JNHWRF or JNHCWRF) to create a freestanding rectangular height-adjustable table.

WHAT'S INCLUDED

1 rectangular height-adjustable base with levelers, 2 height-adjustable mechanisms, 1 control box, 1 power channel, 1 powerbar (as specified), 1 switch for height-adjustable mechanism (as specified) and mounting hardware.

WHAT'S EXCLUDED

Rectangular Worksurface for Navigate Base, Rectangular Worksurface for Navigate Base – Cross Grain, Height-Adjustable Table Caster Kit and e-Chain Vertical Cable Manager.

NOTES

Refer to application guide.

For more information about Frame Integrated Powerbar with IEC Outlet option (P), refer to One Table One Plug Application Guide in Complements: Teknion's Ergonomics & Accessories Programm.

PRODUCT OPTIONS

Leg Style	Leg Application	Base Mechanism	Depth	Width	Width Configuration
N Navigate	CC C-Legs TT T-Legs	9E Extended Electric – Extended (22.6" – 48.7") 9M Extended Electric – Cityline Restricted (27.5" – 48.7")	23, 29	46, 49, 52, 55, 58, 61, 64, 67, 70, 73, 76, 79, 82	S Standard Width U User Optimized Width (Accessory Restriction)

SAMPLE ORDER CODE

JNHTRF N	CC	9M	23	52	U
----------	----	----	----	----	---

PRODUCT OPTIONS CONTINUED

Powerbar	Underworksurface Cable Management	Switch		Base Finish
E External Powerbar I Frame Integrated Powerbar P Frame Integrated Powerbar with IEC Outlet N None	N None	D Display with Up/Down Memory F Toggle Up/Down – Platinum G Toggle Up/Down – Crisp Grey H Toggle Up/Down – Anthracite	M Display Toggle with Memory – Platinum N Display Toggle with Memory – Crisp Grey O Display Toggle with Memory – Anthracite	Foundation Accent Mica

SAMPLE ORDER CODE CONTINUED

N	N	M	83
---	---	---	----

See Pricing on the following page.

JNHTRF

Navigate Height-Adjustable Base – Rectangular (Continued)

DIMENSIONS

INCHES / MM

PRICING

UPCHARGE

D		W		T-LEGS (TT)			Display with Up/Down Memory (D)	Display Toggle with Memory (M, N or O)
		STANDARD WIDTH (S)						
		NONE POWERBAR (N)	EXTERNAL POWERBAR (E)	FRAME INTEGRATED POWERBAR (I or P)				
29 / 737	46 / 1168	2148	2296	n/a		109	136	
29 / 737	49 / 1245	2148	2296	n/a		109	136	
29 / 737	52 / 1321	2148	n/a	2296		109	136	
29 / 737	55 / 1397	2148	n/a	2296		109	136	
29 / 737	58 / 1473	2148	n/a	2296		109	136	
29 / 737	61 / 1549	2148	n/a	2296		109	136	
29 / 737	64 / 1626	2148	n/a	2296		109	136	
29 / 737	67 / 1702	2148	n/a	2296		109	136	
29 / 737	70 / 1778	2148	n/a	2296		109	136	
29 / 737	73 / 1854	2148	n/a	2296		109	136	
29 / 737	76 / 1930	2148	n/a	2296		109	136	
29 / 737	79 / 2007	2148	n/a	2296		109	136	
29 / 737	82 / 2083	2148	n/a	2296		109	136	
		USER OPTIMIZED WIDTH (ACCESSORY RESTRICTION) (U)						
29 / 737	46 / 1168	2148	n/a	2296		109	136	
29 / 737	49 / 1245	2148	n/a	2296		109	136	
29 / 737	52 / 1321	2148	n/a	2296		109	136	
29 / 737	55 / 1397	2148	n/a	2296		109	136	
29 / 737	58 / 1473	2148	n/a	2296		109	136	
29 / 737	61 / 1549	2148	n/a	2296		109	136	
29 / 737	64 / 1626	2148	n/a	2296		109	136	
29 / 737	67 / 1702	2148	n/a	2296		109	136	
29 / 737	70 / 1778	2148	n/a	2296		109	136	
29 / 737	73 / 1854	2148	n/a	2296		109	136	
29 / 737	76 / 1930	2148	n/a	2296		109	136	
29 / 737	79 / 2007	2148	n/a	2296		109	136	
29 / 737	82 / 2083	2148	n/a	2296		109	136	