


JNSEGW

Glass Elevated Screen – Worksurface-Mounted



This screen mounts directly to the worksurface to create privacy and physical separation between workstation and the corridor. The lower portion of the screen which is back-painted acts as a modesty panel.

WHAT'S INCLUDED

1 glass screen and mounting hardware.

WHAT'S EXCLUDED

Worksurfaces, Structural Legs and Linking Strip for Glass Screen.

NOTES

The tempered glass 1/4" (6mm) thick. Frost – Low Iron Finish (LB) is single-sided etched.

For Width Extension for Corner Applications details, refer to the Application Guide.

When Widths 24", 27", 30", 33", 36", 39", 42", 45", 51", 57", 63", 69", 75" and 81" are specified, (B) Width Extension for Corner Application is **not** available.

When (L) Support Connection on Left and (R) Support Connection on Right Mounting Styles are specified, Widths 24", 27", 30", 33", 36", 39", 45", 51", 57", 63", 69", 75" and 81" are **not** available.

PRODUCT OPTIONS

Mounting Style	Modesty Base Height	Datum Height	Width	Width Extension for Corner Application	Corner Detail	Glass Finish	Glass Finish – Modesty Height	Hardware Finish
L Support Connection on Left R Support Connection on Right W Worksurface Only	10 10" from Floor	31, 42, 51	24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 60, 63, 66, 69, 72, 75, 78, 81, 84	B Both Sides L One Side – Left R One Side – Right S Standard Width	S Standard	LA Clear – Low Iron LB Frost – Low Iron	Back-Painted	Foundation Mica Accent

SAMPLE ORDER CODE

JNSEGW R	10	51	42	S	S	LA	K1	74
-----------------	-----------	-----------	-----------	----------	----------	-----------	-----------	-----------

DIMENSIONS
INCHES / MM

H	W
31 / 787	48 / 1219
31 / 787	54 / 1372
31 / 787	60 / 1524
31 / 787	66 / 1676
31 / 787	72 / 1829
31 / 787	78 / 1981
31 / 787	84 / 2134
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829
42 / 1067	78 / 1981
42 / 1067	84 / 2134
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829
51 / 1295	78 / 1981
51 / 1295	84 / 2134

PRICING

WORKSURFACE ONLY (W)		SUPPORT CONNECTION ON LEFT OR RIGHT (L or R)	
BOTH SIDES (B)			
Clear – Low Iron (LA)	Frost – Low Iron (LB)	Clear – Low Iron (LA)	Frost – Low Iron (LB)
707	745	707	745
741	783	741	783
773	820	773	820
806	859	806	859
839	896	839	896
872	934	872	934
906	972	906	972
841	899	841	899
889	955	889	955
940	1011	940	1011
987	1067	987	1067
1037	1124	1037	1124
1086	1179	1086	1179
1135	1236	1135	1236
951	1024	951	1024
1013	1095	1013	1095
1075	1167	1075	1167
1137	1239	1137	1239
1200	1310	1200	1310
1261	1381	1261	1381
1324	1454	1324	1454

Pricing is continued on the following page.

J N S E G W
Glass Elevated Screen –
Worksurface-Mounted (Continued)

DIMENSIONS
INCHES / MM

PRICING

DIMENSIONS INCHES / MM		WORKSURFACE ONLY (W)		SUPPORT CONNECTION ON LEFT OR RIGHT (L or R)	
		ONE SIDE – LEFT OR RIGHT (L or R) OR STANDARD WIDTH (S)			
H	W	Clear – Low Iron (LA)	Frost – Low Iron (LB)	Clear – Low Iron (LA)	Frost – Low Iron (LB)
31 / 787	24 / 610	576	594	n/a	n/a
31 / 787	27 / 686	592	613	n/a	n/a
31 / 787	30 / 762	609	631	n/a	n/a
31 / 787	36 / 838	626	651	n/a	n/a
31 / 787	36 / 914	641	669	n/a	n/a
31 / 787	39 / 991	658	688	n/a	n/a
31 / 787	42 / 1067	675	708	675	708
31 / 787	45 / 1143	692	726	n/a	n/a
31 / 787	48 / 1219	707	745	707	745
31 / 787	51 / 1295	724	763	n/a	n/a
31 / 787	54 / 1372	741	783	741	783
31 / 787	57 / 1448	757	802	n/a	n/a
31 / 787	60 / 1524	773	820	773	820
31 / 787	63 / 1600	791	840	n/a	n/a
31 / 787	66 / 1676	806	859	806	859
31 / 787	69 / 1753	823	877	n/a	n/a
31 / 787	72 / 1829	839	896	839	896
31 / 787	75 / 1905	857	915	n/a	n/a
31 / 787	78 / 1981	872	934	872	934
31 / 787	81 / 2057	888	953	n/a	n/a
31 / 787	84 / 2134	906	972	906	972
42 / 1067	24 / 610	645	673	n/a	n/a
42 / 1067	27 / 686	669	701	n/a	n/a
42 / 1067	30 / 762	694	729	n/a	n/a
42 / 1067	36 / 838	720	757	n/a	n/a
42 / 1067	36 / 914	742	785	n/a	n/a
42 / 1067	39 / 991	767	813	n/a	n/a
42 / 1067	42 / 1067	792	842	792	842
42 / 1067	45 / 1143	817	870	n/a	n/a
42 / 1067	48 / 1219	841	899	841	899
42 / 1067	51 / 1295	865	926	n/a	n/a
42 / 1067	54 / 1372	889	955	889	955
42 / 1067	57 / 1448	915	983	n/a	n/a
42 / 1067	60 / 1524	940	1011	940	1011
42 / 1067	63 / 1600	963	1039	n/a	n/a
42 / 1067	66 / 1676	987	1067	987	1067
42 / 1067	69 / 1753	1013	1095	n/a	n/a
42 / 1067	72 / 1829	1037	1124	1037	1124
42 / 1067	75 / 1905	1062	1152	n/a	n/a
42 / 1067	78 / 1981	1086	1179	1086	1179
42 / 1067	81 / 2057	1110	1208	n/a	n/a
42 / 1067	84 / 2134	1135	1236	1135	1236

Pricing is continued on the following page.

J N S E G W

**Glass Elevated Screen –
Worksurface-Mounted (Continued)**

**DIMENSIONS
INCHES / MM**

H	W
51 / 1295	24 / 610
51 / 1295	27 / 686
51 / 1295	30 / 762
51 / 1295	36 / 838
51 / 1295	36 / 914
51 / 1295	39 / 991
51 / 1295	42 / 1067
51 / 1295	45 / 1143
51 / 1295	48 / 1219
51 / 1295	51 / 1295
51 / 1295	54 / 1372
51 / 1295	57 / 1448
51 / 1295	60 / 1524
51 / 1295	63 / 1600
51 / 1295	66 / 1676
51 / 1295	69 / 1753
51 / 1295	72 / 1829
51 / 1295	75 / 1905
51 / 1295	78 / 1981
51 / 1295	81 / 2057
51 / 1295	84 / 2134

PRICING

WORKSURFACE ONLY (W)

ONE SIDE – LEFT OR RIGHT (L or R) OR STANDARD WIDTH (S)

Clear – Low Iron (LA)	Frost – Low Iron (LB)
702	739
732	773
764	809
795	845
826	881
857	916
888	953
919	989
951	1024
981	1059
1013	1095
1043	1131
1075	1167
1106	1203
1137	1239
1168	1274
1200	1310
1230	1345
1261	1381
1292	1417
1324	1454

SUPPORT CONNECTION ON LEFT OR RIGHT (L or R)

Clear – Low Iron (LA)	Frost – Low Iron (LB)
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
888	953
n/a	n/a
951	1024
n/a	n/a
1013	1095
n/a	n/a
1075	1167
n/a	n/a
1137	1239
n/a	n/a
1200	1310
n/a	n/a
1261	1381
n/a	n/a
1324	1454

