


JNSEGW

Glass Elevated Screen – Worksurface-Mounted



This screen mounts directly to the worksurface to create privacy and physical separation between workstation and the corridor. The lower portion of the screen which is back-painted acts as a modesty panel.

WHAT'S INCLUDED

1 glass screen and mounting hardware.

WHAT'S EXCLUDED

Worksurfaces, Structural Legs and Linking Strip for Glass Screen.

NOTES

The tempered glass is 1/4" (6mm) thick.

Frost – Low Iron Finish (LB) is single-sided etched.

For Width Extension for Corner Applications details, refer to the Application Guide.

PRODUCT OPTIONS

Mounting Style	Modesty Base Height	Datum Height	Width	Width Extension for Corner Application	Corner Detail	Glass Finish	Glass Finish – Modesty Height	Hardware Finish
L Support Connection on Left	10 10" from Floor	31, 42, 51	24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 60, 63, 66, 69, 72, 75, 78, 81, 84	B Both Sides L One Side – Left R One Side – Right S Standard Width	S Standard	LA Clear – Low Iron LB Frost – Low Iron	Back-Painted	Foundation Mica Accent
R Support Connection on Right								
W Worksurface Only								

SAMPLE ORDER CODE

JNSEGW R	10	51	42	S	S	LA	K1	74
-----------------	-----------	-----------	-----------	----------	----------	-----------	-----------	-----------

710

**DIMENSIONS
INCHES / MM**

H	W
31 / 787	48 / 1219
31 / 787	54 / 1372
31 / 787	60 / 1524
31 / 787	66 / 1676
31 / 787	72 / 1829
31 / 787	78 / 1981
31 / 787	84 / 2134
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829
42 / 1067	78 / 1981
42 / 1067	84 / 2134
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829
51 / 1295	78 / 1981
51 / 1295	84 / 2134

PRICING

WORKSURFACE ONLY (W)		SUPPORT CONNECTION ON LEFT OR RIGHT (L or R)	
BOTH SIDES (B)			
Clear – Low Iron (LA)	Frost – Low Iron (LB)	Clear – Low Iron (LA)	Frost – Low Iron (LB)
707	745	707	745
741	783	741	783
773	820	773	820
806	859	806	859
839	896	839	896
872	934	872	934
906	972	906	972
841	899	841	899
889	955	889	955
940	1011	940	1011
987	1067	987	1067
1037	1124	1037	1124
1086	1179	1086	1179
1135	1236	1135	1236
951	1024	951	1024
1013	1095	1013	1095
1075	1167	1075	1167
1137	1239	1137	1239
1200	1310	1200	1310
1261	1381	1261	1381
1324	1454	1324	1454

Pricing is continued on the following page.

J N S E G W
Glass Elevated Screen –
Worksurface-Mounted (Continued)

DIMENSIONS
INCHES / MM

H	W
31 / 787	24 / 610
31 / 787	27 / 686
31 / 787	30 / 762
31 / 787	36 / 838
31 / 787	36 / 914
31 / 787	39 / 991
31 / 787	42 / 1067
31 / 787	45 / 1143
31 / 787	48 / 1219
31 / 787	51 / 1295
31 / 787	54 / 1372
31 / 787	57 / 1448
31 / 787	60 / 1524
31 / 787	63 / 1600
31 / 787	66 / 1676
31 / 787	69 / 1753
31 / 787	72 / 1829
31 / 787	75 / 1905
31 / 787	78 / 1981
31 / 787	81 / 2057
31 / 787	84 / 2134
42 / 1067	24 / 610
42 / 1067	27 / 686
42 / 1067	30 / 762
42 / 1067	36 / 838
42 / 1067	36 / 914
42 / 1067	39 / 991
42 / 1067	42 / 1067
42 / 1067	45 / 1143
42 / 1067	48 / 1219
42 / 1067	51 / 1295
42 / 1067	54 / 1372
42 / 1067	57 / 1448
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	69 / 1753
42 / 1067	72 / 1829
42 / 1067	75 / 1905
42 / 1067	78 / 1981
42 / 1067	81 / 2057
42 / 1067	84 / 2134

PRICING

WORKSURFACE ONLY (W)		SUPPORT CONNECTION ON LEFT OR RIGHT (L or R)	
ONE SIDE – LEFT OR RIGHT (L or R) OR STANDARD WIDTH (S)			
Clear – Low Iron (LA)	Frost – Low Iron (LB)	Clear – Low Iron (LA)	Frost – Low Iron (LB)
576	594	n/a	n/a
592	613	n/a	n/a
609	631	n/a	n/a
626	651	n/a	n/a
641	669	n/a	n/a
658	688	n/a	n/a
675	708	675	708
692	726	n/a	n/a
707	745	707	745
724	763	n/a	n/a
741	783	741	783
757	802	n/a	n/a
773	820	773	820
791	840	n/a	n/a
806	859	806	859
823	877	n/a	n/a
839	896	839	896
857	915	n/a	n/a
872	934	872	934
888	953	n/a	n/a
906	972	906	972
645	673	n/a	n/a
669	701	n/a	n/a
694	729	n/a	n/a
720	757	n/a	n/a
742	785	n/a	n/a
767	813	n/a	n/a
792	842	792	842
817	870	n/a	n/a
841	899	841	899
865	926	n/a	n/a
889	955	889	955
915	983	n/a	n/a
940	1011	940	1011
963	1039	n/a	n/a
987	1067	987	1067
1013	1095	n/a	n/a
1037	1124	1037	1124
1062	1152	n/a	n/a
1086	1179	1086	1179
1110	1208	n/a	n/a
1135	1236	1135	1236



Pricing is continued on the following page.

J N S E G W

Glass Elevated Screen – Worksurface-Mounted (Continued)

DIMENSIONS INCHES / MM

H	W
51 / 1295	24 / 610
51 / 1295	27 / 686
51 / 1295	30 / 762
51 / 1295	36 / 838
51 / 1295	36 / 914
51 / 1295	39 / 991
51 / 1295	42 / 1067
51 / 1295	45 / 1143
51 / 1295	48 / 1219
51 / 1295	51 / 1295
51 / 1295	54 / 1372
51 / 1295	57 / 1448
51 / 1295	60 / 1524
51 / 1295	63 / 1600
51 / 1295	66 / 1676
51 / 1295	69 / 1753
51 / 1295	72 / 1829
51 / 1295	75 / 1905
51 / 1295	78 / 1981
51 / 1295	81 / 2057
51 / 1295	84 / 2134

PRICING

WORKSURFACE ONLY (W)

ONE SIDE – LEFT OR RIGHT (L or R) OR STANDARD WIDTH (S)

Clear – Low Iron (LA)	Frost – Low Iron (LB)
702	739
732	773
764	809
795	845
826	881
857	916
888	953
919	989
951	1024
981	1059
1013	1095
1043	1131
1075	1167
1106	1203
1137	1239
1168	1274
1200	1310
1230	1345
1261	1381
1292	1417
1324	1454

SUPPORT CONNECTION ON LEFT OR RIGHT (L or R)

Clear – Low Iron (LA)	Frost – Low Iron (LB)
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
n/a	n/a
888	953
n/a	n/a
951	1024
n/a	n/a
1013	1095
n/a	n/a
1075	1167
n/a	n/a
1137	1239
n/a	n/a
1200	1310
n/a	n/a
1261	1381
n/a	n/a
1324	1454