


# JNSEGW

## Glass Elevated Screen – Worksurface-Mounted



This screen mounts directly to the worksurface to create privacy and physical separation between workstation and the corridor. The lower portion of the screen which is back-painted acts as a modesty panel.

### WHAT'S INCLUDED

1 glass screen and mounting hardware.

### WHAT'S EXCLUDED

Worksurfaces, Structural Legs and Linking Strip for Glass Screen.

### NOTES

The tempered glass is 1/4" (6mm) thick.

Frost – Low Iron Finish (LB) is single-sided etched.

For Width Extension for Corner Applications details, refer to the Application Guide.

### PRODUCT OPTIONS

Mounting Style	Modesty Base Height	Datum Height	Width	Width Extension for Corner Application	Corner Detail	Glass Finish	Glass Finish – Modesty Height	Hardware Finish
<b>L</b> Support Connection on Left	<b>10</b> 10" from Floor	31, 42, 51	24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 60, 63, 66, 69, 72, 75, 78, 81, 84	<b>B</b> Both Sides	<b>S</b> Standard	<b>LA</b> Clear – Low Iron <b>LB</b> Frost – Low Iron	Back-Painted	Foundation Mica Accent
<b>R</b> Support Connection on Right				<b>L</b> One Side – Left				
<b>W</b> Worksurface Only				<b>R</b> One Side – Right <b>S</b> Standard Width				

### SAMPLE ORDER CODE

<b>JNSEGW R</b>	<b>10</b>	<b>51</b>	<b>42</b>	<b>S</b>	<b>S</b>	<b>LA</b>	<b>K1</b>	<b>74</b>
-----------------	-----------	-----------	-----------	----------	----------	-----------	-----------	-----------

### DIMENSIONS INCHES / MM

H	W
31 / 787	48 / 1219
31 / 787	54 / 1372
31 / 787	60 / 1524
31 / 787	66 / 1676
31 / 787	72 / 1829
31 / 787	78 / 1981
31 / 787	84 / 2134
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829
42 / 1067	78 / 1981
42 / 1067	84 / 2134
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829
51 / 1295	78 / 1981
51 / 1295	84 / 2134

### PRICING

#### WORKSURFACE ONLY (W)

#### BOTH SIDES (B)

Clear – Low Iron (LA)	Frost – Low Iron (LB)
770	812
807	853
842	893
878	936
914	976
950	1017
987	1059
916	979
968	1040
1024	1101
1075	1162
1130	1225
1183	1284
1236	1347
1036	1115
1104	1193
1171	1272
1238	1350
1307	1427
1374	1504
1443	1584

#### SUPPORT CONNECTION ON LEFT OR RIGHT (L or R)

Clear – Low Iron (LA)	Frost – Low Iron (LB)
770	812
807	853
842	893
878	936
914	976
950	1017
987	1059
916	979
968	1040
1024	1101
1075	1162
1130	1225
1183	1284
1236	1347
1036	1115
1104	1193
1171	1272
1238	1350
1307	1427
1374	1504
1443	1584

Pricing is continued on the following page.

# J N S E G W

## Glass Elevated Screen – Worksurface-Mounted (Continued)

**DIMENSIONS**  
**INCHES / MM**

**PRICING**

DIMENSIONS INCHES / MM		WORKSURFACE ONLY (W)		SUPPORT CONNECTION ON LEFT OR RIGHT (L or R)	
		ONE SIDE – LEFT OR RIGHT (L or R) OR STANDARD WIDTH (S)			
H	W	Clear – Low Iron (LA)	Frost – Low Iron (LB)	Clear – Low Iron (LA)	Frost – Low Iron (LB)
31 / 787	24 / 610	628	647	n/a	n/a
31 / 787	27 / 686	645	668	n/a	n/a
31 / 787	30 / 762	663	687	n/a	n/a
31 / 787	36 / 838	682	709	n/a	n/a
31 / 787	36 / 914	698	729	n/a	n/a
31 / 787	39 / 991	717	750	n/a	n/a
31 / 787	42 / 1067	735	771	735	771
31 / 787	45 / 1143	754	791	n/a	n/a
31 / 787	48 / 1219	770	812	770	812
31 / 787	51 / 1295	789	831	n/a	n/a
31 / 787	54 / 1372	807	853	807	853
31 / 787	57 / 1448	825	874	n/a	n/a
31 / 787	60 / 1524	842	893	842	893
31 / 787	63 / 1600	862	915	n/a	n/a
31 / 787	66 / 1676	878	936	878	936
31 / 787	69 / 1753	897	955	n/a	n/a
31 / 787	72 / 1829	914	976	914	976
31 / 787	75 / 1905	934	997	n/a	n/a
31 / 787	78 / 1981	950	1017	950	1017
31 / 787	81 / 2057	967	1038	n/a	n/a
31 / 787	84 / 2134	987	1059	987	1059
42 / 1067	24 / 610	703	733	n/a	n/a
42 / 1067	27 / 686	729	764	n/a	n/a
42 / 1067	30 / 762	756	794	n/a	n/a
42 / 1067	36 / 838	784	825	n/a	n/a
42 / 1067	36 / 914	808	855	n/a	n/a
42 / 1067	39 / 991	836	886	n/a	n/a
42 / 1067	42 / 1067	863	917	863	917
42 / 1067	45 / 1143	890	948	n/a	n/a
42 / 1067	48 / 1219	916	979	916	979
42 / 1067	51 / 1295	942	1009	n/a	n/a
42 / 1067	54 / 1372	968	1040	968	1040
42 / 1067	57 / 1448	997	1071	n/a	n/a
42 / 1067	60 / 1524	1024	1101	1075	1162
42 / 1067	63 / 1600	1049	1132	n/a	n/a
42 / 1067	66 / 1676	1075	1162	1031	1115
42 / 1067	69 / 1753	1104	1193	n/a	n/a
42 / 1067	72 / 1829	1130	1225	1130	1225
42 / 1067	75 / 1905	1157	1255	n/a	n/a
42 / 1067	78 / 1981	1183	1284	1183	1284
42 / 1067	81 / 2057	1209	1316	n/a	n/a
42 / 1067	84 / 2134	1236	1347	1236	1347

Pricing is continued on the following page.

**J N S E G W**

**Glass Elevated Screen –  
Worksurface-Mounted (Continued)**

DIMENSIONS  
INCHES / MM

PRICING

DIMENSIONS INCHES / MM		WORKSURFACE ONLY (W)		SUPPORT CONNECTION ON LEFT OR RIGHT (L or R)	
		ONE SIDE – LEFT OR RIGHT (L or R) OR STANDARD WIDTH (S) (CONTINUED)			
H	W	Clear – Low Iron (LA)	Frost – Low Iron (LB)	Clear – Low Iron (LA)	Frost – Low Iron (LB)
51 / 1295	24 / 610	765	805	n/a	n/a
51 / 1295	27 / 686	798	842	n/a	n/a
51 / 1295	30 / 762	832	881	n/a	n/a
51 / 1295	36 / 838	866	921	n/a	n/a
51 / 1295	36 / 914	900	960	n/a	n/a
51 / 1295	39 / 991	934	998	n/a	n/a
51 / 1295	42 / 1067	967	1038	967	1038
51 / 1295	45 / 1143	1001	1078	n/a	n/a
51 / 1295	48 / 1219	1036	1115	1036	1115
51 / 1295	51 / 1295	1069	1154	n/a	n/a
51 / 1295	54 / 1372	1104	1193	1104	1193
51 / 1295	57 / 1448	1136	1232	n/a	n/a
51 / 1295	60 / 1524	1171	1272	1171	1272
51 / 1295	63 / 1600	1205	1310	n/a	n/a
51 / 1295	66 / 1676	1238	1350	1238	1350
51 / 1295	69 / 1753	1273	1388	n/a	n/a
51 / 1295	72 / 1829	1307	1427	1307	1427
51 / 1295	75 / 1905	1340	1466	n/a	n/a
51 / 1295	78 / 1981	1374	1504	1374	1504
51 / 1295	81 / 2057	1407	1544	n/a	n/a
51 / 1295	84 / 2134	1443	1584	1443	1584