


JNSFGW

Floor Screen with Glass – Worksurface-Mounted



This screen attaches to back or side of a worksurface to provide space division.

WHAT'S INCLUDED

1 solid screen with glass, 1 cable pass-through ring (as specified), linking devices and caps (as specified), levelers and mounting hardware.

WHAT'S EXCLUDED

Worksurfaces, Cable Pass-Through Cover and Linking Strip for Glass Screen.

NOTES

The solid panel is 1" thick and tempered glass is 1/4" (6 mm) thick.

Frost Finishes (FT or LB) are single-sided etched, Satin (FB) is etched on both sides.

For Width Extension for Corner Applications details, refer to the Application Guide.

Worksurface Only (W) Mounting Style **cannot** be specified with Standard-Height Pass-Through (S) option.

When widths 24", 30", 36" and 42" are specified, (B) Width Extension for Corner Application is **not** available.

When (L) Support Connection on Left and (R) Support Connection on Right Mounting Styles are specified, widths 24", 30" and 36" are **not** available.

When Screen Datum Height 57" is specified, Glass Starting Height 29" is **not** available. Height 42" is specified, Glass Starting Height 42" is **not** available.

When Worksurface Only (W) option is specified, the Not Applicable Hardware Finish (NA) option is only available.

Not Applicable Hardware Finish (NA) option is **not** available with Mounting Style (L or R).

Cable Pass-Through Ring comes in a Platinum Coordinate.

PRODUCT OPTIONS

Mounting Style	Datum Height	Glass Starting Height	Width	Width Extension for Corner Application
L Support Connection on Left	42, 51, 57	29, 42	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	B Both Sides
R Support Connection on Right				L One Side – Left
W Worksurface Only				R One Side – Right

596

SAMPLE ORDER CODE

JNSFGW L	51	29	72	S
-----------------	-----------	-----------	-----------	----------

PRODUCT OPTIONS CONTINUED

Alignment Holes	Cable Pass-Through	Screen Finish	Frame Finish	Glass Finish	Hardware Finish
N Without Alignment Holes	N No Pass-Through (Shown)	Source Laminate	Foundation	CL Clear	Foundation
W With Alignment Holes (Shown)	S Standard-Height Pass-Through		Mica	FT Frost	Mica
			Accent	FB Satin	Accent
				LA Clear – Low Iron	Coordinate Colors
				LB Frost – Low Iron	NA Not Applicable

SAMPLE ORDER CODE CONTINUED

N	N	XS	74	CL	NA
----------	----------	-----------	-----------	-----------	-----------

See Pricing on the following page.

J N S F G W
Floor Screen with Glass –
Worksurface-Mounted (Continued)

DIMENSIONS
INCHES / MM

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829
42 / 1067	78 / 1981
42 / 1067	84 / 2134

51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829
51 / 1295	78 / 1981
51 / 1295	84 / 2134

42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829
42 / 1067	78 / 1981
42 / 1067	84 / 2134

51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829
51 / 1295	78 / 1981
51 / 1295	84 / 2134

WORKSURFACE ONLY (W)

29" GLASS STARTING HEIGHT

BOTH SIDES (B)

SOURCE LAMINATE SCREEN FINISH

Clear (CL)	Frost (FT)	Satin (FB)	Clear – Low Iron (LA)	Frost – Low Iron (LB)
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
579	607	702	628	650
625	658	763	679	706
697	733	851	757	787
753	792	922	818	851
807	849	992	878	914
863	910	1063	940	979
918	969	1134	1001	1042
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
677	726	886	758	797
732	787	967	823	867
813	873	1074	913	964
891	957	1178	1002	1057
965	1037	1277	1085	1145
1041	1120	1380	1172	1236
1117	1201	1482	1258	1328

ONE SIDE – LEFT OR RIGHT (L or R) OR STANDARD WIDTH (S)

398	412	460	422	434
443	462	520	474	487
490	512	583	526	544
534	559	642	575	596
579	607	702	628	650
625	658	763	679	706
697	733	851	757	787
753	792	922	818	851
807	849	992	878	914
863	910	1063	940	979
918	969	1134	1001	1042
459	483	563	499	519
514	545	645	565	589
568	604	724	628	659
624	666	807	695	730
677	726	886	758	797
732	787	967	823	867
813	873	1074	913	964
891	957	1178	1002	1057
965	1037	1277	1085	1145
1041	1120	1380	1172	1236
1117	1201	1482	1258	1328

Pricing is continued on the following page.

J N S F G W

**Floor Screen with Glass –
Worksurface-Mounted (Continued)**

DIMENSIONS
INCHES / MM

H	W
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829
42 / 1067	78 / 1981
42 / 1067	84 / 2134

51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829
51 / 1295	78 / 1981
51 / 1295	84 / 2134

42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829
42 / 1067	78 / 1981
42 / 1067	84 / 2134

51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829
51 / 1295	78 / 1981
51 / 1295	84 / 2134

SUPPORT CONNECTION ON LEFT OR RIGHT (L or R)

29" GLASS STARTING HEIGHT

BOTH SIDES (B)

SOURCE LAMINATE SCREEN FINISH

Clear (CL)	Frost (FT)	Satin (FB)	Clear – Low Iron (LA)	Frost – Low Iron (LB)
n/a	n/a	n/a	n/a	n/a
579	607	702	628	650
625	658	763	679	706
697	733	851	757	787
753	792	922	818	851
807	849	992	878	914
863	910	1063	940	979
918	969	1134	1001	1042
n/a	n/a	n/a	n/a	n/a
677	726	886	758	797
732	787	967	823	867
813	873	1074	913	964
891	957	1178	1002	1057
965	1037	1277	1085	1145
1041	1120	1380	1172	1236
1117	1201	1482	1258	1328

ONE SIDE – LEFT OR RIGHT (L or R) OR STANDARD WIDTH (S)

534	559	642	575	596
579	607	702	628	650
625	658	763	679	706
697	733	851	757	787
753	792	922	818	851
807	849	992	878	914
863	910	1063	940	979
918	969	1134	1001	1042
624	666	807	695	730
677	726	886	758	797
732	787	967	823	867
813	873	1074	913	964
891	957	1178	1002	1057
965	1037	1277	1085	1145
1041	1120	1380	1172	1236
1117	1201	1482	1258	1328

Pricing is continued on the following page.

J N S F G W
Floor Screen with Glass –
Worksurface-Mounted (Continued)

DIMENSIONS
INCHES / MM

H	W
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829
51 / 1295	78 / 1981
51 / 1295	84 / 2134

57 / 1448	24 / 610
57 / 1448	30 / 762
57 / 1448	36 / 914
57 / 1448	42 / 1067
57 / 1448	48 / 1219
57 / 1448	54 / 1372
57 / 1448	60 / 1524
57 / 1448	66 / 1676
57 / 1448	72 / 1829
57 / 1448	78 / 1981
57 / 1448	84 / 2134

51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829
51 / 1295	78 / 1981
51 / 1295	84 / 2134

57 / 1448	24 / 610
57 / 1448	30 / 762
57 / 1448	36 / 914
57 / 1448	42 / 1067
57 / 1448	48 / 1219
57 / 1448	54 / 1372
57 / 1448	60 / 1524
57 / 1448	66 / 1676
57 / 1448	72 / 1829
57 / 1448	78 / 1981
57 / 1448	84 / 2134

WORKSURFACE ONLY (W)

42" GLASS STARTING HEIGHT

BOTH SIDES (B)

SOURCE LAMINATE SCREEN FINISH

Clear (CL)	Frost (FT)	Satin (FB)	Clear – Low Iron (LA)	Frost – Low Iron (LB)
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
595	615	680	628	645
644	667	740	681	700
718	743	825	759	780
772	799	890	817	840
823	853	951	873	897
876	909	1014	930	957
931	966	1081	989	1018
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a	n/a
771	804	913	826	853
838	875	998	900	931
927	968	1105	996	1029
1022	1067	1217	1097	1136
1114	1164	1327	1196	1237
1208	1262	1439	1298	1341
1301	1359	1550	1397	1446

ONE SIDE – LEFT OR RIGHT (L or R) OR STANDARD WIDTH (S)

404	413	446	421	429
452	465	506	473	484
500	515	564	525	537
548	566	623	578	591
595	615	680	628	645
644	667	740	681	700
718	743	825	759	780
772	799	890	817	840
823	853	951	873	897
876	909	1014	930	957
931	966	1081	989	1018
514	531	585	541	555
580	601	670	615	632
644	669	751	685	706
709	739	833	758	781
771	804	913	826	853
838	875	998	900	931
927	968	1105	996	1029
1022	1067	1217	1097	1136
1114	1164	1327	1196	1237
1208	1262	1439	1298	1341
1301	1359	1550	1397	1446

Pricing is continued on the following page.

J N S F G W

Floor Screen with Glass –
Worksurface-Mounted (Continued)

DIMENSIONS
INCHES / MM

H	W
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829
51 / 1295	78 / 1981
51 / 1295	84 / 2134

57 / 1448	42 / 1067
57 / 1448	48 / 1219
57 / 1448	54 / 1372
57 / 1448	60 / 1524
57 / 1448	66 / 1676
57 / 1448	72 / 1829
57 / 1448	78 / 1981
57 / 1448	84 / 2134

51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829
51 / 1295	78 / 1981
51 / 1295	84 / 2134

57 / 1448	42 / 1067
57 / 1448	48 / 1219
57 / 1448	54 / 1372
57 / 1448	60 / 1524
57 / 1448	66 / 1676
57 / 1448	72 / 1829
57 / 1448	78 / 1981
57 / 1448	84 / 2134

SUPPORT CONNECTION ON LEFT OR RIGHT (L or R)

42" GLASS STARTING HEIGHT

BOTH SIDES (B)

SOURCE LAMINATE SCREEN FINISH

Clear (CL)	Frost (FT)	Satin (FB)	Clear – Low Iron (LA)	Frost – Low Iron (LB)
n/a	n/a	n/a	n/a	n/a
595	615	680	628	645
644	667	740	681	700
718	743	825	759	780
772	799	890	817	840
823	853	951	873	897
876	909	1014	930	957
931	966	1081	989	1018
n/a	n/a	n/a	n/a	n/a
771	804	913	826	853
838	875	998	900	931
927	968	1105	996	1029
1022	1067	1217	1097	1136
1114	1164	1327	1196	1237
1208	1262	1439	1298	1341
1301	1359	1550	1397	1446

ONE SIDE – LEFT OR RIGHT (L or R) OR STANDARD WIDTH (S)

548	566	623	578	591
595	615	680	628	645
644	667	740	681	700
718	743	825	759	780
772	799	890	817	840
823	853	951	873	897
876	909	1014	930	957
931	966	1081	989	1018
709	739	833	758	781
771	804	913	826	853
838	875	998	900	931
927	968	1105	996	1029
1022	1067	1217	1097	1136
1114	1164	1327	1196	1237
1208	1262	1439	1298	1341
1301	1359	1550	1397	1446

