


J N S F S W

Floor Screen – Worksurface-Mounted



This screen attaches to the back of a worksurface to provide space division.

WHAT'S INCLUDED

1 solid screen, 1 cable pass-through ring (as specified), linking devices and caps (as specified), levelers and mounting hardware.

WHAT'S EXCLUDED

Worksurfaces, Cable Pass-Through Cover (if specified), Sit and Slide Screens.

NOTES

The solid panel is 1" thick.

For Width Extension for Corner Applications details, refer to the Application Guide.

Pass-Through ring comes in a Platinum Coordinate.

When Worksurface Only (W) option is specified, the Standard-Height Pass-Through (S) option is **not** available.

When Worksurface Only (W) option is specified, only the Not Applicable Hardware Finish (NA) option is available.

Not Applicable Hardware Finish (NA) option is **not** available with Mounting Styles Support Connection on Left or Right (L or R).

PRODUCT OPTIONS

Mounting Style	Datum Height	Width	Width Extension for Corner Application	Corner Detail	Alignment Holes	Cable Pass-Through	Screen Finish	Hardware Finish
L Support Connection on Left	31, 42, 51, 57	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84	B Both Sides	S Standard	N Without Alignment Holes	N No Pass-Through (Shown)	Source Laminate	Foundation
R Support Connection on Right			L One Side – Left		W With Alignment Holes (Shown)	S Standard-Height Pass-Through		Mica
W Worksurface Only			R One Side – Right					Accent
			S Standard Width					Coordinate Colors
								NA Not Applicable

SAMPLE ORDER CODE

JNSFSW L	51	72	S	S	N	N	XS	NA
----------	----	----	---	---	---	---	----	----

738

DIMENSIONS INCHES / MM

H	W
31 / 787	48 / 1219
31 / 787	54 / 1372
31 / 787	60 / 1524
31 / 787	66 / 1676
31 / 787	72 / 1829
31 / 787	78 / 1981
31 / 787	84 / 2134
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829
42 / 1067	78 / 1981
42 / 1067	84 / 2134

PRICING

WORKSURFACE ONLY (W)	SUPPORT CONNECTION ON LEFT OR RIGHT (L or R)
BOTH SIDES (B)	
304	304
326	326
386	386
403	403
427	427
449	449
476	476
351	351
380	380
442	442
467	467
497	497
524	524
554	554

Pricing is continued on the following page.

J N S F S W
Floor Screen –
Worksurface-Mounted (Continued)

DIMENSIONS
INCHES / MM

H	W
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829
51 / 1295	78 / 1981
51 / 1295	84 / 2134
57 / 1448	48 / 1219
57 / 1448	54 / 1372
57 / 1448	60 / 1524
57 / 1448	66 / 1676
57 / 1448	72 / 1829
57 / 1448	78 / 1981
57 / 1448	84 / 2134
31 / 787	24 / 610
31 / 787	30 / 762
31 / 787	36 / 914
31 / 787	42 / 1067
31 / 787	48 / 1219
31 / 787	54 / 1372
31 / 787	60 / 1524
31 / 787	66 / 1676
31 / 787	72 / 1829
31 / 787	78 / 1981
31 / 787	84 / 2134
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829
42 / 1067	78 / 1981
42 / 1067	84 / 2134
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829
51 / 1295	78 / 1981
51 / 1295	84 / 2134

PRICING

WORKSURFACE ONLY (W)	SUPPORT CONNECTION ON LEFT OR RIGHT (L or R)
BOTH SIDES (B)	
400	400
434	434
498	498
532	532
567	567
598	598
631	631
433	433
469	469
535	535
575	575
614	614
649	649
684	684
ONE SIDE – LEFT OR RIGHT (L or R) OR STANDARD WIDTH (S)	
214	n/a
235	n/a
260	n/a
283	283
304	304
326	326
386	386
403	403
427	427
449	449
476	476
241	n/a
268	n/a
295	n/a
324	324
351	351
380	380
442	442
467	467
497	497
524	524
554	554
267	n/a
301	n/a
332	n/a
366	366
400	400
434	434
498	498
532	532
567	567
598	598
631	631

Pricing is continued on the following page.

J N S F S W

**Floor Screen –
Worksurface-Mounted (Continued)**

**DIMENSIONS
INCHES / MM**

H	W
57 / 1448	24 / 610
57 / 1448	30 / 762
57 / 1448	36 / 914
57 / 1448	42 / 1067
57 / 1448	48 / 1219
57 / 1448	54 / 1372
57 / 1448	60 / 1524
57 / 1448	66 / 1676
57 / 1448	72 / 1829
57 / 1448	78 / 1981
57 / 1448	84 / 2134

PRICING

WORKSURFACE ONLY (W)	SUPPORT CONNECTION ON LEFT OR RIGHT (L or R)
ONE SIDE – LEFT OR RIGHT (L or R) OR STANDARD WIDTH (S)	
284	n/a
322	n/a
356	n/a
395	395
433	433
469	469
535	535
575	575
614	614
649	649
684	684