


## J N W D C E

### Double-Sided Rectangular Worksurface – Cross Grain – Exposed Beam



This worksurface with cross grain orientation provides a primary or secondary surface for two users in multiple applications. The width is adapted to expose the beam laterally.

#### WHAT'S INCLUDED

1 worksurface, 4 wire management clips, grommets or access doors (if specified) and cable trays (not included with None (NN) option).

#### WHAT'S EXCLUDED

Structural Beam, Chicago Structural Beam, Supports, Worksurface Reinforcement Channel, Cable Tray for Access Door and Square Grommet Cover.

#### NOTES

Power and Data Access options are not all available for every dimensions. Refer to specification software for available options.

When Power and Data Access option (GB, GC, SA, SL, SO or SR) is specified, the Access Door Finish (NA) must be specified.

When Power and Data Access option (AA, AC or AO) is specified, the Grommet Finish (NA) must be specified.

When Power and Data Access option (NN) is specified, the Access Door (NA) and Grommet (NA) Finishes must be specified.

#### PRODUCT OPTIONS

Lateral Beam Configuration	Depth	Width	Power and Data Access
<b>D</b> Double-Sided Beam	36, 48, 60	24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60	<b>AC</b> Access Door – Center
<b>S</b> Single-Sided Beam			<b>AO</b> Access Door – Justified – Opposite
			<b>AA</b> Access Door – Justified – Adjacent
			<b>BO</b> Access Door – Justified – Opposite/Grommet – Center
			<b>BA</b> Access Door – Justified – Adjacent/Grommet – Center
			<b>ER</b> End Access Door/Grommet – Center
			<b>GB</b> Grommets – Both
			<b>GC</b> Grommet – Center
			<b>SL</b> Square Cut-Out – Offset Left/Grommet – Center
			<b>SR</b> Square Cut-Out – Offset Right/Grommet – Center
			<b>SO</b> Square Cut-Out – Justified – Opposite/Grommet – Center
			<b>SA</b> Square Cut-Out – Justified – Adjacent/Grommet – Center
			<b>NN</b> None (Shown)

#### SAMPLE ORDER CODE

<b>JNWDCE D</b>	<b>48</b>	<b>60</b>	<b>BO</b>
-----------------	-----------	-----------	-----------

#### PRODUCT OPTIONS CONTINUED

Screen Mounting Holes	Worksurface Finish	User Edge Trim Style	Edge Trim Finish	Access Door Finish	Grommet Finish
<b>W</b> With Mounting Holes	Foundation Laminate	<b>6</b> 3 mm Straight Trim	Edge Trim Colors	Foundation	<b>25</b> Crisp Grey
<b>N</b> No Mounting Holes		<b>8</b> 1.5 mm Flat Trim		Mica	<b>26</b> Soft Gris
				Accent	<b>60</b> Platinum
				<b>NA</b> Not Applicable	<b>68</b> Anthracite
					<b>74</b> Storm White
					<b>83</b> Very White
					<b>NA</b> Not Applicable

#### SAMPLE ORDER CODE

<b>N</b>	<b>LW</b>	<b>6</b>	<b>ST</b>	<b>60</b>	<b>60</b>
----------	-----------	----------	-----------	-----------	-----------

See Pricing on the following page.

**J N W D C E**  
**Double-Sided Rectangular**  
**Worksurface – Cross Grain –**  
**Exposed Beam (Continued)**

**DIMENSIONS**  
INCHES / MM

D	W
36 / 914	24 / 610
36 / 914	27 / 686
36 / 914	30 / 762
36 / 914	33 / 838
36 / 914	36 / 914
36 / 914	39 / 991
36 / 914	42 / 1067
36 / 914	45 / 1143
36 / 914	48 / 1219
36 / 914	51 / 1295
36 / 914	54 / 1372
36 / 914	57 / 1448
36 / 914	60 / 1524
48 / 1219	24 / 610
48 / 1219	27 / 686
48 / 1219	30 / 762
48 / 1219	33 / 838
48 / 1219	36 / 914
48 / 1219	39 / 991
48 / 1219	42 / 1067
48 / 1219	45 / 1143
48 / 1219	48 / 1219
48 / 1219	51 / 1295
48 / 1219	54 / 1372
48 / 1219	57 / 1448
48 / 1219	60 / 1524
60 / 1524	24 / 610
60 / 1524	27 / 686
60 / 1524	30 / 762
60 / 1524	33 / 838
60 / 1524	36 / 914
60 / 1524	39 / 991
60 / 1524	42 / 1067
60 / 1524	45 / 1143
60 / 1524	48 / 1219
60 / 1524	51 / 1295
60 / 1524	54 / 1372
60 / 1524	57 / 1448
60 / 1524	60 / 1524

**PRICING**

GROMMETS – BOTH (GB)	GROMMET – CENTER (GC)	NONE (NN)	SQUARE CUT-OUT – JUSTIF. – ADJAC. OR OPP./GROMM. – CENTER (SA or SO)	SQUARE CUT-OUT – OFF. LEFT OR RIGHT/GROMM. – CENTER (SL or SR)
n/a	230	230		n/a
n/a	246	246		n/a
n/a	261	261		n/a
n/a	276	276		n/a
n/a	291	291		n/a
n/a	307	307		n/a
n/a	323	323		n/a
n/a	339	339		n/a
353	353	353		353
369	369	369		369
384	384	384		384
401	401	401		401
416	416	416		416
n/a	273	273		n/a
n/a	292	292		n/a
n/a	312	312		n/a
n/a	333	333		n/a
n/a	353	353		n/a
n/a	373	373		n/a
n/a	395	395		n/a
n/a	414	414		n/a
435	435	435		435
455	455	455		455
474	474	474		474
495	495	495		495
514	514	514		514
n/a	315	315		n/a
n/a	341	341		n/a
n/a	366	366		n/a
n/a	391	391		n/a
n/a	416	416		n/a
n/a	440	440		n/a
n/a	465	465		n/a
n/a	490	490		n/a
514	514	514		514
538	538	538		538
562	562	562		562
588	588	588		588
612	612	612		612

Pricing is continued on the following page.

## J N W D C E

### Double-Sided Rectangular Worksurface – Cross Grain – Exposed Beam (Continued)

DIMENSIONS  
INCHES / MM

#### PRICING

D	W	ACCESS DOOR – CENTER (AC)	ACCESS DOOR – JUSTIFIED – ADJAC. OR OPPOSITE (AA or AO)	ACCESS DOOR – JUSTIF. – ADJAC. OR OPP./GROMM. – CENTER (BA or BO) OR END ACCESS DOOR/GROMMET (ER)
48 / 1219	30 / 762	498	n/a	n/a
48 / 1219	36 / 838	n/a	519	n/a
48 / 1219	33 / 838	539	539	n/a
48 / 1219	39 / 991	n/a	559	n/a
48 / 1219	42 / 1067	580	580	n/a
48 / 1219	45 / 1143	n/a	599	n/a
48 / 1219	48 / 1219	n/a	620	620
48 / 1219	51 / 1295	n/a	640	640
48 / 1219	54 / 1372	n/a	659	659
48 / 1219	57 / 1448	n/a	680	680
48 / 1219	60 / 1524	n/a	699	699
60 / 1524	30 / 762	552	n/a	n/a
60 / 1524	33 / 838	n/a	576	n/a
60 / 1524	36 / 914	601	601	n/a
60 / 1524	39 / 991	n/a	626	n/a
60 / 1524	42 / 1067	651	651	n/a
60 / 1524	45 / 1143	n/a	675	n/a
60 / 1524	48 / 1219	n/a	699	699
60 / 1524	51 / 1295	n/a	724	724
60 / 1524	54 / 1372	n/a	748	748
60 / 1524	57 / 1448	n/a	773	773
60 / 1524	60 / 1524	n/a	798	798

