


## J N W D C E

### Double-Sided Rectangular Worksurface – Cross Grain – Exposed Beam



This worksurface with cross grain orientation provides a primary or secondary surface for two users in multiple applications. The width is adapted to expose the beam laterally.

#### WHAT'S INCLUDED

1 worksurface, 4 wire management clips, grommets or access doors (if specified) and cable trays (not included with None (NN) option).

#### WHAT'S EXCLUDED

Structural Beam, Chicago Structural Beam, Supports, Worksurface Reinforcement Channel, Cable Tray for Access Door and Square Grommet Cover.

#### NOTES

Power and Data Access options are not all available for every dimensions. Refer to specification software for available options.

When Power and Data Access option (GB, GC, SA, SL, SO or SR) is specified, the Access Door Finish (NA) must be specified.

When Power and Data Access option (AA, AC or AO) is specified, the Grommet Finish (NA) must be specified.

When Power and Data Access option (NN) is specified, the Access Door (NA) and Grommet (NA) Finishes must be specified.

#### PRODUCT OPTIONS

Lateral Beam Configuration	Depth	Width	Power and Data Access
<b>D</b> Double-Sided Beam	36, 48, 60	24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60	<b>AC</b> Access Door – Center
<b>S</b> Single-Sided Beam			<b>AO</b> Access Door – Justified – Opposite
			<b>AA</b> Access Door – Justified – Adjacent
			<b>BO</b> Access Door – Justified – Opposite/Grommet – Center
			<b>BA</b> Access Door – Justified – Adjacent/Grommet – Center
			<b>ER</b> End Access Door/Grommet – Center
			<b>GB</b> Grommets – Both
			<b>GC</b> Grommet – Center
			<b>SL</b> Square Cut-Out – Offset Left/Grommet – Center
			<b>SR</b> Square Cut-Out – Offset Right/Grommet – Center
			<b>SO</b> Square Cut-Out – Justified – Opposite/Grommet – Center
			<b>SA</b> Square Cut-Out – Justified – Adjacent/Grommet – Center
			<b>NN</b> None (Shown)

#### SAMPLE ORDER CODE

<b>JNWDCE D</b>	<b>48</b>	<b>60</b>	<b>BO</b>
-----------------	-----------	-----------	-----------

#### PRODUCT OPTIONS CONTINUED

Screen Mounting Holes	Worksurface Finish	User Edge Trim Style	Edge Trim Finish	Access Door Finish	Grommet Finish
<b>W</b> With Mounting Holes	Foundation Laminate	<b>6</b> 3 mm Straight Trim	Edge Trim Colors	Foundation	<b>25</b> Crisp Grey
<b>N</b> No Mounting Holes		<b>8</b> 1.5 mm Flat Trim		Mica	<b>26</b> Soft Gris
				Accent	<b>60</b> Platinum
				<b>NA</b> Not Applicable	<b>68</b> Anthracite
					<b>74</b> Storm White
					<b>83</b> Very White
					<b>NA</b> Not Applicable

#### SAMPLE ORDER CODE

<b>N</b>	<b>LW</b>	<b>6</b>	<b>ST</b>	<b>60</b>	<b>60</b>
----------	-----------	----------	-----------	-----------	-----------

See Pricing on the following page.

**J N W D C E**  
**Double-Sided Rectangular**  
**Worksurface – Cross Grain –**  
**Exposed Beam (Continued)**

**DIMENSIONS**  
**INCHES / MM**

**PRICING**

D	W	GROMMETS – BOTH (GB)	GROMMET – CENTER (GC)	NONE (NN)	SQUARE CUT-OUT – JUSTIF. – ADJAC. OR OPP./GROMM. – CENTER (SA or SO) SQUARE CUT-OUT – OFF. LEFT OR RIGHT/GROMM. – CENTER (SL or SR)
36 / 914	24 / 610	n/a	250	250	n/a
36 / 914	27 / 686	n/a	268	268	n/a
36 / 914	30 / 762	n/a	285	285	n/a
36 / 914	33 / 838	n/a	300	300	n/a
36 / 914	36 / 914	n/a	317	317	n/a
36 / 914	39 / 991	n/a	335	335	n/a
36 / 914	42 / 1067	n/a	352	352	n/a
36 / 914	45 / 1143	n/a	369	369	n/a
36 / 914	48 / 1219	385	385	385	385
36 / 914	51 / 1295	402	402	402	402
36 / 914	54 / 1372	418	418	418	418
36 / 914	57 / 1448	437	437	437	437
36 / 914	60 / 1524	453	453	453	453
48 / 1219	24 / 610	n/a	297	297	n/a
48 / 1219	27 / 686	n/a	318	318	n/a
48 / 1219	30 / 762	n/a	340	340	n/a
48 / 1219	33 / 838	n/a	363	363	n/a
48 / 1219	36 / 914	n/a	385	385	n/a
48 / 1219	39 / 991	n/a	407	407	n/a
48 / 1219	42 / 1067	n/a	431	431	n/a
48 / 1219	45 / 1143	n/a	451	451	n/a
48 / 1219	48 / 1219	474	474	474	474
48 / 1219	51 / 1295	495	495	495	495
48 / 1219	54 / 1372	516	516	516	516
48 / 1219	57 / 1448	539	539	539	539
48 / 1219	60 / 1524	560	560	560	560
60 / 1524	24 / 610	n/a	343	343	n/a
60 / 1524	27 / 686	n/a	371	371	n/a
60 / 1524	30 / 762	n/a	398	398	n/a
60 / 1524	33 / 838	n/a	426	426	n/a
60 / 1524	36 / 914	n/a	453	453	n/a
60 / 1524	39 / 991	n/a	480	480	n/a
60 / 1524	42 / 1067	n/a	507	507	n/a
60 / 1524	45 / 1143	n/a	534	534	n/a
60 / 1524	48 / 1219	560	560	560	560
60 / 1524	51 / 1295	586	586	586	586
60 / 1524	54 / 1372	612	612	612	612
60 / 1524	57 / 1448	640	640	640	640
60 / 1524	60 / 1524	667	667	667	667

Pricing is continued on the following page.

**J N W D C E**

**Double-Sided Rectangular  
Worksurface – Cross Grain –  
Exposed Beam (Continued)**

DIMENSIONS  
INCHES / MM

PRICING

D	W	ACCESS DOOR – CENTER (AC)	ACCESS DOOR – JUSTIFIED – ADJAC. OR OPPOSITE (AA or AO)	ACCESS DOOR – JUSTIF. – ADJAC. OR OPP./GROMM. – CENTER (BA or BO) OR END ACCESS DOOR/GROMMET (ER)
48 / 1219	30 / 762	542	n/a	n/a
48 / 1219	33 / 838	n/a	565	n/a
48 / 1219	36 / 914	587	587	n/a
48 / 1219	39 / 991	n/a	609	n/a
48 / 1219	42 / 1067	632	632	n/a
48 / 1219	45 / 1143	n/a	653	n/a
48 / 1219	48 / 1219	n/a	676	676
48 / 1219	51 / 1295	n/a	697	697
48 / 1219	54 / 1372	n/a	718	718
48 / 1219	57 / 1448	n/a	741	741
48 / 1219	60 / 1524	n/a	761	761
60 / 1524	30 / 762	602	n/a	n/a
60 / 1524	33 / 838	n/a	628	n/a
60 / 1524	36 / 914	655	655	n/a
60 / 1524	39 / 991	n/a	682	n/a
60 / 1524	42 / 1067	709	709	n/a
60 / 1524	45 / 1143	n/a	735	n/a
60 / 1524	48 / 1219	n/a	761	761
60 / 1524	51 / 1295	n/a	789	789
60 / 1524	54 / 1372	n/a	815	815
60 / 1524	57 / 1448	n/a	842	842
60 / 1524	60 / 1524	n/a	869	869